

Redeem

Welcome Venkat



Hello Venkat! This is your 1st attempt


Set-03

YOUR TIME: 1 MIN

25%

YOUR PERCENTILE:


VIEW SOLUTIONS




Name

YOUR SCORE:

0/30





Sections	Score	Time Spent
Name	0/30	0 min, 0 sec
Total	0/30	1/30 Min

VIEW IN TABLE FORMAT

ANSWER DISTRIBUTION

You have attempted 0 questions out of which 0 questions are correct, 0 questions are incorrect and 30 questions are unattempted.

TIME DISTRIBUTION

Out of the total duration of 30 minutes, 1 minutes have been utilized throughout. A time duration of 0 minutes have been utilized for correct answers and 0 minutes have been utilized for incorrect answers. A duration of 29 minutes is unused.

SECTIONAL COMPARISON



SOLUTIONS

Question No:	Question ID:	Answer Status:	Time Taken:
7	700745.0	Missed	0 Sec
Given the code fragr	nent:		
3. /* i 4. arra 5. arra	tatic void main(St nsert code here */ y[0]=10; y[1]=20;		
Which code fragmer	it, when inserted at line	e 3, enables the code to p	rint 10:20?
A. int[] array = new i	nt[2];		
B. int[] array;			
array = int[2];			
C. int array = new int	:[2];		
D. int array [2] ;			
A A		B B	
c _c		D D	
Bookmark 🖍			
Prev			

JUMP TO QUESTION				
LL SECTIO	▼			
LL STATU	▼			
1	2	3		
4	5	6		
7	8	9		
10	11	12		
13	14	15		
16	17	18		
19	20	21		
22	23	24		
25	26	27		
28	29	30		

The Correct Answer is **A**

DETAILED SOLUTION

(option B is wrong bcz new is missing, C is wrong bcz trying to cast int array to int, D is wrong bcz syntax error- size of array can't assing like that)

QUESTION DISCUSSIONS

No Discussions Yet!

RAISE ISSUE