


Redeem

**YOUR PERCENTILE:** 

25%

Welcome Venkat





Hello Venkat! This is your 1st attempt

Set-03

YOUR TIME: 1 MIN


VIEW SOLUTIONS





**YOUR SCORE:** 

0/30



Sections	Score	Time Spent
Name	0/30	0 min, 0 sec
Total	0/30	1/30 Min

VIEW IN TABLE FORMAT


## **ANSWER DISTRIBUTION**

You have attempted 0 questions out of which 0 questions are correct, 0 questions are incorrect and 30 questions are unattempted.

#### TIME DISTRIBUTION

Out of the total duration of 30 minutes, 1 minutes have been utilized throughout. A time duration of 0 minutes have been utilized for correct answers and 0 minutes have been utilized for incorrect answers. A duration of 29 minutes is unused.

### **SECTIONAL COMPARISON**



# **SOLUTIONS**

<b>≮</b> Prev Next		Next <b>&gt;</b>	JUMP TO QUESTION			
				LL SECTIONS ▼		
Question No:	Question ID:		Time Taken:	LL STATUS ▼		
24	700729.0	Missed	0 Sec	1	2	3
Given:				4	5	6
<pre>class CD {    int r;    CD(int r) {</pre>				7	8	9
this.r= }	r;			10	11	12
class DVD exten int c;	ds CD {			13	14	15
DVD(int r, // line				16	17	18
) And given the code	e fragment:			19	20	21
DVD dvd = new D				22	23	24
Which code fragmen	t should you use at lin	e n1 to instantiate the dvo	d object successfully?	25	26	27
				28	29	30

Bookmark ✓  ✓ Prev	ı	Next
<b>c</b> c	<b>D</b> D	
A A	<b>B</b> <sub>B</sub>	
<b>D.</b> Option D		
C. Option C		
<b>B.</b> Option B		
<b>A.</b> Option A		
super(c);		
D) this.c = $r$ ;		
this.c = c;		
C) super(r);		
Inc		
this(c);		
B) super(r);		
this.c = $c$ ;		
A) super.r = $r$ ;		
4.)		

The Correct Answer is **C** 

# **DETAILED SOLUTION**

( A is wrong because it is not calling CD(int r) constructor, B is wrong because both are constructor calls this(c) must be first statement, D is wrong because super is calling constructor that should be a first statement)

# **QUESTION DISCUSSIONS**

No Discussions Yet!

RAISE ISSUE