


Redeem

Welcome Venkat




Hello Venkat! This is your 2nd attempt


Set-01

YOUR TIME: 7 MIN

YOUR PERCENTILE: 65.76%

**VIEW SOLUTIONS** 





**YOUR SCORE:** 

11/30



Sections	Score	Time Spent
Name	11/30	7 min, 0 sec
Total	11/30	7/30 Min

VIEW IN TABLE FORMAT

## **ANSWER DISTRIBUTION**

You have attempted 29 questions out of which 11 questions are correct, 18 questions are incorrect and 1 questions are unattempted.


## TIME DISTRIBUTION

Out of the total duration of 30 minutes, 7 minutes have been utilized throughout. A time duration of 4.22 minutes have been utilized for correct answers and 1.87 minutes have been utilized for incorrect answers. A duration of 23 minutes is unused.

## SECTIONAL COMPARISON



#### **Section Wise Report**



# **SOLUTIONS**

Question No:	Question ID:	Answer Status:	Time Taken:
20	697377.0	Wrong	3 Sec
Given the code fragr	nent:		
4. class X			
		ntFileContent(	) {
6.	/* code goes	DException();	
8.		- cprion();	
9. )			
	class Test {	oid main(Strin	- F1
12.	X xobj = ne		g[] args) (
LL			
13.		ileContent();	
13. 14.		ileContent();	
13.		ileContent();	
13. 14. 15. )	xobj.printF	so that the code compiles	s successfully?
Which two modificat	ions should you make	so that the code compiles	·
Which two modificat  A) Replace line 5 with	ions should you make	so that the code compiles	·
Which two modificat  A) Replace line 5 with  B) Replace line 7 with	ions should you make	so that the code compiles ileContent() throws IC "Exception raised");	·
Which two modificat  A) Replace line 5 wit  B) Replace line 7 wit  C) At line 14, insert	mions should you make the public void prints the throw IOException (	so that the code compiles ileContent() throws IC "Exception raised");	Exception (
Mhich two modificat  A) Replace line 5 wit  B) Replace line 7 wit  C) At line 14, insert  D) Replace line 11 w  E) Replace line 13 w	ions should you make th public void prints th throw IOException throw new IOException throw public static voi	so that the code compiles  ileContent() throws IC  "Exception raised");	Exception (
Which two modificat  A) Replace line 5 wit  B) Replace line 7 wit  C) At line 14, insert  D) Replace line 11 w  E) Replace line 13 w	ions should you make th public void prints th throw IOException throw new IOException throw public static voi	so that the code compiles  ileContent() throws IC  "Exception raised");	Exception (
Which two modificat  A) Replace line 5 wit  B) Replace line 7 wit  C) At line 14, insert  D) Replace line 11 w  E) Replace line 13 w  try {  xobj.prints }  catch (Exception	mobj.printF  cions should you make th public void printF th throw IOException ( throw new IOException (throw new IOException (th); (th); (iii) (iii) (iii) (iii) (iii) (iii) (iii)	so that the code compiles  ileContent() throws IC  "Exception raised");	Exception (
Mhich two modificat  A) Replace line 5 wit  B) Replace line 7 wit  C) At line 14, insert  D) Replace line 11 w  E) Replace line 13 w  try (  xobj.prints	mobj.printF  cions should you make th public void printF th throw IOException ( throw new IOException (throw new IOException (th); (th); (iii) (iii) (iii) (iii) (iii) (iii) (iii)	so that the code compiles  ileContent() throws IC  "Exception raised");	Exception (
Which two modificat  A) Replace line 5 wit  B) Replace line 7 wit  C) At line 14, insert  D) Replace line 11 w  E) Replace line 13 w  try (  xobj.prints  catch (Exception catch (IOExcepti	mobj.printF  cions should you make th public void printF th throw IOException ( throw new IOException (throw new IOException (th); (th); (iii) (iii) (iii) (iii) (iii) (iii) (iii)	so that the code compiles  FileContent() throws IC  "Exception raised");  on();  d main(String[] args)	Exception (
Mhich two modificat  A) Replace line 5 wit  B) Replace line 7 wit  C) At line 14, insert  D) Replace line 11 w  E) Replace line 13 w  try {  xobj.prints }  catch (Exception	mobj.printF  cions should you make th public void printF th throw IOException ( throw new IOException (throw new IOException (th); (th); (iii) (iii) (iii) (iii) (iii) (iii) (iii)	so that the code compiles  ileContent() throws IC  "Exception raised");	Exception (

### JUMP TO QUESTION $\blacksquare$ LL SECTIONS $\blacksquare$ LL STATUS

С		D					
<b>E</b> <sub>E</sub>							
Bookmark 🖍			No.ve S				
<b>∢</b> Prev		The Correct Answ	Next ≯ er is <b>A, D</b>				
		DETAILED SO	LUTION				
		QUESTION DISC	CUSSIONS				
wrong answer show Ankit 1 Months answer should be A							
Reply							
RAISE ISSUE							
PAST ATTEMPTS							
02 Feb 2019	Time 30/30 Min	score 0/30	PERCENTILE 45.11%	REPORT			