


Redeem

Welcome Venkat




Hello Venkat! This is your 3rd attempt

Set-05

YOUR TIME: 1 MIN YOUR PERCENTILE: 36.67%

VIEW SOLUTIONS

Over All Analysis Name



YOUR SCORE:

0/30



Sections	Score	Time Spent
Name	0/30	0 min, 0 sec
Total	0/30	1/30 Min

VIEW IN TABLE FORMAT


ANSWER DISTRIBUTION

You have attempted 0 questions out of which 0 questions are correct, 0 questions are incorrect and 30 questions are unattempted.

TIME DISTRIBUTION

Out of the total duration of 30 minutes, 1 minutes have been utilized throughout. A time duration of 0 minutes have been utilized for correct answers and 0 minutes have been utilized for incorrect answers. A duration of 29 minutes is unused.


SECTIONAL COMPARISON



SOLUTIONS

Question No:	Question ID:	Answer Status:	Time Taken:
27	700847.0	Missed	0 Sec
Given the code fragr	ment:		
//line switch cas	ic void main(Stri r1	ln("One");	
Which three code fra o print one?	agments can be indepe	ndently inserted at line n	l to enable the cod
A. Byte x = 1;			
i by co x 1,			
-			
B. short x = 1;			
B. short x = 1; C. String x = "1"; D. Long x = 1;			
B. short x = 1; C. String x = "1";			
B. short x = 1; C. String x = "1"; D. Long x = 1; E. Double x = 1;	teger ("1");		
B. short x = 1; C. String x = "1"; D. Long x = 1; E. Double x = 1; F. Integer x = new In	teger ("1");	B _B	
B. short x = 1; C. String x = "1"; D. Long x = 1; E. Double x = 1; F. Integer x = new In	teger ("1");	B _B	

JUMP TO QUESTION				
LL SECTIO	•			
LL STATU	S	▼		
1	2	3		
4	5	6		
7	8	9		
10	11	12		
13	14	15		
16	17	18		
19	20	21		
22	23	24		
25	26	27		
28	29	30		



DETAILED SOLUTION

(only integer, String and enum can be used in switch... Here if we use String, type mismatch error will come as case value is not a type of String)

QUESTION DISCUSSIONS

No Discussions Yet!

RAISE ISSUE

PAST ATTEMPTS

04 Feb 2019	Time 1/30 Min	score 0/30	PERCENTILE 36.67%	REPORT
04 Feb 2019	Time 1/30 Min	score 0/30	PERCENTILE 36.67%	REPORT