







Redeem  
Voucher

Welcome  
Venkat



-  Tests  
(/certo-meter/online-tests)
-  Preparation Content  
(/certo-meter/lessons)
-  Notice Board  
(/certo-meter/current-affairs)
-  Discussions  
(/certo-meter/discussions)

**Hello Venkat!** This is your 1st attempt

## Set-04

**YOUR SCORE:**  
**0/ 30**


**YOUR TIME:**  
**1 MIN**

**YOUR PERCENTILE:**  
**35.71%**


[VIEW SOLUTIONS](#)

Over All Analysis

Name



■ Correct
 ■ Incorrect
 ■ Unattempted



■ Correct Answers
 ■ Incorrect Answers
 ■ Unattempted Questions
 ■ Unused Time

[VIEW IN TABLE FORMAT](#)

Sections	Score	Time Spent
Name	0/30	0 min, 0 sec
<b>Total</b>	<b>0/30</b>	<b>1/30 Min</b>

## ANSWER DISTRIBUTION

You have attempted 0 questions out of which 0 questions are correct, 0 questions are incorrect and 30 questions are unattempted.


## TIME DISTRIBUTION

Out of the total duration of 30 minutes, 1 minutes have been utilized throughout. A time duration of 0 minutes have been utilized for correct answers and 0 minutes have been utilized for incorrect answers. A duration of 29 minutes is unused.

## SECTIONAL COMPARISON

**Sectional Comparison****Time Analysis**

### Section Wise Report



# SOLUTIONS

[< Prev](#)
[Next >](#)
[JUMP TO QUESTION](#)

LL SECTIONS ▼

LL STATUS ▼

Question No:

7

Question ID:

700756.0

Answer Status:

Missed

Time Taken:

0 Sec

Given the code fragment:

```
public static void main(String[] args) {
    double discount = 0;
    int qty = Integer.parseInt(args[0]);
    //line n1;
}
```

And given the requirements:

If the value of the qty variable is greater than or equal to 90, discount = 0.5

If the value of the qty variable is between 80 and 90, discount = 0.2

Which two code fragments can be independently placed at line n1 to meet the requirements?

- A) `if (qty >= 90) { discount = 0.5; }`  
     `if (qty > 80 && qty < 90) { discount = 0.2; }`
- B) `discount = (qty >= 90) ? 0.5 : 0;`  
     `discount = (qty > 80) ? 0.2 : 0;`
- C) `discount = (qty >= 90) ? 0.5 : (qty > 80) ? 0.2 : 0;`
- D) `if (qty > 80 && qty < 90) {`  
     `discount = 0.2;`  
     `}` `else {`  
     `discount = 0;`  
     `}`  
     `if (qty >= 90) {`  
     `discount = 0.5;`  
     `}` `else {`  
     `discount = 0;`  
     `}`
- E) `discount = (qty > 80) ? 0.2 : (qty >= 90) ? 0.5 : 0;`

1 2 3

4 5 6

7 8 9

10 11 12

13 14 15

16 17 18

19 20 21

22 23 24

25 26 27

28 29 30

- A.** Option A **B.** Option B  
**C.** Option C **D.** Option D  
**E.** Option E

<b>A</b> A	<b>B</b> B
<b>C</b> C	<b>D</b> D
<b>E</b> E	

Bookmark 

◀ Prev

Next ▶

The Correct Answer is **A, C**

## DETAILED SOLUTION

(Easy)

## QUESTION DISCUSSIONS

No Discussions Yet!

RAISE ISSUE