



(/)

Redeem  
Voucher

Welcome  
Venkat

- Tests  
(/certo-meter/online-tests)
- Preparation Content  
(/certo-meter/lessons)
- Notice Board  
(/certo-meter/current-affairs)
- Discussions  
(/certo-meter/discussions)

Hello Venkat! This is your 3rd attempt

Set-05

YOUR SCORE:  
0/ 30

YOUR TIME:  
1 MIN


YOUR PERCENTILE:  
36.67%

VIEW SOLUTIONS

Over All Analysis	Name
-------------------	------



Correct Incorrect  
Unattempted



Correct Answers Incorrect Answers  
Unattempted Questions  
Unused Time

Sections	Score	Time Spent
Name	0/30	0 min, 0 sec
Total	0/30	1/30 Min

VIEW IN TABLE FORMAT

## ANSWER DISTRIBUTION

You have attempted 0 questions out of which 0 questions are correct, 0 questions are incorrect and 30 questions are unattempted.

## TIME DISTRIBUTION

Out of the total duration of 30 minutes, 1 minutes have been utilized throughout. A time duration of 0 minutes have been utilized for correct answers and 0 minutes have been utilized for incorrect answers. A duration of 29 minutes is unused.

## SECTIONAL COMPARISON

**Sectional Comparison****Time Analysis**

### Section Wise Report



# SOLUTIONS

[< Prev](#)[Next >](#)[JUMP TO QUESTION](#)

LL SECTIONS ▼

LL STATUS ▼

Question No:

3

Question ID:

700868.0

Answer Status:

Missed

Time Taken:

0 Sec

Given the code fragment

```
class Employee {
    private String name;
    private int age;
    private int salary;

    public Employee(String name, int age) {
        setName(name);
        setAge(age);
        setSalary(2000);
    }

    public Employee(String name, int age, int salary) {
        setSalary(salary);
        this(name, age);
    }

    //getter and setter methods for attributes go here

    public void printDetails() {
        System.out.println(name + " : " + age + " : " + salary);
    }
}
```

Test.java:

```
class Test {
    public static void main(String[] args) {
        Employee e1 = new Employee();
        Employee e2 = new Employee("Jack", 50);
        Employee e3 = new Employee("Chloe", 40, 5000);
        e1.printDetails();
        e2.printDetails();
        e3.printDetails();
    }
}
```

What is the result?

1 2 3

4 5 6

7 8 9

10 11 12

13 14 15

16 17 18

19 20 21

22 23 24

25 26 27

28 29 30

A) null : 0 : 0  
Jack : 50 : 0  
Chloe : 40 : 5000

B) null : 0 : 0  
Jack : 50 : 2000  
Chloe : 40 : 5000

C) Compilation fails in the Employee class.

D) Compilation fails in the Test class.

E) Both the Employee class and the Test class fail to compile.

**A**  
A

**B**  
B

**C**  
C

**D**  
D

**E**  
E

Bookmark 

◀ Prev

Next ▶

The Correct Answer is **E**



### DETAILED SOLUTION

(Constructor call this () must be first statement, and employee () constructor is missing in Employee)

### QUESTION DISCUSSIONS

No Discussions Yet!

[RAISE ISSUE](#)**PAST ATTEMPTS**

04 Feb 2019	Time 1/30 Min	SCORE 0/30	PERCENTILE 36.67%	 REPORT
04 Feb 2019	Time 1/30 Min	SCORE 0/30	PERCENTILE 36.67%	 REPORT