



Redeem
Voucher

Welcome
Venkat



- Tests
(/certo-meter/online-tests)
- Preparation Content
(/certo-meter/lessons)
- Notice Board
(/certo-meter/current-affairs)
- Discussions
(/certo-meter/discussions)

Hello Venkat! This is your 1st attempt

Set-04

YOUR SCORE:
0/ 30

YOUR TIME:
1 MIN

YOUR PERCENTILE:
35.71%

[VIEW SOLUTIONS](#)

Over All Analysis

Name



■ Correct
 ■ Incorrect
 ■ Unattempted



■ Correct Answers
 ■ Incorrect Answers
 ■ Unattempted Questions
 ■ Unused Time

[VIEW IN TABLE FORMAT](#)

Sections	Score	Time Spent
Name	0/30	0 min, 0 sec
Total	0/30	1/30 Min

ANSWER DISTRIBUTION

You have attempted 0 questions out of which 0 questions are correct, 0 questions are incorrect and 30 questions are unattempted.

TIME DISTRIBUTION

Out of the total duration of 30 minutes, 1 minutes have been utilized throughout. A time duration of 0 minutes have been utilized for correct answers and 0 minutes have been utilized for incorrect answers. A duration of 29 minutes is unused.

SECTIONAL COMPARISON

Sectional Comparison**Time Analysis**

Section Wise Report



SOLUTIONS

[< Prev](#)
[Next >](#)

JUMP TO QUESTION

LL SECTIONS ▼

LL STATUS ▼

Question No:

27

Question ID:

700760.0

Answer Status:

Missed

Time Taken:

0 Sec

You are developing a banking module. You have developed a class named ccMask that has a maskcc method.

Given the code fragment:

```
class CCMask {
    public static String maskCC(String creditCard) {
        String x = "XXXX-XXXX-XXXX-";
        //line n1
    }

    public static void main(String[] args) {
        System.out.println(maskCC("1234-5678-9101-1121"));
    }
}
```

You must ensure that the maskcc method returns a string that hides all digits of the credit card number except the four last digits (and the hyphens that separate each group of four digits). Which two code fragments should you use at line n1, independently, to achieve this requirement?

- A) `StringBuilder sb = new StringBuilder(creditCard);`
`sb.substring(15, 19);`
`return x + sb;`
- B) `return x + creditCard.substring(15, 19);`
- C) `StringBuilder sb = new StringBuilder(x);`
`sb.append(creditCard, 15, 19);`
`return sb.toString();`
- D) `StringBuilder sb = new StringBuilder(creditCard);`
`StringBuilder s = sb.insert(0, x);`
`return s.toString();`

A. Option A B. Option B

1 2 3

4 5 6

7 8 9

10 11 12

13 14 15

16 17 18

19 20 21

22 23 24

25 26 27

28 29 30

C. Option C **D.** Option D

A A	B B
C C	D D

Bookmark 

◀ Prev

Next ▶

The Correct Answer is **B, C**

DETAILED SOLUTION

(Option A and D will print complete string x and creditCard number. In option A sb.substring(15,19) will return string 1121 which is not storing to any string and sb remains as it is, So it will return complete x and credit card number. In option D s=sb.insert(0, x) will insert complete x in 0th index so it will print complete string x and creditCard number)

QUESTION DISCUSSIONS

No Discussions Yet!

RAISE ISSUE