

1.multiple of 3

Multiple.java

```
1 import java.util.*;
2 public class Multiple{
3     public static void main(String arg []){
4         int a,i;
5         Scanner s=new Scanner(System.in);
6         a=s.nextInt();
7         System.out.println("The Multiple of 3");
8         for(i=1;i<=a;i++){
9             int d=i*a;
10            System.out.println(d);
11        }
12    }
13 }
```

output

STDIN

5

Output:

The Multiples of 3

5

10

15

20

25

2.Check divisible by 4 number not divisible by 4

```

Divide.java +
1 import java.util.*;
2 public class Divide {
3     public static void main(String[] args) {
4         int a,n;
5         Scanner s=new Scanner(System.in);
6         a=s.nextInt();
7         n=s.nextInt();
8         if(a%n==0){
9             System.out.println("divisible by 4");
10        }
11    else{
12        System.out.println("not divisible by 4");
13    }
14 }
15 }
16 }
17 }

```

output

```

STDIN

4
4

Output:

divisible by 4

```

3.Pass or fail

```

Divide.java +
1 import java.util.*;
2 public class Divide {
3     public static void main(String[] args) {
4         int a;
5         Scanner s=new Scanner(System.in);
6         a=s.nextInt();
7         if(a>=40){
8             System.out.println("Pass");
9         }
10    else{
11        System.out.println("Fail");
12    }
13 }
14 }
15 }
16 }

```

output

STDIN

50

Output:

Pass

4.Convert celusis to fahernherit

```
Divide.java  +
1 import java.util.*;
2 class Divide{
3     public static void main(String[]args){
4         int a,b,f,c;
5         Scanner s=new Scanner(System.in);
6         a=s.nextInt();
7         b=s.nextInt();
8         c=s.nextInt();
9         f=(c*(a/b)+32);
10        System.out.println(f);
11    }
12 }
13
```

output

STDIN

5

22

Output:

54

5.Perimeter of a rectangle

```
Perimeter.java  +
1
2 import java.util.*;
3 public class Perimeter{
4     public static void main (String args[]){
5         int p,l,b;
6         Scanner s=new Scanner(System.in);
7         l=s.nextInt();
8         b=s.nextInt();
9         p=(2*(l+b));
10        System.out.println(p);
11    }
12 }
13
```

output

```
STDIN
20
30

Output:
100
```

6.largest of 4 number 4 input

```
Perimeter.java    NewClass1.java    +
1 import java.util.*;
2 public class Perimeter{
3     public static void main(String args[]){
4         int a,b,c,d;
5         Scanner s=new Scanner(System.in);
6         a=s.nextInt();
7         b=s.nextInt();
8         c=s.nextInt();
9         d=s.nextInt();
10        if(a>b){
11            System.out.println(a);
12        }
13        else if(b>c){
14            System.out.println(b);
15        }
16        else if(c>d){
17            System.out.println(c);
18        }
19        else if(d>a){
20            System.out.println(d);
21        }
22        else
23        {
24            System.out.println("Invaild");
25        }
26    }
27 }
```

output

```
STDIN
10
5
3
2

Output:
10
```

7.

Perimeter.javaNewClass1.java+

```
1 import java.util.*;
2 public class Perimeter{
3     public static void main(String args[]){
4         int a,b;
5         Scanner s=new Scanner(System.in);
6         a=s.nextInt();
7         b=s.nextInt();
8         int d=a+b;
9         System.out.println(d);
10    }
11 }
```

output

STDIN

```
10
10
```

Output:

```
20
```

8

Perimeter.javaNewClass1.java+

```
1 import java.util.*;
2 public class Perimeter{
3     public static void main(String args[]){
4         int a,b;
5         Scanner s=new Scanner(System.in);
6         a=s.nextInt();
7         b=s.nextInt();
8         if(a>b){
9             System.out.println("the number is greater than 100");
10        }
11        else{
12            System.out.println("the number is lesser than 100");
13        }
14    }
15 }
```

output

STDIN

150

100

Output:

the number is greater than 100

9

```
Solution.java    NewClass1.java    +
1 import java.util.*;
2 public class Solution{
3     public static void main(String args[]){
4         int a,b,c,d,avg;
5         Scanner s=new Scanner(System.in);
6         a=s.nextInt();
7         b=s.nextInt();
8         c=s.nextInt();
9         d=s.nextInt();
10        avg=((a+b+c+d)/4);
11        System.out.println(avg);
12    }
13 }
```

output

STDIN

50

100

150

200

Output:

125

10

Solution.java NewClass1.java +

```
1 import java.util.*;
2 public class Solution{
3     public static void main(String args[]){
4         int a,m;
5         Scanner s=new Scanner(System.in);
6         a=s.nextInt();
7         m=a+1;
8         System.out.println(m);
9     }
10
11 }
```

output

```
STDIN
50
100
150
200

Output:
125
```

11 sum of even and odd