

I

login

Cid	uname	Password
101	Venkatesh	ven
102	Kirithika	kir

II Customer details.

Cid	name	mobile no	email	account no
101	Venkat	99446006	Venka	-
102	Kirithika	98444400	kir	-

III Bus details.

Bus-no	Bus Capacity	Type	Travels-id
1001	60	Volvo	200
1004	60	Volvo	201

IV Travels

Travels-id	Name	phno.
200	Sai	anur
201	ram.	anur

V

Route.

Route-no	from	to	Distance
6	600 H1	600 H2	400 km
7	600 H2	600 H1	400 km

VI

City

City-id	City-name
600 H1	Bangalore
600 H2	Chennai

Booking

C-ID passenger name seat no Gender Age

VII

Booking

CID	passenger name	seat no	G	Age	Date	RID	PID
101	venkat	25	M	19	2-10	10001	1
101	kumar	26	M	46	2-10	10002	1
102	kirithika	26	F	19	2-10	10001	3

VIII

Bus-route

RID	Bus-NO	Route-no
10001	1001	6
10002	1004	7

record cannot be added since there is male and female conflict

IX

Paym

P-id	paym
1	pay
2	pay

X

awa

a-id	R1
1	100
2	100

XI

Bd-id

Bd-id	Bd-id
01	
02	
03	
01	03
03	02

XII

Can

Can i
00011

IX

Payment.

P-id	payment-type	amount	status
1	Paytm	800	paid
2	paytm.	400	paid

X

availability

a-id	RID	bus no	seats
1	10001	1001	59
2	10002	1004	59

XI

Grouping and Boarding PT

Bd-id	city-ID	Boarding or dropping PT
01	60041	HSE
02	60041	KSE
03	60042	Kaymbedy.

Bd-id Bd-id

01 03.

03 02.

XII

Cancellation

canc id	rid	seat-no	RID.
00011	101	25	10001


XIII

Refund.

Ref-id	cancel-id	amount	C/D.
001	0001	880	101.

Buo

1 2	31 32
3 4	33 34
5 6	35 36
7 8	37 38
9 10	39 40
11 12	41 42
13 14	43 44
15 16	45 46
17 18	47 48
19 20	49 50
21 22	51 52
23 24	53 54
25 26	55 56
27 28	57 58
29 30	59 60.



insert into Booking

Values (102, 'Kirbhika', 26, F, 19, '2+10-1', 1001, 2, 02, 08)

where

Gender = 'F' and seatno = seat cal (26)

"query does not execute as 25 was made"

Create Function seatcal (int) { return int;

26/2==0 if (n/2==0)

25. then if ((n-1)/2==0)

then return (n-1);

else

if ((n+1)/2==0)

then return n+1

};