

```

import random
import time

def bubble_sort(arr):
    n = len(arr)
    for i in range(n - 1):
        for j in range(n - i - 1):
            if arr[j] > arr[j + 1]:
                arr[j], arr[j + 1] = arr[j + 1], arr[j]

def selection_sort(arr):
    n = len(arr)
    for i in range(n - 1):
        min_index = i
        for j in range(i + 1, n):
            if arr[j] < arr[min_index]:
                min_index = j
        arr[i], arr[min_index] = arr[min_index], arr[i]

def insertion_sort(arr):
    n = len(arr)
    for i in range(1, n):
        key = arr[i]
        j = i - 1
        while j >= 0 and arr[j] > key:
            arr[j + 1] = arr[j]
            j -= 1
        arr[j + 1] = key

def merge(arr, left, mid, right):
    L = arr[left:mid + 1]
    R = arr[mid + 1:right + 1]

    i = j = 0
    k = left

    while i < len(L) and j < len(R):
        if L[i] <= R[j]:
            arr[k] = L[i]
            i += 1
        else:
            arr[k] = R[j]
            j += 1
        k += 1

    while i < len(L):
        arr[k] = L[i]
        i += 1
        k += 1

    while j < len(R):
        arr[k] = R[j]
        j += 1
        k += 1

def merge_sort(arr, left, right):
    if left < right:
        mid = (left + right) // 2
        merge_sort(arr, left, mid)
        merge_sort(arr, mid + 1, right)
        merge(arr, left, mid, right)

def partition(arr, low, high):
    pivot = arr[high]
    i = low - 1

    for j in range(low, high):
        if arr[j] < pivot:
            i += 1

```

```

arr[i], arr[j] = arr[j], arr[i]

arr[i + 1], arr[high] = arr[high], arr[i + 1]
return i + 1

def quick_sort(arr, low, high):
    if low < high:
        pi = partition(arr, low, high)
        quick_sort(arr, low, pi - 1)
        quick_sort(arr, pi + 1, high)

n = 100
arr = [random.randint(0, 999) for _ in range(n)]

print("Number of Elements =", n)
print()

temp = arr.copy()
start = time.perf_counter()
bubble_sort(temp)
end = time.perf_counter()
print(f"Bubble Sort Time      : {(end - start) * 1_000_000:.2f} microseconds")

temp = arr.copy()
start = time.perf_counter()
selection_sort(temp)
end = time.perf_counter()
print(f"Selection Sort Time : {(end - start) * 1_000_000:.2f} microseconds")

temp = arr.copy()
start = time.perf_counter()
insertion_sort(temp)
end = time.perf_counter()
print(f"Insertion Sort Time : {(end - start) * 1_000_000:.2f} microseconds")

temp = arr.copy()
start = time.perf_counter()
merge_sort(temp, 0, n - 1)
end = time.perf_counter()
print(f"Merge Sort Time      : {(end - start) * 1_000_000:.2f} microseconds")

temp = arr.copy()
start = time.perf_counter()
quick_sort(temp, 0, n - 1)
end = time.perf_counter()
print(f"Quick Sort Time       : {(end - start) * 1_000_000:.2f} microseconds")

```

Number of Elements = 100

```

Bubble Sort Time      : 487.98 microseconds
Selection Sort Time   : 294.10 microseconds
Insertion Sort Time   : 296.90 microseconds
Merge Sort Time       : 219.31 microseconds
Quick Sort Time       : 146.30 microseconds

```

