

DEALHUNTS MySQL Database Schema

Source and scope

This document organizes the MySQL `INFORMATION_SCHEMA` output supplied for the `dealhunts` database. It includes table columns and the declared foreign-key relationships present in that output.

- Tables represented in column metadata: **35**
- Column definitions represented: **221**
- Declared foreign-key mappings represented: **41**

Notes: `PRI` indicates a primary-key column; `UNI` indicates a unique index; `MUL` indicates a non-unique indexed column. `YES` under Nullable means NULL is allowed. `NULL` in the Default column means the metadata output showed no explicit default value (or a NULL default).

Table of contents

- [addresses](#addresses)
- [admin](#admin)
- [attribute_definition](#attribute-definition)
- [available_near_you](#available-near-you)
- [brand](#brand)
- [cart](#cart)
- [cart_item](#cart-item)
- [category](#category)
- [category_image](#category-image)
- [color](#color)
- [coming_soon](#coming-soon)
- [coming_soon_images](#coming-soon-images)
- [image](#image)
- [inventory](#inventory)
- [new_arrivals](#new-arrivals)
- [order_items](#order-items)
- [orders](#orders)
- [product](#product)
- [product_attribute_value](#product-attribute-value)
- [product_media](#product-media)
- [promotion_images](#promotion-images)
- [promotions](#promotions)
- [storage](#storage)
- [todays_best_deals](#todays-best-deals)
- [trending_categories](#trending-categories)
- [trending_deal](#trending-deal)
- [users](#users)
- [variant](#variant)
- [variant_attribute_value](#variant-attribute-value)
- [vendor](#vendor)
- [vendor_brands](#vendor-brands)
- [vendor_categories](#vendor-categories)
- [visit_requests](#visit-requests)
- [why_dealhunts](#why-dealhunts)
- [wishlist](#wishlist)

- [Foreign-key relationships](#foreign-key-relationships)

addresses

Column	Type	Nullable	Key	Default	Extra
id	int	NO	PRI	NULL	auto_increment
address	varchar(500)	NO	—	NULL	—
latitude	double	NO	—	NULL	—
longitude	double	NO	—	NULL	—
user_id	int	NO	UNI	NULL	—

admin

Column	Type	Nullable	Key	Default	Extra
id	int	NO	PRI	NULL	auto_increment
email	varchar(255)	YES	—	NULL	—
link	varchar(255)	YES	—	NULL	—
password	varchar(255)	YES	—	NULL	—
role	varchar(255)	YES	—	NULL	—

attribute_definition

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
active	bit(1)	NO	—	NULL	—
comparable	bit(1)	NO	—	NULL	—
data_type	varchar(30)	NO	—	NULL	—
display_order	int	YES	—	NULL	—
label	varchar(100)	NO	—	NULL	—
attribute_name	varchar(100)	NO	—	NULL	—
required	bit(1)	NO	—	NULL	—
unit	varchar(30)	YES	—	NULL	—
category_id	bigint	NO	MUL	NULL	—
placeholder	varchar(255)	YES	—	NULL	—

available_near_you

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
product_id	bigint	NO	UNI	NULL	—

brand

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
name	varchar(100)	NO	—	NULL	—
active	bit(1)	NO	—	NULL	—

cart

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
user_id	int	NO	UNI	NULL	—

cart_item

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
quantity	int	NO	—	NULL	—
cart_id	bigint	NO	MUL	NULL	—
inventory_id	bigint	NO	MUL	NULL	—

category

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
name	varchar(100)	NO	—	NULL	—
image_url	varchar(255)	YES	—	NULL	—
active	bit(1)	NO	—	NULL	—
parent_category_id	bigint	YES	MUL	NULL	—

category_image

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
image_url	varchar(255)	YES	—	NULL	—
category_id	bigint	NO	UNI	NULL	—

color

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
name	varchar(100)	NO	—	NULL	—

hex_code	varchar(100)	NO	—	NULL	—
product_id	bigint	NO	MUL	NULL	—
price	decimal(12,2)	YES	—	NULL	—
variant_id	bigint	YES	MUL	NULL	—
discount	decimal(12,2)	YES	—	NULL	—

coming_soon

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
active	bit(1)	NO	—	NULL	—
brand	varchar(150)	NO	—	NULL	—
description	varchar(2000)	YES	—	NULL	—
display_from_date	date	NO	—	NULL	—
display_to_date	date	NO	—	NULL	—
priority	int	NO	—	NULL	—
product_name	varchar(255)	NO	—	NULL	—

coming_soon_images

Column	Type	Nullable	Key	Default	Extra
coming_soon_id	bigint	NO	PRI	NULL	—
image_url	varchar(1000)	YES	—	NULL	—
image_order	int	NO	PRI	NULL	—

image

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
created_at	datetime(6)	YES	—	NULL	—
image_status	varchar(255)	YES	—	NULL	—
thumbnail_url	varchar(255)	YES	—	NULL	—
product_id	bigint	NO	MUL	NULL	—

inventory

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
cod	bit(1)	YES	—	NULL	—
color_id	bigint	YES	MUL	NULL	—
product_condition	varchar(255)	YES	—	NULL	—
delivery_time	varchar(255)	YES	—	NULL	—

discount	decimal(5,2)	YES	—	NULL	—
emi	bit(1)	YES	—	NULL	—
exchange	bit(1)	YES	—	NULL	—
home_delivery	bit(1)	YES	—	NULL	—
max_purchase	int	YES	—	NULL	—
min_purchase	int	YES	—	NULL	—
offer_description	varchar(1000)	YES	—	NULL	—
offer_title	varchar(255)	YES	—	NULL	—
product_id	bigint	YES	MUL	NULL	—
return_policy	varchar(255)	YES	—	NULL	—
stock	int	YES	—	NULL	—
store_pickup	bit(1)	YES	—	NULL	—
variant_id	bigint	YES	MUL	NULL	—
vendor_id	int	YES	MUL	NULL	—
warranty	varchar(255)	YES	—	NULL	—

new_arrivals

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
active	bit(1)	NO	—	NULL	—
display_from_date	date	NO	—	NULL	—
display_to_date	date	NO	—	NULL	—
priority	int	NO	—	NULL	—
product_id	bigint	NO	UNI	NULL	—
image_url	varchar(1000)	YES	—	NULL	—

order_items

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
color_name	varchar(255)	YES	—	NULL	—
discount	decimal(38,2)	NO	—	NULL	—
price	decimal(38,2)	NO	—	NULL	—
quantity	int	NO	—	NULL	—
total	decimal(38,2)	NO	—	NULL	—
variant_name	varchar(255)	YES	—	NULL	—
inventory_id	bigint	NO	MUL	NULL	—
order_id	bigint	NO	MUL	NULL	—
product_id	bigint	NO	MUL	NULL	—
vendor_id	int	NO	MUL	NULL	—

orders

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
user_id	int	YES	MUL	NULL	—
vendor_id	int	NO	MUL	NULL	—
total_amount	decimal(38,2)	NO	—	NULL	—
payment_method	varchar(50)	YES	—	NULL	—
order_status	varchar(255)	NO	—	NULL	—
created_at	timestamp	YES	—	CURRENT_TIMESTAMP	DEFAULT_GENERATED
city	varchar(255)	YES	—	NULL	—
delivery_address	varchar(1000)	YES	—	NULL	—
delivery_charge	decimal(38,2)	NO	—	NULL	—
discount	decimal(38,2)	NO	—	NULL	—
payment_status	varchar(255)	YES	—	NULL	—
pincode	varchar(255)	YES	—	NULL	—
state	varchar(255)	YES	—	NULL	—
subtotal	decimal(38,2)	NO	—	NULL	—

product

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
name	varchar(255)	NO	—	NULL	—
description	text	YES	—	NULL	—
active	bit(1)	NO	—	NULL	—
base_price	decimal(12,2)	NO	—	NULL	—
brand_id	bigint	NO	MUL	NULL	—
category_id	bigint	NO	MUL	NULL	—

product_attribute_value

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
attribute_value	varchar(2000)	YES	—	NULL	—
attribute_id	bigint	NO	MUL	NULL	—
product_id	bigint	NO	MUL	NULL	—

product_media

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
inventory_id	bigint	NO	MUL	NULL	—

original_image	varchar(255)	YES	—	NULL	—
thumbnail_image	varchar(255)	YES	—	NULL	—
image_status	varchar(50)	YES	—	NULL	—
created_at	timestamp	YES	—	CURRENT_TIMESTAMP	DEFAULT_GENERATED

promotion_images

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
display_order	int	YES	—	NULL	—
image_url	varchar(255)	NO	—	NULL	—
promotion_id	bigint	YES	MUL	NULL	—

promotions

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
active	bit(1)	YES	—	NULL	—
created_at	datetime(6)	YES	—	NULL	—
end_date	date	YES	—	NULL	—
image_url	varchar(1000)	NO	—	NULL	—
priority	int	NO	—	NULL	—
start_date	date	YES	—	NULL	—
title	varchar(255)	NO	—	NULL	—
updated_at	datetime(6)	YES	—	NULL	—

storage

Column	Type	Nullable	Key	Default	Extra
id	int	NO	PRI	NULL	auto_increment
value	varchar(255)	YES	—	NULL	—

todays_best_deals

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
deal_price	decimal(12,2)	NO	—	NULL	—
deal_title	varchar(255)	NO	—	NULL	—
discount	decimal(5,2)	NO	—	NULL	—
end_date	date	NO	—	NULL	—
original_price	decimal(12,2)	NO	—	NULL	—
priority	int	NO	—	NULL	—

start_date	date	NO	—	NULL	—
product_id	bigint	NO	MUL	NULL	—

trending_categories

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
category_id	bigint	NO	UNI	NULL	—

trending_deal

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
position	int	NO	—	NULL	—
product_id	bigint	NO	UNI	NULL	—

users

Column	Type	Nullable	Key	Default	Extra
id	int	NO	PRI	NULL	auto_increment
email	varchar(255)	YES	—	NULL	—
first_name	varchar(255)	YES	—	NULL	—
last_name	varchar(255)	YES	—	NULL	—
link	varchar(255)	YES	—	NULL	—
password	varchar(255)	YES	—	NULL	—
role	varchar(255)	YES	—	NULL	—

variant

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
name	varchar(100)	NO	—	NULL	—
product_id	bigint	NO	MUL	NULL	—

variant_attribute_value

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
value	varchar(1000)	YES	—	NULL	—
attribute_id	bigint	NO	MUL	NULL	—
variant_id	bigint	NO	MUL	NULL	—

vendor

Column	Type	Nullable	Key	Default	Extra
id	int	NO	PRI	NULL	auto_increment
latitude	double	YES	—	NULL	—
longitude	double	YES	—	NULL	—
pincode	int	NO	—	NULL	—
address	varchar(255)	YES	—	NULL	—
city	varchar(255)	YES	—	NULL	—
email	varchar(255)	YES	—	NULL	—
full_name	varchar(255)	YES	—	NULL	—
password	varchar(255)	YES	—	NULL	—
phone_no	varchar(255)	YES	—	NULL	—
role	varchar(255)	YES	—	NULL	—
shop_name	varchar(255)	YES	—	NULL	—
state	varchar(255)	YES	—	NULL	—
status	varchar(255)	NO	—	NULL	—
created_at	datetime(6)	YES	—	NULL	—

vendor_brands

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
brand_id	bigint	NO	MUL	NULL	—
vendor_id	int	NO	MUL	NULL	—

vendor_categories

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
category_id	bigint	NO	MUL	NULL	—
vendor_id	int	NO	MUL	NULL	—

visit_requests

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
color	varchar(255)	YES	—	NULL	—
color_id	bigint	YES	—	NULL	—
created_at	datetime(6)	NO	—	NULL	—
customer_email	varchar(255)	YES	—	NULL	—
customer_name	varchar(150)	NO	—	NULL	—
customer_phone	varchar(20)	NO	—	NULL	—

product_id	bigint	NO	MUL	NULL	—
status	enum('PENDING','ACCEPTED','REJECTED','CANCELLED','COMPLETED')	NO	MUL	NULL	—
updated_at	datetime(6)	NO	—	NULL	—
user_id	bigint	YES	MUL	NULL	—
variant	varchar(255)	YES	—	NULL	—
variant_id	bigint	YES	—	NULL	—
vendor_id	bigint	NO	MUL	NULL	—
visit_date	date	NO	MUL	NULL	—
visit_time	time(6)	NO	—	NULL	—

why_dealhunts

Column	Type	Nullable	Key	Default	Extra
id	bigint	NO	PRI	NULL	auto_increment
description	text	NO	—	NULL	—
icon	varchar(20)	YES	—	NULL	—
title	varchar(100)	NO	—	NULL	—

wishlist

Column	Type	Nullable	Key	Default	Extra
id	int	NO	PRI	NULL	auto_increment
created_at	datetime(6)	NO	—	NULL	—
product_id	bigint	NO	MUL	NULL	—
user_id	int	NO	MUL	NULL	—

Foreign-key relationships

The following relationships were returned by `INFORMATION_SCHEMA.KEY_COLUMN_USAGE` with a referenced table. They represent declared foreign keys in the supplied output.

Child table	Child column	Constraint	Referenced table	Referenced column
addresses	user_id	fk_addresses_user	users	id
attribute_definition	category_id	FKic40x293blyvdwje3o1v6bl2k	category	id
available_near_you	product_id	FKgdqc71vteom1eqth90k1v8n3r	product	id
cart	user_id	FKg5uhi8vpsuy0lgloxk2h4w5o6	users	id
cart_item	cart_id	FK1uobyhgl1wvgt1jpccia8xxs3	cart	id
cart_item	inventory_id	FK1f3vs3q39id56s3i43egxc6f	inventory	id
category	parent_category_id	FKs2ride9gvixy2tcuv7witnxc	category	id
category_image	category_id	FKiwoibuaavknpakpi5c9e85oin	category	id
color	product_id	FKsgsuxxoc1h5pskbjpch4id2ec	product	id
color	variant_id	FK251aj9omg6hcsvwgyt1t1y976	variant	id
coming_soon_images	coming_soon_id	FKnmqqk7s09l54d7bw24o1mxplh	coming_soon	id
image	product_id	FKgpextbyee3uk9u6o2381m7ft1	product	id

inventory	color_id	FKdu778h6fonhlukv3hlvtgl2bl	color	id
inventory	product_id	FKp7gj4l80fx8v0uap3b2crjwp5	product	id
inventory	variant_id	FKcvmxijkj481ubvfuxjgufw3t	variant	id
inventory	vendor_id	FKcscvovkb3lb3o7maefjkpaw3h	vendor	id
new_arrivals	product_id	FKphkh4qcikll6b9egv9ow062tv	product	id
order_items	inventory_id	FKredwtjh0skew1u16d3enhrygb	inventory	id
order_items	order_id	FKbioxgbv59vetrx0ejfubep1w	orders	id
order_items	product_id	FKlf6f9q956mt144wiv6p1yko16	product	id
order_items	vendor_id	FKmeaip7d47m3egf18pi1mhwlf	vendor	id
orders	user_id	FK32ql8ubntj5uh44ph9659tiih	users	id
orders	vendor_id	orders_ibfk_2	vendor	id
product	brand_id	FKs6cydsualtsrprlvf2bb3lcam	brand	id
product	category_id	FK1mtsbur82frn64de7balymq9s	category	id
product_attribute_value	attribute_id	FK58y32y5qv388v4xb7sm5jahou	attribute_definition	id
product_attribute_value	product_id	FKejch53yke5ufe6w72yjpnaioi	product	id
product_media	inventory_id	product_media_ibfk_1	product	id
promotion_images	promotion_id	FKky2nxkypj7jniyas1kl5ubj3	promotions	id
todays_best_deals	product_id	FKsi0unn8sbxjwi4fv2hv0vns8e	product	id
trending_categories	category_id	FKm23fbj9r5quaidfltnxqe2m8	category	id
trending_deal	product_id	FKbypmpk04lurqo8w7qeei01s2r	product	id
variant	product_id	FKjjplln6hkh6hj98uesgxno00	product	id
variant_attribute_value	attribute_id	FK14kf4vg11wf428a3ybcqpsvee	attribute_definition	id
variant_attribute_value	variant_id	FKibq5o8c37p07etrx8vj8ahmx9	variant	id
vendor_brands	brand_id	FKn8ot265r7iakfek2j67nph8yw	brand	id
vendor_brands	vendor_id	FKaax90k8ela1w49o9feu23xk9	vendor	id
vendor_categories	category_id	FKcx12b0qfygaqnke1qa2g0sldw	category	id
vendor_categories	vendor_id	FKgifeqh2uur3h79t8sopn60r7x	vendor	id
wishlist	product_id	FKqchevbwf5wq0f4uqacns02rp7	product	id
wishlist	user_id	FKtrd6335blsefl2gxp8lr0gr7	users	id

High-level grouping (interpretive)

The following grouping is a convenience for navigation, based on table names. It is not a substitute for reviewing the application entities and service logic.

- **Accounts and locations:** users, admin, vendor, addresses
- **Catalog and attributes:** product, brand, category, attribute_definition, product_attribute_value, variant, variant_attribute_value, color, storage, image, product_media
- **Vendor and inventory:** inventory, vendor_brands, vendor_categories
- **Shopping and orders:** cart, cart_item, wishlist, orders, order_items
- **Promotional and discovery content:** available_near_you, coming_soon, coming_soon_images, new_arrivals, promotion_images, promotions, todays_best_deals, trending_categories, trending_deal, why_deal hunts
- **Shop visits:** visit_requests
- **Category media:** category_image

Important observations from the supplied metadata

- product **references** brand and category.
- inventory **references** product, vendor, and optional variant / color columns.
- orders **references** users and vendor; order_items **references** orders, inventory, product, and vendor.
- cart_item **references** cart and inventory.
- wishlist **references** users and product.
- category.parent_category_id **references** category.id, allowing a category hierarchy.
- The supplied foreign-key output includes product_media.inventory_id referencing product.id, even though the column name says inventory_id. This should be checked against the intended entity mapping; this document preserves the database output without changing it.
- Some columns have names/types that merit verification against the Java entity classes, such as visit_requests.user_id being bigint while users.id is int, and visit_requests.vendor_id being bigint while vendor.id is int. Whether these are problematic depends on the actual mappings and database constraints.

Reproducing the metadata

```
SELECT TABLE_NAME, COLUMN_NAME, COLUMN_TYPE, IS_NULLABLE,  
       COLUMN_KEY, COLUMN_DEFAULT, EXTRA  
FROM INFORMATION_SCHEMA.COLUMNS  
WHERE TABLE_SCHEMA = 'dealhunts'  
ORDER BY TABLE_NAME, ORDINAL_POSITION;  
  
SELECT TABLE_NAME, COLUMN_NAME, CONSTRAINT_NAME,  
       REFERENCED_TABLE_NAME, REFERENCED_COLUMN_NAME  
FROM INFORMATION_SCHEMA.KEY_COLUMN_USAGE  
WHERE TABLE_SCHEMA = 'dealhunts'  
      AND REFERENCED_TABLE_NAME IS NOT NULL  
ORDER BY TABLE_NAME, COLUMN_NAME;
```