
Online Python Compiler (Interp
Ask Gemini
programiz.com/python-programming/online-compiler/
Ask Google
Programiz
Python Online Compiler
Programiz PRO
main.py
Share
Run
Output
Clear
#1.students marks manager
marks = [75, 82, 90, 68, 88]
marks.append(95)
marks.insert(2, 80)
marks.remove(68)
marks.sort()
print("Updated Marks List:", marks)
Updated Marks List: [75, 80, 82, 88, 90, 95]
=== Code Execution Successful ===
JS
TS
26°C
Mostly sunny
Search
ENG
IN
09:52 AM
20-05-26


Online Python Compiler (Interp
Ask Gemini
programiz.com/python-programming/online-compiler/
Ask Google
Programiz
Python Online Compiler
Programiz PRO
main.py
Share
Run
Output
Clear
#2. Tuple operations
cities = ("Delhi", "Mumbai", "Chennai", "Bangalore", "Hyderabad", "Kolkata")
print("First City:", cities[0])
print("Last City:", cities[-1])
print("Total Elements:", len(cities))
if "Delhi" in cities:
    print("Delhi exists")
else:
    print("Delhi does not exist")
First City: Delhi
Last City: Kolkata
Total Elements: 6
Delhi exists
=== Code Execution Successful ===
26°C
Mostly sunny
Search
ENG
IN
09:56 AM
20-05-26


Online Python Compiler (Interp
Ask Gemini
programiz.com/python-programming/online-compiler/
Ask Google
Programiz
Python Online Compiler
Programiz PRO
main.py
Share
Run
Output
Clear
#3.set challenge
A = {1, 2, 3, 4, 5}
B = {4, 5, 6, 7}
print("Union:", A.union(B))
print("Intersection:", A.intersection(B))
print("Difference:", A.difference(B))
print("Symmetric Difference:", A.symmetric_difference(B))
Union: {1, 2, 3, 4, 5, 6, 7}
Intersection: {4, 5}
Difference: {1, 2, 3}
Symmetric Difference: {1, 2, 3, 6, 7}
=== Code Execution Successful ===
26°C
Mostly sunny
Search
ENG
IN
09:57 AM
20-05-26


Online Python Compiler (Interp
Ask Gemini
programiz.com/python-programming/online-compiler/
Ask Google
Programiz
Python Online Compiler
Programiz PRO
main.py
Share
Run
Output
Clear
#Dictionary student record
student = {
    "name": "Preethu Reddy",
    "roll": 144,
    "branch": "CSE",
    "marks": 85
}

student["marks"] = 92

print("Keys:")
for key in student.keys():
    print(key)

print("Values:")
for value in student.values():
    print(value)
Keys:
name
roll
branch
marks
Values:
Preethu Reddy
144
CSE
92
=== Code Execution Successful ===
26°C
Mostly sunny
Search
ENG
IN
10:00 AM
20-05-26


Online Python Compiler (Interp
Ask Gemini
programiz.com/python-programming/online-compiler/
Ask Google
Programiz
Python Online Compiler
Programiz PRO
main.py
Share
Run
Output
Clear
#5.Mini shopping cart
items = ["Bag", "Book", "Pen"]
prices = [500, 200, 20]
total_bill = sum(prices)
print("Total Bill:", total_bill)
print("Highest Price:", max(prices))
print("Lowest Price:", min(prices))
Total Bill: 720
Highest Price: 500
Lowest Price: 20
=== Code Execution Successful ===
JS
TS
26°C
Mostly sunny
Search
ENG
IN
10:01 AM
20-05-26


Online Python Compiler (Interp
Ask Gemini
programiz.com/python-programming/online-compiler/
Ask Google
Programiz
Python Online Compiler
Programiz PRO
main.py
Share
Run
Output
Clear
#6.simple calculator
def addition(a, b):
    return a + b

def subtraction(a, b):
    return a - b

def multiplication(a, b):
    return a * b

def division(a, b):
    return a / b

a = int(input("Enter first number: "))
b = int(input("Enter second number: "))

print("Addition:", addition(a, b))
print("Subtraction:", subtraction(a, b))
print("Multiplication:", multiplication(a, b))
print("Division:", division(a, b))
Enter first number: 3
Enter second number: 3
Addition: 6
Subtraction: 0
Multiplication: 9
Division: 1.0
=== Code Execution Successful ===
26°C
Mostly sunny
Search
ENG
IN
10:03 AM
20-05-26


Online Python Compiler (Interp
Ask Gemini
programiz.com/python-programming/online-compiler/
Ask Google
Programiz
Python Online Compiler
Programiz PRO
main.py
Share
Run
Output
Clear
#even or odd using function
def check_even_odd(n):
    if n % 2 == 0:
        return "Even"
    else:
        return "Odd"

num = int(input("Enter number: "))
print(check_even_odd(num))
Enter number: 4
Even
=== Code Execution Successful ===
26°C
Mostly sunny
Search
ENG
IN
10:05 AM
20-05-26

Online Python Compiler (Interp

programiz.com/python-programming/online-compiler/

Programiz

Python Online Compiler

main.py

```python
#8.largest among three numbers
def largest(a, b, c):
    if a >= b and a >= c:
        return a
    elif b >= a and b >= c:
        return b
    else:
        return c

print("Largest:", largest(10, 25, 15))
```

Output

```
Largest: 25

=== Code Execution Successful ===
```

26°C Mostly sunny | 10:06 AM 20-05-26



Online Python Compiler (Interp
Ask Gemini
programiz.com/python-programming/online-compiler/
Programiz
Python Online Compiler
Programiz PRO >
main.py
Share
Run
Output
Clear
#9.factorial using function
def factorial(n):
    fact = 1
    for i in range(1, n + 1):
        fact *= i
    return fact

num = int(input("Enter number: "))
print("Factorial:", factorial(num))
Enter number: 57
Factorial: 4052691950487721675568060190543232213498038479622660214518448128000000000000
=== Code Execution Successful ===
26°C
Mostly sunny
Search
ENG
IN
10:08 AM
20-05-26



Online Python Compiler (Interp
Ask Gemini
programiz.com/python-programming/online-compiler/
Programiz
Python Online Compiler
Programiz PRO
main.py
Share
Run
Output
Clear
#10.prime number checker
def is_prime(n):
    if n <= 1:
        return False

    for i in range(2, n):
        if n % i == 0:
            return False

    return True

num = int(input("Enter number: "))

if is_prime(num):
    print("Prime Number")
else:
    print("Not Prime Number")
Enter number: 4
Not Prime Number
=== Code Execution Successful ===
Adobe Lightroom
Spotlight the star of your photo.
Learn more
Remove
Generative AI
JS
TS
26°C
Mostly sunny
Search
ENG
IN
10:10 AM
20-05-26

main.py

```python
#11.attendance system
students = []

def add_student(name):
    students.append(name)

def remove_student(name):
    if name in students:
        students.remove(name)

def display_students():
    print("Students:", students)

add_student("preethu ")
add_student("rami")

display_students()

remove_student("Bhavana")

display_students()
```

Output

```
Students: ['preethu ', 'rami']
Students: ['preethu ', 'rami']

=== Code Execution Successful ===
```

Programiz
Python Online Compiler

main.py

```python
#12 employee salary
employees = {}

def add_employee(name, salary):
    employees[name] = salary

def update_salary(name, salary):
    if name in employees:
        employees[name] = salary

def search_employee(name):
    if name in employees:
        print(name, "Salary:", employees[name])
    else:
        print("Employee not found")

add_employee("Ravi", 30000)
update_salary("Ravi", 35000)
search_employee("Ravi")
```

Output

```
Ravi Salary: 35000

=== Code Execution Successful ===
```


Online Python Compiler (Interp
Ask Gemini
programiz.com/python-programming/online-compiler/
Programiz
Python Online Compiler
Programiz PRO ›
main.py
Share
Run
Output
Clear
#15.word frequency
sentence = input("Enter sentence: ")

words = sentence.split()

frequency = {}

for word in words:
    if word in frequency:
        frequency[word] += 1
    else:
        frequency[word] = 1

print(frequency)
Enter sentence: Viplove
{'Viplove': 1}
=== Code Execution Successful ===
JS
TS
26°C
Mostly sunny
Search
ENG
IN
10:18 AM
20-05-26

Online Python Compiler (Interp

programiz.com/python-programming/online-compiler/

Programiz
Python Online Compiler

main.py

```python
#16.library book system
books = []

def add_book(book):
    books.append(book)

def remove_book(book):
    if book in books:
        books.remove(book)

def search_book(book):
    if book in books:
        print("Book Found")
    else:
        print("Book Not Found")

def display_books():
    print("Books:", books)

add_book("Python")
add_book("Java")

display_books()

search_book("Python")

```

Output

```
Books: ['Python', 'Java']
Book Found
Books: ['Python']

=== Code Execution Successful ===
```

Online Python Compiler (Interp

programiz.com/python-programming/online-compiler/

Programiz

Python Online Compiler

Programiz PRO >

main.py Share Run

```python
marks = []

for i in range(5):
    m = int(input("Enter marks: "))
    marks.append(m)

def average_marks(marks):
    return sum(marks) / len(marks)

def highest_marks(marks):
    return max(marks)

def lowest_marks(marks):
    return min(marks)

def passed_students(marks):
    count = 0
    for mark in marks:
        if mark > 40:
            count += 1
    return count

print("Average:", average_marks(marks))
print("Highest:", highest_marks(marks))
print("Lowest:", lowest_marks(marks))
print("Passed Students:", passed_students(marks))
```

Output Clear

```
Enter marks: 100
Enter marks: 290
Enter marks: 109
Enter marks: 134
=== Session Ended. Please Run the code again ===
```

26°C Mostly sunny Search ENG IN 10:20 AM 20-05-26

Programiz
Python Online Compiler

main.py

```python
#18 password strength
def check_password(password):
    has_digit = False
    has_upper = False
    has_lower = False

    for ch in password:
        if ch.isdigit():
            has_digit = True
        elif ch.isupper():
            has_upper = True
        elif ch.islower():
            has_lower = True

    if len(password) >= 8 and has_digit and has_upper and has_lower:
        return "Strong Password"
    else:
        return "Weak Password"

pwd = input("Enter password: ")

print(check_password(pwd))
```

Output

```
Enter password: Viplove
Weak Password

=== Code Execution Successful ===
```

Online Python Compiler (Interp

programiz.com/python-programming/online-compiler/

Programiz

Python Online Compiler

main.py

```python
#19.contact book application
contacts = {}
def add_contact(name, number):
    contacts[name] = number
def search_contact(name):
    if name in contacts:
        print(name, ":", contacts[name])
    else:
        print("Contact not found")

def delete_contact(name):
    if name in contacts:
        del contacts[name]
def display_contacts():
    print(contacts)

add_contact("preethu", "9876543210")
add_contact("rami", "9123456780")

display_contacts()

search_contact("preethu")

delete_contact("rami")

display_contacts()
```

Output

```
{'preethu': '9876543210', 'rami': '9123456780'}
preethu : 9876543210
{'preethu': '9876543210'}

=== Code Execution Successful ===
```

26°C Mostly sunny

10:23 AM 20-05-26




```python
#21.hanker rank style
balance = 1000

def deposit(amount):
    global balance
    balance += amount
    print("Deposited:", amount)

def withdraw(amount):
    global balance

    if amount <= balance:
        balance -= amount
        print("Withdrawn:", amount)
    else:
        print("Insufficient Balance")

def check_balance():
    print("Current Balance:", balance)

deposit(500)

withdraw(300)

check_balance()
```

```
Deposited: 500
Withdrawn: 300
Current Balance: 1200

=== Code Execution Successful ===
```


Online Python Compiler (Interp
Ask Gemini
programiz.com/python-programming/online-compiler/
Programiz
Python Online Compiler
Programiz PRO ›
main.py
Share
Run
Output
Clear
#13.unique number counter
numbers = []

for i in range(10):
    num = int(input("Enter number: "))
    numbers.append(num)

unique_numbers = set(numbers)

print("Unique Numbers:", unique_numbers)
print("Count of Unique Numbers:", len(unique_numbers))
Enter number: 1
Enter number: 2
Enter number: 3
Enter number: 4
Enter number: 4
Enter number: 5
Enter number: 6
Enter number:
JS
TS
26°C
Mostly sunny
Search
ENG
IN
10:39 AM
20-05-26

Programiz
Python Online Compiler

main.py

```python
#14.voting eligibilty
ages = (12, 18, 25, 16, 30)

def check_voting(age):
    if age >= 18:
        return "Eligible"
    else:
        return "Not Eligible"

for age in ages:
    print(age, "-", check_voting(age))
```

Output

```
12 - Not Eligible
18 - Eligible
25 - Eligible
16 - Not Eligible
30 - Eligible

=== Code Execution Successful ===
```

Online Python Compiler (Interp

programiz.com/python-programming/online-compiler/

Programiz
Python Online Compiler

Programiz PRO

main.py | Share | Run

```python
#17.student result analyser
marks = []

for i in range(5):
    m = int(input("Enter marks: "))
    marks.append(m)

def average_marks(marks):
    return sum(marks) / len(marks)

def highest_marks(marks):
    return max(marks)

def lowest_marks(marks):
    return min(marks)

def passed_students(marks):
    count = 0
    for mark in marks:
        if mark > 40:
            count += 1
    return count

print("Average:", average_marks(marks))
print("Highest:", highest_marks(marks))
print("Lowest:", lowest marks(marks))
```

Output | Clear

```
Enter marks: 20
Enter marks: 30
Enter marks: 70
Enter marks: -
```

26°C
Mostly sunny
Search
ENG
IN
10:42 AM
20-05-26