

BROWN & WILLIAMSON TOBACCO CORPORATION

RESEARCH, DEVELOPMENT & ENGINEERING

INTERNAL CORRESPONDENCE

TO: Dr. I. W. Hughes	Mr. J. Alar	Mr. T. E. Sandefur
Mr. R. A. Blott	Mr. D. S. Johnston	Mr. E. E. Kohnhorst
Mr. E. T. Parrack	Dr. R. A. Sanford	Dr. J. N. Jewell
Mr. M. L. Reynolds	Dr. J. G. Esterle	Mr. J. Sexstone
Mr. J. F. Nall	Mr. T. F. Riehl	Mr. K. A. Flaherty
Dr. R. R. Johnson	Dr. E. F. Litzinger	Ms. D. A. Beatty
Ms. P. Hudson	Mr. B. Pellett	

FROM: Mr. J. L. Ems

DATE: April 23, 1984

SUBJECT: CHANGES IN BRIGHT KS AND NOW KS MENTHOL AND NONMENTHOL/151

Bright KS, Now KS Menthol, and Now KS Nonmenthol tipping lengths have decreased to 31.0 mm. Also, the Bright KS filter length has increased to 27.0 mm. These filter and tipping lengths are typical of other R. J. Reynolds brands. The month of manufacture represented here is December, 1983.

With the shorter tipping lengths on these brands, tar and nicotine deliveries were expected to increase. However, they remained at their usual levels.

The filter efficiency and puffs were higher on the Now Menthol version. However, only three cartons were received for testing which does not give us as wide a representation of the market as desired. Therefore, these changes may represent only product variation.

The filter efficiency, citrate level, porosity, and filter pressure drop of Bright KS have increased as compared to previous data. The ventilation of Bright KS has decreased approximately 8% as compared to previous data which should have produced an increase in tar and nicotine deliveries. Tar and nicotine deliveries are unchanged which suggests other undetectable changes. These differences are highlighted with asterisks in Figure 1, attached.

J. L. E.
J. L. E.

JLE/klc

0231f

Attachment

508002207