(183)

↳ With the logic by observation of above mapping also we can remember. i.e., if we observe,

A → 1 ⟶ coded ⟶ N → 14 ⇒ A pos^n +13 = 1+13 = 14 = N

B → 2 ⟶ coded ⟶ O → 15 ⇒ B pos^n +13 = 2+13 = 15 = O

Pairing letter of 1st half = (Its position + 13)th letter.

Y ⟶ 25 ⟶ coded ⟶ L → 12 ⇒ Y pos^n −13 = 25 − 13 = 12 = L


Z ⟶ 26 ⟶ coded ⟶ M → 13 ⇒ Z pos^n −13 = 26 − 13 = 13 = M.


Pairing letter of 2nd half = (Its position − 13)th letter

↳ Internal changes on the word:- Some times coding can be applied by interchanging the letter positions of the word with particular logics only.

Ex:1:- In a certain code language 'MANGO' is coded as 'AMNOG' then how 'APPLE' is coded in the same language?

Ans:-





Ans is PAPEL

Ex:2:- ICL (In a certain language) 'Ramayanam' is coded as 'rmynmaaaa' then how 'mahabharatham' is coded?

Ans:- First give place positions to the given reference coding.

1	2	3	4	5	6	7	8	9
r	a	m	a	y	a	n	a	m
r	m	y	n	m	a	a	a	a.
1	3	5	7	9	2	4	6	8

From the above observation the Logic is alternate positi-
-ons are together.

→ 1st logic Answer:- 1 2 3 4 5 6 7 8 9 10 11 12 13
m a h a b h a r a t h a m

Answer:- 1 3 5 7 9 11 13 2 4 6 8 10 12
m h b a a h m a a h r t a

2nd logic:- All consonants together first then all vowels together next.

Ans:- mhbhrthmaaaaa

3rd logic:- All letters other than 'a' together first then all 'a' together.

Ans:- mhbhrthmaaaaa.

Ex:3:- JCL clock → dmpdl then how 'minutes'?

Ans:- clock → 3-12-15-3-11 ⇒ minutes → 13-09-14-21-20-5-19
+1 +1 +1 +1 +1. +1 +1 +1 +1 +1 +1
dmpdl → 4-13-16-4-12. 'njovuft' → 14-10-15-22-21-6-20

After giving reference code first give their positions then observe, whether we can find any logic or not. If not, then cross check for other logics.

Ans:- njovuft.

↳ Codings are generally '3' types:-

(i) Letter coding:- letters are coded with letters only.

(ii) Number coding:- letters are coded with numbers
numbers are coded with numbers.

(iii) Mixed coding:- letters, Numbers & symbols are coded with letters, Numbers & symbols.