W.A.P to check the supplied integer a palindrome or not.

I/P	O/P
12321	Palindrome
456	Not Palindrome

data2 = data

rev = 0

data2 = 456	Digit = data2 % 10	rev = rev * 10 + Digit
456	6	= 6
45	5	65
4	4	654
0		

data2 = data2/10

---

data = 12302

temp	temp % 10	rev = rev * 10 + temp % 10
12302	2	rev = 0 + 2 = 2
1230	0	rev = 20 + 0 = 20
123	3	rev = 203
12	2	rev = 2032
1	1	rev = 20321
0		

temp = temp/10


```
int data, temp, rev;
Pf("-"); Sf("%d", &data);
rev = 0; temp = data;
while(temp)
{
rev = rev * 10 + temp % 10;
  temp /= 10;
}
if(data == rev)
    Pf("pa
else
    Pf("NA
```

```
for (temp=data, rev=0; temp; temp/=10)
{
    rev = rev * 10 + temp % 10;
}
```

```
int revDigits(int);
main() { int data;
    Pf("—");
    Sf("%d", &data);
if(data == revDigits(data))
    Pf("Palindrome(n");
else
    Pf("Not palindrome\n");
}
```

Adv. of Function


- Code Readability
- Complex/large Problem can be divided into small/simpler functions
- Easy to debug
- Re-usable code




Prototype/Declaration

```
int revDigits(int);
```

2 types of function < Library function / ~~Predefined function~~
User-defined function




```
for (i=2; i <= sqrt(data) ; i++)
{
}
```



List Prime nos. in a Range.

→ The supplied Digit must occur.

~~1009~~ ✓

Var	digit	d=?
12597	7	
1259	9.	
125	5.	

digit = 3

1009 d=9

Function

→ Decl –

→ Defn –

→ call