
02/04 AddFirst

1. Create a node
2. initialise the node
3. link to list
   assign head to newnode link
   if(head)
   assign newnode to head previous
   assign newnode to head
4. return first node address





newnode->links = head;
if(head)
head->prev = newnode;


head = newnode;


Delete based on given data.


1. list is empty , print empty msg
2. else data matching with first node, perform delete firstnode.
3. else traverse upto end of the list or until data matched.
4. if reached end of the list
   print not found
5. else
   update previous node link with next node address of t
node to be deleted
   next if next node is existing then update next node
previous with previous node address of the node to be
deleted
6. return first node address





head
5000
1000
prev id name next
NULL 121 aa 6000
5000
5000 125 zz 7000
6000
6000 127 pp 8000
7000
7000 129 ii NULL
8000


head
8000
prev id name next
8000 127 ii 7000
8000
7000 125 zz 6000
7000
6000 127 pp 5000
6000
5000 121 aa NULL
5000


p
5000
6000
temp
NULL
temp = p->prev;
p->prev = p->next;
p->next = temp;
p = p->prev;
head
5000
1000
prev id name next
6000 121 aa NULL
5000
5000 125 zz 7000
6000
6000 127 pp 8000
7000
7000 129 ii NULL
8000


p
7000
8000
temp
8000
5000
temp =
p->prev = p->ii
p->next = te
p = p->prev
head
5000
1000
prev id name next
6000 121 aa NULL
5000
7000 125 zz 5000
6000
6000 127 pp 8000
7000
7000 129 ii NULL
8000


head
5000
p
7000
temp
5000
6000
new id name link
7000 125 mx 5000
6000 121 aa NULL
6000 127 pp 8000
8000 129 ii NULL
Good
5000
7000
8000
head
5000
p
NULL
temp
7000
NULL
8000 127 pp 6000
7000 125 mx 5000
6000 121 aa NULL
8000 129 ii NULL
7000
6000
5000
head
8000
p
NULL
temp
7000
8000 129 ii 7000
8000 127 pp 6000
7000 125 mx 5000
6000 121 aa NULL
8000
7000
6000
5000