9/05


object slicing

object slicing happens when we assign the child object to parent object.

```
class parent
{     int data1;
      public : _____
               _____
               _____

};


class Child : public parent
{
      int a,b;
      public : _____
               _____
};
Child cobj(10,20,30);
parent pobj;
pobj=cobj;
```




Polymorphism


polymorphism means single name many forms.
we have 2 types of polymorphisms.
1. compiletime
2. runtime

Early Binding : In Early Binding function symbols are resolved at compile time,
i.e for respective func call where to jump when it is invoked is decided at compilation time.



Early binding is also known as
Compile time binding or
static binding or
Compile time polymorphism
examples of Early Binding
1. function overloading
2. operator overloading





Late Binding : if function symbols are resolved at runtime it is called LateBinding.
LateBinding is also called as Dynamic Binding
or Runtime Binding
or Runtime Polymorphism

examples:
function overriding.

To Implement runtime polymorphism we need
1. inheritance
2. parent class pointer
3. dynamic child object

1. parent class pointer is capable of storing child obje address,
2. but child class pointer cannot hold parent object address
and we use first pointer to implement the runtime polymorphism.

What is virtual function?
virtual function is a member function of parent class which is suppose to be redefined by the child class member function, and this process is called function overriding.
In function overriding parent and child should have same function name,same signature and same return type.

if child did not redefine the virtual function of parent then parent definition will get executed.