

Example:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>NareshIT-HYDERABAD...!!</title>
</head>
<body>
  <b>
    Naresh i Technologies,<br />
    INDIA.
  </b>
  <p></p>
  <cite>Hello it is the text in Italics Format...!!</cite>
  <br>
  <cite>Hello it is using for Image titles...!!</cite>
</body>
</html>
```

Example:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>NareshIT-HYDERABAD...!!</title>
</head>
<body>
  <b>
    Naresh i Technologies,<br />
    INDIA.
  </b>
  <p></p>
  <code>Hello it is the text in Code Format...!!</cite>
  <br>
  <cite>It is looking line programming source code...!!</cite>
</body>
</html>
```

Example:

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>NareshIT-HYDERABAD...!!</title>
</head>
<body>
  <b>
    Naresh i Technologies,<br />
    INDIA.
  </b>
  <p></p>
  <del>It is Removed content from a web page...!!</del>
  <br>
  <s>It is looking line programming source code...!!</s>
  <br>
  <strike>It is looking line programming source code...!!</strike>
</body>
</html>

```

Example:

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>NareshIT-HYDERABAD...!!</title>
</head>
<body>
  <dfn>
    Naresh i Technologies,<br />
    HYBDERABAD.
  </dfn>
  <p></p>
  <dfn>HTML</dfn> It is static markup language for web page design...!!
</body>
</html>

```

Example:

```

<!DOCTYPE html>

```

```

<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>NareshIT-HYDERABAD..!!</title>
</head>
<body>
  <p>
    Naresh i Technologies,<br />
    HYBDERABAD.
  </p>
  <p></p>
  <em>It is static markup language for web page design..!!</em>
  <p></p>
  <i>It is static markup language for web page design..!!</i>
</body>
</html>

```

Example:

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>NareshIT-HYDERABAD..!!</title>
</head>
<body>
  <ins>
    Naresh i Technologies,<br />
    HYBDERABAD.
  </ins>
  <p></p>
  <em>It is static markup language for web page design..!!</em>
  <p></p>
  <i>It is static markup language for web page design..!!</i>
</body>
</html>

```

Example:

```

<!DOCTYPE html>
<html lang="en">

```

```
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>NareshIT-HYDERABAD...!!</title>
</head>
<body>
  <font color="red" size="6" face="candara">Hello Welcome to Font tag....!!</font>
</body>
</html>
```

Example:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>NareshIT-HYDERABAD...!!</title>
</head>
<body>
  Save the Page <kbd>Ctrl+S</kbd> <br>
  Save As the Page <kbd>Ctrl+Shift+S</kbd> <br>
</body>
</html>
```

Example:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>NareshIT-HYDERABAD...!!</title>
</head>
<body>
  <pre>
    Hello      Welcome
    to HTML    Coding

    ...!!
  </pre>
</body>
```

```
</html>
```

Example:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>NareshIT-HYDERABAD..!!</title>
</head>
<body>
  <q>Hello Welcome to HTML Coding...!!</q>
</pre>
</body>
</html>
```

Example:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>NareshIT-HYDERABAD..!!</title>
</head>
<body>
  <small>It is small Text.....</small> <br>
  <big>It is big text.....</big>
</pre>
</body>
</html>
```

Example:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>NareshIT-HYDERABAD..!!</title>
</head>
```

```

<body>
  <p>It is Normal Text.....!!</p>
  <samp>This is smaple text related code out...!!</samp>
</pre>
</body>
</html>

```

Example:

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>NareshIT-HYDERABAD..!!</title>
</head>
<body>
  <p>It is Normal Text.....!!</p>
  <u>This is sample text related code out...!!</u>
</pre>
</body>
</html>

```

Example:

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>NareshIT-HYDERABAD..!!</title>
</head>
<body>
  <var>a=10</var> <br>
  <var>b=20</var> <br>
  <var>c=a+b</var> <br>
  <var>document.wrrite(c)</var>
</pre>
</body>
</html>

```