

Cucumber Report

May 14, 2024, 7:52:19 AM

Start : May 14, 7:52:14.833 AM

End : May 14, 7:52:16.297 AM

Duration : 1.464 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 3



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Safeway login</u>	1.464 s	1	0	1	0	4	0	1	3

#	Feature Name	Scenario Name
1	<u>Safeway login</u>	<u>Login SwagLabs with valid credetials</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Safeway login</u>	1	0	1	0	1.464 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Safeway login</u>	<u>Login SwagLabs with valid credetials</u>	4	0	1	3	1.458 s

Safeway login

FAILED	DURATION - 1.464 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 7:52:14.833 AM // 7:52:16.297 AM /					

Login SwagLabs with valid credetials

<div>FAILED</div> <div>DURATION - 1.458 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 7:52:14.839 AM // 7:52:16.297 AM /				
Safeway login				

#	Step / Hook Details	Status	Duration
1	<p>Given User open the Safeway login page on browser</p> <p>io.github.bonigarcia.wdm.config.WebDriverManagerException: io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net.UnknownHostException: chromedriver.storage.googleapis.com at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1423) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1204) at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1439) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1420) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1204) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1413) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1204) at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:419) at com.bddframework.base.Base.openBrowser(Base.java:37) at com.bddframework.stepdefinition.SwagLabsLoginPage.user_open_the_safeway_login_page_on_browser(SwagLabsLoginPage.java:21) at ?.User open the Safeway login page on browser(file:///C:/cucumberproject/BDD/src/test/resources/features/SwagLabsLoginPage.feature:4) Caused by: io.github.bonigarcia.wdm.config.WebDriverManagerException: java.net.UnknownHostException: chromedriver.storage.googleapis.com at io.github.bonigarcia.wdm.WebDriverManager.getDriversFromXml(WebDriverManager.java:1577)</p>	FAILED	1.443 s

#	Step / Hook Details	Status	Duration
	at io.github.bonigarcia.wdm.managers.ChromeDriverManager.getDriverUrls(ChromeDriverManager.java:106) at io.github.bonigarcia.wdm.WebDriverManager.createUrlHandler(WebDriverManager.java:1444) at io.github.bonigarcia.wdm.WebDriverManager.download(WebDriverManager.java:1279) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1198) at io.github.bonigarcia.wdm.WebDriverManager.fallback(WebDriverManager.java:1439) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1420) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1204) at io.github.bonigarcia.wdm.WebDriverManager.handleException(WebDriverManager.java:1413) at io.github.bonigarcia.wdm.WebDriverManager.manage(WebDriverManager.java:1204) at io.github.bonigarcia.wdm.WebDriverManager.setup(WebDriverManager.java:419) at com.bddframework.base.Base.openBrowser(Base.java:37) at com.bddframework.stepdefinition.SwagLabsLoginPage.user_open_the_safeway_login_page_on_browser(SwagLabsLoginPage.java:21) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.net.UnknownHostException: chromedriver.storage.googleapis.com at java.base/java.net.InetAddress\$CachedAddresses.get(InetAddress.java:801) at java.base/java.net.InetAddress.getAllByName0(InetAddress.java:1519) at java.base/java.net.InetAddress.getAllByName(InetAddress.java:1377) at java.base/java.net.InetAddress.getAllByName(InetAddress.java:1305) at org.apache.hc.client5.http.SystemDefaultDnsResolver.resolve(SystemDefaultDnsResolver.java:43) at org.apache.hc.client5.http.impl.io.DefaultHttpClientConnectionOperator.connect(DefaultHttpClientConnectionOperator.java:141) at org.apache.hc.client5.http.impl.io.PoolingHttpClientConnectionManager.connect(PoolingHttpClientConnectionManager.java:447) at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:162) at org.apache.hc.client5.http.impl.classic.InternalExecRuntime.connectEndpoint(InternalExecRuntime.java:172) at org.apache.hc.client5.http.impl.classic.ConnectExec.execute(ConnectExec.java:142) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.ProtocolExec.execute(ProtocolExec.java:192) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.HttpRequestRetryExec.execute(HttpRequestRetryExec.java:96) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.ContentCompressionExec.execute(ContentCompressionExec.java:152) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) at org.apache.hc.client5.http.impl.classic.RedirectExec.execute(RedirectExec.java:115) at org.apache.hc.client5.http.impl.classic.ExecChainElement.execute(ExecChainElement.java:51) </pre>		

#	Step / Hook Details	Status	Duration
	<pre>at org.apache.http.client5.http.impl.classic.InternalHttpClient.doExecute(InternalHttpClient.java:170) at org.apache.http.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:87) at org.apache.http.client5.http.impl.classic.CloseableHttpClient.execute(CloseableHttpClient.java:55) at org.apache.http.client5.http.classic.HttpClient.executeOpen(HttpClient.java:183) at io.github.bonigarcia.wdm.online.HttpClient.execute(HttpClient.java:162) at io.github.bonigarcia.wdm.WebDriverManager.getDriversFromXml(WebDriverManager.java:1562) * Not displayable characters are replaced by '?'. </pre>		
2	When User enter userName on userName field	SKIPPED	0.000 s
3	When User enter password on password field	SKIPPED	0.000 s
4	Then User enter click on login button	SKIPPED	0.000 s