Let's suppose prime factorization of num is: $p^a x q^b x r^c x \dots x z^f$, where p,q,r...z are prime numbers.

Sum of numbers in array arr at indices of prime factors of number num is: a x arr[p] + b x arr[q] + c x arr[r] +..... + f x arr[z].

You are given an array arr of size n and a positive integer num. You are required to calculate the sum of numbers in arr as mentioned above, and print the same.

Note:

- If arr is empty, print -1.
- If prime factor of num not found as indices, print 0.

Input Format:

The input consists of three lines:

- The first line contains an integer, i.e. n.
- · The second line contains an array arr of length of n.
- The third line contains an integer num

The input will be read from the STDIN by the candidates.

Output Format:

Print the sum that was mentioned in the problem statement.

Example:

Input:

6

11 21 32 45 1 23

6

Output:

77

Explanation:

65 BH MEH

Source Code:

```
from collections import defaultdict
def prime_factors(num):
   factors = defaultdict(int)
   while num % 2 == 0:
        factors[2] += 1
        num //= 2
   for i in range(3, int(num**0.5) + 1, 2):
        while num % i == 0:
            factors[i] += 1
            num //= i
   if num > 2:
        factors[num] += 1
    return factors
def calculate prime index sum(arr, num):
    if not arr:
        return -1
    factors = prime_factors(num)
    total_sum = 0
    valid_prime_found = False
    for prime, power in factors.items():
        if prime < len(arr):</pre>
            total_sum += power * arr[prime]
            valid_prime_found = True
    return total_sum if valid_prime_found else 0
if __name__ == "__main__":
   n = int(input())
   arr = list(map(int, input().split()))
   num = int(input())
   result = calculate_prime_index_sum(arr, num)
   print(result)
```

RESULT

4 / 5 Test Cases Passed | 80 %

EL SCH

.PBTO

SEO

EMP

~.C5~

" LEW.