

Database System Engineering and Distributed Backend Development

Course Code: 25CS13002E

ROLL NO:2520030531

NAME: D. Venya Sri

INSERT CUSTOMER DATA

ORGANIZATION: DROPATHI VENYA SR... PROJECT: Project 0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers**
 - transactions
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankdb > customers

Documents 8 | Aggregations | Schema | Indexes 1 | Validation

Type a query: { field: 'value' } or [Generate query](#)

[ADD DATA](#) | [BULK](#) | [EXPORT CODE](#)

25 | 1 - 8 of 8

	_id ObjectId	customer_id Int32	name String	city String	account_type String	
1	ObjectId('6a97c7826519ce4...	101	"Venya Sri"	"Hyderabad"	"Savings"	
2	ObjectId('6a97c7906519ce4...	102	"Priya Sharma"	"Vijayawada"	"Current"	
3	ObjectId('6a97c79e6519ce4...	103	"Arjun Reddy"	"Hyderabad"	"Savings"	
4	ObjectId('6a97c7ac6519ce4...	104	"Sneha Rao"	"Warangal"	"Savings"	
5	ObjectId('6a97c7ba6519ce4...	105	"Kiran Kumar"	"Guntur"	"Current"	
6	ObjectId('6a97c7c76519ce4...	106	"Anjali Singh"	"Hyderabad"	"Savings"	
7	ObjectId('6a97c7d36519ce4...	107	"Rahul Verma"	"Bengaluru"	"Current"	
8	ObjectId('6a97c7e46519ce4...	108	"Meena Devi"	"Chennai"	"Savings"	

ORGANIZATION: DROPATHI VENYA SR... PROJECT: Project 0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers**
 - transactions
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankdb > customers

Documents 8 | Aggregations | Schema | Indexes 1 | Validation

Type a query: { field: 'value' } or [Generate query](#)

[ADD DATA](#) | [BULK](#) | [EXPORT CODE](#)

25 | 1 - 8 of 8

	name String	city String	account_type String	balance Int32	status String	
1	"Venya Sri"	"Hyderabad"	"Savings"	85000	"Active"	
2	"Priya Sharma"	"Vijayawada"	"Current"	125000	"Active"	
3	"Arjun Reddy"	"Hyderabad"	"Savings"	45000	"Active"	
4	"Sneha Rao"	"Warangal"	"Savings"	210000	"Active"	
5	"Kiran Kumar"	"Guntur"	"Current"	65000	"Inactive"	
6	"Anjali Singh"	"Hyderabad"	"Savings"	175000	"Active"	
7	"Rahul Verma"	"Bengaluru"	"Current"	95000	"Active"	
8	"Meena Devi"	"Chennai"	"Savings"	320000	"Active"	

INSERT TRANSACTION DATA

ORGANIZATION
DROPATHI VENYA SR...

PROJECT
Project 0

🔍

📄

👤

🔔

⌵

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

bookflow

local

sample_mflix

transactions

+

Cluster0 > bankdb > transactions

View monitoring

Visualize Your Data

Documents 15

Aggregations

Schema

Indexes 1

Validation

Type a query: { field: 'value' } or [Generate query](#)

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1 - 15 of 15

⏪

⏩

⏴

⏵

⌵

⌵

⌵

transactions	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	
1	ObjectId('6a97c8ab6519ce4...	1001	101	"Deposit"	25000	✎ 🗑 ⚙
2	ObjectId('6a97c8b96519ce4...	1002	101	"Withdrawal"	10000	✎ 🗑 ⚙
3	ObjectId('6a97c8cb6519ce4...	1003	102	"Deposit"	50000	✎ 🗑 ⚙
4	ObjectId('6a97c8d96519ce4...	1004	102	"Withdrawal"	15000	✎ 🗑 ⚙
5	ObjectId('6a97c8e76519ce4...	1005	103	"Deposit"	30000	✎ 🗑 ⚙
6	ObjectId('6a97c8f66519ce4...	1006	103	"Withdrawal"	5000	✎ 🗑 ⚙
7	ObjectId('6a97c9186519ce4...	1007	104	"Deposit"	100000	✎ 🗑 ⚙
8	ObjectId('6a97c9266519ce4...	1008	104	"Withdrawal"	25000	✎ 🗑 ⚙

ORGANIZATION
DROPATHI VENYA SR...

PROJECT
Project 0

🔍

📄

👤

🔔

⌵

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

bookflow

local

sample_mflix

transactions

+

Cluster0 > bankdb > transactions

View monitoring

Visualize Your Data

Documents 15

Aggregations

Schema

Indexes 1

Validation

Type a query: { field: 'value' } or [Generate query](#)

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1 - 15 of 15

⏪

⏩

⏴

⏵

⌵

⌵

⌵

transactions	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	
8	ObjectId('6a97c9266519ce4...	1008	104	"Withdrawal"	25000	✎ 🗑 ⚙
9	ObjectId('6a97c9376519ce4...	1009	105	"Deposit"	15000	✎ 🗑 ⚙
10	ObjectId('6a97c9466519ce4...	1010	106	"Deposit"	75000	✎ 🗑 ⚙
11	ObjectId('6a97c9566519ce4...	1011	106	"Withdrawal"	20000	✎ 🗑 ⚙
12	ObjectId('6a97c9646519ce4...	1012	107	"Deposit"	40000	✎ 🗑 ⚙
13	ObjectId('6a97c9746519ce4...	1013	107	"Withdrawal"	12000	✎ 🗑 ⚙
14	ObjectId('6a97c9836519ce4...	1014	108	"Deposit"	150000	✎ 🗑 ⚙
15	ObjectId('6a97c9936519ce4...	1015	108	"Withdrawal"	30000	✎ 🗑 ⚙

ORGANIZATION
ALLURU AMULYA's O...

PROJECT
Project 0

🔍

📄

👤

🔔

⌵

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

bankdb1

bookflow

local

sample_mflix

bankdb1

customers

transactions

+

Cluster0 > bankdb > transactions

View monitoring

Visualize

Documents 15

Aggregations

Schema

Indexes 1

Validation

Type a query: { field: 'value' } or [Generate query](#)

Explain

Reset

Find

ADD DATA

BULK

EXPORT CODE

25

1 - 15 of 15

⏪

⏩

⏴

⏵

⌵

⌵

⌵

transactions	id Int32	type String	amount Int32	mode String	date String	status String	
1		"Deposit"	25000	"UPI"	"2026-08-01"	"Success"	✎ 🗑 ⚙
2		"Withdrawal"	10000	"ATM"	"2026-08-02"	"Success"	✎ 🗑 ⚙
3		"Deposit"	50000	"NEFT"	"2026-08-02"	"Success"	✎ 🗑 ⚙
4		"Withdrawal"	15000	"ATM"	"2026-08-03"	"Success"	✎ 🗑 ⚙
5		"Deposit"	30000	"UPI"	"2026-08-03"	"Success"	✎ 🗑 ⚙
6		"Withdrawal"	5000	"ATM"	"2026-08-04"	"Success"	✎ 🗑 ⚙
7		"Deposit"	100000	"NEFT"	"2026-08-04"	"Success"	✎ 🗑 ⚙
8		"Withdrawal"	25000	"ATM"	"2026-08-05"	"Success"	✎ 🗑 ⚙
9		"Deposit"	15000	"UPI"	"2026-08-05"	"Success"	✎ 🗑 ⚙
10		"Deposit"	75000	"NEFT"	"2026-08-06"	"Success"	✎ 🗑 ⚙
11		"Withdrawal"	20000	"ATM"	"2026-08-06"	"Success"	✎ 🗑 ⚙
12		"Deposit"	40000	"ATM"	"2026-08-07"	"Success"	✎ 🗑 ⚙

QUERY 1: DISPLAY ALL CUSTOMERS:

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

ORGANIZATION

DROPATHI VENYA SR...

PROJECT

Project 0

transactions

+

Cluster0 > bankdb > transactions

Documents 15

Aggregations

Schema

Indexes 1

Validation

Output:

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

ORGANIZATION

DROPATHI VENYA SR...

PROJECT

Project 0

transactions

customers

+

Cluster0 > bankdb > customers

Documents 8

Aggregations

Schema

Indexes 1

Validation

View monitoring

Visualize Your Data

Type a query: { field: 'value' } or [Generate query](#)

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1 - 8 of 8

customers

	_id ObjectId	customer_id Int32	name String	city String	account_type String	
1	ObjectId('6a97c7826519ce4...')	101	"Venya Sri"	"Hyderabad"	"Savings"	
2	ObjectId('6a97c7906519ce4...')	102	"Priya Sharma"	"Vijayawada"	"Current"	
3	ObjectId('6a97c79e6519ce4...')	103	"Arjun Reddy"	"Hyderabad"	"Savings"	
4	ObjectId('6a97c7ac6519ce4...')	104	"Sneha Rao"	"Warangal"	"Savings"	
5	ObjectId('6a97c7ba6519ce4...')	105	"Kiran Kumar"	"Guntur"	"Current"	
6	ObjectId('6a97c7c76519ce4...')	106	"Anjali Singh"	"Hyderabad"	"Savings"	
7	ObjectId('6a97c7d36519ce4...')	107	"Rahul Verma"	"Bengaluru"	"Current"	
8	ObjectId('6a97c7e46519ce4...')	108	"Meena Devi"	"Chennai"	"Savings"	

QUERY 2: FIND ACTIVE CUSTOMERS

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

ORGANIZATION

DROPATHI VENYA SR...

PROJECT

Project 0

transactions

customers

+

Cluster0 > bankdb > customers

Documents 8

Aggregations

Schema

Indexes 1

Validation

Type a query: { field: 'value' } or [Generate query](#)

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1 - 8 of 8

customers

{

"status" : "Active"

}

Output:

DropPathi Venya SR... Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

`{ "status" : "Active" }` [Generate query](#) [Explain](#) [Reset](#) [Find](#) [Options](#)

[ADD DATA](#) [BULK](#) [EXPORT CODE](#)

25 1-7 of 7

	_id ObjectId	customer_id Int32	name String	city String	account_type String	
1	ObjectId("6a97c7826519ce4...")	101	"Venya Sri"	"Hyderabad"	"Savings"	
2	ObjectId("6a97c7906519ce4...")	102	"Priya Sharma"	"Vijayawada"	"Current"	
3	ObjectId("6a97c79e6519ce4...")	103	"Arjun Reddy"	"Hyderabad"	"Savings"	
4	ObjectId("6a97c7ac6519ce4...")	104	"Sneha Rao"	"Warangal"	"Savings"	
5	ObjectId("6a97c7c76519ce4...")	106	"Anjali Singh"	"Hyderabad"	"Savings"	
6	ObjectId("6a97c7d36519ce4...")	107	"Rahul Verma"	"Bengaluru"	"Current"	
7	ObjectId("6a97c7e46519ce4...")	108	"Meena Devi"	"Chennai"	"Savings"	

	name String	city String	account_type String	balance Int32	status String	
1	"Venya Sri"	"Hyderabad"	"Savings"	85000	"Active"	
2	"Priya Sharma"	"Vijayawada"	"Current"	125000	"Active"	
3	"Arjun Reddy"	"Hyderabad"	"Savings"	45000	"Active"	
4	"Sneha Rao"	"Warangal"	"Savings"	210000	"Active"	
5	"Anjali Singh"	"Hyderabad"	"Savings"	175000	"Active"	
6	"Rahul Verma"	"Bengaluru"	"Current"	95000	"Active"	
7	"Meena Devi"	"Chennai"	"Savings"	320000	"Active"	

QUERY 3: FIND CUSTOMERS WITH BALANCE GREATER THAN 100000

DropPathi Venya SR... Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

```
{
  "balance": {
    "$gt": 100000
  }
}
```

Output:

ADD DATA BULK EXPORT CODE 25 1 - 4 of 4					
customers					
	_id ObjectId	customer_id Int32	name String	city String	account_type String
1	ObjectId('6a97c7906519ce4...	102	"Priya Sharma"	"Vijayawada"	"Current"
2	ObjectId('6a97c7ac6519ce4...	104	"Sneha Rao"	"Warangal"	"Savings"
3	ObjectId('6a97c7c76519ce4...	106	"Anjali Singh"	"Hyderabad"	"Savings"
4	ObjectId('6a97c7e46519ce4...	108	"Meena Devi"	"Chennai"	"Savings"

QUERY 4: FIND HYDERABAD CUSTOMERS:

ORGANIZATION

DROPATHI VENYA SR...

PROJECT

Project 0

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

transactions

customers

+

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

{

"city": "Hyderabad"

}

Output:

ORGANIZATION

DROPATHI VENYA SR...

PROJECT

Project 0

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

bookflow

local

sample_mflix

transactions

customers

+

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

View monitoring

Visualize Your Data

{

"city": "Hyderabad"

}

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25 1 - 3 of 3

customers

	_id ObjectId	customer_id Int32	name String	city String	account_type String
1	ObjectId('6a97c7826519ce4...	101	"Venya Sri"	"Hyderabad"	"Savings"
2	ObjectId('6a97c7966519ce4...	103	"Arjun Reddy"	"Hyderabad"	"Savings"
3	ObjectId('6a97c7c76519ce4...	106	"Anjali Singh"	"Hyderabad"	"Savings"

QUERY 5: FIND SAVINGS ACCOUNT CUSTOMERS:

ORGANIZATION DROPATHI VENYA SR... > PROJECT Project 0

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

transactions customers +

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

```
{
  "account_type": "Savings"
}
```

Output:

ORGANIZATION DROPATHI VENYA SR... > PROJECT Project 0

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- bookflow
- local
- sample_mflix

transactions customers +

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

View monitoring Visualize Your Data

Generate query: Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 5 of 5

	* customers	_id ObjectId	customer_id Int32	name String	city String	account_type String	
1	ObjectId('6a97c7826519ce4...	101	"Venya Sri"	"Hyderabad"	"Savings"		
2	ObjectId('6a97c79e6519ce4...	103	"Arjun Reddy"	"Hyderabad"	"Savings"		
3	ObjectId('6a97c7ac6519ce4...	104	"Sneha Rao"	"Warangal"	"Savings"		
4	ObjectId('6a97c7c76519ce4...	106	"Anjali Singh"	"Hyderabad"	"Savings"		
5	ObjectId('6a97c7e46519ce4...	108	"Meena Devi"	"Chennai"	"Savings"		

QUERY 6: FIND TRANSACTIONS GREATER THAN 20000:

ORGANIZATION DROPATHI VENYA SR... > PROJECT Project 0

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin

transactions customers +

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

```
{
  "amount": {
    "$gt": 20000
  }
}
```

Output:

	* transactions	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	date String	status Stri
1	ObjectId('6a8409c5943480...	1001	1001	101	"Deposit"	25000	"UPI"	"2026-08-01"	"Success"
2	ObjectId('6a8409c5943480...	1003	1003	102	"Deposit"	50000	"NEFT"	"2026-08-02"	"Success"
3	ObjectId('6a8409c5943480...	1005	1005	103	"Deposit"	30000	"UPI"	"2026-08-03"	"Success"
4	ObjectId('6a8409c5943480...	1007	1007	104	"Deposit"	100000	"NEFT"	"2026-08-04"	"Success"
5	ObjectId('6a8409c5943480...	1008	1008	104	"Withdrawal"	25000	"ATM"	"2026-08-05"	"Success"
6	ObjectId('6a8409c5943480...	1010	1010	106	"Deposit"	75000	"NEFT"	"2026-08-06"	"Success"
7	ObjectId('6a8409c5943480...	1012	1012	107	"Deposit"	40000	"IMPS"	"2026-08-07"	"Success"
8	ObjectId('6a8409c5943480...	1014	1014	108	"Deposit"	150000	"NEFT"	"2026-08-08"	"Success"
9	ObjectId('6a8409c5943480...	1015	1015	100	"Withdrawal"	30000	"ATM"	"2026-08-08"	"Success"

QUERY 7: FIND DEPOSITS

DROPATHI VENYA SR... ▾ Project 0 ▾

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

transactions customers +

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

```
{  
  "type": "Deposit"  
}
```

Output:

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- bankml
- bookflow
- local
- sample_mflix

Generate query + Explain Reset Find Options ▾

25 ▾ 1-8 of 8

	transactions	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	date String	status String
1	ObjectId('6a840b594348L...')	1001	101	"Deposit"	25000	"UPI"	"2026-08-01"	"Success"
2	ObjectId('6a840b594348L...')	1003	102	"Deposit"	50000	"NEFT"	"2026-08-02"	"Success"
3	ObjectId('6a840b594348L...')	1005	103	"Deposit"	30000	"UPI"	"2026-08-03"	"Success"
4	ObjectId('6a840b594348L...')	1007	104	"Deposit"	100000	"NEFT"	"2026-08-04"	"Success"
5	ObjectId('6a840b594348L...')	1009	105	"Deposit"	15000	"UPI"	"2026-08-05"	"Success"
6	ObjectId('6a840b594348L...')	1019	106	"Deposit"	75000	"NEFT"	"2026-08-06"	"Success"
7	ObjectId('6a840b594348L...')	1012	107	"Deposit"	40000	"IMPS"	"2026-08-07"	"Success"
8	ObjectId('6a840b594348L...')	1014	108	"Deposit"	150000	"NEFT"	"2026-08-08"	"Success"

QUERY 8: FIND ATM TRANSACTIONS

DROPATHI VENYA SR... ▾ Project 0 ▾

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

customers transactions +

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

```
{  
  mode: "ATM"  
}
```

Output:

DROPATHI VENYA SR... ▾ Project 0 ▾

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- bankml
- bookflow
- local
- sample_mflix

View monitoring Visualize Your Data

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

```
{  
  mode: "ATM"  
}
```

Generate query + Explain Reset Find Options ▾

25 ▾ 1-7 of 7

	transactions	transaction_id Int32	customer_id Int32	type String	amount Int32
1	ObjectId('6a97c8b96519ce4L...')	1002	101	"Withdrawal"	10000
2	ObjectId('6a97c8d96519ce4L...')	1004	102	"Withdrawal"	15000
3	ObjectId('6a97c8f66519ce4L...')	1006	103	"Withdrawal"	5000
4	ObjectId('6a97c9266519ce4L...')	1008	104	"Withdrawal"	25000
5	ObjectId('6a97c9566519ce4L...')	1011	106	"Withdrawal"	20000
6	ObjectId('6a97c9746519ce4L...')	1013	107	"Withdrawal"	12000
7	ObjectId('6a97c9936519ce4L...')	1015	108	"Withdrawal"	30000

QUERY 9: FIND DEPOSITS GREATER THAN 50000

ORGANIZATION: DROPATHI VENYA SR... PROJECT: Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0
admin

customers transactions +

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

```
{
  "type": "Deposit",
  "amount": {
    "$gt": 50000
  }
}
```

Output:

ORGANIZATION: DROPATHI VENYA SR... PROJECT: Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0
admin
bankdb
customers
transactions ...
bookflow
local
sample_mflix

customers transactions +

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

View monitoring Visualize Your Data

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1 - 3 of 3

* transactions	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32
1	ObjectId('6a97c9186519ce4...')	1007	104	"Deposit"	100000
2	ObjectId('6a97c9466519ce4...')	1010	106	"Deposit"	75000
3	ObjectId('6a97c9836519ce4...')	1014	108	"Deposit"	150000

QUERY 10: FIND HYDERABAD CUSTOMERS WITH HIGH BALANCE

ORGANIZATION: DROPATHI VENYA SR... PROJECT: Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0
admin

customers transactions +

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

```
{
  "city": "Hyderabad",
  "balance": {
    "$gt": 100000
  }
}
```

Output:

DropPathi Venya SR... Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- bookflow
- local

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

```
{
  "city": "Hyderabad",
  "balance": {
    "$gt": 100000
  }
}
```

ADD DATA BULK EXPORT CODE

25 1-1 of 1

	_id ObjectId	customer_id Int32	name String	city String	account_type String
1	ObjectId('6a97c7c76519ce4...	106	"Anjali Singh"	"Hyderabad"	"Savings"

QUERY 11: FIND CUSTOMERS IN MULTIPLE CITIES

DropPathi Venya SR... Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- bookflow
- local

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema

```
{
  "city": {
    "$in": [
      "Hyderabad",
      "Vijayawada",
      "Warangal"
    ]
  }
}
```

Output:

DropPathi Venya SR... Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- bookflow
- sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate query Explain Reset Find Options

```
{
  "city": {
    "$in": [
      "Hyderabad",
      "Vijayawada",
      "Warangal"
    ]
  }
}
```

ADD DATA BULK EXPORT CODE

25 1-5 of 5

	_id ObjectId	customer_id Int32	name String	city String	account_type String
1	ObjectId('6a97c7826519ce4...	101	"Venya Sri"	"Hyderabad"	"Savings"
2	ObjectId('6a97c7906519ce4...	102	"Priya Sharma"	"Vijayawada"	"Current"
3	ObjectId('6a97c79e6519ce4...	103	"Arjun Reddy"	"Hyderabad"	"Savings"
4	ObjectId('6a97c7ac6519ce4...	104	"Sneha Rao"	"Warangal"	"Savings"

QUERY 12: SORT CUSTOMERS BY BALANCE

ORGANIZATION
DROPATHI VENYA SR... > PROJECT
Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - bookflow
 - local
 - sample_mflix

customers transactions +

Cluster0 > bankdb > customers

Documents 8 Aggregations

\$sort

Untitled - modified SAVE +

```
1 {
2   {
3     $sort: {
4       balance: -1
5     }
6   }
7 }
```

The screenshot shows the MongoDB Data Explorer interface. On the left, the 'CLUSTERS (1)' sidebar shows the hierarchy: Cluster0 > bankdb > customers. The main area displays the aggregation pipeline editor with a single stage: \$sort: { balance: -1 }. Below the editor, there is a preview of the results showing 8 documents. The first document is highlighted, showing its fields: _id, customer_id, name, city, account_type, balance, and status.

```
_id: ObjectId('6a97c7e46519ce4957cf16bd')
customer_id: 108
name: "Meena Devi"
city: "Chennai"
account_type: "Savings"
balance: 320000
status: "Active"
```

```
_id: ObjectId('6a97c7ac6519ce4957cf16b5')
customer_id: 104
name: "Sneha Rao"
city: "Warangal"
account_type: "Savings"
balance: 210000
status: "Active"
```

Output preview after \$sort stage (Sample of 8 documents)

<pre>{ "_id": ObjectId("6a83ff180434809b436fdea0"), "customer_id": 107, "name": "Rahul Verma", "city": "Bengaluru", "account_type": "Current", "balance": 95000, "status": "Active" }</pre>	<pre>{ "_id": ObjectId("6a83ff180434809b436fde9a"), "customer_id": 101, "name": "A.Amulya", "city": "Hyderabad", "account_type": "Savings", "balance": 85000, "status": "Active" }</pre>	<pre>{ "_id": ObjectId("6a83ff180434809b436fde9e"), "customer_id": 105, "name": "Kiran Kumar", "city": "Guntur", "account_type": "Current", "balance": 65000, "status": "Inactive" }</pre>
---	--	--

Output preview after \$sort stage (Sample of 8 documents)

<pre>{ "_id": ObjectId("6a83ff180434809b436fde9a"), "customer_id": 101, "name": "A.Amulya", "city": "Hyderabad", "account_type": "Savings", "balance": 85000, "status": "Active" }</pre>	<pre>{ "_id": ObjectId("6a83ff180434809b436fde9e"), "customer_id": 105, "name": "Kiran Kumar", "city": "Guntur", "account_type": "Current", "balance": 65000, "status": "Inactive" }</pre>	<pre>{ "_id": ObjectId("6a83ff180434809b436fde9c"), "customer_id": 103, "name": "Arjun Reddy", "city": "Hyderabad", "account_type": "Savings", "balance": 45000, "status": "Active" }</pre>
--	--	---

QUERY 13: CALCULATE TOTAL TRANSACTION AMOUNT

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Sort Group Generate aggregation

Untitled - modified SAVE + CREATE NEW EXPORT CODE PREVIEW

```
1 {
2   "_id": null,
3   "total_amount": {
4     "$sum": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 1 document)

```
{
  "_id": null,
  "total_amount": 0
}
```

QUERY 14: CALCULATE AVERAGE TRANSACTION AMOUNT

ORGANIZATION: DROPATHI VENYA SR... PROJECT: Project 0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers**
 - transactions
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankdb > customers

Documents 8 | **Aggregations** | Schema | Indexes 1 | Validation

Sort | Sgroup | Sgroup

Untitled - modified | SAVE | CREATE NEW | EXPORT CODE

Stage 3: Sgroup

```

1 {
2   "_id": null,
3   "average_amount": {
4     "$avg": "$amount"
5   }
6 }

```

Output preview after Sgroup stage (Sample of 1 doc)

```

_id: null
average_amount: null

```

QUERY 15: TOTAL TRANSACTION AMOUNT BY TYPE

ORGANIZATION: ALLURU AMULYA's O... PROJECT: Project 0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions**
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 | **Aggregations** | Schema | Indexes 1 | Validation

Sgroup

Untitled - modified | SAVE | CREATE NEW | EXPORT CODE

15 Documents in the collection

Preview of documents

Stage 1: Sgroup

```

1 {
2   "_id": "$type",
3   "total_amount": {
4     "$sum": "$amount"
5   }
6 }
7

```

Output preview after Sgroup stage (Sample of 2 documents)

```

_id: "Deposit"
total_amount: 485000

_id: "Withdrawal"
total_amount: 117000

```

QUERY 16: NUMBER OF TRANSACTIONS PER CUSTOMER

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankids
 - customers
 - transactions
 - bankflow
 - local
 - sample_mflix

Cluster0 > bankids > transactions

Documents: 16 | Aggregations | Schema | Indexes | Validation

Generate aggregation [+](#) [Explain](#) [Run](#) [Options](#)

Untitled - modified [SAVE](#) [CREATE NEW](#) [EXPORT CODE](#)

Stage 1: Group

```
1 {
2   "_id": "$customer_id",
3   "transaction_count": {
4     "$sum": 1
5   }
6 }
```

Output preview after **Group** stage (Sample of 8 documents)

_id: 101 transaction_count: 2	_id: 103 transaction_count: 2	_id: 102 transaction_count: 2
----------------------------------	----------------------------------	----------------------------------

Stage 2: Sort

```
1 {
2   "transaction_count": -1
3 }
```

Output preview after **Sort** stage (Sample of 8 documents)

_id: 104 transaction_count: 2	_id: 107 transaction_count: 2	_id: 106 transaction_count: 2
----------------------------------	----------------------------------	----------------------------------

QUERY 17: CUSTOMER + TRANSACTION JOIN

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankids
 - customers
 - transactions
 - bankflow
 - local
 - sample_mflix

Cluster0 > bankids > transactions

Documents: 16 | Aggregations | Schema | Indexes | Validation

Generate aggregation [+](#) [Explain](#) [Run](#) [Options](#)

Untitled - modified [SAVE](#) [CREATE NEW](#) [EXPORT CODE](#)

Stage 1: Lookup

```
1 {
2   "from": "customers",
3   "localField": "customer_id",
4   "foreignField": "customer_id",
5   "as": "customer_details"
6 }
```

Output preview after **Lookup** stage (Sample of 10 documents)

_id: ObjectId("6488065434308643cf6ae1") transaction_id: 1001 customer_id: 101 type: "Deposit" amount: 10000 date: "2020-08-01" mode: "ATM" status: "Success"	_id: ObjectId("6488065434308643cf6ae1") transaction_id: 1002 customer_id: 101 type: "Withdrawal" amount: 10000 date: "2020-08-01" mode: "ATM" status: "Success"	_id: ObjectId("6488065434308643cf6ae1") transaction_id: 1003 customer_id: 102 type: "Deposit" amount: 10000 date: "2020-08-01" mode: "ATM" status: "Success"	_id: ObjectId("6488065434308643cf6ae1") transaction_id: 1004 customer_id: 103 type: "Withdrawal" amount: 10000 date: "2020-08-01" mode: "ATM" status: "Success"
---	--	---	--

Stage 2: Sort

```
1 {"customer_details.status": -1}
```

Output preview after **Sort** stage (Sample of 10 documents)

_id: ObjectId("6488065434308643cf6ae1") transaction_id: 1001 customer_id: 101 type: "Deposit" amount: 10000 date: "2020-08-01" mode: "ATM" status: "Success"	_id: ObjectId("6488065434308643cf6ae1") transaction_id: 1002 customer_id: 101 type: "Withdrawal" amount: 10000 date: "2020-08-01" mode: "ATM" status: "Success"	_id: ObjectId("6488065434308643cf6ae1") transaction_id: 1003 customer_id: 102 type: "Deposit" amount: 10000 date: "2020-08-01" mode: "ATM" status: "Success"	_id: ObjectId("6488065434308643cf6ae1") transaction_id: 1004 customer_id: 103 type: "Withdrawal" amount: 10000 date: "2020-08-01" mode: "ATM" status: "Success"
---	--	---	--

Stage 1 | \$lookup

```
1 {
2   "from": "customers",
3   "localField": "customer_id",
4   "foreignField": "customer_id",
5   "as": "customer_details"
6 }
```

Output preview after \$lookup stage (Sample of 10 documents)

Document 1	Document 2	Document 3	Document 4
<pre>{ "_id": ObjectId('6a8400e50434809b436fdea8'), "transaction_id": 1005, "customer_id": 103, "type": "Deposit", "amount": 30000, "mode": "UPI", "date": "2026-08-03", "status": "Success", "customer_details": Array (1) }</pre>	<pre>{ "_id": ObjectId('6a8400e50434809b436fdea9'), "transaction_id": 1006, "customer_id": 103, "type": "Withdrawal", "amount": 5000, "mode": "ATM", "date": "2026-08-04", "status": "Success", "customer_details": Array (1) }</pre>	<pre>{ "_id": ObjectId('6a8400e50434809b436fdeaa'), "transaction_id": 1007, "customer_id": 104, "type": "Deposit", "amount": 100000, "mode": "NEFT", "date": "2026-08-04", "status": "Success", "customer_details": Array (1) }</pre>	<pre>{ "_id": ObjectId('6a8400e50434809b436fdeab'), "transaction_id": 1008, "customer_id": 104, "type": "Withdrawal", "amount": 25000, "mode": "ATM", "date": "2026-08-05", "status": "Success", "customer_details": Array (1) }</pre>

Stage 2 | \$unwind

```
1 "$customer_details"
```

Output preview after \$unwind stage (Sample of 10 documents)

Document 1	Document 2	Document 3	Document 4
<pre>{ "_id": ObjectId('6a8400e50434809b436fdea8'), "transaction_id": 1005, "customer_id": 103, "type": "Deposit", "amount": 30000, "mode": "UPI", "date": "2026-08-03", "status": "Success", "customer_details": Object (7) }</pre>	<pre>{ "_id": ObjectId('6a8400e50434809b436fdea9'), "transaction_id": 1006, "customer_id": 103, "type": "Withdrawal", "amount": 5000, "mode": "ATM", "date": "2026-08-04", "status": "Success", "customer_details": Object (7) }</pre>	<pre>{ "_id": ObjectId('6a8400e50434809b436fdeaa'), "transaction_id": 1007, "customer_id": 104, "type": "Deposit", "amount": 100000, "mode": "NEFT", "date": "2026-08-04", "status": "Success", "customer_details": Object (7) }</pre>	<pre>{ "_id": ObjectId('6a8400e50434809b436fdeab'), "transaction_id": 1008, "customer_id": 104, "type": "Withdrawal", "amount": 25000, "mode": "ATM", "date": "2026-08-05", "status": "Success", "customer_details": Object (7) }</pre>

Output preview after \$lookup stage (Sample of 10 documents)

Document 1	Document 2	Document 3	Document 4
<pre>{ "_id": ObjectId('6a8400e50434809b436fdeaa'), "transaction_id": 1007, "customer_id": 104, "type": "Deposit", "amount": 100000, "mode": "NEFT", "date": "2026-08-04", "status": "Success", "customer_details": Array (1) }</pre>	<pre>{ "_id": ObjectId('6a8400e50434809b436fdeab'), "transaction_id": 1008, "customer_id": 104, "type": "Withdrawal", "amount": 25000, "mode": "ATM", "date": "2026-08-05", "status": "Success", "customer_details": Array (1) }</pre>	<pre>{ "_id": ObjectId('6a8400e50434809b436fdeac'), "transaction_id": 1009, "customer_id": 105, "type": "Deposit", "amount": 15000, "mode": "UPI", "date": "2026-08-05", "status": "Success", "customer_details": Array (1) }</pre>	<pre>{ "_id": ObjectId('6a8400e50434809b436fdead'), "transaction_id": 1010, "customer_id": 106, "type": "Deposit", "amount": 75000, "mode": "NEFT", "date": "2026-08-06", "status": "Success", "customer_details": Array (1) }</pre>

Output preview after \$unwind stage (Sample of 10 documents)

Document 1	Document 2	Document 3	Document 4
<pre>{ "_id": ObjectId('6a8400e50434809b436fdeaa'), "transaction_id": 1007, "customer_id": 104, "type": "Deposit", "amount": 100000, "mode": "NEFT", "date": "2026-08-04", "status": "Success", "customer_details": Object (7) }</pre>	<pre>{ "_id": ObjectId('6a8400e50434809b436fdeab'), "transaction_id": 1008, "customer_id": 104, "type": "Withdrawal", "amount": 25000, "mode": "ATM", "date": "2026-08-05", "status": "Success", "customer_details": Object (7) }</pre>	<pre>{ "_id": ObjectId('6a8400e50434809b436fdeac'), "transaction_id": 1009, "customer_id": 105, "type": "Deposit", "amount": 15000, "mode": "UPI", "date": "2026-08-05", "status": "Success", "customer_details": Object (7) }</pre>	<pre>{ "_id": ObjectId('6a8400e50434809b436fdead'), "transaction_id": 1010, "customer_id": 106, "type": "Deposit", "amount": 75000, "mode": "NEFT", "date": "2026-08-06", "status": "Success", "customer_details": Object (7) }</pre>

QUERY 18: DISPLAY CUSTOMER NAME AND TRANSACTION AMOUNT

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Group Stages

Generate aggregation Explain Run Options

PREVIEW STAGES TEXT WIZARD

Untitled - modified SAVE CREATE NEW EXPORT CODE

Stage1 Group

```
1 {
2   "_id": "$customer_id",
3   "total_transaction": {
4     "$sum": "$amount"
5   }
6 }
```

Output preview after Group stage (Sample of 8 documents)

_id: 193 total_transaction: 35800	_id: 197 total_transaction: 52000	_id: 104 total_transaction: 125000
--------------------------------------	--------------------------------------	---------------------------------------

Stage2 \$lookup

```
1 {
2   "from": "customers",
3   "localField": "_id",
4   "foreignField": "customer_id",
5   "as": "customer"
6 }
```

Output preview after \$lookup stage (Sample of 8 documents)

_id: 192 total_transaction: 35800 customer: Array (1)	_id: 191 total_transaction: 35000 customer: Array (1)	_id: 193 total_transaction: 35800 customer: Array (1)
---	---	---

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Group Stages

Generate aggregation Explain Run Options

PREVIEW STAGES TEXT WIZARD

Untitled - modified SAVE CREATE NEW EXPORT CODE

Stage3 \$unwind

```
1 "$customer"
```

Output preview after \$unwind stage (Sample of 8 documents)

_id: 196 total_transaction: 95000 customer: Object (1)	_id: 198 total_transaction: 180000 customer: Object (1)	_id: 104 total_transaction: 125000 customer: Object (1)
--	---	---

Stage4 \$project

```
1 {
2   "_id": 0,
3   "customer_id": "$_id",
4   "customer_name": "$customer.name",
5   "total_transaction": 1
6 }
```

Output preview after \$project stage (Sample of 8 documents)

total_transaction: 180000 customer_id: 108 customer_name: "Meena Devi"	total_transaction: 65000 customer_id: 182 customer_name: "Priya Sharma"	total_transaction: 95000 customer_id: 101 customer_name: "A.Amulya"
--	---	---

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Group Stages

Generate aggregation Explain Run Options

PREVIEW STAGES TEXT WIZARD

Untitled - modified SAVE CREATE NEW EXPORT CODE

Stage5 \$sort

```
1 {
2   "total_transaction": -1
3 }
```

Output preview after \$sort stage (Sample of 8 documents)

total_transaction: 180000 customer_id: 108 customer_name: "Meena Devi"	total_transaction: 125000 customer_id: 104 customer_name: "Sneha Rao"	total_transaction: 95000 customer_id: 196 customer_name: "Anjali Singh"
--	---	---

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)
Search clusters
Cluster0
admin
bankdb
customers
transactions
bookflow
local
sample_mflix

Cluster0 > bankdb > transactions
Documents: 15 Aggregations Schema Indexes: 1 Validation

Generate aggregation + Explain Run Options

Untitled - modified SAVE + CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 1: \$group

Output preview after \$group stage (Sample of 8 documents)

_id	total_transaction
105	15000
106	95000
108	100000

Stage 2: \$lookup

Output preview after \$lookup stage (Sample of 8 documents)

_id	total_transaction	customer
107	52000	Array (1)
104	125000	Array (1)
105	15000	Array (1)

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)
Search clusters
Cluster0
admin
bankdb
customers
transactions
bookflow
local
sample_mflix

Cluster0 > bankdb > transactions
Documents: 15 Aggregations Schema Indexes: 1 Validation

Generate aggregation + Explain Run Options

Untitled - modified SAVE + CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 4: \$project

Output preview after \$project stage (Sample of 8 documents)

total_transaction	customer_id	customer_name
35000	103	"Arjun Shetty"
125000	104	"Srinva Rao"
15000	105	"Niran Kumar"

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)
Search clusters
Cluster0
admin
bankdb
customers
transactions
bookflow
local
sample_mflix

Cluster0 > bankdb > transactions
Documents: 15 Aggregations Schema Indexes: 1 Validation

Generate aggregation + Explain Run Options

Untitled - modified SAVE + CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 5: \$sort

Output preview after \$sort stage (Sample of 8 documents)

total_transaction	customer_id	customer_name
65000	102	"Priya Sharma"
52000	107	"Rahul Verma"
35000	103	"Arjun Shetty"

QUERY 20: COMPLEX BANK TRANSACTION REPORT

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate aggregation + Explain Run Options

Preview STAGES TEXT WIZARD

Untitled - modified SAVE + CREATE NEW EXPORT CODE

Stage 1: \$match

```
1 {
2   "balance": "Active",
3   "balance": {
4     "$gt": 80000
5   }
6 }
```

Output preview after \$match @ stage (Sample of 6 documents)

<pre>{ "_id": "ObjectID('6a83ff180434809b436f0e8a')", "customer_id": 181, "name": "A. Amulya", "city": "Hyderabad", "account_type": "Savings", "balance": 85000, "status": "Active" }</pre>	<pre>{ "_id": "ObjectID('6a83ff180434809b436f0e8b')", "customer_id": 182, "name": "Priya Sharma", "city": "Vijayawada", "account_type": "Current", "balance": 125000, "status": "Active" }</pre>	<pre>{ "_id": "ObjectID('6a83ff180434809b436f0e8c')", "customer_id": 184, "name": "Sneha Rao", "city": "Marangal", "account_type": "Savings", "balance": 210000, "status": "Active" }</pre>
---	--	---

Stage 2: \$lookup

```
1 {
2   "from": "transactions",
3   "localField": "customer_id",
4   "foreignField": "customer_id",
5   "as": "transactions"
6 }
```

Output preview after \$lookup @ stage (Sample of 6 documents)

<pre>{ "_id": "ObjectID('6a83ff180434809b436f0e8a')", "customer_id": 181, "name": "A. Amulya", "city": "Hyderabad", "account_type": "Savings", "balance": 85000, "status": "Active", "transactions": Array (2) }</pre>	<pre>{ "_id": "ObjectID('6a83ff180434809b436f0e8b')", "customer_id": 182, "name": "Priya Sharma", "city": "Vijayawada", "account_type": "Current", "balance": 125000, "status": "Active", "transactions": Array (2) }</pre>	<pre>{ "_id": "ObjectID('6a83ff180434809b436f0e8c')", "customer_id": 184, "name": "Sneha Rao", "city": "Marangal", "account_type": "Savings", "balance": 210000, "status": "Active", "transactions": Array (2) }</pre>
--	---	--

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate aggregation + Explain Run Options

Preview STAGES TEXT WIZARD

Untitled - modified SAVE + CREATE NEW EXPORT CODE

Stage 3: \$unwind

```
1 "$transactions"
```

Output preview after \$unwind @ stage (Sample of 10 documents)

<pre>{ "_id": "ObjectID('6a83ff180434809b436f0e8a')", "customer_id": 181, "name": "A. Amulya", "city": "Hyderabad", "account_type": "Savings", "balance": 85000, "status": "Active", "transactions": Object (8) }</pre>	<pre>{ "_id": "ObjectID('6a83ff180434809b436f0e8b')", "customer_id": 182, "name": "A. Amulya", "city": "Hyderabad", "account_type": "Savings", "balance": 85000, "status": "Active", "transactions": Object (8) }</pre>	<pre>{ "_id": "ObjectID('6a83ff180434809b436f0e8c')", "customer_id": 182, "name": "Priya Sharma", "city": "Vijayawada", "account_type": "Current", "balance": 125000, "status": "Active", "transactions": Object (8) }</pre>
---	---	--

Stage 4: \$group

```
1 {
2   "_id": "$customer_id",
3   "customer_name": {
4     "$first": "$name"
5   },
6   "city": {
7     "$first": "$city"
8   },
9   "balance": {
10    "$first": "$balance"
11  }
12 }
```

Output preview after \$group @ stage (Sample of 6 documents)

<pre>{ "_id": 184, "customer_name": "Sneha Rao", "city": "Marangal", "balance": 95000, "total_transactions": 125000, "transaction_count": 2 }</pre>	<pre>{ "_id": 187, "customer_name": "Rahul Verma", "city": "Bengaluru", "balance": 95000, "total_transactions": 52000, "transaction_count": 2 }</pre>	<pre>{ "_id": 186, "customer_name": "Anjali Singh", "city": "Hyderabad", "balance": 175000, "total_transactions": 95000, "transaction_count": 2 }</pre>
---	---	---

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - bookflow
 - local
 - sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Generate aggregation + Explain Run Options

Preview STAGES TEXT WIZARD

Untitled - modified SAVE + CREATE NEW EXPORT CODE

Stage 5: \$sort

```
1 {
2   "total_transactions": -1
3 }
```

Output preview after \$sort @ stage (Sample of 6 documents)

<pre>{ "_id": 188, "customer_name": "Meena Devi", "city": "Chennai", "balance": 320000, "total_transactions": 180000, "transaction_count": 2 }</pre>	<pre>{ "_id": 194, "customer_name": "Sneha Rao", "city": "Marangal", "balance": 210000, "total_transactions": 125000, "transaction_count": 2 }</pre>	<pre>{ "_id": 186, "customer_name": "Anjali Singh", "city": "Hyderabad", "balance": 175000, "total_transactions": 95000, "transaction_count": 2 }</pre>
--	--	---