Thanks beene  IBMITCS IIS  (1) USE company of the Create Collection ("employee"),  db. Create Collection ("department"),  db. Create Collection ("department"),  db. Create Collection ("department"),  db. Create Collection ("department"),  "veona", "dept no": Htte, "age": 2C,  "Phone no": qqqq qq y  db. employee. Inacet (\$ id: 2, "Name".  "ayesha", dept no": 1001, "Phone no":  qqoqqq y  db. employee. Inacet Namy \$ 5 d: 3,  "Name": "Camiya", "dept no": 100y  "age": 28, "Phone no ': 99556321  db. department. insert (\$ id: 1, "dept  "Name!" CSE", "dept no": 1000y);  db. department. insert one f-id: 1,  "dapt Name": "ECE", "dept no":  1001, "y);		Mo Tu We Th Fr Sa Su	Date
Duse company:  db. Create Collection ("employee");  db. Create collection ("depastment");  db. Create collection ("depastment");  db. Create collection ("depastment");  db. Comployer. Insert (5 id.: 1, "Nor e"  "phone no": "qqqq qq z  db. employee. Insert (5 id.: 2, "Name".  "ayesta", dept no": 1001, "Phone no":  qq0qqq j  db. Employee. Insert Narry S. Ed.: 3,  "Name": "Camiya", "deptno": 1004  "age": 28 ", Phone no ": 9955632;  db. depastment. Insert (\$ _id:1, 'dept  "Name: "CSE", 'dept no": 10004);  db. depastment. Insert one f-id:1,  "dept Name": "ECE", "deptno":  Itoo! "j");			Thanda Veene
db. Create Collection ("employee"),  db. Create Collection ("department"),  db. create Collection ("department"),  db. creptoyer. Insert (\$id:1, "Nor e  "veona", "dept no": H\$, "age": 2c,  "phone no": 99999 }  db. employee. Insert (\$id:2, "Name".  "ayesha", "dept no": 1001, "Phone no":  9900999 }  db. employee. Insert harry \$591:3,  "Name": "Camiya", "dept no": 1004  "age": 28 ", Phone no ': 99556325  db. department. insert (\$ id:1, "dept  "Name!" CSE", "dept no": 10001);  db. department. insert one \$-id:1,  "dept name": "ECE"; "dept no":			1BM17C8118
db. Create Collection ("employee"),  db. Create Collection ("department"),  db. creptoyer. Insert (Sid: 1, "Nor e  "veona", "deptno": HS, "age": 2c,  "phone no": 99999 }  db. employee. Insert (Sid: 2, "Name"  "ayesha", "dept no": 1001, "Phone no":  900999 }  db. employee. Insert harry S. Sd: 3,  "Name": "Camiya", "deptno": 1004  "age": 28 ", Phone no ': 99556325  db. department. "neert (Sid: 1, "dept": 10001);  db. department. "neert (Sid: 1, "dept": 10001);  db. department. "restone (Sid: 1, "dept": 10001);			
db. Create collection ("depailment"),  db. employer. Insert (5 id: 1, "Now e"  "veona", "deptno": #8, "age": 2c,  "phone no": 999999 y  db. employee. Insert (5 id: 2, "Name"  "ayesta", "dept no": 1001, "Phone no":  900999, s  db. employee. Insert Namy 5:32:3,  "Name": "Samiya", "deptno": 1004  "age": 28 "Phone no ': 9955632;  db. department. Insert (\$_id:1, 'dept  "Name!" CSE", 'dept no": 10004);  db. department. insert one f-id:1,  "dept name": "ECE"; "deptno":  1001, "y);	(1) use cor	mouny o	(11 0 11)
db. employer. Insert (5 id: 1, "Now e' "veona", "deptno": H\$, "age": 2c, "phone no": 999999 y  db. employer. Insert (5 id: 2, "Name" "ayesta", dept no": 1001, "Phone no": 990999 y  db. employer. Insert namy \$ 581: 3, "Name": "Samiya", "deptno": 1004 "age": 28, "Phone no": 9955632;  db. department. Insert (\$ id: 1, "dept "Name": "CSE", "dept no": 1000 y);  db. department. Insert one f-id: 1, "dept name": "ECE", "dept no":	db. Oue	ite Otléction	("employee")).
"Veora", "deptno": HE, "age": 20, "Phone no": 999999 y  db. empeloyee. Insert (\$id:2, "Name". "ayesta", dept no": 1001, "Phone no":		63	
db. 60 street (2001 ("enployee db. empologie. Invest (5 id : 2, "Name".  "ayesta", dept no": 1001, "Phone no".  q000999, s  db. employee. Procethary 55id:3,  "Name": "Camiya", "deptno": 1004  "age": 28", Phone no ": 99556325  db. department. Insert (\$ _id:1, 'dept  "Name!" CSE", 'dept no": 10004);  db. department. Insert one f-id:1,  "dept name": "ECE", "dept no":	ab o comp	loyer Insert	
db. compologie. Ineat (\$ id: 2, "Name".  "ayesta", "dept no": 1001, "Phone no":  agooga 9 s  B. Employee. Insert hany \$ 57d: 3,  "Name": "Samiya", "deptno": 1004  "age": 28", Phone no ': 99556325  db. department. Insert (\$ _id: 1, 'dept  "Name!" CSE", 'dept no": 10004);  db. department. Insert one {-id: 1,  "dept name": "ECE", "dept no":  Itoo! "");	"Veora,	1 daggagg	) "age 20)
db. empeloyee. Ingest (\$101:2, "Name".  "ayesha", dept no": 1001, "Phone no":  9009999 \$  db. employee. Procethary \$510:3,  "Name": "Camiya", "dept no": 1009  "age": 28 "Phone no ': 99556325  db. department. Insert (\$_id:1, 'dept  "Name!" CSE", 'dept no": 1000});  db. department. Insert one {-id:1,  "apt name": "ECE", "dept no":  1001; ");	phonein	, 4947 11	
db. empologie. Ingest (\$ id: 2, "Name".  "ayesta", dept no": 1001, "Phone no":  aq 00999 !  db. employee. Procet Namy \$ 5:10:3,  "Name": "Samiya", "dept no": 1009  "age": 28 ", Phone no ': 9955632'  db. department. Insert (\$ _id: 1, 'dept  "Name!" CSE", 'dept no": 1000};  db. department. Insert one { -id: 1,  "apt Name": "ECE"; "dept no":  1001; ");	the Gosto	replication (	LI CIPLOUXE
"ayesta", dept no": 1001, "Phone no":  9900999 }  db. Employee. Procest Mary Sid: 3, "Name": "Camiya", "dept no": 1004  "age": 28 ", Phone no": 99556325  db. department. "neert (\$_id:1, 'dept "Name!" cse", 'dept no": 1000});  db. department. "reertone f-id-1, "dept Name": "Ece", 'dept no":  1001, "y);	db. empol	pyce. Ingest	
db. employee. Insert Many S. Sid = 3,  "Name": "Samiya", "deptnos": 1004  "age": 28", Phoneno : 9955632  db. department. insert (\$_id:1, 'dept  "Name!" CSE", 'dept no": 10004);  db. department. insertone f-id:1,  "dept Name": "ECE", "deptno":  1001, "J);	"ayesta"	dept no": 10	01, "Phone no":
"Name": "Samiya", "deptro": 1004  "age": 28 ", Phoneno": 9955632;  db. department. insert (\$_id:1, 'dept  "Name!" CSE", 'dept no": 10004);  db. department. insertone (-id:1,  "deptrame": "ECE", 'deptro":  1001, ");	99	1009993	, , , , , , , , , , , , , , , , , , ,
db. department. insert (\$_id:1, 'dept' "Name!" CSE", 'dept no": 1000});  db. department. insertone {-id:1,	db. empl	oyce. Mest	Many 2 - Tol = 3,
db. department. insert (\$_id:1, 'dept' "Name!" CSE", 'dept no": 1000});  db. department. insertone {-id:1,	No	umė": "Samuya	" deptno": 1004
dbodepartment. insertone {-id-1, "deptro": "Ece"; "deptro": 1001, ");	age	: 28 Proner	W : 945565W
dbodepastment. insertone {-id-1, "deptro": "Ece", "deptro":	10 100	1- 1-1-00g F	15 1.1. doct
dbodepartment. insertone {-idil, ideptro": "Ece"; "deptro": 1001, ");	db.alfaxi	more callida	nt nn" : 10004);
100(9);		· · · · · · · · · · · · · · · · · · ·	
100(9);	aho dapas	a Ament. inser	tone E-id-1,
100(9);	OND GRAD	Doot Name": "(	Ece", "deptro":
Simhadri TMT I			20(5)
		Simhadri TM	
WORLD		WORLD ST	

Ø ♂ ⋒ Mo Tu We Th Fr Sa Su Date ☐	
db. Procent many (8_id:3, 'depterame'.  "EEE", 'dept No":	
" EEE ", copt No":	
1002	Ξ.
\$ "d:4, "dept Norme": "Tc∈"  dept NO: "100g;);	
dept 100 1004)	
	T
(2) update:	J
	-
Dome: Veena " 4	
Name: Veena " 4	
Ct col a CVI	
Es set: { "hobbies": "singing" }),	
(3) Pam our	,
(3) Remove	
db. employee update (? id:1,	
Name: "Veena"	
s & une a Sille II en i ''co	
¿ \$ unset & & "hobbies: "singing	
Dealer 11.	
4) select all:	
as employee . Had (5)	
ob employee Find(s)	
Simhadri TMT	
THE COASS STEEL BOARS	

Odbemployee. find (5dopt No:  5" 59+": 1000;
Evame: toue, dept no: toure}
6) db.employee.find(s'age";  S\$ 9t":30 \});
ab employee find (& name:
S\$ stagex: "NA"();
Simhadri TMT (S) WORLD CLASS STEEL BARS