Create

Spaces / ODC Request for Chan... / RFC-2839

2

Request memory dumps from specific customer application

Completed

Done

Improve Request For Change

Key details

General | CAB Review | Maintenance & Operations

Need further discussion in CAB Meeting?	None
To be discussed in CAB Meeting	Add date
Reason to reject	Add option
Reviewer	RD Rafael Duarte (Deactivated)
Approver	Rui Santos

Notes

N/A

Decision Date	May 05, 2025, 3:49 PM

Attachments 6

memory_nxmpv.7z
21 Jan 1970, 05:11 AM

memory_hnb2m.7z
21 Jan 1970, 05:11 AM

memory_fhdgc.
21 Jan 1970, 05:

Linked work items

Add linked work item

Attached forms

Activity

All | Comments | History | Work log | Transitions | Zend Supp

Your pinned fields

Rings

ring-ga

Labels

None

Details

Reporter

João Genebra

Assignee

Luís Rocha

Assign to me

Priority

Normal

Teams

SRE Global

Reviewer Assigned

Yes

Stamp

runp

Is this change related to an incident?

Add option

Incident URL

Add URL

Change Request

Open **Change Request**

Add a comment...

Suggest a reply... | Status update... | Thanks..

Pro tip: press M to comment

Luís Rocha
May 8, 2025 at 11:50 AM

New dumps, now from existing pods were collected:

Luís Rocha
May 6, 2025 at 10:42 AM (edited)

Followed the same approach as executed in a previous RFC - https://outsystemsrd.atlassian.net/browse/RFC-2817

Commands executed:

1. Deleted an existing pod `fe86f841-f5cf-4d4b-b4c1-76a38b400eea-58c8f5f649-8ns9c` and `fe86f841-f5cf-4d4b-b4c1-76a38b400eea-58c8f5f649-nvx2p`;
2. Replicaset `ReplicaSet/fe86f841-f5cf-4d4b-b4c1-76a38b400eea-58c8f5f649` created the new pods `fe86f841-f5cf-4d4b-b4c1-76a38b400eea-58c8f5f649-bgz8x` and `fe86f841-f5cf-4d4b-b4c1-76a38b400eea-58c8f5f649-fhdgc`;
3. Once the new pod(s) were in use, we executed the RFC per the instructions in the catalog article.
   a. Connected to the new pod: `kubectl exec -n 2bb8945e-d6e5-47d7-9143-b1d82a196eb8 --stdin --tty fe86f841-f5cf-4d4b-b4c1-76a38b400eea-58c8f5f649-bgz8x -- /bin/bash`
   b. Changed directory to `/tmp` and triggered the dump collection `/opt/dotnet-dump collect -o /tmp/memory.dmp -p 1`;
   c. Once the memory dump was available, we exited the pod and copied it to our local

Change Request Salesforce

Open **Change Request Salesforce**

Development

More fields Story Points, Original ...

Automation Rule executions

PagerDuty PagerDuty Incider

Zendesk Support Linked Ti

Created May 5, 2025 at 2:33 PM
Updated August 26, 2025 at 9:51 AM
Resolved May 12, 2025 at 10:22 AM

Configure

workstation `kubectl cp -n 2bb8945e-d6e5-47d7-9143-b1d82a196eb8 fe86f841-f5cf-4d4b-b4c1-76a38b400eea-58c8f5f649-bgz8x:/tmp/memory.dmp memory.dmp`;

d. Memory dumps were zipped and added here.

4. We have collected four dumps:

   a. Two for 1st newly created pod `fe86f841-f5cf-4d4b-b4c1-76a38b400eea-58c8f5f649-bgz8x`:

      i. `Memory_old.7z` was the first dump we executed, barely after the pod creation, which might show the application startup.

      ii. `Memory_new.7z` was the second dump we executed, where a spike in resource consumption was detected.

   b. Two for 2nd newly created pod `fe86f841-f5cf-4d4b-b4c1-76a38b400eea-58c8f5f649-fhdgc`:

      i. `memory_fhdfc_1st.7z` was the first dump we executed, barely after the pod creation, which might show the application startup.

      ii. `memory_fhdfc_2nd.7z` was the second dump we executed, where a spike in resource consumption was detected.