Catalog Article - Request PIM access to PowerUser in negative Rings to be able to monitor NATS messages live

By Vasco Gomes 1 min 8 Add a reaction

1. Summary

To troubleshoot failures caused by NATS messages between 2 services that are not being sent or received properly, we need to have Power User in the negative Rings. There is a runbook that ICE has to properly troubleshoot a problem like this, but it requires the elevation to Power User access to use it.

This RFC was created so that this task can be considered Standard

2. General Information

Change Type	*Normal*
Change Risk	*Low*
Downtime Involved	*No*
Rollback Available	*N/A*
Implementation Team	Data Fabric Engine Team
Component(s)/Asset(s)	Data Bridge, Nats2Avatica
Impact Description	No Impact. It is to monitor the NATS messages exchanged between the 2 services.

We will need this when errors occur to properly troubleshoot the issue.

4. Pre-requisites

Inputs for execution

- Get PowerUser access in negative rings

5. Implementation Plan

Implementation actions

We will only use it to monitor the NATS messages between our services in Test Ring.

6. Post Implementation

N/A

7. Useful links/Related articles

Slack thread with more info : https://outsystems.slack.com/archives/C02PFH9M8FL/p1739185865274089?thread_ts=1738847924.930619&cid=C02PFH9M8FL

Related content Send feedback

Catalog Article - Request PIM access to PowerUser in -2 Ring to troubleshoot a problem
Vasco Gomes

ICE | Change - Access to negative rings for NATS troubleshooting
Renato Torres

Connect to Ring Minus3 NATS
Francisco Andrade

Updated Apr 11, 2025

Edit

ICE | Change - Troubleshoot possible NATS message loss
Taras Lykhenko

ICE | Change - Get NATS Tracer logs to troubleshoot NGS
Renato Torres

Add a comment

Add labels

Add a reaction