Nats2crd configuration change - Singapore

Key details

General | CAB Review | Maintenance & Operations

Special Procedure Guidelines

PLEASE DO NOT CLONE REQUESTS FOR CHANGE - if you do it, automations will not be triggered and wrong information from the origin RFC will be replicated wrongly to the new RFC.

Change risk: Low

Change Category: Add option

Description

cluster: datap-ga-ap-se-1-01

namespace: nats2crd-osall

We are planning to set up nats2crd in the ap-southeast-1 region for the OSALL ring.

During the initial deployment attempt, the pod encountered failures due to invalid ConfigMap values required by nats2crd. This indicates that some of the configuration parameters were either missing or incorrectly set, which caused the deployment to break.

To resolve this, we will need to rerun the deployment and reload the corrected configuration values for nats2crd. The exact steps to perform this have already been documented and can be followed as mentioned in below link.

https://outsystemsrd.atlassian.net/wiki/spaces/RDCCPC/pages/3818425191

Catalog Article / Runbook

Downtime Expected: No

Affected Services (list): tenant-service

Impacted Asset(s): Add options

Specify Missing Asset: Add text

Linked work items

blocks

RDINC-52481 tenant-provisioning-error-odc... CLOSED

Activity

All | Comments | History | Work log | Transitions | Zendesk Support | Netwrix NetSuite | Netwrix Salesforce

3

Completed | Done

Improve Request For Change

Your pinned fie...

Rings
Add options

Labels
None

Details

Reporter
Shivam Kumar

Assignee
Unassigned
Assign to me

Priority
Normal

Teams
Data Platform | SRE Global

Reviewer Assigned
Yes

Stamp
Add text

Is this change related to an incident?
Add option

Incident URL
Add URL

Change Request
Open **Change Request**

Change Request Salesforce
Open **Change Request Salesf...**

Development

More fields Story Points, Origi...

Automation Rule executio

PagerDuty PagerDuty Inc