

Template Ecosystem Governance Framework

(Template EGF)

Field	Value
Document Name	Template Ecosystem Governance Framework (Template EGF)
Version	DRAFT 0.1
Status	Draft for co-authoring by Founding Members
Governs	Nothing by itself — a voluntary scaffold; the [TEGF-n] requirements of section 5 bind only ecosystems that derive their EGF from this template or represent their EGF as conformant with this template
Governed By	The Verana Council Association (in formation), acting through the mechanisms of Network GF chapter [NGF-GOV]
Approved By	Pending — Incorporation General Assembly, target Q4 2026
Approval Date	Pending
License	CC-BY-SA 4.0
Anchoring	Git history and public URL in verana-labs/verana-council-gov now; on-chain GovernanceFrameworkDocument (url + digest_sri) once the network is live

Status: DRAFT 0.1. This is a first draft prepared for co-authoring by the Founding Members of the Verana Council Association, for ratification at the Q4 2026 Incorporation General Assembly. Where this document states protocol facts, the [Verifiable Trust specification](#) and the [Verifiable Public Registry \(VPR\) specification](#) prevail. Where it states entity facts, the Council's definitions record and public record prevail. During the pre-incorporation period, 2060 OÜ acts as transitional steward of the Council; every steward power carries an event-triggered sunset (see Network GF chapter [NGF-TRAN]).

1. Welcome: Creating an Ecosystem on Verana

This section is non-normative.

Anyone can create an ecosystem on the Verana network. No application to the Verana Council is required, no approval is given or needed, and no fee is payable to the Council. Ecosystem creation is permissionless by protocol design: any organization that registers a Corporation entry on the Verifiable Public Registry (VPR) can create an Ecosystem entry, publish its own Ecosystem Governance Framework (EGF), define its own credential schemas, and operate its own participant tree — all without asking anybody.

This template exists to make that easy. It is a fill-in-the-blanks scaffold for writing an EGF that:

- works with the VPR's on-chain mechanics out of the box (onboarding modes, permission trees, trust deposits, fees, slashing, governance-framework anchoring);
- satisfies, by construction, the mandatory-content requirements that the Verana Network Governance Framework (Network GF) chapter [NGF-EGF] places on every EGF published on the network; and
- avoids the failure modes documented across a decade of real-world governance frameworks: unnumbered rules, zombie suspensions, sanctions without due process, dead links, and thresholds written as adjectives instead of numbers.

Three things this template is **not**:

- **It is not a gate.** Using this template is voluntary. You may write your EGF from scratch, so long as it satisfies Network GF chapter [NGF-EGF].
- **It is not an endorsement.** Using this template does not imply any endorsement, accreditation, certification, or recognition of your ecosystem by the Verana Council. Creating an ecosystem is not the same as being trusted; trust on Verana is earned through the choices of relying parties.
- **It is not a straitjacket.** Almost everything here is a suggested default you may edit. The few things you must keep are marked as such and listed in section 5.

The Council practices what it publishes: the **ECS Ecosystem Governance Framework (ECS-EGF)** — the framework governing the four Essential Credential Schemas — is the worked example of this template. When an instruction below feels abstract, read the corresponding section of the ECS-EGF to see it filled in for a real ecosystem.

2. How to Use This Template

This section is non-normative, except where it restates requirements defined in section 5.

2.1 The three-mode convention

Everything from section T1 onward is template material, written in three modes:

1. **Suggested text** (plain text). Default wording you can keep as-is or edit. It is written so that an ecosystem produces a valid EGF by *editing*, not authoring from a blank page.
2. **Angle-bracket fields**. Mandatory fill-ins. Every <field> must be replaced with your ecosystem's own value before publication. Where a sensible default exists, it is shown as <field — suggested: value>.
3. **Instruction blocks**, rendered as blockquotes beginning with "*Instruction*:". Authoring guidance addressed to you, the EGF author. Every Instruction block must be deleted before publication — it is scaffolding, not framework text.

2.2 The completion rule

Because published EGFs are anchored on-chain by digest, completion is machine-checkable: a finished EGF contains no "*Instruction*:" blocks and no unresolved "<" / ">" fill-in markers. Requirement [TEGF-4] in section 5 makes this the activation rule — an EGF derived from this template must not be anchored at ecosystem creation or activated on-chain while any of either remains. A simple text search over the digest-anchored document verifies compliance.

2.3 Silence is never ambiguous

Where a section genuinely does not apply to your ecosystem, write "**No stipulation.**" rather than deleting the section. A deliberately empty slot tells readers you considered the topic and decided it needs no rule; a missing section tells them nothing.

2.4 Where to get help

- The **ECS-EGF** is the worked example of every section below.
- The **Network GF** defines the constitutional floor every EGF must respect, including chapter [NGF-EGF] (requirements for EGFs) — Annex A of this template maps each of its mandatory-content items to the template section that satisfies it.
- The **VT and VPR specifications** define every protocol object this template references. This template never restates the specs; where it summarizes them, the specs prevail.

3. Conformance

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [BCP 14 RFC 2119 RFC 8174](#) when, and only when, they appear in all capitals, as shown here.

Normativity in this document has two distinct scopes:

- The [\[TEGF-n\]](#) requirements in section 5 are normative **for users of this template**: an ecosystem claiming to have derived its EGF from this template is bound by them.
- The suggested text in sections T1–T14 is **not normative as written here**. It becomes normative only inside the EGF an ecosystem publishes, where it binds that ecosystem's own participants under that ecosystem's own authority.

Sections marked "*This section is non-normative.*" contain no requirements in either scope.

4. Terminology

Terms defined in the [Verifiable Trust specification](#) and the [VPR specification](#) are used with the meanings given there and are not redefined here. This includes: Corporation, Ecosystem, CredentialSchema, Participant, onboarding process, trust deposit, trust unit, Verifiable Service, Verifiable User Agent, and the participant roles ECOSYSTEM, ISSUER_GRANTOR, VERIFIER_GRANTOR, ISSUER, VERIFIER, HOLDER.

The following local terms are used in this document. Definitions contain no normative keywords.

- **Ecosystem Governance Framework (EGF)**: the set of governance documents an ecosystem publishes on-chain as its [GovernanceFrameworkVersion](#) / [GovernanceFrameworkDocument](#) entries, together constituting the rules of that ecosystem.
- **Ecosystem governance authority (EGA)**: the organization accountable for an ecosystem's EGF — the ecosystem-level counterpart of the VPR specification's "governance authority". Never abbreviated to "GA" in Council documents; "General Assembly" is always spelled out.
- **Network GF**: the Verana Network Governance Framework, the constitutional layer that every EGF on the Verana network supplements and must not contradict.
- **Network validator**: an operator of a consensus node securing the Verana network chain. Only Verana Council members operate network validators.

- **Onboarding validator:** the Participant that validates an applicant in an on-chain onboarding process (the "validator" of the VPR's Participant module). Unrelated to network validators; the bare word "validator" is avoided throughout.
- **Instruction block:** a blockquote beginning with "*Instruction:*", addressed to the EGF author and deleted before publication.
- **Fill-in field:** a mandatory placeholder written between <angle brackets>.
- **Suggested text:** template prose an ecosystem may keep or edit.
- **Grace Period:** a defined time window following an involuntary revocation during which already-issued credentials remain verifiable while affected parties migrate.
- **Controlled Document:** a separately versioned document referenced from an EGF, revisable through the EGF's stated amendment process.
- **Member:** a member of the Verana Council Association (a Swiss Verein). Distinct from **Participant**, which is strictly an on-chain role in an ecosystem's permission tree. This template never uses "member" for ecosystem roles.

5. Template Requirements

This section is normative for any ecosystem that derives its EGF from this template or represents its EGF as conformant with this template.

- **[TEGF-1]** An ecosystem MUST NOT represent its use of this template, or the existence of its ecosystem on the Verana network, as an endorsement, accreditation, certification, or approval by the Verana Council.
- **[TEGF-2]** Before publication, the EGF author MUST replace every fill-in field with the ecosystem's own value.
- **[TEGF-3]** Before publication, the EGF author MUST delete every Instruction block.
- **[TEGF-4]** An EGF derived from this template MUST NOT be anchored as version 1 at ecosystem creation (Create New Ecosystem, [MOD-ES-MSG-1]) or activated on-chain (Increase Active Governance Framework Version, [MOD-GF-MSG-2]) while any Instruction block or unresolved fill-in field remains in any of its **GovernanceFrameworkDocument** entries. Version 1 activates atomically at ecosystem creation, so it MUST be complete before [MOD-ES-MSG-1] is executed.
- **[TEGF-5]** The EGF MUST retain a layering clause equivalent in substance to section T2.3: a statement that the EGF supplements and does not supersede the Verana Network Governance Framework, and that on conflict the Network GF controls.
- **[TEGF-6]** The EGF MAY tighten requirements the Network GF places on ecosystem participants; it MUST NOT loosen them.
- **[TEGF-7]** Where a template section does not apply, the EGF MUST state "No stipulation." rather than omit the section, so that silence is distinguishable from oversight.
- **[TEGF-8]** Every published **GovernanceFrameworkDocument** URL MUST be publicly resolvable without authentication; the on-chain **digest_sri** is the canonical identity of each document version, and web copies that do not match it have no effect.
- **[TEGF-9]** Regardless of how closely this template is followed, the published EGF MUST satisfy every requirement of Network GF chapter [NGF-EGF]; conformance with this template is an aid, not a substitute.
- **[TEGF-10]** Every quantified threshold in the EGF MUST be stated as a number (not an adjective) and MUST be listed in the EGF's Initial Parameters annex together with its change process.

- **[TEGF-11]** Every uniquely addressable requirement in the EGF SHOULD carry a stable bracketed identifier with the ecosystem's own prefix, carry exactly one RFC 2119 keyword, and be addressed to a named role. Identifiers, once assigned, MUST NOT be reused or renumbered.
- **[TEGF-12]** An EGF derived from this template is an adaptation of a CC-BY-SA 4.0 work: it MUST be licensed under CC-BY-SA 4.0 (or a compatible license per the CC-BY-SA 4.0 terms) and MUST attribute the Verana Council Association as the author of the template.
- **[TEGF-13]** The EGF MUST NOT require any conduct that would cause a participant to breach law applicable to that participant, and MUST state this (the legal-safety clause of section T2.5).
- **[TEGF-14]** The EGF MUST NOT place personal data on-chain, and MUST NOT require any participant to do so (see section T12).

Instruction blocks begin from here. Everything from section T1 onward is template material: keep or edit the plain text, resolve every `<field>`, and delete every Instruction block — including this one — before publication.

T1. Document Metadata and Status

Instruction: This block becomes the front matter of your EGF. The table mirrors the on-chain fields of your Ecosystem and its `GovernanceFrameworkVersion` / `GovernanceFrameworkDocument` entries, so a reader can verify the document against the chain and vice versa. Fill the on-chain rows after executing the publication sequence in Annex B; version 1 is anchored and activated atomically when the Ecosystem entry is created ([MOD-ES-MSG-1]), so complete this document and publish it at a stable URL before that step. Choose a short stable requirement-ID prefix for your ecosystem (2–5 uppercase letters, e.g. "HLTH" for a health ecosystem); it is used in every requirement identifier below.

Field	Value
Document Name	<code><Ecosystem Name> Ecosystem Governance Framework</code>
Version	<code><integer, starting at 1></code>
Status	<code><Draft / Active></code>
Governs	The <code><Ecosystem Name></code> ecosystem on the Verana network
Governed By	<code><Legal name of the ecosystem governance authority></code>
Requirement-ID prefix	<code><PREFIX></code>
Ecosystem DID	<code><did:...></code>
Corporation DID	<code><did:... of the Corporation entry controlling this Ecosystem></code>
Corporation <code>policy_address</code>	<code><on-chain policy account address of the Corporation entry></code>
Primary language	<code><IETF language tag, e.g. "en"></code>
On-chain GF version	<code><GovernanceFrameworkVersion number></code>
Active since	<code><active_since timestamp, once activated></code>
Document URL	<code><publicly resolvable URL, no authentication></code>

Field	Value
Document digest	⟨digest_sri as anchored on-chain⟩
License	⟨CC-BY-SA 4.0⟩
Contact	⟨email or DIDComm endpoint of the EGA⟩

Instruction: Keep a change-log table under this metadata block. Its rows MUST correspond one-to-one with on-chain **GovernanceFrameworkVersion** activations: one row per activated version, with date and a one-line description. Active on-chain versions are immutable; corrections always mean a new version.

Version	Date	Description
1	⟨date⟩	Initial version

T2. Introduction, Scope and Purpose

T2.1 Purpose

This section is non-normative.

The ⟨Ecosystem Name⟩ ecosystem exists to ⟨one-paragraph mission: what credential-based trust problem this ecosystem solves, for whom⟩.

Instruction: Keep the purpose to one paragraph and keep it inside your actual authority: state objectives your EGF has the mechanisms to achieve. Do not promise outcomes (such as fraud elimination) that no governance framework can deliver; state what your rules make verifiable instead.

T2.2 Scope

This framework governs:

- the credential schemas listed in section T6 and no others;
- the participants holding on-chain permissions in the ⟨Ecosystem Name⟩ permission tree, in the roles defined in section T7; and
- the conduct of the ecosystem governance authority itself, as stated in section T4.

This framework does not govern the Verana network, other ecosystems, or any party that has not accepted it under section T2.4.

T2.3 Layering

This framework supplements and does not supersede the Verana Network Governance Framework; on conflict the Network GF controls.

Within this ecosystem's own document stack, precedence is: the Network GF, then this framework, then its Controlled Documents, then participant agreements and checklists. A lower document tightens but never loosens a higher one.

Instruction: The first sentence of T2.3 is mandatory boilerplate ([TEGF-5]) — retain its substance (supplement-not-supersede; the Network GF controls on conflict), adapting the wording if needed. It is what keeps hundreds of autonomous, never-approved EGFs coherent on one network.

T2.4 Acceptance

Participation in this ecosystem — starting or renewing an onboarding process, holding a permission, issuing, verifying, or holding credentials under a schema of this ecosystem — constitutes acceptance of the version of this framework active on-chain at the time of the relevant act.

T2.5 Legal safety

Nothing in this framework requires any party to act in breach of law applicable to it. Where compliance with this framework would breach applicable law, the party **MUST** notify the ecosystem governance authority and the parties **MUST** seek a conforming alternative.

T3. Conformance and Terminology

Suggested text:

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in BCP 14 (RFC 2119, RFC 8174) when, and only when, they appear in all capitals, as shown here.

Terms defined in the Verifiable Trust specification and the VPR specification are used with the meanings given there. Local terms:

- `<term>`: `<definition — no normative keywords inside definitions>`

Instruction: Define only terms local to your ecosystem (sector jargon, your role names, your assurance levels). Never redefine a spec term, and never hide a **MUST** inside a definition — auditors scan requirement IDs, not glossaries. Disambiguate "network validator" vs "onboarding validator" if your text needs either.

T4. Ecosystem Governance Authority

T4.1 Identification

The ecosystem governance authority (EGA) of the `<Ecosystem Name>` ecosystem is:

Field	Value
Legal name	<code><legal name></code>
Legal form and registry	<code><e.g. GmbH, registered at ..., registration number ...></code>
Legal jurisdiction	<code><country / state of the EGA></code>
Governing law of this framework	<code><governing law></code>
Registered address	<code><address></code>

Field	Value
Public contact	⟨email⟩
DIDComm contact	⟨DID with DIDComm service endpoint⟩
Website	⟨URL⟩

- [(PREFIX)-EGA-1] The EGA MUST keep the identification table above accurate and MUST publish a corrected framework version within ⟨days — suggested: 30⟩ days of any change to it.
- [(PREFIX)-EGA-2] The EGA MUST maintain control of the Ecosystem DID and the Corporation **policy_address** stated in section T1, and MUST publish its procedures for key rotation and for orderly migration or abandonment of the Ecosystem DID.
- [(PREFIX)-EGA-3] The EGA MUST designate an intake channel for reports of suspected violations of this framework, together with an escalation path for the case where the channel's administrator is itself the subject of the report.
- [(PREFIX)-EGA-4] If a body designated in this framework is vacant or unable to act, its duties revert to ⟨the EGA's supreme decision-making organ, e.g. its board or assembly of participants⟩ until the vacancy is filled.

Instruction: Section T4.2 below matters more than it looks. Your Ecosystem DID is what relying parties resolve, whitelist, and terminate trust resolution at; its integrity carries your entire trust graph. Sector ecosystems rarely think of DID lifecycle governance unprompted — say now what happens at genesis, on key rotation, and if you ever walk away.

T4.2 Ecosystem DID lifecycle

- [(PREFIX)-EGA-5] The EGA MUST publish, at ⟨list of at least two independent publication points, e.g. this document and the EGA website⟩, the Ecosystem DID and any planned change to it, with at least ⟨days — suggested: 30⟩ days' notice before a migration takes effect.
- [(PREFIX)-EGA-6] If the EGA permanently ceases to operate this ecosystem, it MUST publish an abandonment notice, revoke or wind down outstanding permissions per section T8, and MUST NOT transfer control of the Ecosystem DID to another party without publishing the transfer.

T4.3 What the EGA answers for

This section is non-normative.

Each role in this ecosystem answers for its own function. The EGA answers for the efficacy and fair administration of these rules — not for the conduct of every participant. A permission granted under this framework records that published criteria were met at validation time; it is not a guarantee of ongoing good conduct. Relying parties retain their own obligation to decide, per purpose, whether a verified credential is valid for their use.

T5. Ecosystem On-Chain Setup

Suggested text:

The ⟨Ecosystem Name⟩ ecosystem exists on the Verana VPR as:

- a Corporation entry (DID and `policy_address` per section T1), created via Create New Corporation [MOD-CO-MSG-1];
- an Ecosystem entry (Ecosystem DID, primary language) created via Create New Ecosystem [MOD-ES-MSG-1], which anchors and activates version 1 of this framework (url + digest_sri) atomically at creation;
- subsequent versions of this framework, anchored via [MOD-GF-MSG-1] and activated via [MOD-GF-MSG-2];
- one CredentialSchema entry per schema in section T6, created via [MOD-CS-MSG-1]; and
- a root ECOSYSTEM Participant entry per schema, created via Create Root Participant [MOD-PP-MSG-7], anchoring the permission tree of section T7.

Instruction: Annex B gives the exact message sequence with explanations. If you publish objective accreditation criteria as on-chain SchemaAuthorizationPolicy documents ([MOD-CS-MSG-5]/[MOD-CS-MSG-6]), reference them here and in section T8; once a policy is active, the VPR obliges the granting corporation to issue an Issuer Authorization Credential (IAC) or Verifier Authorization Credential (VAC) to each successfully onboarded candidate.

T6. Credential Schemas

Instruction: Repeat the pattern below once per credential schema. Keep the section skeleton identical across schemas — holding the boilerplate constant is what makes the differences between schemas auditable. The on-chain configuration table mirrors the fields of [MOD-CS-MSG-1]; every value you write here must equal the value you submit on-chain.

Choosing onboarding modes — this is the single most consequential set of choices in your EGF. The VPR offers, per schema:

- `issuer_onboarding_mode` and `verifier_onboarding_mode`, each one of:
 - **OPEN** — anyone may act in the role without an onboarding process. Lowest friction, no vetting; appropriate for low-risk schemas or where verification is meant to be universal. Note that OPEN does not mean free: per-operation fees may still apply. OPEN role-holders must still self-create a Participant entry on-chain (Self Create Participant, [MOD-PP-MSG-14]) before acting — the entry anchors their trust deposit and remains subject to revocation and slashing by the ecosystem.
 - **GRANTOR_ONBOARDING_PROCESS** — candidates onboard with an intermediary grantor (ISSUER_GRANTOR / VERIFIER_GRANTOR) that your ecosystem has itself onboarded. Choose this to delegate vetting at scale, e.g. one grantor per country or industry segment.
 - **ECOSYSTEM_ONBOARDING_PROCESS** — candidates onboard directly with the ecosystem (you). Maximum control, no delegation; appropriate for small or high-assurance issuer sets.
- `holder_onboarding_mode`, one of:
 - **ISSUER_ONBOARDING_PROCESS** — holders get a Participant entry through an onboarding process with an issuer; enables on-chain revocation status checks and holder-side validation fees.
 - **PERMISSIONLESS** — holders need no Participant entry (and issuers cannot charge validation fees to candidate holders through the VPR).

- Validity periods, in days, per role (`issuer_grantor_`, `verifier_grantor_`, `issuer_`, `verifier_`, `holder_validation_validity_period`): 0 means never expires; each is capped by the network's GlobalVariables maxima (3650 days at Verana genesis, changeable by governance proposal). Shorter periods force requalification; longer periods lower friction. Pick numbers, and repeat them in your Initial Parameters annex.
- `pricing_asset_type` and `pricing_asset`: `TU` (trust unit — a stable unit converted via the network's on-chain exchange rate; the VPR-native default), `COIN` (a token available on the chain, e.g. `uvna`), or `FIAT` (chain used for settlement recording only; payment happens off-chain). Trust deposits are always handled in the native denom regardless of this choice.
- `digest_algorithm` for credentials issued under the schema, per the VT specification (SHA384 or SHA512).

T6.<n> <Schema Name> Credential

Purpose and credential definition

This subsection is non-normative.

<What this credential attests, about which subjects, for which relying parties.>

The canonical JSON schema is published at <permanent URL> with digest <digest_sri of the `json_schema`>. The JSON schema stored on-chain (JCS canonical form) is authoritative.

On-chain configuration

Field	Value
<code>issuer_onboarding_mode</code>	<OPEN / GRANTOR_ONBOARDING_PROCESS / ECOSYSTEM_ONBOARDING_PROCESS>
<code>verifier_onboarding_mode</code>	<OPEN / GRANTOR_ONBOARDING_PROCESS / ECOSYSTEM_ONBOARDING_PROCESS>
<code>holder_onboarding_mode</code>	<ISSUER_ONBOARDING_PROCESS / PERMISSIONLESS>
<code>issuer_grantor_validation_validity_period</code>	<days, 0 to the network maximum — suggested: 365>
<code>verifier_grantor_validation_validity_period</code>	<days, 0 to the network maximum — suggested: 365>
<code>issuer_validation_validity_period</code>	<days, 0 to the network maximum — suggested: 365>
<code>verifier_validation_validity_period</code>	<days, 0 to the network maximum — suggested: 365>
<code>holder_validation_validity_period</code>	<days, 0 to the network maximum — suggested: 365>
<code>pricing_asset_type</code>	<TU / COIN / FIAT — suggested: TU>

Field	Value
<code>pricing_asset</code>	⟨"tu", denom, or currency code⟩
<code>digest_algorithm</code>	⟨SHA384 / SHA512⟩

[DECISION] The template suggests 365-day validity periods for every role and TU as the pricing asset. Neither the specs nor the Network GF fix defaults; 365 days aligns annual requalification with common audit cycles, and TU insulates fee schedules from token volatility. Alternatives (0 = never expire; COIN pricing) are legitimate per-ecosystem choices — Founding Members should confirm or replace these suggested defaults.

Issuer policies

- [(PREFIX)-(SCH)-1] Before issuing a ⟨Schema Name⟩ credential, an issuer **MUST** verify ⟨the evidence checklist for this schema: which claims are checked against which sources, at which level of assurance⟩.
- [(PREFIX)-(SCH)-2] An issuer **MUST** retain the evidence of each issuance decision for ⟨retention period — suggested: the validity period of the issued credential⟩, off-chain, and **MUST NOT** place any of it on-chain.
- [(PREFIX)-(SCH)-3] An issuer **MUST** revoke a credential within ⟨days — suggested: 7⟩ days of learning that a ground listed in ⟨enumerated revocation grounds⟩ applies, and **MUST** notify the holder.

Instruction: Anchor levels of assurance to established frameworks (eIDAS, NIST 800-63, ISO/IEC 29115) rather than inventing criteria; for organization-identity schemas, consider a negative evidence rule (documents found solely through links provided by the applicant are not acceptable). Every bespoke criterion you invent is one you must maintain forever.

Holder policies

⟨Obligations of holders, or "No stipulation."⟩

Verifier policies

⟨Obligations of verifiers — e.g. permitted purposes, data handling after verification — or "No stipulation."⟩

T7. Roles and Role Stacking

Suggested text:

This ecosystem uses the VPR participant roles with the meanings fixed by the VPR specification:

Role	In this ecosystem
ECOSYSTEM	The EGA's own root Participant entries (one per schema), anchoring each permission tree
ISSUER_GRANTOR	⟨who they are, per schema — or "not used"⟩
VERIFIER_GRANTOR	⟨who they are, per schema — or "not used"⟩

Role	In this ecosystem
ISSUER	⟨eligibility summary, detailed in section T8⟩
VERIFIER	⟨eligibility summary, or "open per schema configuration"⟩
HOLDER	⟨who holds credentials of this ecosystem⟩

- [(PREFIX)-ROLE-1] An organization acting in more than one role is bound by the terms of each role it acts in; obligations attach per role and per schema, and holding one role neither confers nor excuses another.
- [(PREFIX)-ROLE-2] A grantor that also acts as an issuer under the same schema **MUST NOT** validate its own applications; such applications **MUST** be routed to ⟨another grantor / the EGA⟩.

Instruction: Do not import corporate-membership vocabulary here: on Verana, "member" belongs to associations, "Participant" to permission trees. If your ecosystem defines sub-bodies (committees, expert panels), give each a one-page charter: purpose, composition, enumerated responsibilities, and the statement that it recommends but does not bind the EGA unless this framework says otherwise.

T8. Participant Lifecycle

Instruction: This is the state machine every regulated role moves through. Keep the eight stage names — they are shared vocabulary across all Verana governance documents — and put a number in every ⟨bracket⟩. This template deliberately imposes **no entity-category qualification bars** as defaults: no legal-form lists, no minimum operating history, no revenue floors. Ecosystem creation and participation on Verana are open by design; add such bars only if your sector genuinely requires them, and if you do, pair them with a catch-all category with escalated evidence so no legitimate applicant is structurally excluded.

T8.1 Qualification

- [(PREFIX)-LIFE-1] The EGA **MUST** publish objective eligibility criteria per role and per schema before accepting applications, ⟨optionally: as on-chain SchemaAuthorizationPolicy documents ([MOD-CS-MSG-5] / [MOD-CS-MSG-6]), url + digest_sri⟩.
- [(PREFIX)-LIFE-2] The validating party (the EGA or the responsible grantor) **MUST** evaluate applicants against the published criteria only, and **MUST NOT** refuse an applicant that meets them. An applicant that meets all published criteria is entitled to validation.
- [(PREFIX)-LIFE-3] The validating party **MUST** process applications in the order received and **MUST** decide within ⟨days — suggested: 30⟩ days of receiving a complete application; undecided applications escalate to ⟨the EGA's supreme decision-making organ⟩.

[DECISION] The 30-day decision service level is a template suggestion (GLEIF runs 60-day review clocks; Hedera uses 14-day evaluation minimums). Sources fix the *existence* of decision deadlines, not the number. Founding Members should confirm the suggested default.

T8.2 Application

- [(PREFIX)-LIFE-4] Applicants apply by starting an on-chain onboarding process (Start Participant OP, [MOD-PP-MSG-1]) with the designated onboarding validator for the role and schema, and by

completing the DIDComm validation session defined in (the ecosystem's onboarding procedure / operational annex).

- [(PREFIX)-LIFE-5] Refusals MUST state written reasons against the published criteria. A refused applicant MAY re-apply at any time; no cooldown applies.

T8.3 Activation

- [(PREFIX)-LIFE-6] Validation is effected on-chain by Set Participant OP to Validated ([MOD-PP-MSG-3]). An approval not activated within (activation window — suggested: 180) days of the approval decision expires and the application lapses.

T8.4 Operation

- [(PREFIX)-LIFE-7] Participants MUST requalify every (requalification period — suggested: the schema's validation validity period) by renewing their onboarding process ([MOD-PP-MSG-2]) under the criteria in effect at renewal time.
- [(PREFIX)-LIFE-8] A participant operating services on which relying parties depend for revocation or permission-state information MUST keep that information available at least (availability % — suggested: 99.0) % measured monthly. Issuance capacity MAY degrade; revocation and permission-state availability MUST NOT.

T8.5 Notification

- [(PREFIX)-LIFE-9] Participants MUST notify the EGA within (days — suggested: 7) days of: a change of control; loss or suspected compromise of keys material to their role; insolvency events; or any fact that makes their qualification evidence materially inaccurate.
- [(PREFIX)-LIFE-10] The EGA owes participants at least (notice days — suggested: 30) days' notice of material changes to this framework before their entry into force (see section T14), and the same notice of changes to published criteria affecting requalification.

T8.6 Suspension

- [(PREFIX)-LIFE-11] Suspension follows the sanctions ladder of section T11. A suspension unresolved after (auto-termination days — suggested: 180) days becomes termination automatically.

T8.7 Termination

- [(PREFIX)-LIFE-12] On termination (voluntary or sanctioned), the leaving participant MUST: revoke its unexpired credentials or hand their administration to the EGA per the transition plan; notify affected holders and subordinate participants with a migration deadline of at least (Grace Period days — suggested: 90) days; archive its qualification and issuance evidence; and destroy role keys after the archive is secured. If the leaving participant defaults on notification, the EGA MUST take over notification and MAY hold the participant liable.

[DECISION] The 90-day Grace Period default follows GLEIF's production-tested `gracePeriod ≥ 90 days` (disable-then-migrate: the terminated party is disabled immediately; downstream credentials keep verifying while holders migrate). Shorter periods punish innocent holders; longer ones prolong reliance on a terminated party. Founding Members should confirm the default.

T8.8 Transition

- [(PREFIX)-LIFE-13] A participant **MUST NOT** transfer its portfolio of holders or subordinate participants to another participant on its own initiative; migrations follow the affected parties' own choices within the Grace Period, with the EGA as backstop.

T9. Trust Assurance

Section T9.1 is non-normative.

T9.1 The assurance ladder

This ecosystem's assurance mechanisms map to on-chain primitives as follows. Each rung is adopted per schema and per role, based on the risk of the credential concerned; higher rungs are added, not substituted.

Rung	Mechanism	On-chain realization
Financially backed pledge	Every participant's non-withdrawable trust deposit, growing with usage and slashable on violation	Trust deposit per Participant entry
Vetting	Evaluation of the applicant against published criteria in a live validation session	DIDComm onboarding validation ([MOD-PP-MSG-1]/[MOD-PP-MSG-3])
Registration	The public, queryable record that a party holds a role under this framework	VALIDATED Participant entry with validity window
Certification	A revocable credential attesting accreditation against published criteria	IAC/VAC issued under an active SchemaAuthorizationPolicy
Discontinuance	Removal of a non-conforming party's status, visible to every relying party	Revocation [MOD-PP-MSG-9]; slash [MOD-PP-MSG-12]; repay [MOD-PP-MSG-13]
Referential trust	Recognition of this ecosystem by relying parties that choose to trust it	Whitelisting of the Ecosystem DID by Verifiable Services and User Agents

Instruction: Select rungs per schema; do not mandate expensive third-party audit where on-chain state already proves the fact. If your sector is regulated (health, finance), name the external audit or certification regime you require as an upper rung, anchored to existing standards (ISO 27001, SOC 2, eIDAS) — accept existing certifications as evidence rather than inventing a bespoke audit.

T9.2 Risk derivation

Instruction: Derive requirements from risks, not habits. For each schema, fill one row per material risk in the five-column pattern below (a SHOULD-level exercise before first activation — publish it as a non-normative annex). Honest residual-risk disclosure shares the residual risk with relying parties instead of hiding it.

Objective	Risk	Requirement (ID)	Responsible role	Assurance mechanism
⟨...⟩	⟨...⟩	⟨[⟨PREFIX⟩-...]⟩	⟨...⟩	⟨on-chain / attested / assessed⟩

T9.3 Assurance ceiling

- [⟨PREFIX⟩-TA-1] Conformance claims under this framework assert that published criteria were met at validation time and that on-chain state is as recorded; they MUST NOT be represented as guarantees of ongoing off-chain conduct.

T10. Fees and Business Model

Suggested text:

Fees in this ecosystem are set per Participant entry in the schema's pricing asset (section T6): **validation_fees** (paid by an applicant to its onboarding validator per validation period), **issuance_fees** (paid to the issuer per issuance), and **verification_fees** (paid to the permission holder per verification). A share of fees paid (**trust_deposit_rate**, a network parameter) accrues to trust deposits rather than being paid out; trust deposits are non-withdrawable by design. Where the network's agent-reward parameters apply, issuers and verifiers additionally pay the protocol-defined user-agent and wallet-user-agent reward shares on pay-per operations.

Role / schema	validation_fees	issuance_fees	verification_fees
⟨role @ schema⟩	⟨amount or 0⟩	⟨amount or 0⟩	⟨amount or 0⟩

- [⟨PREFIX⟩-FEE-1] (Either: "Participants set their own fees within the bounds published in this table" — or: "Fees are fixed as tabled above." If the ecosystem charges nothing, state: "This ecosystem charges no ecosystem-level fees; protocol fees and trust-deposit mechanics still apply.")
- [⟨PREFIX⟩-FEE-2] A fee-earning grantor or onboarding validator MUST evaluate applicants only against published criteria and MUST NOT use its position to disadvantage competitors (see [⟨PREFIX⟩-LIFE-2]).
- [⟨PREFIX⟩-FEE-3] Participants MUST NOT impose contractual lock-in or exclusivity preventing a holder or subordinate participant from switching to another issuer or grantor. Protocol-level switching costs (fresh onboarding fees, trust-deposit increments) exist and are disclosed here.
- [⟨PREFIX⟩-FEE-4] Participants MUST be sustainably financed for their role; the EGA MAY require evidence of sustainability at qualification and requalification.

Instruction: State your ecosystem's business model honestly, including a zero-fee model if that is the choice. Amounts are Initial Parameters: put every number in Annex C of your EGF with its change process. Remember that slashed deposits are burned, not paid to victims — sanctions are deterrence, not compensation; do not describe them as insurance.

T11. Sanctions and Appeals

T11.1 Grounds

- [⟨PREFIX⟩-SANC-1] Sanctions MAY be imposed only for the enumerated grounds: ⟨list — e.g. breach of an identified requirement of this framework; material inaccuracy in qualification evidence; failure to revoke per [⟨PREFIX⟩-SCH-3]; failure of the notification duties in T8.5⟩. Subjective or reputational

grounds, if any, require ⟨a qualified vote of disinterested decision-makers — e.g. two-thirds⟩, written reasons, and are appealable per T11.4.

T11.2 The ladder

- [(PREFIX)-SANC-2] Sanctions proceed through the following rungs; a rung MAY be skipped only where written reasons establish that lesser measures cannot address the violation:
 1. **Warning** — written notice citing the exact requirement violated.
 2. **Remediation order** — a binding plan with a cure window of ⟨cure window days — suggested: 15⟩ days (⟨shorter cure days — suggested: 5⟩ days for violations endangering relying parties) and day-counted milestones.
 3. **Permission restriction** — conditions on the participant's activity (e.g. no new issuances) pending remediation.
 4. **Suspension** — the participant is publicly designated suspended and MUST NOT perform the suspended role; unresolved suspension auto-terminates after ⟨auto-termination days — suggested: 180⟩ days per [(PREFIX)-LIFE-11].
 5. **Revocation** — the permission is revoked on-chain (Revoke Participant, [MOD-PP-MSG-9]), triggering the termination duties of T8.7.
 6. **Trust-deposit slash** — for grave or repeated violations, the ecosystem slashes the participant's trust deposit (Slash Participant Trust Deposit, [MOD-PP-MSG-12]). Slashed amounts are burned by the protocol — the EGA gains nothing from punishing. Re-participation requires repaying the slashed amount (Repay Participant Slashed Trust Deposit, [MOD-PP-MSG-13]) and fresh qualification.
- [(PREFIX)-SANC-3] Every sanction decision MUST be published with its grounds and reasons, and recorded symmetrically: suspension, lifting of suspension, termination, and reinstatement all appear on the public record. A reinstated participant's record MUST disclose the prior sanction.
- [(PREFIX)-SANC-4] Repetition of a violation within ⟨recidivism window — suggested: 12⟩ months of a closed sanction re-enters the ladder one rung higher.

T11.3 Due process

- [(PREFIX)-SANC-5] Before any on-chain sanction act, the respondent MUST receive written notice of the alleged violation with the exact requirement IDs, the evidence, the proposed rung, and the cure window; and MUST have the opportunity to respond in writing.
- [(PREFIX)-SANC-6] Sanction decisions MUST be taken by decision-makers free of conflicts of interest in the matter; a conflicted decision-maker is excluded from the deliberation and the denominator.
- [(PREFIX)-SANC-7] A permission granted through a procedurally defective process is reviewable, not automatically void; the EGA MUST review it promptly and ratify, cure, or revoke it. Credentials issued in good faith under it before the review decision are not invalidated retroactively by the defect alone.

T11.4 Appeal

- [(PREFIX)-SANC-8] A sanctioned party MAY appeal within ⟨appeal window days — suggested: 30⟩ days to ⟨an appeal body different from the body that imposed the sanction — e.g. a panel of disinterested participants, or the EGA's supreme decision-making organ⟩, which MUST decide with written reasons within ⟨days — suggested: 30⟩ days. An appeal undecided at that deadline ⟨consequence — suggested:

escalates automatically to the EGA's supreme decision-making organ, and the sanction under appeal is stayed until that organ decides). <Final recourse: e.g. arbitration under <rules> seated in <seat>, or the courts of <jurisdiction>.>

- [(PREFIX)-SANC-9] Filing an appeal suspends execution of a trust-deposit slash (rung 6) until the appeal is decided, unless the EGA states written reasons why delay endangers relying parties. Rungs 1–5 remain effective pending appeal.

Instruction: Never let the same body prosecute, decide, and hear the appeal. If your ecosystem is small, name an external appeal mechanism (arbitration) rather than pretending independence you cannot staff. Avoid your-home-forum clauses for disputes touching natural persons.

T11.5 Revocation requests

- [(PREFIX)-SANC-10] Any party MAY submit a revocation request against a credential or permission of this ecosystem, stating one of the enumerated grounds of <the applicable revocation grounds, e.g. per [(PREFIX)-SCH-3]> together with supporting evidence. Before acting, the competent issuer or the EGA MUST verify the identity and standing of the requester and the stated ground, and MUST respond to the requester with a reasoned decision within <days — suggested: 15> days.

T12. Privacy and Data Handling

- [(PREFIX)-PRIV-1] No participant may place personal data on-chain, and nothing in this framework requires it. On-chain entries are limited to registrations: DIDs, permissions, digests, fees, and timestamps.
- [(PREFIX)-PRIV-2] Qualification and issuance evidence containing personal data MUST be held off-chain by the party that collected it, protected per <applicable data-protection law — e.g. GDPR>, retained no longer than <retention period>, and disclosed only per this framework or law.
- [(PREFIX)-PRIV-3] For credentials whose subject is a natural person: consent to issuance MUST be recorded; withdrawal of consent is a mandatory revocation ground; and published derivatives of the credential MUST be deleted (not merely flagged) upon revocation for consent withdrawal.
- [(PREFIX)-PRIV-4] <Data-protection roles: who is controller and processor for each processing operation this framework requires — or "No stipulation." if no personal data is processed.>

T13. Public Claims and Trust Marks

- [(PREFIX)-CLAIM-1] A party MAY publicly claim participation, accreditation, or conformance under this framework if and only if its on-chain permission is VALIDATED, within its validity period, not revoked, and not slashed, and its Corporation is not subject to an unrepaid network-level trust-deposit slash (see Network GF [NGF-PART-9], which owns the network-level collapse rule). A slashed permission permanently loses claimable status; re-participation requires repayment and a new permission per rung 6 of [(PREFIX)-SANC-2]. All such claims MUST cease while any of those conditions fails.
- [(PREFIX)-CLAIM-2] No party is required to advertise participation; a party that chooses to MUST do so in the form prescribed here and MUST include <its DID / a resolvable reference> so relying parties can resolve live on-chain status. The on-chain permission state is the authoritative status signal; any badge or listing is derivative.
- [(PREFIX)-CLAIM-3] Discoverability: this framework is discoverable from the Ecosystem DID via the on-chain [GovernanceFrameworkDocument](#) entries. Authorization queries about this ecosystem's participants (per the ToIP Trust Registry Query Protocol supported by the VPR query API) resolve

against live permission state: authorized means VALIDATED, within validity, not revoked, not slashed, and the Corporation not under an unrepaid network-level trust-deposit slash (Network GF [NGF-PART-9]).

T14. Amendment and Versioning

- [(PREFIX)-AMND-1] This framework is amended by (the EGA's amendment organ and decision rule — e.g. a two-thirds decision of (organ)). Amendments affecting participant obligations MUST be published for comment at least (comment days — suggested: 30) days before adoption.
- [(PREFIX)-AMND-2] An adopted amendment is published as a new **GovernanceFrameworkDocument** ([MOD-GF-MSG-1]) and enters into force only upon on-chain activation ([MOD-GF-MSG-2]). For material changes, the activation date MUST lie at least (notice days — suggested: 30) days after adoption. Active versions are immutable; corrections are new versions.
- [(PREFIX)-AMND-3] Versions are sequential integers starting at 1, assigned by on-chain activation order. The change log in section T1 lists one row per activated version.
- [(PREFIX)-AMND-4] Emergency amendments necessary to protect relying parties MAY shorten the notice periods, with written reasons published at activation and review at the next ordinary decision of (organ).

[DECISION] The 30-day comment and notice defaults mirror the Network GF's own amendment runway so that ecosystem participants never face shorter notice from their ecosystem than from the network. Sources fix "notice with the amendment process" as mandatory EGF content but not the ecosystem-level number; Founding Members should confirm the mirrored default.

T15. Recognized External Ecosystems

(List any external ecosystems, trust frameworks, or authorities this ecosystem recognizes, with the scope and instrument of recognition — or:)

No stipulation.

Instruction: Keep this section even if empty. Recognition is a peer, non-exclusive referral — it asserts no authority over the recognized ecosystem. If you later bridge to another trust framework (for example by accepting its credentials as qualification evidence), this is where the bridge is declared.

Annex A. Network GF Interface Checklist

This annex is non-normative for the ecosystem's participants; it is the conformance-by-construction map required for the EGF author.

Instruction: Network GF chapter [NGF-EGF] enumerates the mandatory content of every EGF on the Verana network. The table below maps each mandatory-content item to the template section that satisfies it. Keep this annex in your published EGF (with the middle column pointing at your own section numbers): it lets any reader — and any tool — check conformance mechanically. If you restructured the template, update the mapping; if you deleted a row's section, you are non-conformant.

Network GF chapter [NGF-EGF] item	Satisfied by	How
Published on-chain as GovernanceFrameworkVersion / GovernanceFrameworkDocument , digest-anchored, with language	T1 + Annex B	Metadata block mirrors the on-chain fields; publication sequence anchors url + digest_sri per language
Document-control metadata block	T1	Front-matter table with change log mapped 1:1 to version activations
Identified EGA with public contact	T4.1	Identification table incl. legal name, contact, DIDComm endpoint
Legal jurisdiction stated	T4.1	Jurisdiction and governing-law rows
Does not contradict the Network GF; layering clause	T2.3 + [TEGF-5]/[TEGF-6]	Supplement-not-supersede clause (retained in substance); tighten-never-loosen rule
Scope defined	T2.2	Schemas, participants, EGA self-binding; explicit non-scope
Roles per schema defined	T6 + T7	Per-schema configuration and role table on VPR role semantics
Onboarding requirements per role	T8 (+ T6 issuer policies)	Published objective criteria, application, activation, requalification
Sanctions and appeal defined	T11	Graduated ladder pre-wired to [MOD-PP-MSG-9]/[-12]/[-13]; independent appeal
Fee schedule or its absence	T10	Fee table incl. explicit zero-fee statement option
Privacy and data-handling commitments	T12	Off-chain evidence rules, retention, consent triple
Amendment process with notice period	T14	Comment window, notice runway, on-chain activation as entry into force
Issuer termination duties	T8.7 ([PREFIX]-LIFE-12))	Revoke unexpired credentials, notify holders with Grace Period, archive evidence, destroy keys

Network GF chapter [NGF-EGF] item	Satisfied by	How
Verified revocation requests	T11.5 ([PREFIX]-SANC-10))	Enumerated grounds; requester identity and standing verified before acting; day-counted response deadline
Revocation-availability asymmetry	T8.4 ([PREFIX]-LIFE-8))	Issuance may degrade; revocation and permission-state availability may not
No personal data on-chain	T12 ([PREFIX]-PRIV-1)) + [TEGF-14]	Registrations-only rule
Lawful-purpose / legal-safety clause	T2.5 + [TEGF-13]	No requirement to breach applicable law
No misrepresentation of Council endorsement	[TEGF-1] + T13	Endorsement disclaimer; claims gated on live on-chain state

Annex B. Publication Instructions: The VPR Message Sequence

This annex is non-normative. The VPR specification is authoritative for every message named here.

Instruction: Execute in this order. Keep this annex in your EGF (it documents how your on-chain footprint was created), or move it to an operational runbook — your choice.

- 1. Create New Corporation ([MOD-CO-MSG-1]).** Register your organization on the VPR: a Corporation entry with your DID and primary language, created atomically with the group and group policy account whose unique `policy_address` signs for you thereafter. The message requires the initial group members, a decision policy, and the public URL + `digest_sri` of your version-1 Corporation governance framework (CGF) document. Any account can submit this; no permission is needed.
- 2. Create New Ecosystem ([MOD-ES-MSG-1]).** Create the Ecosystem entry under your Corporation: your Ecosystem DID, primary language, and the public URL + `digest_sri` of your completed EGF (this document) in that language. Version 1 of your governance framework is created **and activated atomically** by this message — there is no separate anchoring or activation step for version 1, and a version 1 can never be added or activated afterwards. Per [TEGF-4], do not execute this message while any Instruction block or unresolved `<field>` remains: the active version is immutable, and this is your EGF's legal moment of entry into force. This DID is what relying parties will resolve and whitelist.
- 3. Later versions only — Add Governance Framework Document ([MOD-GF-MSG-1]) then Increase Active Governance Framework Version ([MOD-GF-MSG-2]).** For every version after the first: anchor, per language, a `GovernanceFrameworkDocument` (public URL + `digest_sri`) attached to a `GovernanceFrameworkVersion` greater than the active version — only future versions are editable — then activate it. Activation requires a document in the ecosystem's primary language, and per [TEGF-4] must not happen while Instruction blocks or unresolved `<fields>` remain. Active versions are immutable; corrections are new versions.

4. **Create New Credential Schema ([MOD-CS-MSG-1]).** One message per schema in section T6, submitting exactly the configuration values tabled there (JSON schema, onboarding modes, validity periods, pricing asset, digest algorithm). The on-chain schema identifiers assigned here MAY be pinned into a subsequent framework version.
5. **Create Root Participant ([MOD-PP-MSG-7]).** Create the ECOSYSTEM root Participant entry that anchors each schema's permission tree; all grantor, issuer, and verifier permissions descend from it through onboarding processes.
6. **Optional — Create / Activate Schema Authorization Policy ([MOD-CS-MSG-5] / [MOD-CS-MSG-6]).** Publish your objective accreditation criteria per (schema, role) as versioned on-chain policy documents (url + digest_sri) and activate them. While a policy is active, the granting corporation must issue an Issuer Authorization Credential (IAC) or Verifier Authorization Credential (VAC) to each successfully onboarded candidate.

Annex C. Parameter Collection Sheet (Initial Parameters)

Instruction: Every number you chose above must appear here, per [TEGF-10], with its change process. This becomes your EGF's Initial Parameters annex; parameters change only through the amendment process of section T14 unless a lighter process is stated per row. Suggested defaults shown are template recommendations, not requirements.

Parameter	Where set	Initial value	Change process
Validation validity periods (per role, per schema)	T6	<days — suggested: 365>	<T14>
Pricing asset (per schema)	T6	<TU / COIN / FIAT — suggested: TU>	<T14>
Credential revocation deadline	T6 issuer policies	<days — suggested: 7>	<T14>
Evidence retention period	T6 / T12	<suggested: validity period>	<T14>
EGA metadata correction deadline	T4.1	<days — suggested: 30>	<T14>
Ecosystem DID migration notice	T4.2	<days — suggested: 30>	<T14>
Application decision service level	T8.1	<days — suggested: 30>	<T14>
Activation window (approval expiry)	T8.3	<days — suggested: 180>	<T14>
Requalification period	T8.4	<suggested: validity period>	<T14>
Availability floor (revocation / permission state)	T8.4	<% — suggested: 99.0>	<T14>
Participant notification deadline	T8.5	<days — suggested: 7>	<T14>
EGA notice of material changes	T8.5 / T14	<days — suggested: 30>	<T14>

Parameter	Where set	Initial value	Change process
Auto-termination of unresolved suspension	T8.6 / T11	⟨days — suggested: 180⟩	⟨T14⟩
Grace Period after involuntary revocation	T8.7	⟨days — suggested: 90⟩	⟨T14⟩
Cure windows (standard / endangering)	T11.2 (rung 2)	⟨days — suggested: 15 / 5⟩	⟨T14⟩
Recidivism window	T11.2	⟨months — suggested: 12⟩	⟨T14⟩
Appeal window / appeal decision deadline	T11.4	⟨days — suggested: 30 / 30⟩	⟨T14⟩
Revocation-request response deadline	T11.5	⟨days — suggested: 15⟩	⟨T14⟩
Amendment comment window	T14	⟨days — suggested: 30⟩	⟨T14⟩
Amendment notice before activation (material)	T14	⟨days — suggested: 30⟩	⟨T14⟩
Fee amounts (per role, per schema)	T10	⟨amounts or 0⟩	⟨T14 or lighter fee-schedule process⟩

Annex D. Design Questions, Pre-Answered

This annex is non-normative.

Instruction: A completeness self-check before publication. Every question below must be answerable from your finished EGF; the right-hand column shows where the template answers it with a VPR-native default. Delete this annex, or keep it as a reader's map — your choice.

Question	Template answer
Who governs, and who governs the governor?	T4.1 identification; T4.3 accountability allocation; T2.3 Network GF as the floor
How does a party join?	T8.1–T8.3: published objective criteria → onboarding process [MOD-PP-MSG-1] → validation [MOD-PP-MSG-3]
How does a party leave, voluntarily or not?	T8.6–T8.8 and T11: suspension, termination, Grace Period, portfolio non-transfer
How are rules enforced?	T11 ladder pre-wired to [MOD-PP-MSG-9]/[-12]/[-13]; deposits as the financial backstop
Who pays whom, for what?	T10 fee table on validation_fees / issuance_fees / verification_fees ; trust-deposit mechanics

Question	Template answer
What incentive does anyone have to behave?	Non-withdrawable deposits (burned on slash), requalification, public symmetric record, referential trust
How do relying parties check status?	T13: claims as a pure function of live on-chain permission state; TRQP-compatible queries
How do the rules change?	T14: comment window, notice runway, on-chain activation as entry into force
What happens if the EGA disappears?	T4.2 DID lifecycle and abandonment; [⟨PREFIX⟩-EGA-4] vacancy fallback

Version History

Version	Date	Status	Summary
0.1	2026-07-05	Draft	First draft for co-authoring by Founding Members