
Laporan Evidence — Express.js + Prisma CRUD


GitHub Repository: https://github.com/verdyaa/Pemweb-JS
Fitur: GET (Seluruh & Detail), POST (Create + Validasi), PUT (Update dengan ID di Body + 404), DELETE (Hapus berdasarkan ID + 404), serta Bukti Database Before–After.

1. Kondisi Awal Database (Before) & GET Seluruh Data

1A. Database Before CRUD (2 Data Awal: Laptop & Mouse)




1B. Scenario 1: GET /products — Menampilkan Seluruh Data (200 OK)




2. POST /products — Membuat Data Baru, Database After, & Validasi Error

2A. Scenario 2: POST /products — Sukses Membuat Data Baru (201 Created)

Request Body: `{ "name": "Keyboard Mechanical", "price": 350000 }`




2B. Perubahan Database After POST (Baris id: 3 Bertambah)



2C. Scenario 3: POST /products — Kesalahan Validasi (400 Bad Request)


Request Body: `{ "name": "", "price": "bukan-angka" }`




3. PUT /products — Mengupdate Data (Body + ID), Database After, & 404

3A. Scenario 4: PUT /products — Sukses Update Data (200 OK)

Request Body: `{ "id": 1, "name": "Laptop Gaming ROG", "price": 18500000 }`




3B. Perubahan Database After PUT (Baris id: 1 Terupdate)




3C. Scenario 5: PUT /products — ID Tidak Ditemukan (404 Not Found)

Request Body: `{ "id": 999, "name": "Produk Gaib", "price": 10000 }`




4. DELETE /products/:id — Menghapus Data Berdasarkan ID, Database After, & 404

4A. Scenario 6: DELETE /products/2 — Sukses Menghapus Data (200 OK)



4B. Perubahan Database After DELETE (Baris id: 2 Terhapus)



4C. Scenario 7: DELETE /products/999 — ID Tidak Ditemukan (404 Not Found)

