CONTROLLER

REGISTER.PHP

```
<?php
defined('BASEPATH') OR exit('No direct script access allowed');
class Register extends CI Controller
  public function construct()
     parent:: construct();
     //IST EIN USER IN DIESER SESSION EINGELOGGT -> PRIVATER BEREICH
     if ($this->session->userdata('id')) {
        redirect('private area');
     $this->load->helper(["form", "url"]);
     $this->load->library('form validation');
     $this->load->model('register model');
public function index()
   $this->load->view("view register");
  public function validation()
     //VALIDIERUNGSREGELN ANLEGEN
     $this->form_validation->set_rules("usernamereg", "Username", ['required']);
     $this->form_validation->set_rules("firstname", "First Name", ['required']);
     $this->form_validation->set_rules("lastname", "Last Name", ['required']);
     $this->form_validation->set_rules("password1reg", "Password", ['required',
'min length[8]']);
     $this->form validation->set rules("password2reg", "Repeat", ['required',
'matches[password1reg]']);
//VALIDIERUNGSREGELN WERDEN ERFÜLLT?
     if ($this->form validation->run() != FALSE) {
        //ÜBERPRÜFUNG: GIBT ES USERNAMEN BEREITS?
        if (empty($this->register model->exists($this->input->post('usernamereg')))) {
           //PASSWORT VERSCHLÜSSELN
           $encrypted password = md5($this->input->post("password1req"));
           $aData = [
              'username' => $this->input->post('usernamereg'),
              'firstname' => $this->input->post('firstname'),
              'lastname' => $this->input->post('lastname'),
              'password' => $encrypted password
           //EINFÜGEN IN DATENBANK
           $this->register model->insert($aData);
           echo "Registration successful!";
        }
        else
           echo "Username already exists!";
        $this->index();
  }
```

LOGIN.PHP

```
<?php
defined('BASEPATH') OR exit('No direct script access allowed');
class Login extends CI Controller
  public function construct()
     parent::__construct();
     //IST EIN USER IN DIESER SESSION EINGELOGGT -> PRIVATER BEREICH
     if($this->session->userdata('id'))
        redirect('private area');
     $this->load->library('form validation');
     $this->load->model('login model');
  public function index()
    $this->load->view('view login');
 public function validation()
     //VALIDIERUNGSREGELN ANLEGEN
     $this->form validation->set rules("username", "Username",['required']);
 $this->form validation->set rules("password", "Password",['required']);
 //VALIDIERUNGSREGELN WERDEN ERFÜLLT?
     if($this->form validation->run())
        //ÜBERPRÜFUNG EINGABEDATEN MIT DB DATEN
        $result = $this->login model->login($this->input->post('username'), $this-
>input->post('password'));
        if($result == '')
           //KORREKTE DATEN
          redirect('private area');
        }
        else
           //INKORREKTE DATEN
           echo "".$result."";
           $this->index();
```

PRIVATE_AREA.PHP

```
<?php
defined('BASEPATH') OR exit('No direct script access allowed');
class Private_Area extends CI_Controller
  public function construct(){
     parent::__construct();
     if(!$this->session->userdata('id'))
        redirect('login');
   }
}
function index(){
  $this->load->view("view private");
function logout(){
    //BEI LOGOUT WERDEN ALLE DATEN IN DER SESSION GELÖSCHT
     $data = $this->session->all userdata();
     foreach($data as $row => $rows_value)
      $this->session->unset_userdata($row);
     redirect('login');
 }
}
```

MODEL

REGISTER_MODEL.PHP

```
class Register_Model extends CI_Model
{
   function insert($aData)
   {
      $this->db->insert('user', $aData);
      return $this->db->insert_id();
   }

   function exists($sUsername)
   {
      $sQuery = "SELECT username FROM user WHERE username='".$sUsername."';";
      //durch Autoload der Library db Zugriff möglich
      $mResult = $this->db->query($sQuery);
      return $mResult->result();
   }
}
```

LOGIN_MODEL.PHP

VIFW

VIEW_LOGIN.PHP

```
<?php
defined('BASEPATH') OR exit('No direct script access allowed');
if($this->session->userdata('id'))
  redirect('private area');
else{
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
   <title>HÜ 7 - CodeIgniter</title>
   <link rel="stylesheet" type="text/css" href="<?=base url();?>css/style.css"/>
   <link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6qBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">
</head>
<body>
<div class="login form">
  <div>
     <h3>Login:</h3>
     <?php
   //SERVERSEITIGE FORMULARVALIDIERUNG
 echo validation errors();
 //LOGIN-FORM
 echo form open(base url().'index.php/login/validation');
//Username
     echo form label("Username:", "username");
      $usernameInput = array("value" => set value("username"),
            "name" => "username",
            "id" => "username");
echo (form input($usernameInput)."<br>");
//Password
     echo form label("Password:", "password");
      $passwordInput = array(
            "name" => "password",
            "id" => "password");
    echo (form password($passwordInput)."<br>");
   //Submit-Button
      $submitInput = array("value" => "Login",
            "class" => "login button");
     echo form submit($submitInput);
     echo form close();
    ?>
      <a href="<?php echo base url();?>index.php/register">Want to Register?</a>
   </div>
```

```
</div>
</body>
</html>
<?php
}
```

VIEW_REGISTER.PHP

```
<?php
defined('BASEPATH') OR exit('No direct script access allowed');
?><!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <title>HÜ 7 - CodeIgniter</title>
  <link rel="stylesheet" type="text/css" href="<?=base url();?>css/style.css"/>
  <link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6qBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">
</head>
<body>
<div class="registration form">
  <div>
     <h3>Registration:</h3>
     <?php
  //SERVERSEITIGE FORMULARVALIDIERUNG
echo validation errors();
  //LOGIN-FORM
  echo form open(base url().'index.php/register/validation');
//Username
     echo form label("Username:", "usernamereg");
     $usernameInput = array("value" => set_value('usernamereg'),
        "name" => "usernamereg",
        "id" => "usernamereg");
echo (form input($usernameInput)."<br>");
 //Vorname
     echo form label("First Name:", "firstname");
     $firstnameInput = array("value" => set value('firstname'),
        "name" => "firstname",
        "id" => "firstname");
 echo (form input($firstnameInput)."<br>");
//Nachname
     echo form label("Last Name:", "lastname");
     $lastnameInput = array("value" => set_value('lastname'),
         "name" => "lastname",
        "id" => "lastname");
  echo (form input($lastnameInput)."<br>");
     //Password 1
     echo form label("Password:", "password1reg");
     $password1Input = array(
         "name" => "password1reg",
         "id" => "password1reg");
     echo (form password($password1Input)."<br>");
```

```
//Password 2
     echo form_label("Repeat:", "password2reg");
      $password2Input = array(
         "name" => "password2reg",
         "id" => "password2reg");
    echo (form password($password2Input)."<br>");
 //Submit-Button
     $submitInput = array("value" => "Register",
        "class" => "reg button");
   echo form submit($submitInput);
echo form close();
      <a href="<?php echo base url();?>index.php/login">Want to Login?</a>
   </div>
</div>
</body>
</html>
VIEW PRIVATE.PHP
<?php
defined('BASEPATH') OR exit('No direct script access allowed');
?><!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <title>HÜ 7 - CodeIgniter</title>
  <link rel="stylesheet" type="text/css" href="<?=base_url();?>css/style.css"/>
  <link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">
</head>
<body>
<h1 class="welcomeUser">Welcome! You are now logged in/h1>
```

<a href="<?php echo base url()?>index.php/private area/logout"

class="logout button">Logout

</body>
</html>

CSS

```
body {
    height: 100vh;
    font-family: "Bahnschrift", sans-serif;
    box-sizing: border-box;
   background: url("../img/bg.jpg");
   display: flex;
   flex-wrap: wrap;
   gap: 5%;
   justify-content: center;
   align-items: center;
.welcome{
   width: 100%;
   background-color: #fff;
    text-align: center;
    color: #5e8949;
    padding: 10px;
    border-bottom: 8px solid #5e8949;
.welcomeUser{
  display: block;
   color: white;
   font-size: 40pt !important;
}
h1, h2{
    margin: 0;
    font-size: 28px !important;
.title{
   text-align: left;
    font-size: 18px !important;
.login form, .registration form{
  display: flex;
   justify-content: center;
  height: auto;
   padding: 20px 50px 5px 50px;
   background-color: white;
   width: 400px;
  border-radius: 10px;
.login form p, .registration form p{
   color: red;
.registration_form h3, .login_form h3{
   margin-bottom: 20px;
```

```
.registration_form a, .login_form a{
  display: block;
  color: #5e8949;
  text-align: center;
  margin-bottom: 30px;
.registration form a:hover, .login form a:hover{
   color: #6eaa69;
   transition: 0.5s ease;
i{
    color: red;
.notify{
  display: block;
  width: 100vw;
   background-color: white;
   font-size: 20px;
  text-align: center;
  padding: 20px 0 20px 0;
.red{
    color: red;
.green{
    color: green;
form input, form a{
   box-sizing: border-box;
   border-radius: 5px;
   border: 1px solid #999;
   padding: 4px;
    outline: none;
.reg button, .login button, .logout button{
   font-size: 1.1em;
   padding: 10px;
   font-family: Roboto, sans-serif;
   font-weight: 300;
    color: #fff;
   background-color: #5e8949;
   border-radius: 20px;
   cursor: pointer;
   margin-bottom: 2em;
   margin-top: 15px;
}
.toDoList{
    width: 100%;
    padding: 2%;
   display: flex;
    gap: 50px;
    flex-wrap: wrap;
    justify-content: center;
}
```

```
.entry{
    display: flex;
    justify-content: space-evenly;
    flex-direction: column;
   background-color: #fff;
    color: #5e8949;
    padding: 30px;
   border-radius: 20px;
    font-size: 13px;
    width: 400px;
.entry h3{
  margin-bottom: 20px;
.status{
   background-color: #aaa;
   color: #fff;
   padding: 20px;
   text-transform: uppercase;
   margin-bottom: 20px;
    font-size: 15px;
   text-align: center;
}
.note{
  color: #aaa;
   font-size: 14px;
   margin-bottom: 20px;
.buttons{
   display: flex;
    justify-content: center;
    gap: 20px;
    text-align: center;
.delete, .edit, .finish{
   background-color: #aaa;
   color: #fff;
   padding: 10px;
   border-radius: 10px;
   cursor: pointer;
   font-size: 15px;
   border: none;
   width: 30%;
    text-decoration: none;
label{
    width: 100px;
input{
    display: inline-block;
    margin: 2px;
.error{
    border-color: red;
```

```
.form-style-5{
   max-width: 500px;
    background: #f4f7f8;
    margin: 10px auto;
    padding: 20px;
    border-radius: 8px;
.form-style-5 fieldset{
    border: none;
.form-style-5 legend {
    font-size: 1.4em;
    margin-bottom: 10px;
.form-style-5 label {
    display: block;
    margin-bottom: 8px;
.form-style-5 input[type="text"],
.form-style-5 textarea{
   background: rgba(255,255,255,.1);
    border: none;
   border-radius: 4px;
    font-size: 15px;
    outline: 0;
   padding: 10px;
    width: 100%;
   box-sizing: border-box;
    -webkit-box-sizing: border-box;
    -moz-box-sizing: border-box;
   background-color: #e8eeef;
    color:#8a97a0;
    -webkit-box-shadow: 0 1px 0 rgba(0,0,0,0.03) inset;
   box-shadow: 0 1px 0 rgba(0,0,0,0.03) inset;
    margin-top: 20px;
.form-style-5 input[type="text"]:focus,
.form-style-5 textarea:focus{
    background: #d2d9dd;
.form-style-5 select{
    height:35px;
.form-style-5 .number {
   background: #5e8949;
    color: #fff;
   height: 30px;
   width: 30px;
   display: inline-block;
    font-size: 0.8em;
   margin-right: 4px;
   line-height: 30px;
   text-align: center;
    text-shadow: 0 1px 0 rgba(255,255,255,0.2);
    border-radius: 15px 15px 15px 0px;
}
```

```
.form-style-5 input[type="submit"],
.form-style-5 input[type="button"]
    position: relative;
    display: block;
    padding: 19px 39px 18px 39px;
    color: #FFF;
   margin: 0 auto;
   background: #5e8949;
    font-size: 18px;
    text-align: center;
    font-style: normal;
   width: 100%;
   border: 1px solid #5e8949;
   border-width: 1px 1px 3px;
   margin-bottom: 10px;
.form-style-5 input[type="submit"]:hover,
.form-style-5 input[type="button"]:hover,
.delete:hover, .edit:hover, .finish:hover, .logout button:hover,
.login_button:hover, .reg_button:hover{
   color: white;
    text-decoration: none;
   background: #6eaa69;
   transition: 0.5s ease;
.logout_button{
  font-size: 30pt !important;
  margin-bottom: 0;
  background-color: whitesmoke;
  color: #5e8949;
}
```

GEÄNDERTE DATEIEN (CONFIG)

Habe hier teilweise nur Ausschnitte reingegeben, damit ersichtlicher wird, was ich geändert habe 😊



DATABASE.PHP

```
<?php
defined('BASEPATH') OR exit('No direct script access allowed');
$active group = 'default';
$query builder = TRUE;
$db['default'] = array(
  'dsn' => '',
   'hostname' => 'localhost',
   'username' => 'kwm226 ue07 schickmair',
   'password' => '.kwm.',
   'database' => 'kwm226 ue07 schickmair',
   'dbdriver' => 'mysqli',
   'dbprefix' => '',
   'pconnect' => FALSE,
   'db debug' => (ENVIRONMENT !== 'production'),
   'cache on' => FALSE,
   'cachedir' => '',
   'char set' => 'utf8',
   'dbcollat' => 'utf8 general ci',
   'swap pre' => '',
   'encrypt' => FALSE,
   'compress' => FALSE,
   'stricton' => FALSE,
  'failover' => array(),
   'save queries' => TRUE
);
```

CONFIG.PHP

AUTOLOAD.PHP


```
<?php
defined('BASEPATH') OR exit('No direct script access allowed');
  Auto-load Libraries
| These are the classes located in system/libraries/ or your
| application/libraries/ directory, with the addition of the
| 'database' library, which is somewhat of a special case.
| Prototype:
$autoload['libraries'] = array('database', 'email', 'session');
You can also supply an alternative library name to be assigned
| in the controller:
  $autoload['libraries'] = array('user agent' => 'ua');
$autoload['libraries'] = array("session", "database");
  Auto-load Helper Files
| Prototype:
$autoload['helper'] = array('url', 'file');
$autoload['helper'] = array('url', 'form');
```

ROUTES.PHP


```
<?php
defined('BASEPATH') OR exit('No direct script access allowed');
$route['default_controller'] = 'login';
$route['404_override'] = '';
$route['translate uri dashes'] = FALSE;</pre>
```

TESTFÄLLE


Startansicht: Login Seite




Ansicht Register-Seite




Leere Eingabe Registration



Passwort weniger als 8 Zeichen




Username bereits vorhanden




Korrekte Registrierung




Login: Falsches Passwort



Login: Falscher Username



Erfolgreicher Login



Logout → zurück zur Login Seite

