


4

3

2

1

ITEM NO.	PART NUMBER	SW-Configuration Name(Configuration Name)	QTY.
1	Dial Indicator	1..10 mm	1
2	SteelRod	D = 10mm, length = 200mm	2
3	IndicatorHolder	Custom Part	1
4	socket head cap screw_iso	ISO 4762 M5 x 16 - 16N	1
5	ISO 4762 M3 x 6 - 6N	ISO 4762 M3 x 6 - 6N	1
6	ClampingScrewKnob	M5x16	3
7	ISO 4762 M5 x 10 - 10N	ISO 4762 M5 x 10 - 10N	1
8	socket countersunk head screw_iso	ISO 10642 - M3 x 10 - 10N	6
9	SecondPartOfIndicat orJoint	Custom Part	1
10	BasePart	Casting Aluminum Part	1
11	Lid	Custom Part	1
12	MainJoint	Custom Part	1
13	Neodymium Magnet Square	25x25x8 - 35 kg	1



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF VR.
ANY REPRODUCTION IN PART OR AS A
WHOLE WITHOUT THE WRITTEN PERMISSION
OF VR IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	<div>VR</div>		VR	
		BREAK ALL SHARP EDGES	DRAWN			TITLE:			
		DIMENSIONS ARE IN MILLIMETERS	CHECKED						
		TOLERANCES:	ENG APPR.						
		FRACTIONAL ±	MFG APPR.						
		ANGULAR: MACH ± BEND ±							
		TWO PLACE DECIMAL ±							
		THREE PLACE DECIMAL ±							
		INTERPRET GEOMETRIC TOLERANCING PER:	Q.A.						
		MATERIAL	COMMENTS:						
NEXT ASSY	USED ON	FINISH				SIZE	DWG. NO.		REV
						Magnetic Indicator Stand			
APPLICATION		DO NOT SCALE DRAWING				SCALE: 1:2	WEIGHT: 612.27	SHEET 1 OF 1	