SAMPLE - HISTORICAL ARCHIVE

歴史的資料・無効

Historical self assessment checklist

Publication notice: 2 November 2026

This v1.0 checklist is not valid for a current assessment or certification. The following pages reproduce a historical blank template for reference. Every source page is marked SAMPLE / NOT VALID. The historical text does not describe the current certification scheme or VSO operations.

VSO is operated by VeritasChain Co., Ltd. Historical wording such as "independent standards body", "hereby certifies" or "PASS" must not be read as a current assertion, an issued certificate or a legal conclusion.

Current specifications and disclosures:
https://github.com/veritaschain/vcp-spec
https://veritaschain.org/certified/cab/

The original editable file is removed from the current repository tree. Earlier Git commits, clones and downloaded copies may still contain it. This publication change does not rewrite Git history.
この資料は歴史的な参照用です。現在の認証書・審査書類・契約書として使用できません。本文の独立性や適合性に関する記述は当時の文言です。

Source DOCX SHA-256: 5f73ae2aa3f050e46effcd7de207247eb71c3b5daf999271644e553542550f92
Source revision: cb8441cfe9af050aeb8179fa5eb470178e25500c

SAMPLE - HISTORICAL ARCHIVE - NOT VALID FOR CURRENT USE
歴史的資料・無効 / 2026-11-02

Self-Assessment Checklist (SAC)

VeritasChain Protocol (VCP) v1.0

Silver Tier - Self-Assessment Checklist

Document ID	VSO-CERT-SILVER-SAC-v1.0
Version	1.0
Date	2025-11-29
Organization	VeritasChain Standards Organization (VSO)

Introduction

This checklist is designed for organizations seeking VC-Certified Silver Tier compliance. Silver Tier focuses on retail environments (e.g., MT4/5, Prop Firms) requiring millisecond precision and best-effort synchronization.

Section 1: VCP-CORE Requirements (Data Integrity & Identification)

Req ID	Requirement Description	Severity	☐	Notes/Evidence
CORE-01	Event Identification: EventID MUST use UUID v7 (RFC 9562) or UUID v4.	Mandatory	☐	UUID v7 is strongly recommended for time-sortability.
CORE-02	Data Canonicalization: All VCP payloads MUST be canonicalized using RFC 8785 (JSON Canonicalization Scheme - JCS) before hashing and signing.	Mandatory	☐	Ensures hash consistency across platforms.
CORE-03	Numeric Precision: All financial numeric values (Price, Quantity, etc.) MUST be encoded as Strings.	Mandatory	☐	Avoids IEEE 754 floating-point issues. Example: {"Price": "123.45"}
CORE-04	Hash Chain Integrity: Each event includes the 'prev_hash' of the preceding event, forming an unbroken chain.	Mandatory	☐	Calculation: hash(prev_hash + canonical_event).
CORE-05	Hash Algorithm Declaration: 'HashAlgo' field is correctly specified in the VCP header.	Mandatory	☐	'SHA256' is the default.

Section 2: Time Synchronization & Precision (Silver Tier Specific)

Req ID	Requirement Description	Severity	☐	Notes/Evidence
TIME-01	Timestamp Precision: Timestamps MUST be recorded with Millisecond precision. 'TimestampPrecision': 'MILLISECOND'.	Mandatory	☐	Unix Epoch (Int64).
TIME-02	Clock Synchronization: Best-effort clock synchronization (e.g., NTP) is in place.	Recommended	☐	OS-level NTP/Chrony is sufficient.
TIME-03	Clock Status Reporting: 'ClockSyncStatus' field MUST be set correctly.	Mandatory	☐	Must be "BEST_EFFORT" or "NTP_SYNCED".

Section 3: VCP-TRADE & Logging Requirements

Req ID	Requirement Description	Severity	☐	Notes/Evidence
LOG-01	Event Coverage: Minimum required trading events are logged: ORD (Order), ACK (Acknowledge), EXE (Execution), REJ (Reject), CXL (Cancel).	Mandatory	☐	Minimum required set for audit trail.
LOG-02	Data Export Format: Log files are exported in VCP standard format (JSON).	Recommended	☐	JSONLines preferred for efficient processing.
LOG-03	Traceability: Events belonging to the same order lifecycle share the same 'TraceID'.	Mandatory	☐	Ensures end-to-end tracking.

Section 4: Security & Cryptography (VCP-SEC)

Req ID	Requirement Description	Severity	☐	Notes/Evidence
SEC-01	Digital Signatures: Events are signed using the Delegated Signing mechanism. (SignAlgo: Ed25519).	Mandatory	☐	Adopter uses API key; VCC (or equivalent) signs on behalf.
SEC-02	Merkle Batching: Events are batched for Merkle tree construction.	Mandatory	☐	Max interval: 24 hours. Must be RFC 6962 compliant (prevents second preimage attacks).
SEC-03	Merkle Anchoring: Daily Merkle root is submitted to an external anchor (e.g., VCC) within 24 hours.	Mandatory	☐	Anchored to external TSA/Blockchain.
SEC-04	Proof Retrieval: Merkle proofs can be retrieved and verified.	Mandatory	☐	Verified via Explorer API or equivalent.

SAMPLE - NOT VALID
HISTORICAL ARCHIVE

Section 5: Privacy & Compliance (VCP-PRIVACY)

Req ID	Requirement Description	Severity	☐	Notes/Evidence
PRIV-01	Pseudonymization: Sensitive identifiers (e.g., AccountID) are pseudonymized.	Mandatory	☐	Hashed or tokenized identifiers.
PRIV-02	PII Protection: No raw Personally Identifiable Information (PII) is stored in the VCP payload.	Mandatory	☐	Required for GDPR compliance support.
PRIV-03	Crypto-Shredding Support: System design supports GDPR 'Right to be Forgotten' via Crypto-Shredding.	Recommended	☐	Key deletion mechanism for data erasure.

Section 6: Integration Evidence (Required Artifacts)

ID	Required Artifact	Severity	☐
EVIDENCE-01	Sample VCP Log File (10-20 continuous events showing hash chain).	Mandatory	☐
EVIDENCE-02	Sample Merkle Proof (for one event in the sample log).	Mandatory	☐
EVIDENCE-03	Architecture Diagram (showing VCP integration point).	Mandatory	☐

SAMPLE - NOT VALID
HISTORICAL ARCHIVE

SAMPLE - HISTORICAL ARCHIVE - NOT VALID FOR CURRENT USE
歴史的資料・無効 / 2026-11-02

Assessment Summary & Certification Criteria

To achieve VC-Certified Silver Tier status, the Adopter must meet the following criteria:

1. **Mandatory Requirements:** 100% (All Mandatory items must be Implemented).
2. **Overall Compliance Rate:** 85% or higher.
3. **Evidence Submission:** All required artifacts (Section 6) must be provided and validated by VSO.

Submission Instructions

Email: certification@veritaschain.org
Portal: https://certified.veritaschain.org
Reference: VCP Conformance Test Guide v1.0 (VSO-TEST-001)

SAMPLE - NOT VALID
HISTORICAL ARCHIVE