

APPENDIX B

SOURCE CODE

```

<?php
include('../admin/config.php');
session_start();
$nm=$_SESSION["name"];
$em=$_SESSION["email"];
$con=$_SESSION["contact"];
$test=$_SESSION["test"];
$hosp=$_SESSION["hosp"];
$_SESSION["name"]=$nm;
$_SESSION["email"]=$em;
$_SESSION["contact"]=$con;
$_SESSION["test"]=$test;
$_SESSION["hosp"]=$hosp;
?>

<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="utf-8">

    <title>Patient Panel</title>

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <meta name="description" content="">

    <meta name="author" content="">

    <link href="assets/css/bootstrap.css" rel="stylesheet">

    <link href="assets/css/main.css" rel="stylesheet">

    <script type="text/javascript"
src="ajax.googleapis.com/ajax/libs/jquery/1.8.2/jquery.min.js"></script>

    <style type="text/css">

        body {

```

```

padding-top: 60px;    }
</style>
<link href="assets/css/bootstrap-responsive.css" rel="stylesheet">
<link rel="shortcut icon" href="assets/ico/favicon.ico">
<link rel="apple-touch-icon-precomposed" sizes="144x144" href="assets/ico/apple-touch-
icon-144-precomposed.png">
<link rel="apple-touch-icon-precomposed" sizes="114x114" href="assets/ico/apple-touch-
icon-114-precomposed.png">
<link rel="apple-touch-icon-precomposed" sizes="72x72" href="assets/ico/apple-touch-
icon-72-precomposed.png">
<link rel="apple-touch-icon-precomposed" href="assets/ico/apple-touch-icon-57-
precomposed.png">
<link href="http://fonts.googleapis.com/css?family=Open+Sans" rel='stylesheet'
type='text/css'>
</head>
<body>
    <div class="navbar navbar-inverse navbar-fixed-top">
        <div class="navbar-inner">
            <div class="container">
                <a class="btn btn-navbar" data-toggle="collapse" data-target=".nav-collapse">
                    <span class="icon-bar"></span>      <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                </a>
                <a class="brand" href="index.php">My Profile</a>
                <div class="nav-collapse collapse">      <ul class="nav">
                    <li class="active"><a href="index.php"><i class="icon-home icon-white"></i>
Home</a></li>
                    <li><a href="user.php"><i class="icon-user icon-white"></i> User</a></li>
                    <li><a href="charts.php"><i class="icon-signal icon-white"></i> Charts</a></li>
                </ul>      </div>      </div>
            </div>
            <div class="container">
                <div class="row">

```

```

<div class="span3">
    <div class="dash-unit" style="height:400px;">
        <center></center>
    <h1><?php echo"$nm";?></h1>
    <br>
    <h5>Test Name : <br><?php echo"$test";?></h5>
    <h1>Concerning Hospital : <br><?php echo"$hosp";?></h1>
    <br>
    </div>
</div>
<div class="span3">
    <hr>
    <h4>TIME EFFICIENT</h4>
    <div id="money"></div>
</div>
    <div class="span3">
        <hr>
        <h4>TRUSTED PATHOLOGIST</h4>
        <div id="site"></div>
    </div>
    <div class="span3">
        <hr>
        <h4>ACCURACY OF REPORTS</h4>
        <div id="users"></div>
    </div>
</div>
    </div>
<br>
<div id="middlewrap">
<br>
    <footer class="clearfix"></footer>
    <?php
        $query="select * from patient_facts";
        $quer_exe=mysql_query($query);
        $read=mysql_fetch_array($quer_exe);

```

```

?>
<div class="container">
  <div class="row">
    <?php
      for($i=1;$i<=6;$i++){
        ?>
        <div class="span2">
          <div class="dash2-unit">
            <h1>Important Site Stat</h1>
            <br>
            <p style="text-align:center"></p>
            <br>
            <h1><?php echo $read["fact$i"]; ?></h1>
            <br>
          </div>
        </div>
      <?php }?>
    <div class="dash2-unit">
      <br>
      <p style="text-align:center"></p>
      <br>
      <br>
      <h1><?php //echo $read["fact2"]; ?></h1>
      <br>
    </div>
  </div>
  <div class="span2">
    <div class="dash2-unit">

```

```

<h1>Important Site Stat</h1>
<br>
<p style="text-align:center"></p>

<h2>Detailed Information</h2>
<h6>75%</h6>
<br>

</div>

</div>

<div class="span2">
  <div class="dash2-unit">
    <h1>Important Site Stat</h1>
    <br>
    <p style="text-align:center"></p>

    <h2>Detailed Information</h2>
    <h6>82 ms.</h6>
    <br>

  </div>

</div>

<div class="span2">
  <div class="dash2-unit">
    <h1>Important Site Stat</h1>
    <br>
    <p style="text-align:center"></p>

    <h2>Detailed Information</h2>
    <h6>Good</h6>
    <br>

  </div>

</div>

```

```

<div class="span2">
  <div class="dash2-unit">
    <h1>Important Site Stat</h1>
    <br>
    <p style="text-align:center"></p>
    <h2>Detailed Information</h2>
    <h6>Low</h6>
    <br>

  </div>
</div>

</div><!-- /row -->

</div><!-- /container -->

</div><!-- /middlewrap -->
<script type="text/javascript" src="assets/js/bootstrap-transition.js"></script>
<script type="text/javascript" src="assets/js/bootstrap-alert.js"></script>
<script type="text/javascript" src="assets/js/bootstrap-modal.js"></script>
<script type="text/javascript" src="assets/js/bootstrap-dropdown.js"></script>
<script type="text/javascript" src="assets/js/bootstrap-tooltip.js"></script>
<script type="text/javascript" src="assets/js/bootstrap-button.js"></script>
<script type="text/javascript" src="assets/js/bootstrap-collapse.js"></script>
<script type="text/javascript" src="assets/js/bootstrap-typeahead.js"></script>
  <script type="text/javascript" src="assets/js/highcharts.js"></script>
  <script type="text/javascript" src="dash-charts.js"></script>
  <script type="text/javascript" src="assets/js/noty/jquery.noty.js"></script>
  <script type="text/javascript" src="assets/js/noty/layouts/topRight.js"></script>
    <script type="text/javascript" src="assets/js/noty/themes/default.js"></script>
  <script type="text/javascript" src="assets/js/dash-noty.js"></script>
  <script type="text/javascript" src="assets/js/admin.js"></script>
</body>

```

</html>