Phase 3: Features, Prioritization + PRD

Step 1 1

Brainstorm solutions 1

Step 2 **2**

Prioritization 2

Step 3 **3**

Wireframe 3

Step 4 **3**

Success Metrics 3

Step 5 **4**

Pitfalls & Mitigations 4

Step 1

Brainstorm solutions

Problem focus: Post-meeting chat continuity for working professionals.

Solution	Short Description	Key Assumption	Category
Research Modes	Allow users to choose a research objective (Study, Compare, Report, Brainstorm, Deep Research) before asking questions, enabling NotebookLM to generate intent-aware responses.	Users can communicate their intent more effectively by selecting a research mode instead of repeatedly refining prompts.	High Confidence
Prompt Suggestions	Recommend prompts based on uploaded documents and research context.	Users need guidance in framing better questions.	High Confidence
Personalized Output Templates	Allow users to select output formats such as study guides, executive summaries, flashcards, or reports.	Users have different output preferences depending on their task.	Medium Confidence
AI Research Assistant	Proactively recommends insights, follow-up questions, and missing information during research.	Users value AI assistance beyond question answering.	Moonshot

Step 2


Prioritization

Solution	Reach (1-3)	Impact (1-3)	Confidence (1-3)	Effort (1-3)	RICE score	Rationale
Research Modes	3	3	3	2	13.5	Directly addresses the core problem by personalizing AI responses based on user intent, reducing prompt refinement and improving response relevance.
Prompt Suggestions	3	2	3	2	9	Helps users ask better questions but does not fundamentally improve AI understanding of user intent.
Personalized Output Templates	2	2	2	2	4	Improves presentation of AI responses but doesn't significantly enhance response quality.
AI Research Assistant	2	3	1	3	2	Long-term vision with high potential but requires advanced AI capabilities and greater engineering effort.

(Reach × Impact × Confidence) ÷ Effort = RICE

Step 3

Wireframe



User uploads documents, selects a research mode based on their goal and asks their question.

AI response is tailored to the selected mode. (Here: Study Mode)

Different mode, different output. (Here: Report Mode)

Step 4

Success Metrics

Metric Type	Metric Name	Definition	Why it matters
Key Metric	30-Day User Retention Rate	Percentage of users returning within 30 days after using Research Modes.	Measures whether personalized AI responses encourage continued usage.
Secondary Metric	Research Mode Adoption Rate	Percentage of sessions where users select a research mode.	Indicates whether users find the feature valuable.
Secondary Metric	Prompt Refinement Rate	Average number of prompt edits before users receive a satisfactory response.	Lower values indicate better personalization.
Guardrail Metric	Response Satisfaction Rate	% of AI responses rated helpful by users	Ensures improved personalization also improves perceived quality.
Guardrail Metric	Response Generation Time	Average time taken to generate responses.	Ensures personalization does not noticeably slow the experience.

Goal: Increase user retention by delivering relevant and personalized research outputs that reduce prompt refinement and encourage users to complete their research within NotebookLM.

Step 5

Pitfalls & Mitigations

Assumption at Risk	Failure Mode	Impact	Likelihood	Mitigation	Detection Signal	Containment / Rollback
Users understand when to use each Research Mode.	Users select the wrong mode and receive unsatisfactory responses.	High	Medium	Provide clear descriptions and recommended use cases for each mode.	Low satisfaction ratings, frequent mode switching.	Improve onboarding and simplify mode selection.
Personalized	Users	High	Medium	Continuously	High	Adjust prompt

responses reduce prompt refinement.	continue rewriting prompts despite selecting a mode.			refine prompts and AI behavior using usage analytics.	prompt regeneratio n rate.	templates and improve intent detection.
Additional options do not overwhelm users.	Too many research modes increase decision fatigue.	Medium	Medium	Start with a small set of modes and expand gradually based on adoption.	Low feature adoption.	Reduce or merge underused modes.