

Test Plan - KAN-1: Login Page of app.vwo.com

Status: Draft for human review. This test plan is not final until reviewed and approved by the tester/product owner.

Document Information

Field	Details
Project / Application Name	VWO / Wingify
Module / Feature	Login page for app.vwo.com / app.wingify.com transition
Jira Ticket	KAN-1
Jira Type	Story
Priority	High
Jira Status	In Progress
Version / Release	Not specified in ticket
Prepared By	QA Draft
Reviewed By	Pending
Approved By	Pending
Date Created	03-Sep-2026
Last Updated	03-Sep-2026
Document Status	Draft / In Review

Source Requirement Summary

KAN-1 covers the login page for app.vwo.com. Existing users should be able to access the VWO/Wingify application through email and password login or supported alternative authentication methods. The page uses a dark split-screen layout with the login form on the left and a VWO x AB Tasty / Wingify information panel on the right.

The ticket references one design attachment: `Design.png` . The design was reviewed for this draft and shows email, password, password visibility toggle, forgot password, remember me, sign in, Google sign-in, SSO sign-in, passkey sign-in, free trial, privacy policy, terms, and learn more controls.

1. Scope & Objectives

Business Objective

Provide existing VWO/Wingify users with a secure, clear, and usable authentication entry point while communicating that app.vwo.com has transitioned to app.wingify.com and that user plans, features, and data remain unchanged.

Testing Objective

Validate that the login page:

- Renders according to the ticket and design attachment.
- Supports email and password authentication.
- Supports Google, SSO, and passkey authentication entry points.
- Provides expected navigation for password recovery, free trial signup, privacy policy, terms, and transition information.
- Handles invalid input and failed authentication safely.
- Meets baseline usability, accessibility, compatibility, and security expectations for a login page.

In Scope

Area	Description
UI Layout	Verify dark theme, split layout, branding, form placement, visual hierarchy, and responsive behavior.
Email / Password Login	Validate successful and unsuccessful login attempts.
Password Field Behavior	Validate masked input, show/hide toggle, keyboard focus, and no unintended persistence.
Remember Me	Validate checkbox behavior and expected session persistence once requirement is clarified.
Forgot Password	Validate navigation and recoverability path.
Alternative Authentication	Validate Google, SSO, and passkey sign-in entry points and failures/cancellations.
New User Path	Validate "Start a FREE TRIAL" navigation.
Legal / Consent Links	Validate Privacy Policy and Terms navigation.
Transition Panel	Validate VWO x AB Tasty branding, transition copy, and Learn More navigation.
Negative / Edge Cases	Validate blank, invalid, malformed, blocked, and failed authentication states.
Compatibility	Validate supported desktop/mobile browsers once matrix is confirmed.
Accessibility	Validate keyboard navigation, visible focus, labels, contrast, and screen-reader semantics.
Security Checks	Validate login-specific security expectations such as secure transport, safe errors, session behavior, and no sensitive data exposure.

Out of Scope

Item	Reason / Notes
Full account creation flow after selecting free trial	Ticket only covers the login page entry point.
Full password reset workflow beyond link handoff	Ticket only identifies the forgot password entry point.
Backend identity provider implementation	Test only the login page integration behavior unless backend auth changes are included elsewhere.
Plan/data migration validation after app.wingify.com transition	Ticket only states plans, features, and data remain unchanged; no migration requirements are provided.

2. Gaps & Questions for the Author

Requirement Checklist

Checklist Item	Status	Notes / Question
Clear user story / goal	Ambiguous	Goal is described, but not in a formal user-story format. Confirm target user types.
Acceptance criteria are testable	Missing	No explicit acceptance criteria are listed. Please confirm pass/fail criteria.
Happy path fully described	Present	Valid email/password login and alternate auth entry points are described.
Negative / error paths described	Missing	Define expected behavior for invalid credentials, locked users, unverified users, provider failures, and network errors.
Boundary and empty states	Missing	Define behavior for blank email, malformed email, max length, whitespace, blank password, and very long password.
State transitions / workflow steps	Ambiguous	Clarify redirects after login, forgot password, SSO, passkey, free trial, legal links, and learn more.
Required test data specified	Missing	Need valid, invalid, locked, SSO-enabled, passkey-enabled, Google-enabled, and non-existing users.
Environment / config / feature flags named	Ambiguous	URLs are mentioned, but QA/staging environment and any transition flags are not specified.

Checklist Item	Status	Notes / Question
External dependencies listed	Ambiguous	Google, SSO, passkey, privacy/terms, and learn-more destinations are implied but not defined.
Preconditions / setup stated	Missing	Required accounts, browser state, cookies, redirects, and tenant setup are not specified.
Performance / load expectations	Missing	Define login page load time and authentication response expectations.
Security / authorization expectations	Ambiguous	"Securely access" is stated, but no concrete security acceptance criteria are listed.
Accessibility expectations	Missing	No WCAG target, keyboard behavior, labels, or contrast expectations are specified.
Internationalization / localization	Missing	No supported locales, copy source, timezone, or regional behavior is specified.
Audit / logging / observability	Missing	No auth event logging, monitoring, or alerting expectations are specified.
Impact on existing features	Ambiguous	Regression surface for existing login, sessions, cookies, and redirects is not described.
Backward compatibility / migration	Ambiguous	Transition copy says data remains unchanged, but validation scope is not stated.
Mobile / responsive / browser matrix	Missing	Design appears desktop-oriented; supported devices and browsers are not listed.
Rollback / feature-flag behavior	Missing	No rollback or feature flag behavior is defined for app.vwo.com to app.wingify.com transition.
Ambiguous wording	Ambiguous	Terms like "secure", "clear", "user-friendly", and "plans/features/data remain unchanged" need measurable criteria.
Terms defined consistently	Ambiguous	Ticket uses VWO, Wingify, app.vwo.com, app.wingify.com, and AB Tasty; confirm naming rules.

Checklist Item	Status	Notes / Question
Mockups / designs linked and match text	Present	Design.png is attached and matches the major controls described in the ticket.

Open Questions

1. What is the expected post-login destination for app.vwo.com and app.wingify.com?
2. Should app.vwo.com redirect to app.wingify.com before login, after login, or remain as an alias?
3. What exact error messages should be shown for invalid email, invalid password, disabled account, locked account, unverified email, rate limiting, and network failure?
4. What does "Remember me" do: remember email only, extend session duration, keep user signed in, or something else?
5. Which identity providers and SSO configurations are supported in QA for this story?
6. What browsers, devices, and screen sizes are officially supported?
7. What WCAG level and accessibility checks are required?
8. Are Privacy Policy, Terms, Learn More, Forgot Password, Google, SSO, Passkey, and Free Trial expected to open in the same tab or a new tab?
9. Are there analytics, audit logs, or security events that must fire for login attempts and link clicks?
10. Is the VWO x AB Tasty transition panel copy final and approved by brand/legal?

3. Test Scenarios

ID	Priority	Traceability	Scenario	Expected Validation
KAN-1-TS-001	P0	Ticket description, design	Load the login page on the target URL.	Page loads successfully, uses the dark split layout, and shows the complete login form and branding panel.
KAN-1-TS-002	P0	Ticket description	Sign in with a valid registered email and password.	User is authenticated and routed to the expected post-login destination.
KAN-1-TS-003	P0	Gap: negative paths	Attempt sign-in with invalid credentials.	User is not authenticated, receives a safe error, and no sensitive detail is exposed.
KAN-1-TS-004	P0	Gap: empty states	Attempt sign-in with blank email and/or blank password.	Required-field validation appears and sign-in is blocked.

ID	Priority	Traceability	Scenario	Expected Validation
KAN-1-TS-005	P0	Ticket description, design	Validate password show/hide icon behavior.	Password toggles between masked and visible states without changing the entered value.
KAN-1-TS-006	P0	Ticket description	Select "Forgot Password?".	User is routed to the correct password recovery flow.
KAN-1-TS-007	P0	Ticket description	Select "Sign in with Google".	Google authentication flow starts correctly and returns to the application after success/cancel/failure.
KAN-1-TS-008	P0	Ticket description	Select "Sign in using SSO".	SSO flow starts correctly and handles valid, invalid, and cancelled provider responses.
KAN-1-TS-009	P0	Ticket description	Select "Sign in with Passkey".	Passkey authentication prompt starts where supported and shows a graceful fallback where unsupported.
KAN-1-TS-010	P0	Gap: security	Verify login page and auth requests use secure transport.	Page and submitted authentication data use HTTPS with no sensitive values exposed in URLs, logs, or client storage.
KAN-1-TS-011	P1	Ticket description, question	Validate "Remember me" behavior.	Checkbox can be toggled and persistence behavior matches clarified requirement.
KAN-1-TS-012	P1	Ticket description, design	Select "Start a FREE TRIAL".	User is routed to the expected signup/trial flow.

ID	Priority	Traceability	Scenario	Expected Validation
KAN-1-TS-013	P1	Ticket description	Select Privacy Policy and Terms links.	Links route to the correct legal pages and are accessible from the login form.
KAN-1-TS-014	P1	Ticket description, design	Validate transition panel content.	Panel displays VWO x AB Tasty branding, welcome copy, transition message, and Learn More CTA.
KAN-1-TS-015	P1	Ticket description	Select "Learn More".	User is routed to the expected transition information page.
KAN-1-TS-016	P1	Gap: validation	Enter malformed email values and boundary-length inputs.	Client/server validation handles malformed, whitespace, max-length, and unusual email formats consistently.
KAN-1-TS-017	P1	Gap: auth failures	Simulate provider/network failure during Google, SSO, or passkey login.	User receives recoverable feedback and can retry or choose another login method.
KAN-1-TS-018	P1	Gap: compatibility	Test supported desktop browsers.	Layout, controls, links, and auth entry points work in supported browser matrix.
KAN-1-TS-019	P1	Gap: responsive	Test tablet and mobile widths.	Page remains usable, controls are visible, text does not overlap, and key actions remain reachable.
KAN-1-TS-020	P1	Gap: accessibility	Validate keyboard-only navigation and focus order.	All fields, buttons, links, checkbox, and password toggle are reachable and visibly focused.

ID	Priority	Traceability	Scenario	Expected Validation
KAN-1-TS-021	P1	Gap: accessibility	Validate labels and screen-reader names.	Email, password, remember me, sign-in buttons, legal links, and password toggle have meaningful accessible names.
KAN-1-TS-022	P1	Gap: accessibility	Validate color contrast in dark theme.	Text, controls, borders, focus indicators, and disabled/error states meet agreed contrast target.
KAN-1-TS-023	P2	Gap: observability	Validate analytics/audit events if required.	Login attempts, success/failure, and CTA clicks are logged according to clarified tracking requirements.
KAN-1-TS-024	P2	Gap: localization	Validate copy behavior for supported locales if applicable.	Localized copy fits without truncation or overlap and routes remain correct.
KAN-1-TS-025	P2	Regression surface	Validate existing session behavior.	Already authenticated users, expired sessions, logout, and direct login URL access behave as expected.

4. Test Data & Environment

Environment

Environment	URL / Endpoint	Purpose	Status
QA / Staging	To be confirmed	Functional, integration, and regression testing	Needed
Production-like / Pre-Production	To be confirmed	Final validation before release	Needed
Production	app.vwo.com / app.wingify.com	Optional smoke checks after release approval	Restricted / pending approval

Test Data

Data Type	Needed For	Status
Valid registered user	Email/password successful login	Needed
Invalid/non-existing user	Negative login validation	Needed
User with wrong password attempts	Invalid credential handling	Needed
Locked/disabled account	Auth failure handling	Needed
Unverified account	Auth failure handling	Needed
Google-enabled account	Google authentication	Needed
SSO-enabled tenant/user	SSO authentication	Needed
Passkey-enabled account/device	Passkey authentication	Needed
Browser/device matrix	Compatibility and responsive testing	Needed

5. Test Strategy

Testing Types

Test Type	Priority	Notes
Smoke Testing	P0	Verify page load, visible form, sign-in action, and critical navigation.
Functional Testing	P0	Validate login methods, field behavior, links, and transition panel.
Negative Testing	P0	Validate invalid credentials, blank fields, malformed inputs, and provider failures.
Integration Testing	P0/P1	Validate identity provider handoffs and return behavior.
Security Testing	P0/P1	Validate secure transport, safe errors, session behavior, and no sensitive exposure.
Accessibility Testing	P1	Validate keyboard access, labels, contrast, and focus behavior.
Compatibility Testing	P1	Validate agreed browser and device support matrix.
Regression Testing	P1	Validate existing auth/session behavior remains intact.
Exploratory Testing	P2	Explore browser state, cookies, autofill, back-button behavior, and unusual auth interruptions.

Defect Reporting Procedure

1. Confirm the issue is reproducible on the agreed test environment.
2. Capture browser, OS, viewport, build/version, account type, and authentication method.
3. Attach screenshots or screen recordings for UI issues.
4. Capture console/network evidence for login or redirect failures.
5. Link each defect to **KAN-1** and the relevant scenario ID.
6. Retest fixes and run targeted regression around login/session behavior.

6. Risks & Assumptions

Risks

Risk	Impact	Probability	Mitigation
No explicit acceptance criteria	High	High	Use this plan as draft and obtain author confirmation before sign-off.
Identity provider test setup unavailable	High	Medium	Confirm Google, SSO, and passkey test accounts early.
Remember-me behavior undefined	Medium	High	Clarify expected persistence before execution.
Browser/device matrix missing	Medium	Medium	Agree support matrix before compatibility testing.
Transition behavior between app.vwo.com and app.wingify.com unclear	High	Medium	Confirm redirect and post-login behavior.
Security requirements are vague	High	Medium	Confirm auth/session/security acceptance criteria with engineering/security.
Design/copy may change	Medium	Medium	Re-check latest design attachment before execution.

Assumptions

- **Design.png** is the current approved design for **KAN-1**.
- The login page is for existing users; full signup and password reset flows are limited to link handoff unless separate requirements are provided.
- Alternative authentication methods are entry points on this page; provider-side internals are out of scope unless changed by this story.
- Production validation, if any, will be smoke-only and approved separately.

- Any credentials, tokens, or restricted access details will be managed outside this test plan.

7. Entry / Exit Criteria

Entry Criteria

- Requirements and open questions are reviewed by the product owner or ticket author.
- QA/staging URL is available.
- Build containing KAN-1 is deployed.
- Test accounts are available for email/password, Google, SSO, and passkey flows.
- Expected redirects and link destinations are confirmed.
- Supported browser/device matrix is confirmed.

Exit Criteria

- P0 scenarios are executed and passed or have approved risk acceptance.
- P1 scenarios are executed or formally deferred.
- No open blocker/critical defects remain for login, authentication, or account access.
- High-severity defects are fixed, deferred with approval, or documented as known risk.
- Regression coverage for existing login/session behavior is completed.
- Test evidence and defect links are attached to the execution report.

8. Test Schedule & Deliverables

Deliverable	Description	Owner	Status
Test Plan	Draft plan for KAN-1	QA	Draft
Test Scenarios	Risk-prioritized scenarios in this document	QA	Draft
Test Cases	Detailed executable cases after review approval	QA	Pending
Test Data	Accounts and provider setup	QA / Dev / Product	Pending
Defect Reports	Issues raised during execution	QA	Pending
Test Summary	Execution and risk summary after testing	QA	Pending

Planned duration is to be confirmed after scope, environments, and identity-provider readiness are approved.

9. Human Review Gate

This plan requires human review before it is treated as approved.

Assumptions Made

- The attached design is current and approved.
- The listed controls are all expected to be functional on the login page.
- Alternative authentication provider internals are not in scope beyond login-page handoff and return behavior.
- Security, accessibility, analytics, and compatibility expectations should be clarified before execution sign-off.

Cannot Confirm Yet

- Formal acceptance criteria.
- QA/staging URL and build version.
- Expected post-login destination and redirect behavior.
- Exact validation and error messages.
- Identity provider test configuration.
- Remember-me persistence behavior.
- Supported browser/device matrix.
- Required analytics, audit logs, or monitoring.

Approval Request

Please review the open questions and assumptions above. Approve or edit this draft before detailed test cases or automation are created.