

Test Plan — VWO Digital Experience Optimization Platform

Document Control

Field	Details
Document Title	Test Plan — VWO Digital Experience Optimization Platform
Application	VWO (Visual Website Optimizer) — https://app.vwo.com/
Test Environment	CPTTEST
Document Version	1.0
Author	Associate QA Lead
Date	July 06, 2026
Status	Draft for Review

Revision History

Version	Date	Description	Author
1.0	July 06, 2026	Initial Test Plan creation	Associate QA Lead

Approvals

Role	Name	Signature	Date
QA Lead			
Project Manager			
Client Representative			

Table of Contents

1. [Objective](#)
 2. [Scope](#)
 3. [Test Environment](#)
 4. [Features to Test](#)
 5. [Testing Types](#)
 6. [Test Strategy](#)
 7. [Entry and Exit Criteria](#)
 8. [Defect Reporting Procedure](#)
 9. [Test Schedule](#)
 10. [Roles and Responsibilities](#)
 11. [Tools](#)
 12. [Risks and Mitigations](#)
 13. [Glossary](#)
-

1. Objective

The purpose of this test plan is to define the overall testing strategy, approach, resources, and schedule for validating the **VWO (Visual Website Optimizer) — Digital Experience Optimization (DXO) Platform** hosted at <https://app.vwo.com/>.

This test plan is created for the **CPTTEST environment**, which will be shared with the client prior to the start of testing. The goal is to ensure

the platform meets the functional and non-functional requirements defined in the Product Requirements Document (PRD) and delivers a high-quality, reliable, and secure experience to enterprise users.

The testing will focus on validating the core features such as:

- Experimentation & Testing (A/B, Split URL, Multivariate)
- Behavioral Insights (Heatmaps, Session Recordings, Surveys)
- Personalization Engine
- SmartStats Bayesian Analytics
- Visual & Code Editors
- Audience Targeting
- Real-time Reporting & Dashboards
- Integration Connectors
- Collaboration & Workflow Management

2. Scope

2.1 In Scope

The following features and capabilities from the PRD are within scope for testing on the **CPTEST environment**:

#	Feature	PRD Reference
1	A/B Testing, Split URL Testing, Multivariate Testing	FR1
2	SmartStats Bayesian Statistical Engine	FR2
3	Visual Editor (WYSIWYG) & Code Editor	FR3
4	Heatmaps & Session Recordings	FR4
5	Audience Targeting (behavior & attribute-based)	FR5
6	Real-time Reporting & Dashboards	FR6
7	Personalization Engine (segment-based content delivery)	FR7
8	Integration Connectors (GA, Mixpanel, Shopify, Salesforce, Segment, Snowflake, WordPress, Drupal)	FR8
9	Collaboration & Workflow Management (Kanban, planning)	FR9

2.2 Out of Scope

Item	Reason
Mobile native SDK experimentation	Listed as future enhancement in PRD
AI-driven suggestion engine	Listed as future enhancement in PRD
Predictive analytics & ROI forecasting	Listed as future enhancement in PRD
Third-party system internal testing	Only VWO-side integration validation will be performed
Performance/load testing on production	Scope limited to CPTTEST environment
Security penetration testing	Will be covered under a separate security assessment plan

2.3 User Flows Under Test

The following end-to-end user flows from the PRD will be tested:

1. **Setting Up an A/B Test Flow:**

- Define hypothesis and target metrics
- Select audience segment parameters
- Configure test variations (via visual or code editor)
- Launch test and monitor progress
- Review SmartStats results and conclude winner

2. **Analyzing Behavioral Data Flow:**

- Access VWO Insights dashboard
- Generate heatmaps, record sessions, set funnels
- Correlate behavior insights with test outcomes
- Prioritize optimization ideas

3. Test Environment

3.1 Environment Details

Parameter	Value
Environment Name	CPTEST
Application URL	https://app.vwo.com/ (CPTEST instance)
Environment Type	Staging / UAT
Shared With Client	Yes — prior to testing start

3.2 Supported Platforms & Browsers

Platform	Browser	Version(s)
Windows 10 / 11	Google Chrome	Latest 2 stable versions
Windows 10 / 11	Mozilla Firefox	Latest 2 stable versions
Windows 10 / 11	Microsoft Edge	Latest 2 stable versions
macOS (Ventura / Sonoma)	Safari	Latest 2 stable versions
Android Mobile OS	Google Chrome	Latest stable version
iOS Mobile OS	Safari Mobile	Latest stable version

3.3 Network Conditions

Condition	Description
Standard Bandwidth	Broadband / Wi-Fi (10+ Mbps)
Low Bandwidth	Simulated 3G (1-2 Mbps) for performance checks
Mobile Network	4G / 5G connectivity

4. Features to Test

4.1 A/B, Split URL & Multivariate Testing (FR1 — Priority: Must)

Description

VWO Testing enables users to execute controlled experiments with multiple variations across web pages. This includes A/B Testing (comparing two or more page variants), Split URL Testing (comparing different URLs), and Multivariate Testing (testing multiple element combinations).

Test Scenarios

TC ID	Scenario	Test Data Required	Expected Result
FR1_TC01	Create a new A/B experiment with two variations	Campaign name, URL, variation content	Experiment created successfully with variations
FR1_TC02	Create a Split URL test pointing variation to a different URL	Control URL, Variation URL	Split URL test created and variations mapped correctly
FR1_TC03	Create a Multivariate test with 3+ element combinations	Page elements, combination matrix	All combinations generated and tracked
FR1_TC04	Pause and resume a running experiment	Active experiment	Experiment pauses/resumes without data loss
FR1_TC05	Stop an experiment manually and declare a winner	Running experiment with sufficient data	Winner declared, results frozen
FR1_TC06	Schedule experiment start and end dates	Future start date, end date	Experiment auto-starts and auto-stops as scheduled
FR1_TC07	QA preview of experiment variations across devices	Experiment with variations	Variations render correctly on desktop, tablet, mobile
FR1_TC08	Delete a draft experiment	Draft experiment (not launched)	Experiment permanently removed
FR1_TC09	Verify experiment cannot be created with empty/invalid URL	Invalid URL, empty fields	Validation error displayed
FR1_TC10	Verify experiment count for free vs	Account with different plan	Limits enforced correctly

	paid plan limits	tiers	
--	------------------	-------	--

Data Requirements

- Valid experiment name (alphanumeric, special chars)
 - Valid page URLs (HTTP/HTTPS)
 - Variation content (text, images, HTML/CSS changes)
 - Audience segment parameters
 - Goal metrics (click, conversion, revenue, etc.)
-

4.2 SmartStats Engine (FR2 — Priority: Must)

Description

SmartStats is VWO's Bayesian-powered statistical engine that analyzes experiment results and provides actionable, statistically validated insights. It replaces traditional frequentist approaches with more intuitive probability-based reporting.

Test Scenarios

TC ID	Scenario	Test Data Required	Expected Result
FR2_TC01	Run an A/B test to completion and verify SmartStats output	Completed experiment with sufficient traffic	SmartStats shows winner with probability and uplift
FR2_TC02	Verify Bayesian probability percentage displayed correctly	Experiment data with known outcome	Probability matches expected Bayesian calculation
FR2_TC03	View confidence intervals and uplift range in report	Completed experiment	Uplift range and confidence interval displayed
FR2_TC04	Verify SmartStats behavior with low-traffic experiment	Low visitor count experiment	Engine shows "Insufficient data" or low confidence warning
FR2_TC05	Test SmartStats on a losing variation	Experiment where variation underperforms	Correctly identifies losing variation with low probability

Data Requirements

- Experiment with sufficient visitor count (1000+ visitors recommended)
- Multiple goal types (click, conversion, revenue)
- Experiment duration of at least 7 days for statistical significance

4.3 Visual & Code Editor (FR3 — Priority: Must)

Description

VWO provides both a WYSIWYG Visual Editor for drag-and-drop experiment setup without coding, and a Code Editor for developer-level

custom changes using JavaScript, CSS, and HTML.

Test Scenarios

TC ID	Scenario	Test Data Required	Expected Result
FR3_TC01	Edit page text using Visual Editor (WYSIWYG)	Target page URL	Text changed without affecting other page elements
FR3_TC02	Change an element's CSS (color, font, position) via Visual Editor	Page element selector	CSS changes applied correctly in preview
FR3_TC03	Hide/remove an element using Visual Editor	Target element	Element no longer visible in variation
FR3_TC04	Insert new HTML element using Visual Editor	HTML content	New element renders correctly in variation
FR3_TC05	Add custom JavaScript using Code Editor	JavaScript snippet	Code executes on variation page without errors
FR3_TC06	Add custom CSS using Code Editor	CSS rules	Styles applied correctly to variation
FR3_TC07	Validate editor changes render correctly on mobile viewport	Editor changes	Responsive rendering works on mobile
FR3_TC08	Undo/redo editor changes	Multiple edits in session	Undo and redo work correctly
FR3_TC09	Save a draft and reload editor with saved changes	Saved draft variation	All changes persist after page reload
FR3_TC10	Preview variation before publishing	Experiment with editor changes	Preview loads with all changes applied

Data Requirements

- Target page URL accessible from CPTEST environment
 - Sample text, CSS properties, JavaScript code snippets
 - HTML content for insertion
-

4.4 Heatmaps & Session Recordings (FR4 — Priority: Must)

Description

VWO Insights provides qualitative behavioral data through heatmaps (click, scroll, focus) and session recordings. These tools help teams visualize user interactions and identify UX bottlenecks.

Test Scenarios

TC ID	Scenario	Test Data Required	Expected Result
FR4_TC01	Generate a click heatmap for a target page	Page URL, minimum visitor threshold	Heatmap displays click density zones
FR4_TC02	Generate a scroll heatmap	Page URL, scroll data	Heatmap shows scroll reach percentage
FR4_TC03	Generate a focus/move heatmap	Page URL, mouse movement data	Focus areas correctly mapped
FR4_TC04	Record and play back a user session	Visitor session data on CPTEST	Session recording plays without errors
FR4_TC05	Filter session recordings by date range	Date range filter	Only sessions in date range displayed
FR4_TC06	Filter session recordings by visitor attribute	Attribute filter (e.g., browser, location)	Filtered results match criteria
FR4_TC07	Create and view a funnel analysis	Funnel steps (e.g., Home > Product > Cart > Checkout)	Funnel shows drop-off at each step
FR4_TC08	Create an on-page survey	Survey question(s), target page	Survey displays correctly on target page
FR4_TC09	View survey response data	Completed survey responses	Responses collected and displayed in dashboard
FR4_TC10	Delete a heatmap or session recording	Existing heatmap/recording	Successfully removed from dashboard

Data Requirements

- Target page URLs with sufficient visitor traffic
 - Visitor session data for recording playback
 - Funnel step URLs
 - Survey questions (text, multiple choice, rating)
-

4.5 Audience Targeting (FR5 — Priority: High)

Description

VWO enables audience segmentation based on visitor behaviors, attributes, demographics, geography, and custom parameters. Target segments can be applied to experiments and personalized experiences.

Test Scenarios

TC ID	Scenario	Test Data Required	Expected Result
FR5_TC01	Create audience segment by geographic location	Country, city, region parameters	Segment created and filters correctly
FR5_TC02	Create audience segment by device/browser type	Device type, browser name	Segment targets only matching visitors
FR5_TC03	Create audience segment by behavioral attribute	Pages visited, past purchases	Segment includes only matching users
FR5_TC04	Create audience segment by custom URL parameter	URL parameter key-value pair	Segment matches visitors with parameter
FR5_TC05	Apply audience segment to an A/B test	Experiment + audience segment	Test only shows variation to targeted audience
FR5_TC06	Apply audience segment to a personalization campaign	Campaign + audience segment	Content only delivered to target segment
FR5_TC07	Combine multiple conditions (AND/OR logic)	2+ segment conditions	Combined logic evaluated correctly
FR5_TC08	Verify non-matching visitor sees control/default	Experiment with audience targeting	Visitor outside segment sees control version
FR5_TC09	Edit an existing audience segment	Existing segment	Changes saved and applied to active experiments
FR5_TC10	Delete an audience segment	Existing segment not in use	Segment removed from list

Data Requirements

- Geographic test data (countries, cities)
 - Device/browser user-agent strings
 - Custom URL parameters
 - Visitor behavioral data
-

4.6 Real-time Reporting & Dashboards (FR6 — Priority: Must)

Description

VWO delivers up-to-date experiment analytics through dashboards that show real-time metrics, conversion data, and experiment performance. Reports include both leading and lagging indicators.

Test Scenarios

TC ID	Scenario	Test Data Required	Expected Result
FR6_TC01	View real-time dashboard showing all active experiments	2+ active experiments	Dashboard lists all experiments with live metrics
FR6_TC02	Verify real-time conversion count updates	Active experiment with visitors	Conversion count updates as visitors convert
FR6_TC03	View experiment-specific detailed report	Completed experiment	Report shows metrics, probability, uplift, visitors
FR6_TC04	Filter dashboard by date range	Date range filter	Dashboard data filtered correctly
FR6_TC05	Filter dashboard by experiment status (draft/running/completed)	Experiments in different states	Filter returns correct subset
FR6_TC06	Export report as CSV/PDF	Report data	File downloads with correct data
FR6_TC07	View guardrail metrics in dashboard	Experiment with guardrail metrics set	Guardrail metrics displayed and tracked
FR6_TC08	Verify dashboard loads within acceptable time	Large dataset (50+ experiments)	Dashboard renders within 2 seconds
FR6_TC09	Test dashboard when no experiments exist	Empty account	Dashboard shows empty state message

FR6_TC10	Schedule automated report email	Email recipients, frequency	Report sent as scheduled
----------	---------------------------------	-----------------------------	--------------------------

Data Requirements

- Active, draft, and completed experiments
- Visitor traffic generating real-time metrics
- Email configuration for scheduled reports

4.7 Personalization Engine (FR7 — Priority: High)

Description

VWO Personalize enables delivery of tailored user experiences to specific audience segments in real-time, enhancing engagement and conversion rates through targeted content.

Test Scenarios

TC ID	Scenario	Test Data Required	Expected Result
FR7_TC01	Create a personalization campaign	Campaign name, target page, audience segment	Campaign created successfully
FR7_TC02	Deliver personalized content to a geographic segment	Geo-targeted segment, localized content	User in target geo sees personalized content
FR7_TC03	Deliver personalized content based on past behavior	Behavioral segment, relevant content	Matching user sees personalized content
FR7_TC04	Deliver personalized content in real-time during a session	Visitor browsing session	Content changes without page reload
FR7_TC05	Verify non-segment user sees default content	User outside segment	Default page content displayed
FR7_TC06	Pause and resume a personalization campaign	Running campaign	Campaign pauses/resumes correctly
FR7_TC07	Measure engagement metrics for personalized campaign	Campaign with analytics	Engagement data recorded in dashboard
FR7_TC08	Set campaign end-date and verify auto-stop	Campaign with end date	Campaign auto-stops on scheduled date
FR7_TC09	Duplicate an existing personalization campaign	Existing campaign	Duplicate created with same settings
FR7_TC10	Delete a personalization campaign	Existing campaign (paused)	Campaign removed successfully

Data Requirements

- Audience segments (geographic, behavioral, demographic)
 - Personalized content (text, images, offers)
 - Visitor behavioral data for real-time matching
-

4.8 Integration Connectors (FR8 — Priority: High)

Description

VWO integrates with a broad ecosystem of analytics, CRM, commerce, and data platforms including Google Analytics, Mixpanel, Shopify, Salesforce, Segment, Snowflake, WordPress, and Drupal for unified data workflows.

Test Scenarios

TC ID	Scenario	Test Data Required	Expected Result
FR8_TC01	Configure Google Analytics integration in VWO	GA tracking ID/property	Integration established successfully
FR8_TC02	Verify experiment data sent to Google Analytics	Active experiment, GA configured	GA shows VWO experiment data
FR8_TC03	Configure Mixpanel integration	Mixpanel project token	Integration established successfully
FR8_TC04	Verify VWO data appears in Mixpanel dashboard	Experiment with data	Mixpanel receives and displays VWO events
FR8_TC05	Configure Shopify integration	Shopify store URL, API credentials	Integration established successfully
FR8_TC06	Verify experiment data synced to Shopify	Active experiment on Shopify	Data appears in Shopify dashboard
FR8_TC07	Configure Salesforce integration	Salesforce instance, API credentials	Integration established successfully
FR8_TC08	Configure Segment integration	Segment write key	Data routed through Segment correctly
FR8_TC09	Configure Snowflake integration	Snowflake account details	Data export to Snowflake works
FR8_TC10	Configure WordPress plugin integration	WordPress admin credentials	VWO plugin activates and connects

FR8_TC11	Configure Drupal module integration	Drupal admin credentials	VWO module installs and connects
FR8_TC12	Remove/disconnect an integration and verify data stops flowing	Active integration	Integration removed, no further data sync
FR8_TC13	Verify error handling when integration credentials are invalid	Invalid API key/token	Clear error message displayed

Data Requirements

- API keys, tokens, and credentials for each integration platform
- Test accounts on GA, Mixpanel, Shopify, Salesforce, Segment, Snowflake
- WordPress and Drupal admin access

4.9 Collaboration & Workflow Management (FR9 — Priority: Medium)

Description

VWO Plan / Program Management provides a central planning interface for optimization initiatives, Kanban-style workflows for experiment backlogs, and collaboration tools for distributed teams.

Test Scenarios

TC ID	Scenario	Test Data Required	Expected Result
FR9_TC01	Create a new experiment idea in the planning board	Experiment name, description, hypothesis	Idea created in backlog
FR9_TC02	Move experiment through Kanban stages (Idea > Draft > Running > Completed)	Experiment in backlog	Experiment moves through workflow stages
FR9_TC03	Add team member as collaborator to an experiment	Team member email/username	Collaborator added with appropriate permissions
FR9_TC04	Add comments/notes to an experiment card	Comment text	Comment saved and visible to team
FR9_TC05	Assign experiment owner to a team member	Team member name	Owner assigned and notified
FR9_TC06	Set experiment priority (High/Medium/Low)	Priority level	Experiment sorted by priority in board
FR9_TC07	Search/filter experiments in planning board	Keyword, status filter	Filtered results match criteria
FR9_TC08	Archive an experiment from planning board	Completed/discarded experiment	Experiment moved to archived state
FR9_TC09	View experiment history and activity log	Experiment with changes/modifications	Activity log shows all changes with timestamps

FR9_TC10	Verify non-collaborator cannot modify someone else's experiment	Experiment owned by another user	Edit/view restrictions applied correctly
----------	---	----------------------------------	--

Data Requirements

- Multiple team member accounts
- Experiment ideas with descriptions and hypotheses
- Comment and note content

5. Testing Types

#	Testing Type	Description
1	Smoke Testing	Verify critical functionalities (login, dashboard load, experiment creation) are working after each build deployment
2	Functional Testing	Validate each feature (FR1-FR9) against requirements — verify inputs, outputs, and business logic
3	UI/UX Testing	Verify visual editor changes render correctly, dashboard layouts appear as designed, and cross-browser consistency
4	Integration Testing	Validate VWO's data flow with external platforms (GA, Mixpanel, Shopify, Salesforce, Segment, etc.)
5	Regression Testing	Re-run existing test cases after bug fixes or new deployments to ensure no side effects
6	Cross-Browser Testing	Verify features work on Chrome, Firefox, Edge, Safari (desktop + mobile)
7	Usability Testing	Ensure the platform is intuitive for CRO specialists, product managers, and marketers
8	Performance Testing	Verify page/dashboard load times stay within 2-second threshold for editing workflows
9	Security Testing	Validate 2FA, role-based access control (RBAC), and activity logging
10	Data Validation Testing	Verify SmartStats calculations, conversion tracking accuracy, and data consistency across reports
11	Exploratory Testing	Ad-hoc testing to uncover edge cases not covered by scripted test cases
12	End-to-End Flow Testing	Test complete user journeys (e.g., create experiment > launch > analyze results > report)

6. Test Strategy

6.1 Approach

The testing will follow a **phased approach**:

1. **Requirement Analysis Phase**: Review PRD, identify testable requirements, and create traceability.
2. **Test Planning Phase**: Finalize scope, environment, resources, and schedule — this document.
3. **Test Design Phase**: Create detailed test scenarios and test cases using the following techniques:
 - **Equivalence Class Partitioning** — for input validation (e.g., experiment name length, URL formats)
 - **Boundary Value Analysis** — for numeric limits (e.g., visitor count, variation limits)
 - **Decision Table Testing** — for audience targeting logic (AND/OR conditions)
 - **State Transition Testing** — for experiment lifecycle (Draft > Running > Paused > Completed > Archived)
 - **Use Case Testing** — for end-to-end user flows
 - **Error Guessing** — for common edge cases and failure scenarios
 - **Exploratory Testing** — for uncovering unexpected issues
4. **Test Execution Phase**:
 - **Step 1**: Smoke testing on CPTEST build
 - **Step 2**: If smoke passes — proceed with in-depth functional testing
 - **Step 3**: Execute regression test suite
 - **Step 4**: Report defects in JIRA with severity and priority
 - **Step 5**: Daily status report to stakeholders
5. **Test Closure Phase**: Prepare test summary report, get sign-off

6.2 Test Prioritization

Priority	Criteria	Features
P0 — Critical	Must-have; core platform functionality	FR1, FR2, FR3, FR4, FR6
P1 — High	Important for business value; high impact	FR5, FR7, FR8
P2 — Medium	Nice-to-have; lower business impact	FR9
P3 — Low	Edge cases, UI polish, minor enhancements	Derived from exploratory testing

6.3 Test Data Strategy

- Use synthetic visitor data generated on CPTEST environment
- Create dedicated test accounts for each user role (Admin, Editor, Viewer)
- Use sandbox/test instances of integrated platforms (GA test property, Mixpanel test project, Shopify dev store)
- Maintain a test data sheet with all credentials and test parameters

7. Entry and Exit Criteria

7.1 Test Execution Phase

Criteria Type	Criteria
Entry Criteria	• CPTEST environment is ready and accessible • Test data is seeded (experiments, visitors, sessions) • Test cases are reviewed and approved • Smoke tests pass on the build • All team members have access to JIRA and CPTEST
Exit Criteria	• All P0 and P1 test cases are executed • No open Critical (P0) defects • All P0/P1 defects are triaged and assigned • Test execution report is shared with stakeholders

7.2 Test Closure Phase

Criteria Type	Criteria
Entry Criteria	• Test execution is complete • Defect reports are ready and shared
Exit Criteria	• Test Summary Report is prepared and approved • All critical and high defects are resolved or deferred with client approval • Lessons learned document is created • Test artifacts are archived

8. Defect Reporting Procedure

8.1 Defect Lifecycle

1. **New** — Tester logs the defect in JIRA
2. **Triaged** — QA Lead reviews and assigns severity/priority
3. **Assigned** — Developer assigned for fix
4. **In Progress** — Developer is working on fix
5. **Fixed** — Developer marks as fixed with resolution notes
6. **Ready for Retest** — Tester verifies fix on CPTEST
7. **Closed** — Fix verified and defect closed
8. **Reopened** — If the fix fails verification or issue reoccurs

8.2 Severity & Priority Matrix

Severity	Priority	Description	Example
Critical (S1)	P0	System crash, data loss, core feature broken	Experiment cannot be created, login failure
Major (S2)	P1	Feature partially broken, workaround available	SmartStats not showing probability, report export fails
Minor (S3)	P2	Cosmetic issues, non-critical UI problems	Misaligned element in visual editor, typo in label
Trivial (S4)	P3	Low impact, enhancement suggestions	Tooltip text not descriptive, color contrast suggestion

8.3 Defect Report Template

Field	Description
Summary	Brief title of the defect (e.g., "A/B test variations not rendering on Safari")
Environment	CPTEST
Feature	FR1 / FR3 / etc.
Steps to Reproduce	1. Go to... 2. Click on... 3. Observe...
Actual Result	What actually happened
Expected Result	What should have happened
Severity	Critical / Major / Minor / Trivial
Priority	P0 / P1 / P2 / P3
Attachment	Screenshot, video, or logs
Reported By	Tester name

8.4 Defect Point of Contact

Area	Contact
Frontend	Dev Lead (Frontend)
Backend	Dev Lead (Backend)
DevOps / Environment	DevOps Lead
Defect Tracking Tool	JIRA

9. Test Schedule

Phase	Task	Duration	Start Date	End Date
Planning	Test Plan creation and review	3 days	TBD	TBD
Design	Test Scenario & Test Case creation	5 days	TBD	TBD
Design	Test Case review and sign-off	2 days	TBD	TBD
Execution — Cycle 1	Smoke testing, functional testing, defect reporting	10 days	TBD	TBD
Execution — Cycle 2	Regression testing, retesting fixes	5 days	TBD	TBD
Closure	Test Summary Report, Lessons Learned	2 days	TBD	TBD
Total		~27 working days		

Note: Exact dates to be finalized upon project kick-off.

10. Roles and Responsibilities

Role	Name	Responsibilities
QA Lead	Associate QA Lead	• Define test strategy and plan • Review test cases • Track defects and report status • Liaise with client and management
QA Engineers (3-4)	TBD	• Create and execute test cases • Report and verify defects • Perform cross-browser and regression testing • Provide daily status updates
Development Lead	TBD	• Coordinate defect fixes • Provide build updates • Support environment stability
Project Manager	TBD	• Approve test plan and schedule • Resource management • Escalation point
Client / Stakeholder	TBD	• Review and approve test plan • Sign-off on test completion • Provide feedback on strategy

11. Tools

Tool	Purpose
JIRA	Defect tracking, test case management, project tracking
Google Chrome DevTools	DOM inspection, console logs, network monitoring
BrowserStack / Sauce Labs	Cross-browser and cross-device testing
Postman	API integration testing (for integration connectors)
Microsoft Excel / Google Sheets	Test case documentation and traceability matrix
Confluence / SharePoint	Test plan and report repository
Snipping Tool / Snagit	Screenshot capture for defect reporting
Lighthouse / GTmetrix	Performance validation (load times)
Clockify / Toggl	Time tracking for testing activities

12. Risks and Mitigations

#	Risk	Impact	Probability	Mitigation
R1	CPTEST environment downtime / instability	Blocks testing progress	Medium	• Maintain backup test scripts • Have offline review tasks ready
R2	Resource unavailability (team member leave/attrition)	Delays in test execution	Medium	• Cross-train team members • Maintain resource backup plan
R3	Insufficient test data for SmartStats validation	Inconclusive statistical results	High	• Use synthetic traffic generators • Create data seeding scripts
R4	Integration connector test accounts not available	Integration testing blocked	Medium	• Procure credentials early in planning phase • Use sandbox/free tiers
R5	Tight timeline — reduced testing window	Incomplete test coverage	Medium	• Prioritize P0/P1 test cases • Ramp up resources if needed
R6	Cross-browser compatibility issues discovered late	Rework and delays	Low	• Start cross-browser testing early in Cycle 1
R7	Build quality issues (smoke test failures)	Repeated cycle delays	Medium	• Define clear acceptance criteria for builds • Communicate build quality

				expectations to dev team
--	--	--	--	-----------------------------

13. Glossary

This glossary explains technical terms used in this test plan in simple language for easy understanding by all team members and management.

Term	Simple Definition
A/B Testing	A method where two versions of a web page (A and B) are shown to visitors to see which performs better on a goal
Audience Targeting	Showing specific content or experiments only to a selected group of visitors based on their characteristics
Bayesian Statistics	A statistical method that calculates the probability of one variation being better than another, updating as more data comes in
BVA (Boundary Value Analysis)	A testing technique that checks values at the edges of allowed input ranges (e.g., minimum and maximum)
CCPA	California Consumer Privacy Act — a US law that protects residents' personal data privacy
CRO (Conversion Rate Optimization)	The process of improving the percentage of website visitors who take a desired action (buy, sign up, etc.)
Dashboard	A visual screen that shows key metrics and data in charts, graphs, and tables at a glance
Decision Table Testing	A testing technique that maps different combinations of inputs to their expected outputs
DXO (Digital Experience Optimization)	The practice of improving how users interact with a digital product (website/app) to achieve better business outcomes
ECP (Equivalence Class Partitioning)	A testing technique that divides input data into groups where all values in a group behave the same way
Funnel	The step-by-step path a user follows on a website (e.g., Homepage → Product Page → Cart → Checkout)
GDPR	General Data Protection Regulation — a European law that protects personal data and privacy

Guardrail Metrics	Safety metrics monitored during experiments to ensure changes don't negatively impact other business areas
Heatmap	A visual map showing where users click, scroll, or focus most on a webpage — hot areas show high activity
Kanban	A visual workflow management method using cards and columns to track work stages (e.g., To Do → In Progress → Done)
KPIs (Key Performance Indicators)	Measurable values that show how well the platform or business is achieving its goals
Lagging Indicators	Metrics that show results after they happen (e.g., total conversions after an experiment ends)
Leading Indicators	Metrics that predict future outcomes (e.g., early engagement data during an experiment)
Multivariate Testing	Testing multiple combinations of page elements at once to find the best performing combination
Personalization	Delivering customized content, offers, or experiences to individual users based on their profile or behavior
RBAC (Role-Based Access Control)	A security approach where users get access permissions based on their role (Admin, Editor, Viewer)
Regression Testing	Re-running tests after code changes to make sure existing features still work correctly
Session Recording	A video-like recording of a visitor's browsing session showing mouse movements, clicks, and page interactions
SLA (Service Level Agreement)	A commitment about the expected uptime/performance of the system (e.g., 99.9% uptime = less than 9 hours downtime per year)
SmartStats	VWO's built-in statistics engine that uses Bayesian methods to analyze experiment results
Smoke Testing	A quick check of the most critical functions to decide if the build is stable enough for detailed

	testing
Split URL Testing	An experiment where different URLs are compared against each other (e.g., current page vs. a redesigned page)
State Transition Testing	A testing technique that checks if a system correctly moves between different states (e.g., Draft → Running → Completed)
UAT (User Acceptance Testing)	Testing done by end-users or clients to confirm the system meets their needs
Variation	A changed version of a webpage created for testing against the original (control) version
WYSIWYG (What You See Is What You Get)	An editor where changes made visually on screen match exactly what the end-user will see
2FA (Two-Factor Authentication)	An extra layer of security requiring a code from a phone/app in addition to a password
99.9% Uptime	The system is available 99.9% of the time — equals approximately 8.76 hours of downtime allowed per year

Document Sign-Off

Role	Name	Signature	Date
QA Lead			
Project Manager			
Client Representative			

End of Test Plan — VWO Digital Experience Optimization Platform