```
Started by user Cheryl Lach
Checking out teamconcert-https://clm.rational.oit.va.gov/ccm-RTC601-TAS_API_BuildDef_CIMag into /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_T
RTC : checkout...
Running in Durability level: MAX_SURVIVABILITY
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_API
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Declarative: Checkout SCM)
[Pipeline] checkout
RTC : checkout...
[Pipeline] }
[Pipeline] // stage
[Pipeline] withEnv
[Pipeline] {
[Pipeline] withEnv
[Pipeline] {
[Pipeline] timestamps
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Prepare workspace with source code)
[Pipeline] script
[Pipeline] {
[Pipeline] echo
determine region for MAG_DEV
[Pipeline] echo
determine main env for region MAG, (aka MAG_DEV)
[Pipeline] echo
determine action for MAG_DEV, (aka MAG, DEV)
[Pipeline] echo
Initialize workspace from RTC
[Pipeline] teamconcert
RTC : checkout...
[Pipeline] echo
Verify component (MCCF_EDI_TAS_API_Core) exists
[Pipeline] sh
+ [[ -d MCCF_EDI_TAS_API_Core ]]
+ echo 'Component (MCCF_EDI_TAS_API_Core) exists, safe to proceed'
Component (MCCF_EDI_TAS_API_Core) exists, safe to proceed
[Pipeline] echo
MAG environment, determine SRC_STREAM
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Pre-Build Setup)
[Pipeline] echo
create artifact location for jenkins (/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_API/artifacts/20190223_160427)
[Pipeline] sh
+ mkdir -p /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_API/artifacts/20190223_160427
[Pipeline] echo
set final packageVersion
[Pipeline] dir
Running in /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_API/MCCF_EDI_TAS_API_Core/src
[Pipeline] {
[Pipeline] script
[Pipeline] {
[Pipeline] echo
building in MAG, do not use git commit in packageVersion
[Pipeline] echo
final packageVersion for tag TAS_API.01.00.38_20190223_160427
[Pipeline] echo
building for package TAS_API.01.00.38_20190223_160427.tar.gz
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Build and Deploy)
[Pipeline] dir
Running in /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_API/MCCF_EDI_TAS_API_Core/src
[Pipeline] {
[Pipeline] script
[Pipeline] {
[Pipeline] sh
+ echo 'DIST_OUTPUT_FILE = TAS_API.01.00.38_20190223_160427.tar'
DIST_OUTPUT_FILE = TAS_API.01.00.38_20190223_160427.tar
+ echo 'DIST_OUTPUT_FILENAME = TAS_API.01.00.38_20190223_160427.tar.gz'
DIST_OUTPUT_FILENAME = TAS_API.01.00.38_20190223_160427.tar.gz
+ sudo docker build . -f Dockerfile.api-full -t tas/api:01.00.38
Sending build context to Docker daemon  5.985MB

Step 1/8 : FROM node:8.11.2
 ---> baf6417c4cac
Step 2/8 : WORKDIR /var/app
 ---> Using cache
 ---> 9b7f53097a9d
Step 3/8 : RUN groupadd -g 1001 -r api && useradd -u 1001 -r -g api api
 ---> Using cache
 ---> 9d171e23ec19
Step 4/8 : COPY package.json /var/app/
 ---> Using cache
 ---> 218145f709ae
Step 5/8 : RUN npm install
 ---> Using cache
```

```
 ---> 12a1c2d2117c
Step 6/8 : COPY . /var/app
 ---> Using cache
 ---> c15a5799a0ac
Step 7/8 : USER api:api
 ---> Using cache
 ---> 31d80382d500
Step 8/8 : ENTRYPOINT node tas/app.js
 ---> Using cache
 ---> 8df63eed4e81
Successfully built 8df63eed4e81
Successfully tagged tas/api:01.00.38
+ sudo docker images
REPOSITORY          TAG             IMAGE ID        CREATED         SIZE
tas/api             01.00.34        8df63eed4e81    8 days ago      776MB
tas/api             01.00.35        8df63eed4e81    8 days ago      776MB
tas/api             01.00.36        8df63eed4e81    8 days ago      776MB
tas/api             01.00.37        8df63eed4e81    8 days ago      776MB
tas/api             01.00.38        8df63eed4e81    8 days ago      776MB
tas/api             01.00.40        fe9e10434868    4 weeks ago     776MB
tas/api             01.00.43        fe9e10434868    4 weeks ago     776MB
tas/api             01.00.44        fe9e10434868    4 weeks ago     776MB
tas/api             01.00.45        fe9e10434868    4 weeks ago     776MB
tas/api             01.00.46        fe9e10434868    4 weeks ago     776MB
tas/api             01.00.47        fe9e10434868    4 weeks ago     776MB
tas/api             01.00.48        fe9e10434868    4 weeks ago     776MB
tas/api             01.00.50        fe9e10434868    4 weeks ago     776MB
tas/api             01.00.51        fe9e10434868    4 weeks ago     776MB
tas/api             01.00.39        d28152eeeda1    7 weeks ago     776MB
node                8.11.2          baf6417c4cac    8 months ago    673MB
+ sudo docker save tas/api:01.00.38
+ sudo gzip TAS_API.01.00.38_20190223_160427.tar
[Pipeline] fileExists
[Pipeline] echo
TAS_API.01.00.38_20190223_160427.tar.gz created, ready to package
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Verify Docker Image)
[Pipeline] echo
Verify package TAS_API.01.00.38_20190223_160427.tar.gz
[Pipeline] dir
Running in /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_API/MCCF_EDI_TAS_API_Core/src
[Pipeline] {
[Pipeline] sh
+ sudo docker image inspect tas/api:01.00.38
[
    {
        "Id": "sha256:8df63eed4e8156c497aa568fe2e578003d4d62fb7cbafa67eec861d3911b27f4",
        "RepoTags": [
            "tas/api:01.00.34",
            "tas/api:01.00.35",
            "tas/api:01.00.36",
            "tas/api:01.00.37",
            "tas/api:01.00.38"
        ],
        "RepoDigests": [],
        "Parent": "sha256:31d80382d500c42f59c26bbe67997bc29bc68ae649263dc6453277ca6489ff15",
        "Comment": "",
        "Created": "2019-02-15T16:07:41.10269189Z",
        "Container": "af4f3f42f4d8fbad1724bc4d6491515886300178dbe0c0eedfc706092443455f",
        "ContainerConfig": {
            "Hostname": "af4f3f42f4d8",
            "Domainname": "",
            "User": "api:api",
            "AttachStdin": false,
            "AttachStdout": false,
            "AttachStderr": false,
            "Tty": false,
            "OpenStdin": false,
            "StdinOnce": false,
            "Env": [
                "PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin",
                "NODE_VERSION=8.11.2",
                "YARN_VERSION=1.6.0"
            ],
            "Cmd": [
                "/bin/sh",
                "-c",
                "#(nop) ",
                "ENTRYPOINT [\"node\" \"tas/app.js\"]"
            ],
            "ArgsEscaped": true,
            "Image": "sha256:31d80382d500c42f59c26bbe67997bc29bc68ae649263dc6453277ca6489ff15",
            "Volumes": null,
            "WorkingDir": "/var/app",
            "Entrypoint": [
                "node",
                "tas/app.js"
            ],
            "OnBuild": [],
            "Labels": {}
        },
        "DockerVersion": "17.09.1-ce",
        "Author": "",
        "Config": {
```

```
            "Hostname": "",
            "Domainname": "",
            "User": "api:api",
            "AttachStdin": false,
            "AttachStdout": false,
            "AttachStderr": false,
            "Tty": false,
            "OpenStdin": false,
            "StdinOnce": false,
            "Env": [
                "PATH=/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin",
                "NODE_VERSION=8.11.2",
                "YARN_VERSION=1.6.0"
            ],
            "Cmd": null,
            "ArgsEscaped": true,
            "Image": "sha256:31d80382d500c42f59c26bbe67997bc29bc68ae649263dc6453277ca6489ff15",
            "Volumes": null,
            "WorkingDir": "/var/app",
            "Entrypoint": [
                "node",
                "tas/app.js"
            ],
            "OnBuild": [],
            "Labels": null
        },
        "Architecture": "amd64",
        "Os": "linux",
        "Size": 775931929,
        "VirtualSize": 775931929,
        "GraphDriver": {
            "Data": {
                "RootDir": "/var/lib/docker/overlay/02058dfb686d23e2b7cb6da7fc6d6d8fbbd4d5e3d559776b49df201e0745ef16/root"
            },
            "Name": "overlay"
        },
        "RootFS": {
            "Type": "layers",
            "Layers": [
                "sha256:2c833f307fd8f18a378b71d3c43c575fabdb88955a2198662938ac2a08a99928",
                "sha256:5f349fdc9028f7edde7f8d4c487d59b3e4b9d66a367dc85492fc7a81abf57b41",
                "sha256:bb6d734b467e06b65c8e1066c3ea953293615137992827f4004ee860397173f3",
                "sha256:f3693db46abb018f72d41856ae00c0a5ca73e46606f9c8b6b942e0da9354b22a",
                "sha256:bf769027dbbd15097c3762263f5ea2157185be40bbd4f93bd955eb7d43536415",
                "sha256:8c825a971eaf367c88f7d0590ee1261c8519b676e7e3aec69dd970725be377b4",
                "sha256:0ecfa879a9678d945f9847d49cc0270597b121808c9c0c11dcae87e100d8912b",
                "sha256:f156c8007fd82636c066f18080ddfbb20fd274ff363ccda9a42226892a32cbb9",
                "sha256:c05690640cd540a3dbb0c5e45d7bfd66a4367583f0e116d923761278383c8e2a",
                "sha256:dc89995bc9e13f053c8623d01dc05cde8ba9f2b623e24961403ae49205023429",
                "sha256:c41dc98719641b85d1bd8fd582a8809efbbad0f2eed48e505a5f23e9524b392d",
                "sha256:3ab6687fe3af9be4172de7b8519dff73fc6ff5bb93077e2dab537a8540dc8889",
                "sha256:1e1fc5791023ccac56b49f018a25a6a299bb090ad8101cf052d0f2cfc399f143"
            ]
        },
        "Metadata": {
            "LastTagTime": "2019-02-23T16:04:54.108214669-05:00"
        }
    }
]
```

```
[Pipeline] echo
TAS API Docker Image inspection processed successfully
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Stage Package)
[Pipeline] echo
stage the packaged distribution (TAS_API.01.00.38_20190223_160427.tar.gz) for TAS_API.01.00.38_20190223_160427
[Pipeline] dir
Running in /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_API/MCCF_EDI_TAS_API_Core/src
[Pipeline] {
[Pipeline] echo
stage the latest build artifact(TAS_API.01.00.38_20190223_160427.tar.gz) for deployment
[Pipeline] echo
check for TGT_STREAM
[Pipeline] echo
TGT_STREAM found (CI)
[Pipeline] echo
check /var/www/html/rtc/tas directory exist
[Pipeline] sh
+ [[ -d /var/www/html/rtc/tas ]]
[Pipeline] echo
fix directory permissions
[Pipeline] sh
+ set -x
++ dirname /var/www/html/rtc/tas
+ sudo find /var/www/html/rtc -type d -exec chmod 0755 '{}' ';'
[Pipeline] echo
copy TAS_API.01.00.38_20190223_160427.tar.gz to /var/www/html/rtc/tas/
[Pipeline] sh
+ sudo cp TAS_API.01.00.38_20190223_160427.tar.gz /var/www/html/rtc/tas/
[Pipeline] echo
create symbolic link to staged artifact
[Pipeline] sh
+ sudo ln -sfn /var/www/html/rtc/tas/TAS_API.01.00.38_20190223_160427.tar.gz /var/www/html/latest_tasapi_ci
[Pipeline] echo
verify link created
[Pipeline] sh
+ readlink /var/www/html/latest_tasapi_ci
```

```
[Pipeline] sh
+ [[ -n /var/www/html/rtc/tas/TAS_API.01.00.38_20190223_160427.tar.gz ]]
+ echo 'link exists for /var/www/html/latest_tasapi_ci'
link exists for /var/www/html/latest_tasapi_ci
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Declarative: Post Actions)
[Pipeline] echo
POST always: all tasks are completed, collecting environment variables to /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_API/jenkins-MCCF_TA
[Pipeline] sh
+ printenv
[Pipeline] echo
POST always: archiving all logs and artifacts specified
[Pipeline] publishHTML
[htmlpublisher] Archiving HTML reports...
[htmlpublisher] Archiving at BUILD level /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_API/coverage to /home/jenkins/jobs/MCCF_TAS/jobs/RTC
[Pipeline] echo
POST success: check environment to determine commit actions
[Pipeline] script
[Pipeline] {
[Pipeline] echo
POST success: determine proper commit action for MAG_DEV, (aka MAG)
[Pipeline] echo
POST success: copy packaged artifact (TAS_API.01.00.38_20190223_160427.tar) to Build_Artifacts
[Pipeline] sh
+ pwd
/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_API
+ ls -la
total 8
drwxr-xr-x.  9 jenkins jenkins  250 Feb 23 15:07 .
drwxr-xr-x. 14 jenkins jenkins 4096 Feb 23 15:04 ..
drwxr-xr-x.  3 jenkins jenkins   29 Feb 23 15:04 artifacts
drwxr-xr-x.  8 jenkins jenkins  287 Feb 23 15:04 .jazz5
-rw-r--r--.  1 jenkins jenkins 3484 Feb 23 15:07 jenkins-MCCF_TAS-RTC_MCCF_TAS_API-38.log
drwxr-xr-x.  5 jenkins jenkins   98 Feb 23 15:04 MCCF_EDI_TAS_API_Core
drwxr-xr-x.  2 jenkins jenkins   22 Feb 23 15:04 MCCF_EDI_TAS_API_eBilling
drwxr-xr-x.  2 jenkins jenkins   22 Feb 23 15:04 MCCF_EDI_TAS_API_eInsurance
drwxr-xr-x.  2 jenkins jenkins   22 Feb 23 15:04 MCCF_EDI_TAS_API_ePayments
drwxr-xr-x.  2 jenkins jenkins   22 Feb 23 15:04 MCCF_EDI_TAS_API_ePharmacy
+ mkdir -p /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_API/Build_Artifacts/TAS_API.01.00.38_20190223_160427
+ mv /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_API/MCCF_EDI_TAS_API_Core/src/TAS_API.01.00.38_20190223_160427.tar.gz /home/jenkins/work
+ echo 'POST success: check /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_API/Build_Artifacts/TAS_API.01.00.38_20190223_160427/TAS_API.01.0
POST success: check /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_API/Build_Artifacts/TAS_API.01.00.38_20190223_160427/TAS_API.01.00.38_201
+ [[ -f /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_API/Build_Artifacts/TAS_API.01.00.38_20190223_160427/TAS_API.01.00.38_20190223_160427
+ echo 'POST success: Artifact (/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_API/Build_Artifacts/TAS_API.01.00.38_20190223_160427/TAS_API.
POST success: Artifact (/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_API/Build_Artifacts/TAS_API.01.00.38_20190223_160427/TAS_API.01.00.38
[Pipeline] echo
cleanup prior to checkin and deliver
[Pipeline] dir
Running in /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_API/MCCF_EDI_TAS_API_Core/src
[Pipeline] {
[Pipeline] sh
+ ls -la
total 128
drwxr-xr-x.  5 jenkins jenkins   218 Feb 23 15:07 .
drwxr-xr-x.  5 jenkins jenkins    98 Feb 23 15:04 ..
drwxr-xr-x. 10 jenkins jenkins   163 Feb 23 15:04 app
-rw-r--r--.  1 jenkins jenkins   522 Feb 23 15:04 Dockerfile
-rw-r--r--.  1 jenkins jenkins   185 Feb 23 15:04 Dockerfile.api
-rw-r--r--.  1 jenkins jenkins   224 Feb 23 15:04 Dockerfile.api-full
-rw-r--r--.  1 jenkins jenkins   433 Feb 23 15:04 Dockerfile.dev
-rw-r--r--.  1 jenkins jenkins   234 Feb 23 15:04 Dockerfile.test
-rw-r--r--.  1 jenkins jenkins    13 Feb 23 15:04 .dockerignore
-rw-r--r--.  1 jenkins jenkins   905 Feb 23 15:04 package.json
-rw-r--r--.  1 jenkins jenkins 91406 Feb 23 15:04 package-lock.json
drwxr-xr-x.  7 jenkins jenkins  4096 Feb 23 15:04 tas
drwxr-xr-x. 14 jenkins jenkins  4096 Feb 23 15:04 test
[Pipeline] sh
+ find . -name '.@*' -type f -delete
[Pipeline] sh
+ find . -name .gitignore -type f -delete
[Pipeline] sh
+ find . -name '*@*' -type d -delete
[Pipeline] sh
+ ls -la
total 128
drwxr-xr-x.  5 jenkins jenkins   218 Feb 23 15:07 .
drwxr-xr-x.  5 jenkins jenkins    98 Feb 23 15:04 ..
drwxr-xr-x. 10 jenkins jenkins   163 Feb 23 15:04 app
-rw-r--r--.  1 jenkins jenkins   522 Feb 23 15:04 Dockerfile
-rw-r--r--.  1 jenkins jenkins   185 Feb 23 15:04 Dockerfile.api
-rw-r--r--.  1 jenkins jenkins   224 Feb 23 15:04 Dockerfile.api-full
-rw-r--r--.  1 jenkins jenkins   433 Feb 23 15:04 Dockerfile.dev
-rw-r--r--.  1 jenkins jenkins   234 Feb 23 15:04 Dockerfile.test
-rw-r--r--.  1 jenkins jenkins    13 Feb 23 15:04 .dockerignore
-rw-r--r--.  1 jenkins jenkins   905 Feb 23 15:04 package.json
-rw-r--r--.  1 jenkins jenkins 91406 Feb 23 15:04 package-lock.json
drwxr-xr-x.  7 jenkins jenkins  4096 Feb 23 15:04 tas
drwxr-xr-x. 14 jenkins jenkins  4096 Feb 23 15:04 test
[Pipeline] }
[Pipeline] // dir
[Pipeline] dir
Running in /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_API/MCCF_EDI_TAS_API_Core
[Pipeline] {
[Pipeline] sh
+ ls -la
total 68
```

```
drwxr-xr-x.  5 jenkins jenkins    98 Feb 23 15:04 .
drwxr-xr-x. 11 jenkins jenkins  4096 Feb 23 15:07 ..
-rw-r--r--.  1 jenkins jenkins 20732 Feb 23 15:04 Jenkinsfile
-rw-r--r--.  1 jenkins jenkins   214 Feb 23 15:04 .project
drwxr-xr-x.  2 jenkins jenkins    30 Feb 23 15:04 readme
-rw-r--r--.  1 jenkins jenkins 36216 Feb 23 15:04 README.md
drwxr-xr-x.  5 jenkins jenkins   218 Feb 23 15:07 src
drwxr-xr-x.  2 jenkins jenkins     6 Feb 23 15:07 src@tmp
[Pipeline] sh
+ find . -name '.@*' -type f -delete
[Pipeline] sh
+ find . -name .gitignore -type f -delete
[Pipeline] sh
+ find . -name '*@*' -type d -delete
[Pipeline] sh
+ ls -la
total 68
drwxr-xr-x.  4 jenkins jenkins    83 Feb 23 15:07 .
drwxr-xr-x. 11 jenkins jenkins  4096 Feb 23 15:07 ..
-rw-r--r--.  1 jenkins jenkins 20732 Feb 23 15:04 Jenkinsfile
-rw-r--r--.  1 jenkins jenkins   214 Feb 23 15:04 .project
drwxr-xr-x.  2 jenkins jenkins    30 Feb 23 15:04 readme
-rw-r--r--.  1 jenkins jenkins 36216 Feb 23 15:04 README.md
drwxr-xr-x.  5 jenkins jenkins   218 Feb 23 15:07 src
[Pipeline] }
[Pipeline] // dir
[Pipeline] withCredentials
[Pipeline] {
[Pipeline] isUnix
[Pipeline] sh
+ hostname
[Pipeline] echo
show scm status
[Pipeline] sh
+ /opt/ibm/teamconcert/6.0.1/jazz/scmtools/eclipse/scm.sh show status -u **** -P '****' -v --all -d /home/jenkins/workspace/MCCF_TAS/RTC_MC
Local file system is consistent.
Workspace: (1836) "TAS_API_CI_wksp"  (**** @ https://clm.rational.>
  Component: (1078) "MCCF_EDI_TAS_API_Core"
    Baseline: (1888) 12 "TAS_API_BuildDef_CIMag_#38"
    Outgoing:
      Baselines:
        (1888) 12 "TAS_API_BuildDef_CIMag_#38"
  Component: (1080) "MCCF_EDI_TAS_API_eBilling"
    Baseline: (1081) 2 "Component Setup"
  Component: (1082) "MCCF_EDI_TAS_API_eInsurance"
    Baseline: (1083) 2 "Component Setup"
  Component: (1084) "MCCF_EDI_TAS_API_ePayments"
    Baseline: (1085) 2 "Component Setup"
  Component: (1086) "MCCF_EDI_TAS_API_ePharmacy"
    Baseline: (1087) 2 "Component Setup"
+ echo '----- ----- ----- ----- -----'
----- ----- ----- ----- -----
[Pipeline] echo
prepare to checkin components
[Pipeline] echo
loop through each file in MCCF_EDI_TAS_API_Core
[Pipeline] sh
+ find MCCF_EDI_TAS_API_Core -maxdepth 1 -type f -name '.*' -exec /opt/ibm/teamconcert/6.0.1/jazz/scmtools/eclipse/scm.sh checkin -u **** -
[Pipeline] echo
/opt/ibm/teamconcert/6.0.1/jazz/scmtools/eclipse/scm.sh checkin MCCF_EDI_TAS_API_Core/*
[Pipeline] sh
+ /opt/ibm/teamconcert/6.0.1/jazz/scmtools/eclipse/scm.sh checkin -u **** -P '****' --comment 'version: TAS_API.01.00.38_20190223_160427, l
[Pipeline] echo
----- ----- ----- ----- -----
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] withCredentials
[Pipeline] {
[Pipeline] echo
show scm status
[Pipeline] sh
+ /opt/ibm/teamconcert/6.0.1/jazz/scmtools/eclipse/scm.sh show status -u **** -P '****' -v --all -d /home/jenkins/workspace/MCCF_TAS/RTC_MC
Local file system is consistent.
Workspace: (1836) "TAS_API_CI_wksp"  (**** @ https://clm.rational.>
  Component: (1078) "MCCF_EDI_TAS_API_Core"
    Baseline: (1888) 12 "TAS_API_BuildDef_CIMag_#38"
    Outgoing:
      Baselines:
        (1888) 12 "TAS_API_BuildDef_CIMag_#38"
  Component: (1080) "MCCF_EDI_TAS_API_eBilling"
    Baseline: (1081) 2 "Component Setup"
  Component: (1082) "MCCF_EDI_TAS_API_eInsurance"
    Baseline: (1083) 2 "Component Setup"
  Component: (1084) "MCCF_EDI_TAS_API_ePayments"
    Baseline: (1085) 2 "Component Setup"
  Component: (1086) "MCCF_EDI_TAS_API_ePharmacy"
    Baseline: (1087) 2 "Component Setup"
+ echo '----- ----- ----- ----- -----'
----- ----- ----- ----- -----
[Pipeline] echo
RTC **** deliver
[Pipeline] sh
+ /opt/ibm/teamconcert/6.0.1/jazz/scmtools/eclipse/scm.sh deliver -u **** -P '****' -v
Delivering changes:
  Repository: https://clm.rational.oit.va.gov/ccm/
  Workspace: (1837) "TAS_API_CI_Stream"
    Component: (1078) "MCCF_EDI_TAS_API_Core"
      Baselines:
        (1888) 12: TAS_API_BuildDef_CIMag_#38
The deliver command completed successfully.
```

```
[Pipeline] echo
Deliver succeed
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] echo
POST success:
[Pipeline] }
[Pipeline] // script
[Pipeline] echo
POST success: collecting console log
[Pipeline] echo
getConsoleLog: prepare logfilename to get console log
[Pipeline] echo
getConsoleLog: console log is http://vac20fpctas800.va.gov:8080/job/MCCF_TAS/job/RTC_MCCF_TAS_API/ (same as job url)
[Pipeline] echo
getConsoleLog: console log is changed to /home/jenkins/job/MCCF_TAS/job/RTC_MCCF_TAS_API/
[Pipeline] echo
getConsoleLog: console log is changed again to /home/jenkins/jobs/MCCF_TAS/jobs/RTC_MCCF_TAS_API/
[Pipeline] echo
getConsoleLog: console log is finally  /home/jenkins/jobs/MCCF_TAS/jobs/RTC_MCCF_TAS_API/builds/38/log
[Pipeline] echo
getConsoleLog: prepare to write to /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_API/RTC_MCCF_TAS_API_38_console.log
```