```
Started by upstream project "1627
originally caused by:
 Started by user jenkins admin
Checking out teamconcert-https://clm.rational.oit.va.gov/ccm-RTC601-
TASCoreBuildDef CIMag into
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core@script to read
MCCF EDI TAS WebUI/Jenkinsfile
RTC : checkout...
RTC Checkout : Source control setup
RTC Checkout: Accepting changes into workspace "tascoreCIBuild wksp" ...
Using build definition configuration.
Fetching files from repository workspace "tascoreCIBuild wksp".
RTC Checkout : Deleting fetch destination
"/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core@script" before fetching
RTC Checkout : Fetching files to fetch destination
"/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core@script" ...
RTC Checkout : Fetching Completed
Running in Durability level: MAX SURVIVABILITY
[Pipeline] node
Still waiting to schedule task
Waiting for next available executor
Running on Jenkins in /home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Declarative: Checkout SCM)
[Pipeline] checkout
RTC : checkout...
RTC Checkout : Source control setup
RTC Checkout: Accepting changes into workspace "tascoreCIBuild wksp" ...
Using build definition configuration.
Fetching files from repository workspace "tascoreCIBuild wksp".
RTC Checkout : Deleting fetch destination
"/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core" before fetching ...
RTC Checkout : Fetching files to fetch destination
"/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core" ...
RTC Checkout : Fetching Completed
[Pipeline] }
[Pipeline] // stage
[Pipeline] withEnv
[Pipeline] {
[Pipeline] timestamps
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Prepare workspace with source code)
[Pipeline] script
[Pipeline] {
[Pipeline] echo
determine region for MAG DEV
[Pipeline] echo
determine main env for region MAG, (aka MAG DEV)
[Pipeline] echo
determine action for MAG DEV, (aka MAG, DEV)
[Pipeline] echo
Initialize workspace from RTC
[Pipeline] teamconcert
RTC : checkout...
```

```
RTC Checkout : Source control setup
RTC Checkout: Accepting changes into workspace "tascoreCIBuild wksp" ...
Using build definition configuration.
Fetching files from repository workspace "tascoreCIBuild wksp".
RTC Checkout : Deleting fetch destination
"/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core" before fetching ...
RTC Checkout : Fetching files to fetch destination
"/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core" ...
RTC Checkout : Fetching Completed
[Pipeline] echo
Verify component (MCCF EDI TAS WebUI) exists
[Pipeline] sh
[RTC MCCF TAS Core] Running shell script
+ [[ -d MCCF EDI TAS WebUI ]]
+ echo 'Component (MCCF EDI TAS WebUI) exists, safe to proceed'
Component (MCCF EDI TAS WebUI) exists, safe to proceed
[Pipeline] echo
EDE environment, determine SRC STREAM
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Pre-Build Setup)
[Pipeline] echo
create artifact location for jenkins
(/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/artifacts/20181108 103103
[Pipeline] sh
[RTC MCCF TAS Core] Running shell script
+ mkdir -p
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/artifacts/20181108 103103
[Pipeline] echo
prepare npm
[Pipeline] echo
npm cache clean --force
[Pipeline] sh
[RTC MCCF TAS Core] Running shell script
+ npm cache clean --force
npm WARN using --force I sure hope you know what you are doing.
[Pipeline] sh
[RTC MCCF TAS Core] Running shell script
+ sudo npm set registry http://vac20fpctas800.va.gov:4873 -g
[Pipeline] sh
[RTC MCCF TAS Core] Running shell script
+ sudo npm set phantomjs cdnurl
http://vac20fpctas800.va.gov/pub/repo/npm/sinopia/phantomjs -g
[Pipeline] sh
[RTC MCCF TAS Core] Running shell script
+ sudo npm config delete phantomjs downloadurl -g
[Pipeline] sh
[RTC MCCF TAS Core] Running shell script
+ sudo npm set sass binary name linux-x64-57 -g
[Pipeline] sh
[RTC MCCF TAS Core] Running shell script
+ sudo npm set sass binary site
http://vac20fpctas800.va.gov/pub/repo/npm/sinopia/node-sass -g
```

```
[Pipeline] echo
set progress bars to false
[Pipeline] sh
[RTC MCCF TAS Core] Running shell script
+ sudo npm set progress=false -g
[Pipeline] sh
[RTC MCCF TAS Core] Running shell script
+ npm config list
; cli configs
metrics-registry = "http://vac20fpctas800.va.gov:4873/"
scope = ""
user-agent = "npm/5.0.3 node/v8.1.2 linux x64"
; userconfig /home/jenkins/.npmrc
registry = "http://vac20fpctas800.va.gov:4873/"
; globalconfig /usr/etc/npmrc
phantomjs cdnurl =
"http://vac20fpctas800.va.gov/pub/repo/npm/sinopia/phantomjs"
progress = false
registry = "http://vac20fpctas800.va.gov:4873/"
sass binary name = "linux-x64-57"
sass binary site = "http://vac20fpctas800.va.gov/pub/repo/npm/sinopia/node-
sass"
; node bin location = /usr/bin/node
; cwd = /home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core
; HOME = /home/jenkins
; "npm config ls -1" to show all defaults.
[Pipeline] echo
set final packageVersion
[Pipeline] dir
Running in
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI
[Pipeline] {
[Pipeline] script
[Pipeline] {
[Pipeline] echo
building in EDE, do not use git commit in packageVersion
[Pipeline] echo
final packageVersion for tag TAS.01.00.1517 20181108 103103
[Pipeline] echo
getting package name
[Pipeline] sh
[MCCF EDI TAS WebUI] Running shell script
+ npm run env
+ grep npm package name
+ cut -d = -f 2
[Pipeline] echo
building for package mccf-tas TAS.01.00.1517 20181108 103103.tar.gz
[Pipeline] echo
updating metadata for ./src/index.html
[Pipeline] echo
backup the index file before editing
[Pipeline] sh
[MCCF EDI TAS WebUI] Running shell script
```

```
+ cp ./src/index.html ./src/index.html.bak
[Pipeline] echo
update meta tag name="distributionFileName", content="mccf-
tas TAS.01.00.1517 20181108 103103.tar.gz"
[Pipeline] sh
[MCCF EDI TAS WebUI] Running shell script
+ sed -Ei '/<head.*?>/a <meta name="distributionFileName" content="mccf-
tas TAS.01.00.1517 20181108 103103.tar.gz" >' ./src/index.html
+ grep -i '<meta name="distributionFileName" content="mccf-
tas TAS.01.00.1517 20181108 103103.tar.gz" > './src/index.html
<meta name="distributionFileName" content="mccf-</pre>
tas TAS.01.00.1517 20181108 103103.tar.gz" >
+ echo 'PROCEED: added meta tag for distributionFileName'
PROCEED: added meta tag for distributionFileName
[Pipeline] echo
update meta tag name="lastBuildDate", content="Nov 08, 2018 10:31:03 -0600"
[Pipeline] sh
[MCCF EDI TAS WebUI] Running shell script
+ sed -Ei '/<head.*?>/a <meta name="lastBuildDate" content="Nov 08, 2018
10:31:03 -0600" >' ./src/index.html
+ grep -i '<meta name="lastBuildDate" content="Nov 08, 2018 10:31:03 -0600"
>' ./src/index.html
<meta name="lastBuildDate" content="Nov 08, 2018 10:31:03 -0600" >
+ echo 'PROCEED: added meta tag for lastBuildDate'
PROCEED: added meta tag for lastBuildDate
[Pipeline] echo
update meta tag name="version", content="TAS.01.00.1517 20181108 103103"
[Pipeline] sh
[MCCF EDI TAS WebUI] Running shell script
+ sed -Ei '/<head.*?>/a <meta name="version"
content="TAS.01.00.1517_20181108_103103" >' ./src/index.html
+ grep -i '<meta name="version" content="TAS.01.00.1517 20181108 103103" >'
./src/index.html
<meta name="version" content="TAS.01.00.1517 20181108 103103" >
+ echo 'PROCEED: added meta tag for version'
PROCEED: added meta tag for version
[Pipeline] }
[Pipeline] // script
[Pipeline] echo
execute npm install
[Pipeline] sh
[MCCF EDI TAS WebUI] Running shell script
+ npm install
+ tee npm install.log
npm WARN prefer global node-gyp@3.6.2 should be installed with -g
> phantomjs-prebuilt@2.1.14 install
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/node mo
dules/phantomjs-prebuilt
> node install.js
PhantomJS not found on PATH
Download already available at /tmp/phantomjs/phantomjs-2.1.1-linux-
x86 64.tar.bz2
Verified checksum of previously downloaded file
Extracting tar contents (via spawned process)
```

```
Removing
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/node mo
dules/phantomjs-prebuilt/lib/phantom
Copying extracted folder /tmp/phantomjs/phantomjs-2.1.1-linux-x86 64.tar.bz2-
extract-1541694999731/phantomjs-2.1.1-linux-x86 64 ->
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/node mo
dules/phantomjs-prebuilt/lib/phantom
Writing location.js file
Done. Phantomjs binary available at
/home/jenkins/workspace/MCCF_TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/node mo
dules/phantomjs-prebuilt/lib/phantom/bin/phantomjs
> node-sass@4.9.0 install
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/node mo
dules/node-sass
> node scripts/install.js
Cached binary found at /home/jenkins/.npm/node-sass/4.9.0/linux-x64-
57 binding.node
> uglifyjs-webpack-plugin@0.4.6 postinstall
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/node mo
dules/webpack/node modules/uglifyjs-webpack-plugin
> node lib/post install.js
> node-sass@4.9.0 postinstall
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/node mo
dules/node-sass
> node scripts/build.js
Binary found at
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/node mo
dules/node-sass/vendor/linux-x64-57/binding.node
Testing binary
Binary is fine
> axe-core@2.5.0 postinstall
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/node mo
dules/axe-webdriverjs/node modules/axe-core
> node build/utils/postinstall.js
added 1210 packages in 167.24s
[Pipeline] echo
check npm install.log for download syntax
[Pipeline] script
[Pipeline] {
[Pipeline] fileExists
[Pipeline] echo
checking npm install log for 'Downloading.*github'
[Pipeline] sh
[MCCF EDI TAS WebUI] Running shell script
+ grep -Exiq -e 'Downloading.*github' npm install.log
+ grep -Exiq -e 'HTTP error 404 not Found' npm install.log
+ echo 'PROCEED: Nothing incriminating found in log'
[Pipeline] echo
PROCEED: Nothing incriminating found in log
```

```
[Pipeline] }
[Pipeline] // script
[Pipeline] echo
check dependencies
[Pipeline] sh
[MCCF EDI TAS WebUI] Running shell script
+ tee npm-check-dependencies.log
+ check-dependencies --verbose
@angular/animations: installed: 4.0.0, expected: 4.0.0
@angular/common: installed: 4.0.0, expected: 4.0.0
@angular/compiler: installed: 4.0.0, expected: 4.0.0
@angular/core: installed: 4.0.0, expected: 4.0.0
@angular/forms: installed: 4.0.0, expected: 4.0.0
@angular/http: installed: 4.0.0, expected: 4.0.0
@angular/platform-browser: installed: 4.0.0, expected: 4.0.0
@angular/platform-browser-dynamic: installed: 4.0.0, expected: 4.0.0
@angular/router: installed: 4.0.0, expected: 4.0.0
core-js: installed: 2.4.1, expected: 2.4.1
ngx-clipboard: installed: 8.0.2, expected: 8.0.2
primeng: installed: 4.2.0, expected: 4.2.0
rxjs: installed: 5.1.0, expected: 5.1.0
winston: installed: 2.3.1, expected: 2.3.1
zone.js: installed: 0.8.4, expected: 0.8.4
@angular/cli: installed: 1.7.4, expected: 1.7.4
@angular/compiler-cli: installed: 4.0.0, expected: 4.0.0
@angular/language-service: installed: 4.0.0, expected: 4.0.0
@types/jasmine: installed: 2.5.45, expected: 2.5.45
@types/node: installed: 6.0.60, expected: 6.0.60
axe-core: installed: 2.3.1, expected: 2.3.1
axe-webdriverjs: installed: 1.1.5, expected: 1.1.5
codelyzer: installed: 3.0.1, expected: 3.0.1
cross-os: installed: 1.1.2, expected: 1.1.2
jasmine-core: installed: 2.6.2, expected: 2.6.2
jasmine-spec-reporter: installed: 4.1.0, expected: 4.1.0
karma: installed: 1.7.0, expected: 1.7.0
karma-chrome-launcher: installed: 2.1.1, expected: 2.1.1
karma-cli: installed: 1.0.1, expected: 1.0.1
karma-coverage-istanbul-reporter: installed: 1.2.1, expected: 1.2.1
karma-html-reporter: installed: 0.2.7, expected: 0.2.7
karma-jasmine: installed: 1.1.0, expected: 1.1.0
karma-jasmine-html-reporter: installed: 0.2.2, expected: 0.2.2
karma-phantomjs-launcher: installed: 1.0.4, expected: 1.0.4
karma-verbose-reporter: installed: 0.0.6, expected: 0.0.6
phantomis-prebuilt: installed: 2.1.14, expected: 2.1.14
protractor: installed: 5.1.2, expected: 5.1.2
ts-node: installed: 3.0.4, expected: 3.0.4
protractor-jasmine2-html-reporter: installed: 0.0.7, expected: 0.0.7
tslint: installed: 5.3.2, expected: 5.3.2
typescript: installed: 2.3.3, expected: 2.3.3
[Pipeline] echo
check npm-check-dependencies for 'not installed'
[Pipeline] script
[Pipeline] {
[Pipeline] fileExists
[Pipeline] echo
checking log for 'not installed'
[Pipeline] sh
```

```
[MCCF EDI TAS WebUI] Running shell script
+ grep -Exq '.*not installed.*' npm-check-dependencies.log
+ echo 'PROCEED: All packages installed'
[Pipeline] echo
PROCEED: All packages installed
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Pre-Build Unit Tests)
[Pipeline] echo
execute unit test for MCCF EDI TAS WebUI
[Pipeline] dir
Running in
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI
[Pipeline] {
[Pipeline] echo
Execute UNIT tests, with timeout 5 minutes
[Pipeline] timeout
Timeout set to expire in 15 min
[Pipeline] {
[Pipeline] echo
execute npm unit tests
[Pipeline] sh
[MCCF EDI TAS WebUI] Running shell script
+ npm run test
> mccf-tas@0.0.0 test
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI
> ng test --code-coverage
08 11 2018 10:37:46.806:INFO [karma]: Karma v1.7.0 server started at
http://0.0.0.0:9876/
08 11 2018 10:37:46.816:INFO [launcher]: Launching browser PhantomJS with
unlimited concurrency
08 11 2018 10:37:46.835:INFO [launcher]: Starting browser PhantomJS
08 11 2018 10:38:48.084:WARN [launcher]: PhantomJS have not captured in 60000
ms, killing.
08 11 2018 10:38:51.434:INFO [launcher]: Trying to start PhantomJS again
(1/2).
08 11 2018 10:39:34.448:INFO [PhantomJS 2.1.1 (Linux 0.0.0)]: Connected on
socket XVBs0JbLyLIdlytsAAAA with id 1824776
PhantomJS 2.1.1 (Linux 0.0.0) LOG: 'load webfont.js file'
PhantomJS 2.1.1 (Linux 0.0.0) LOG: 'load webfont.js file'
PhantomJS 2.1.1 (Linux 0.0.0) LOG: 'load webfont.js file'
PhantomJS 2.1.1 (Linux 0.0.0) LOG: 'load fontloader.js'
PhantomJS 2.1.1 (Linux 0.0.0) LOG: 'load fontloader.js'
PhantomJS 2.1.1 (Linux 0.0.0) LOG: 'load fontloader.js'
PhantomJS 2.1.1 (Linux 0.0.0) LOG: '>>>>',
' SEP TAG @http://localhost:9876/ karma webpack /polyfills.bundle.js:6634:2
```

```
'ZoneAwareError@http://localhost:9876/ karma webpack /polyfills.bundle.js:663
4:28'
PhantomJS 2.1.1 (Linux 0.0.0) LOG: '>>>>',
' SEP TAG @http://localhost:9876/ karma webpack /polyfills.bundle.js:6634:2
'ZoneAwareError@http://localhost:9876/ karma webpack /polyfills.bundle.js:663
PhantomJS 2.1.1 (Linux 0.0.0) LOG: '>>>>',
' SEP TAG @http://localhost:9876/ karma webpack /polyfills.bundle.js:6634:2
'ZoneAwareError@http://localhost:9876/ karma webpack /polyfills.bundle.js:663
4:28'
PhantomJS 2.1.1 (Linux 0.0.0) LOG: '>>>>',
' SEP TAG @http://localhost:9876/ karma webpack /polyfills.bundle.js:6634:2
'getStacktraceWithUncaughtError@http://localhost:9876/ karma webpack /vendor.
bundle.js:134303:21'
PhantomJS 2.1.1 (Linux 0.0.0) LOG: '>>>>',
' SEP TAG @http://localhost:9876/ karma webpack /polyfills.bundle.js:6634:2
'qetStacktraceWithUncaughtError@http://localhost:9876/ karma webpack /vendor.
bundle.js:134303:21'
PhantomJS 2.1.1 (Linux 0.0.0) LOG: '>>>>',
' SEP TAG @http://localhost:9876/ karma webpack /polyfills.bundle.js:6634:2
'qetStacktraceWithUncaughtError@http://localhost:9876/ karma webpack /vendor.
bundle.js:134303:21'
PhantomJS 2.1.1 (Linux 0.0.0) LOG: '>>>>',
'__SEP_TAG__@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6634:2
'LongStackTrace@http://localhost:9876/ karma webpack /vendor.bundle.js:134297
PhantomJS 2.1.1 (Linux 0.0.0) LOG: '>>>>',
' SEP TAG @http://localhost:9876/ karma webpack /polyfills.bundle.js:6634:2
'LongStackTrace@http://localhost:9876/ karma webpack /vendor.bundle.js:134297
PhantomJS 2.1.1 (Linux 0.0.0) LOG: '>>>>',
' SEP TAG @http://localhost:9876/ karma webpack /polyfills.bundle.js:6634:2
'LongStackTrace@http://localhost:9876/ karma webpack /vendor.bundle.js:134297
PhantomJS 2.1.1 (Linux 0.0.0) LOG: '>>>>',
' SEP TAG @http://localhost:9876/ karma webpack /polyfills.bundle.js:6634:2
'captureStackTraces@http://localhost:9876/_karma_webpack /vendor.bundle.js:13
4392:55'
PhantomJS 2.1.1 (Linux 0.0.0) LOG: '>>>>',
' SEP TAG @http://localhost:9876/ karma webpack /polyfills.bundle.js:6634:2
'captureStackTraces@http://localhost:9876/ karma webpack /vendor.bundle.js:13
4392:55'
```

```
PhantomJS 2.1.1 (Linux 0.0.0) LOG: '>>>>',
' SEP TAG @http://localhost:9876/ karma webpack /polyfills.bundle.js:6634:2
'captureStackTraces@http://localhost:9876/ karma webpack /vendor.bundle.js:13
4392:55'
08 11 2018 10:39:38.447:INFO [PhantomJS 2.1.1 (Linux 0.0.0)]: Starting tests
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
08 11 2018 10:39:42.535:WARN [web-server]: 404: /sourcesanspro-regular-
webfont.d2e3cf3e91620fa02db7.woff
08 11 2018 10:39:42.536:WARN [web-server]: 404: /sourcesanspro-bold-
webfont.74f174d071369e0df856.woff
08 11 2018 10:39:42.536:WARN [web-server]: 404: /sourcesanspro-light-
webfont.3920c044810625353fed.woff
08 11 2018 10:39:42.536:WARN [web-server]: 404: /merriweather-bold-
webfont.b6b7444ffb6c03617a6a.woff
08 11 2018 10:39:42.554:WARN [web-server]: 404: /merriweather-regular-
webfont.8af54a984d2993508bf2.woff
08 11 2018 10:39:42.554:WARN [web-server]: 404: /merriweather-light-
webfont.c370c7b61d28a26a1c81.woff
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MainContentService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'MainContentService cTor'
LOG: 'MainContentService cTor'
LOG: 'AppComponent::.ctor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'AppComponent::.ctor'
LOG: 'AppComponent::.ctor'
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
```

```
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['logLevel']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'MetabaseService->missing', ['logLevel']
LOG: 'MetabaseService->missing', ['logLevel']
LOG: '>>>>>> logLevel', 'Info'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: '>>>>>> logLevel', 'Info'
LOG: '>>>>>> logLevel', 'Info'
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST_WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
```

```
LOG: 'MetabaseService->cherryPick~cached', Object{products: [Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}], contact:
Object{phone: '(800) 555-5555', emailText: 'eBusinessSolutions@va.gov',
emailValue: 'eBusinessSolutions@va.gov'}}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{products: [Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}], contact:
Object{phone: '(800) 555-5555', emailText: 'eBusinessSolutions@va.gov',
emailValue: 'eBusinessSolutions@va.gov'}}
LOG: 'MetabaseService->cherryPick~cached', Object{products: [Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}], contact:
Object{phone: '(800) 555-5555', emailText: 'eBusinessSolutions@va.gov',
emailValue: 'eBusinessSolutions@va.gov'}}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'|}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'|}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
```

```
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST_WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'|}
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'|}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
```

```
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{tooltips: Object{search:
'Enter search term.', contact-search: 'Click to search contacts.', site-wide-
search: 'Click to search site.', phone: 'Enter a phone number.', rte: 'Rich
text editor', emailtitle: 'Enter email title.', email: 'Enter email
address.', erevenueurl: 'Enter eRevenue URL.', cancel: 'Click cancel to
discard changes.', save: 'Click to save changes.'}}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{tooltips: Object{search:
'Enter search term.', contact-search: 'Click to search contacts.', site-wide-
search: 'Click to search site.', phone: 'Enter a phone number.', rte: 'Rich
text editor', emailtitle: 'Enter email title.', email: 'Enter email
address.', erevenueurl: 'Enter eRevenue URL.', cancel: 'Click cancel to
discard changes.', save: 'Click to save changes.'}}
LOG: 'MetabaseService->cherryPick~cached', Object{tooltips: Object{search:
'Enter search term.', contact-search: 'Click to search contacts.', site-wide-
search: 'Click to search site.', phone: 'Enter a phone number.', rte: 'Rich
text editor', emailtitle: 'Enter email title.', email: 'Enter email
address.', erevenueurl: 'Enter eRevenue URL.', cancel: 'Click cancel to
discard changes.', save: 'Click to save changes.'}}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 309 SUCCESS (0 secs / 0 secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:42.623:WARN [web-server]: 404: /merriweather-italic-
webfont.5568fe0d4ab09cd47227.woff
08 11 2018 10:39:42.623:WARN [web-server]: 404: /sourcesanspro-italic-
webfont.1c766c2ac93653f97310.woff
08 11 2018 10:39:42.624:WARN [web-server]: 404: /fontawesome-
webfont.fee66e712a8a08eef580.woff?v=4.7.0
08 11 2018 10:39:42.759:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'load webfont.js file'
08 11 2018 10:39:42.759:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'load fontloader.js'
08 11 2018 10:39:42.759:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: '>>>>',
' SEP TAG @http://localhost:9876/ karma webpack /polyfills.bundle.js:6634:2
```

```
'ZoneAwareError@http://localhost:9876/ karma webpack /polyfills.bundle.js:663
4:28'
08 11 2018 10:39:42.759:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: '>>>>',
' SEP TAG @http://localhost:9876/ karma webpack /polyfills.bundle.js:6634:2
8<sup>'</sup>,
'getStacktraceWithUncaughtError@http://localhost:9876/ karma webpack /vendor.
bundle.js:134303:21'
08 11 2018 10:39:42.759:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: '>>>>',
' SEP TAG @http://localhost:9876/ karma webpack /polyfills.bundle.js:6634:2
87,
'LongStackTrace@http://localhost:9876/ karma webpack /vendor.bundle.js:134297
08 11 2018 10:39:42.759:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: '>>>>>',
'__SEP_TAG__@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6634:2
'captureStackTraces@http://localhost:9876/ karma webpack /vendor.bundle.js:13
08 11 2018 10:39:42.760:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'SHOWME|global['it']',
function () { ... }
08 11 2018 10:39:42.760:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'SHOWME|environment',
Object{enable api: false, tableau url: 'https://public.tableau.com',
ssoiLandingHost: 'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:39:42.760:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'MainContentService cTor'
08 11 2018 10:39:42.760:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'AppComponent::.ctor'
08 11 2018 10:39:42.760:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'EnvironmentService',
'ALREADY CACHED'
08 11 2018 10:39:42.760:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'MetabaseService-
>cherryPick~cached', Object{}
08 11 2018 10:39:42.760:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'EnvironmentService',
'ALREADY CACHED'
08 11 2018 10:39:42.760:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'MetabaseService-
>environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:39:42.760:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'MetabaseService->missing',
['logLevel']
08 11 2018 10:39:42.760:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: '>>>>>> logLevel',
08 11 2018 10:39:42.765:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'ToolTipService cTor'
```

```
08 11 2018 10:39:42.765:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'EnvironmentService',
'ALREADY CACHED'
08 11 2018 10:39:42.765:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'MetabaseService-
>cherryPick~cached', Object{menus: [Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ...,
rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy', 'ebilling',
'npi', 'nonmccf', 'epayments', 'einsurance']}
08 11 2018 10:39:42.765:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'MetabaseService', 'ALREADY
CACHED'
08 11 2018 10:39:42.766:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'MetabaseService-
>cherryPick~cached', Object{products: [Object{name: ..., erevenueUrl: ...},
Object{name: ..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...},
Object{name: ..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...},
Object{name: ..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...},
Object{name: ..., erevenueUrl: ...}], contact: Object{phone: '(800) 555-
5555', emailText: 'eBusinessSolutions@va.gov', emailValue:
'eBusinessSolutions@va.gov'}}
08 11 2018 10:39:42.766:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'MetabaseService', 'ALREADY
CACHED'
08 11 2018 10:39:42.766:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'MetabaseService-
>cherryPick~cached', Object{accessRoles: ['TEST_WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
08 11 2018 10:39:42.766:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'EnvironmentService',
'ALREADY CACHED'
08 11 2018 10:39:42.766:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'MetabaseService-
>environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:39:42.766:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'MetabaseService->missing',
['ssoiLandingUrl', 'vistaidex']
08 11 2018 10:39:42.766:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'EnvironmentService',
'ALREADY CACHED'
08 11 2018 10:39:42.766:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'MetabaseService-
>cherryPick~cached', Object{menus: [Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ...,
rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy', 'ebilling',
'npi', 'nonmccf', 'epayments', 'einsurance']}
```

```
08 11 2018 10:39:42.766:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'MetabaseService', 'ALREADY
CACHED'
08 11 2018 10:39:42.767:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'MetabaseService-
>cherryPick~cached', Object{accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
08 11 2018 10:39:42.767:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'EnvironmentService',
'ALREADY CACHED'
08 11 2018 10:39:42.767:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'MetabaseService-
>environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:39:42.767:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'MetabaseService->missing',
['ssoiLandingUrl', 'vistaidex']
08 11 2018 10:39:42.767:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'EnvironmentService',
'ALREADY CACHED'
08 11 2018 10:39:42.767:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'MetabaseService-
>cherryPick~cached', Object{tooltips: Object{search: 'Enter search term.',
contact-search: 'Click to search contacts.', site-wide-search: 'Click to
search site.', phone: 'Enter a phone number.', rte: 'Rich text editor',
emailtitle: 'Enter email title.', email: 'Enter email address.', erevenueurl:
'Enter eRevenue URL.', cancel: 'Click cancel to discard changes.', save:
'Click to save changes.'}}
08 11 2018 10:39:42.767:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'MetabaseService', 'ALREADY
CACHED'
08 11 2018 10:39:42.767:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'MetabaseService-
>cherryPick~cached', Object{secondsForExternalRedirect: 20, localDomains:
'['http://192.168.100.10/']'}
08 11 2018 10:39:42.767:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: 'MetabaseService', 'ALREADY
CACHED'
08 11 2018 10:39:42.767:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
select page should have no accessibility issues]: Success: 4311 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
08 11 2018 10:39:45.065:WARN [web-server]: 404: /sourcesanspro-regular-
webfont.01c34960c01c24ac996e.ttf
08 11 2018 10:39:45.066:WARN [web-server]: 404: /sourcesanspro-light-
webfont.5110c10b6fcf515fc776.ttf
08 11 2018 10:39:45.075:WARN [web-server]: 404: /sourcesanspro-bold-
webfont.86937a00b9e6bd153ddb.ttf
08 11 2018 10:39:45.077:WARN [web-server]: 404: /merriweather-bold-
webfont.3a8907c945b4ea384ad0.ttf
08 11 2018 10:39:45.077:WARN [web-server]: 404: /merriweather-regular-
webfont.479fc84c654874d031d5.ttf
08 11 2018 10:39:45.078:WARN [web-server]: 404: /merriweather-light-
webfont.726e8a5e407de4813fba.ttf
```

```
08 11 2018 10:39:45.094:WARN [web-server]: 404: /merriweather-italic-
webfont.ad5dd583afab8f453645.ttf
08 11 2018 10:39:45.095:WARN [web-server]: 404: /sourcesanspro-italic-
webfont.c5a1649c9d410b426fca.ttf
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MainContentService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'MainContentService cTor'
LOG: 'MainContentService cTor'
LOG: 'AppComponent::.ctor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'AppComponent::.ctor'
LOG: 'AppComponent::.ctor'
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
```

```
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['logLevel']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'MetabaseService->missing', ['logLevel']
LOG: 'MetabaseService->missing', ['logLevel']
LOG: '>>>>>> logLevel', 'Info'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
LOG: '>>>>>> logLevel', 'Info'
LOG: '>>>>>> logLevel', 'Info'
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST_WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{products: [Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
```

```
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}], contact:
Object{phone: '(800) 555-5555', emailText: 'eBusinessSolutions@va.gov',
emailValue: 'eBusinessSolutions@va.gov'}}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{products: [Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}], contact:
Object{phone: '(800) 555-5555', emailText: 'eBusinessSolutions@va.gov',
emailValue: 'eBusinessSolutions@va.gov'}}
LOG: 'MetabaseService->cherryPick~cached', Object{products: [Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}], contact:
Object{phone: '(800) 555-5555', emailText: 'eBusinessSolutions@va.gov',
emailValue: 'eBusinessSolutions@va.gov'}}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST_WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'l}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'|}
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'|}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{tooltips: Object{search:
'Enter search term.', contact-search: 'Click to search contacts.', site-wide-
search: 'Click to search site.', phone: 'Enter a phone number.', rte: 'Rich
text editor', emailtitle: 'Enter email title.', email: 'Enter email
address.', erevenueurl: 'Enter eRevenue URL.', cancel: 'Click cancel to
discard changes.', save: 'Click to save changes.'}}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{tooltips: Object{search:
'Enter search term.', contact-search: 'Click to search contacts.', site-wide-
search: 'Click to search site.', phone: 'Enter a phone number.', rte: 'Rich
text editor', emailtitle: 'Enter email title.', email: 'Enter email
address.', erevenueurl: 'Enter eRevenue URL.', cancel: 'Click cancel to
discard changes.', save: 'Click to save changes.'}}
LOG: 'MetabaseService->cherryPick~cached', Object{tooltips: Object{search:
'Enter search term.', contact-search: 'Click to search contacts.', site-wide-
search: 'Click to search site.', phone: 'Enter a phone number.', rte: 'Rich
text editor', emailtitle: 'Enter email title.', email: 'Enter email
address.', erevenueurl: 'Enter eRevenue URL.', cancel: 'Click cancel to
discard changes.', save: 'Click to save changes.'}}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
```

```
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: ' de1= [object Object]'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 1 of 309 SUCCESS (0 secs / 4.311
secs)
LOG: ' del= [object Object]'
LOG: ' del= [object Object]'
08 11 2018 10:39:48.290:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]:
'SHOWME|global['it']', function () { ... }
08 11 2018 10:39:48.290:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'SHOWME|environment',
Object{enable api: false, tableau url: 'https://public.tableau.com',
ssoiLandingHost: 'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:39:48.290:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'MainContentService
cTor'
08 11 2018 10:39:48.290:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'AppComponent::.ctor'
08 11 2018 10:39:48.290:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'EnvironmentService',
'ALREADY CACHED'
08 11 2018 10:39:48.290:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'MetabaseService-
>cherryPick~cached', Object{}
08 11 2018 10:39:48.290:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'EnvironmentService',
'ALREADY CACHED'
08 11 2018 10:39:48.290:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'MetabaseService-
>environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:39:48.290:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'MetabaseService-
>missing', ['logLevel']
08 11 2018 10:39:48.290:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
logLevel', 'Info'
08 11 2018 10:39:48.290:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'ToolTipService cTor'
08 11 2018 10:39:48.291:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'EnvironmentService',
'ALREADY CACHED'
08 11 2018 10:39:48.291:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'MetabaseService-
>cherryPick~cached', Object{menus: [Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ...,
rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy', 'ebilling',
'npi', 'nonmccf', 'epayments', 'einsurance']}
08 11 2018 10:39:48.297:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'MetabaseService',
'ALREADY CACHED'
```

```
08 11 2018 10:39:48.297:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'MetabaseService-
>cherryPick~cached', Object{products: [Object{name: ..., erevenueUrl: ...},
Object{name: ..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...},
Object{name: ..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...},
Object{name: ..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...},
Object{name: ..., erevenueUrl: ...}], contact: Object{phone: '(800) 555-
5555', emailText: 'eBusinessSolutions@va.gov', emailValue:
'eBusinessSolutions@va.gov'}}
08 11 2018 10:39:48.297:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'MetabaseService',
'ALREADY CACHED'
08 11 2018 10:39:48.297:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'MetabaseService-
>cherryPick~cached', Object{accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
08 11 2018 10:39:48.297:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'EnvironmentService',
'ALREADY CACHED'
08 11 2018 10:39:48.297:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'MetabaseService-
>environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:39:48.298:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'MetabaseService-
>missing', ['ssoiLandingUrl', 'vistaidex']
08 11 2018 10:39:48.298:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'EnvironmentService',
'ALREADY CACHED'
08 11 2018 10:39:48.298:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'MetabaseService-
>cherryPick~cached', Object{menus: [Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ...,
rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy', 'ebilling',
'npi', 'nonmccf', 'epayments', 'einsurance']}
08 11 2018 10:39:48.299:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'MetabaseService',
'ALREADY CACHED'
08 11 2018 10:39:48.299:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'MetabaseService-
>cherryPick~cached', Object{accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
08 11 2018 10:39:48.299:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'EnvironmentService',
'ALREADY CACHED'
08 11 2018 10:39:48.299:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'MetabaseService-
>environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
```

```
08 11 2018 10:39:48.299:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'MetabaseService-
>missing', ['ssoiLandingUrl', 'vistaidex']
08 11 2018 10:39:48.299:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent
should have three levels of growl popup notifications]: 'EnvironmentService',
'ALREADY CACHED'
08 11 2018 10:39:48.299:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'MetabaseService-
>cherryPick~cached', Object{tooltips: Object{search: 'Enter search term.',
contact-search: 'Click to search contacts.', site-wide-search: 'Click to
search site.', phone: 'Enter a phone number.', rte: 'Rich text editor',
emailtitle: 'Enter email title.', email: 'Enter email address.', erevenueurl:
'Enter eRevenue URL.', cancel: 'Click cancel to discard changes.', save:
'Click to save changes.'}}
08 11 2018 10:39:48.299:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'MetabaseService',
'ALREADY CACHED'
08 11 2018 10:39:48.299:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'MetabaseService-
>cherryPick~cached', Object{secondsForExternalRedirect: 20, localDomains:
'['http://192.168.100.10/']'}
08 11 2018 10:39:48.300:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: 'MetabaseService',
'ALREADY CACHED'
08 11 2018 10:39:48.300:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: ' del= [object
08 11 2018 10:39:48.300:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should have three levels of growl popup notifications]: Success: 3218 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MainContentService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
secs)
LOG: 'MainContentService cTor'
LOG: 'MainContentService cTor'
LOG: 'AppComponent::.ctor'
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
secs)
LOG: 'AppComponent::.ctor'
LOG: 'AppComponent::.ctor'
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['logLevel']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
secs)
LOG: 'MetabaseService->missing', ['logLevel']
LOG: 'MetabaseService->missing', ['logLevel']
LOG: '>>>>>> logLevel', 'Info'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
secs)
LOG: '>>>>>> logLevel', 'Info'
LOG: '>>>>>> logLevel', 'Info'
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
secs)
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
```

```
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{products: [Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}], contact:
Object{phone: '(800) 555-5555', emailText: 'eBusinessSolutions@va.gov',
emailValue: 'eBusinessSolutions@va.gov'}}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
LOG: 'MetabaseService->cherryPick~cached', Object{products: [Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}], contact:
Object{phone: '(800) 555-5555', emailText: 'eBusinessSolutions@va.gov',
emailValue: 'eBusinessSolutions@va.gov'}}
LOG: 'MetabaseService->cherryPick~cached', Object{products: [Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}], contact:
Object{phone: '(800) 555-5555', emailText: 'eBusinessSolutions@va.gov',
emailValue: 'eBusinessSolutions@va.gov'}}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'l}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
secs)
```

```
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'|}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
secs)
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
```

```
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'|}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'|}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{tooltips: Object{search:
'Enter search term.', contact-search: 'Click to search contacts.', site-wide-
search: 'Click to search site.', phone: 'Enter a phone number.', rte: 'Rich
text editor', emailtitle: 'Enter email title.', email: 'Enter email
address.', erevenueurl: 'Enter eRevenue URL.', cancel: 'Click cancel to
discard changes.', save: 'Click to save changes.'}}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
LOG: 'MetabaseService->cherryPick~cached', Object{tooltips: Object{search:
'Enter search term.', contact-search: 'Click to search contacts.', site-wide-
```

```
search: 'Click to search site.', phone: 'Enter a phone number.', rte: 'Rich
text editor', emailtitle: 'Enter email title.', email: 'Enter email
address.', erevenueurl: 'Enter eRevenue URL.', cancel: 'Click cancel to
discard changes.', save: 'Click to save changes.'}}
LOG: 'MetabaseService->cherryPick~cached', Object{tooltips: Object{search:
'Enter search term.', contact-search: 'Click to search contacts.', site-wide-
search: 'Click to search site.', phone: 'Enter a phone number.', rte: 'Rich
text editor', emailtitle: 'Enter email title.', email: 'Enter email
address.', erevenueurl: 'Enter eRevenue URL.', cancel: 'Click cancel to
discard changes.', save: 'Click to save changes.'}}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 2 of 309 SUCCESS (0 secs / 7.529
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:51.169:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'SHOWME|global['it']', function () { \dots }
08 11 2018 10:39:51.169:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'SHOWME|environment', Object{enable api: false,
tableau url: 'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:39:51.169:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'MainContentService cTor'
08 11 2018 10:39:51.169:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'AppComponent::.ctor'
08 11 2018 10:39:51.169:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:39:51.169:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'MetabaseService->cherryPick~cached', Object{}
08 11 2018 10:39:51.169:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:39:51.169:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'MetabaseService->environment', Object{enable api:
false, tableau url: 'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:39:51.185:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'MetabaseService->missing', ['logLevel']
08 11 2018 10:39:51.185:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: '>>>>>> logLevel', 'Info'
08 11 2018 10:39:51.186:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'ToolTipService cTor'
```

```
08 11 2018 10:39:51.186:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:39:51.186:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'MetabaseService->cherryPick~cached', Object{menus:
[Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri:
..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}], accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'|}
08 11 2018 10:39:51.186:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:51.186:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'MetabaseService->cherryPick~cached',
Object{products: [Object{name: ..., erevenueUrl: ...}, Object{name: ...,
erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name: ...,
erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name: ...,
erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name: ...,
erevenueUrl: ...}], contact: Object{phone: '(800) 555-5555', emailText:
'eBusinessSolutions@va.gov', emailValue: 'eBusinessSolutions@va.gov'}}
08 11 2018 10:39:51.186:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:51.186:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'MetabaseService->cherryPick~cached',
Object{accessRoles: ['TEST WRITER', 'epharmacy', 'ebilling', 'npi',
'nonmccf', 'epayments', 'einsurance']}
08 11 2018 10:39:51.186:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:39:51.186:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'MetabaseService->environment', Object{enable api:
false, tableau url: 'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:39:51.186:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'MetabaseService->missing', ['ssoiLandingUrl',
'vistaidex']
08 11 2018 10:39:51.186:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:39:51.187:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'MetabaseService->cherryPick~cached', Object{menus:
[Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri:
..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}], accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'|}
08 11 2018 10:39:51.187:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:51.187:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'MetabaseService->cherryPick~cached',
Object{accessRoles: ['TEST WRITER', 'epharmacy', 'ebilling', 'npi',
'nonmccf', 'epayments', 'einsurance']}
08 11 2018 10:39:51.187:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'EnvironmentService', 'ALREADY CACHED'
```

```
08 11 2018 10:39:51.187:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'MetabaseService->environment', Object{enable api:
false, tableau url: 'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:39:51.187:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'MetabaseService->missing', ['ssoiLandingUrl',
'vistaidex'l
08 11 2018 10:39:51.187:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:39:51.187:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'MetabaseService->cherryPick~cached',
Object{tooltips: Object{search: 'Enter search term.', contact-search: 'Click
to search contacts.', site-wide-search: 'Click to search site.', phone:
'Enter a phone number.', rte: 'Rich text editor', emailtitle: 'Enter email
title.', email: 'Enter email address.', erevenueurl: 'Enter eRevenue URL.',
cancel: 'Click cancel to discard changes.', save: 'Click to save changes.'}}
08 11 2018 10:39:51.187:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:51.187:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'MetabaseService->cherryPick~cached',
Object{secondsForExternalRedirect: 20, localDomains:
'['http://192.168.100.10/']'}
08 11 2018 10:39:51.187:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:51.187:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should be router link]: Success: 3038 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MainContentService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
LOG: 'MainContentService cTor'
LOG: 'MainContentService cTor'
LOG: 'AppComponent::.ctor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: 'AppComponent::.ctor'
```

```
LOG: 'AppComponent::.ctor'
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable_api: false, tableau_url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['logLevel']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: 'MetabaseService->missing', ['logLevel']
LOG: 'MetabaseService->missing', ['logLevel']
LOG: '>>>>>> logLevel', 'Info'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: '>>>>>> logLevel', 'Info'
LOG: '>>>>>> logLevel', 'Info'
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{products: [Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}], contact:
Object{phone: '(800) 555-5555', emailText: 'eBusinessSolutions@va.gov',
emailValue: 'eBusinessSolutions@va.gov'}}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{products: [Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}], contact:
Object{phone: '(800) 555-5555', emailText: 'eBusinessSolutions@va.gov',
emailValue: 'eBusinessSolutions@va.gov'}}
LOG: 'MetabaseService->cherryPick~cached', Object{products: [Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}], contact:
Object{phone: '(800) 555-5555', emailText: 'eBusinessSolutions@va.gov',
emailValue: 'eBusinessSolutions@va.gov'}}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
```

```
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
LOG: 'MetabaseService', 'ALREADY CACHED'
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'l}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'|}
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable_api: false, tableau_url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{tooltips: Object{search:
'Enter search term.', contact-search: 'Click to search contacts.', site-wide-
search: 'Click to search site.', phone: 'Enter a phone number.', rte: 'Rich
text editor', emailtitle: 'Enter email title.', email: 'Enter email
address.', erevenueurl: 'Enter eRevenue URL.', cancel: 'Click cancel to
discard changes.', save: 'Click to save changes.'}}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{tooltips: Object{search:
'Enter search term.', contact-search: 'Click to search contacts.', site-wide-
search: 'Click to search site.', phone: 'Enter a phone number.', rte: 'Rich
text editor', emailtitle: 'Enter email title.', email: 'Enter email
```

```
address.', erevenueurl: 'Enter eRevenue URL.', cancel: 'Click cancel to
discard changes.', save: 'Click to save changes.'}}
LOG: 'MetabaseService->cherryPick~cached', Object{tooltips: Object{search:
'Enter search term.', contact-search: 'Click to search contacts.', site-wide-
search: 'Click to search site.', phone: 'Enter a phone number.', rte: 'Rich
text editor', emailtitle: 'Enter email title.', email: 'Enter email
address.', erevenueurl: 'Enter eRevenue URL.', cancel: 'Click cancel to
discard changes.', save: 'Click to save changes.'}}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 3 of 309 SUCCESS (0 secs / 10.567
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:52.033:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'SHOWME|global['it']', function () { ... }
08 11 2018 10:39:52.033:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'SHOWME|environment', Object{enable api: false,
tableau url: 'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:39:52.042:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'MainContentService cTor'
08 11 2018 10:39:52.042:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'AppComponent::.ctor'
08 11 2018 10:39:52.042:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:39:52.042:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'MetabaseService->cherryPick~cached', Object{}
08 11 2018 10:39:52.042:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:39:52.042:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'MetabaseService->environment',
Object{enable api: false, tableau url: 'https://public.tableau.com',
ssoiLandingHost: 'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:39:52.042:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'MetabaseService->missing', ['logLevel']
08 11 2018 10:39:52.042:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: '>>>>>> logLevel', 'Info'
08 11 2018 10:39:52.042:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'ToolTipService cTor'
08 11 2018 10:39:52.042:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'EnvironmentService', 'ALREADY CACHED'
```

```
08 11 2018 10:39:52.042:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'MetabaseService->cherryPick~cached',
Object{menus: [Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title:
..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}], accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
08 11 2018 10:39:52.042:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:52.043:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'MetabaseService->cherryPick~cached',
Object{products: [Object{name: ..., erevenueUrl: ...}, Object{name: ...,
erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name: ...,
erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name: ...,
erevenueUrl: \ldots}, Object{name: \ldots, erevenueUrl: \ldots}, Object{name: \ldots,
erevenueUrl: ...}], contact: Object{phone: '(800) 555-5555', emailText:
'eBusinessSolutions@va.gov', emailValue: 'eBusinessSolutions@va.gov'}}
08 11 2018 10:39:52.043:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:52.043:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'MetabaseService->cherryPick~cached',
Object{accessRoles: ['TEST WRITER', 'epharmacy', 'ebilling', 'npi',
'nonmccf', 'epayments', 'einsurance']}
08 11 2018 10:39:52.043:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:39:52.043:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'MetabaseService->environment',
Object{enable api: false, tableau url: 'https://public.tableau.com',
ssoiLandingHost: 'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:39:52.043:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'MetabaseService->missing', ['ssoiLandingUrl',
'vistaidex']
08 11 2018 10:39:52.043:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:39:52.049:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'MetabaseService->cherryPick~cached',
Object{menus: [Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title:
..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}], accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'|}
08 11 2018 10:39:52.049:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:52.049:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'MetabaseService->cherryPick~cached',
Object{accessRoles: ['TEST WRITER', 'epharmacy', 'ebilling', 'npi',
'nonmccf', 'epayments', 'einsurance']}
08 11 2018 10:39:52.098:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:39:52.099:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'MetabaseService->environment',
Object{enable api: false, tableau url: 'https://public.tableau.com',
```

```
ssoiLandingHost: 'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:39:52.099:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'MetabaseService->missing', ['ssoiLandingUrl',
'vistaidex'
08 11 2018 10:39:52.099:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:39:52.099:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'MetabaseService->cherryPick~cached',
Object{tooltips: Object{search: 'Enter search term.', contact-search: 'Click
to search contacts.', site-wide-search: 'Click to search site.', phone:
'Enter a phone number.', rte: 'Rich text editor', emailtitle: 'Enter email
title.', email: 'Enter email address.', erevenueurl: 'Enter eRevenue URL.',
cancel: 'Click cancel to discard changes.', save: 'Click to save changes.'}}
08 11 2018 10:39:52.099:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:52.099:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'MetabaseService->cherryPick~cached',
Object{secondsForExternalRedirect: 20, localDomains:
'['http://192.168.100.10/']'}
08 11 2018 10:39:52.099:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:52.099:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should not be router link]: Success: 2902 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|environment', Object{enable_api: false, tableau_url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MainContentService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'MainContentService cTor'
LOG: 'MainContentService cTor'
LOG: 'AppComponent::.ctor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'AppComponent::.ctor'
LOG: 'AppComponent::.ctor'
LOG: 'EnvironmentService', 'ALREADY CACHED'
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable_api: false, tableau_url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['logLevel']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'MetabaseService->missing', ['logLevel']
LOG: 'MetabaseService->missing', ['logLevel']
LOG: '>>>>>> logLevel', 'Info'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: '>>>>>> logLevel', 'Info'
LOG: '>>>>>> logLevel', 'Info'
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
```

```
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{products: [Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}], contact:
Object{phone: '(800) 555-5555', emailText: 'eBusinessSolutions@va.gov',
emailValue: 'eBusinessSolutions@va.gov'}}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{products: [Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}], contact:
Object{phone: '(800) 555-5555', emailText: 'eBusinessSolutions@va.gov',
emailValue: 'eBusinessSolutions@va.gov'}}
LOG: 'MetabaseService->cherryPick~cached', Object{products: [Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}], contact:
Object{phone: '(800) 555-5555', emailText: 'eBusinessSolutions@va.gov',
emailValue: 'eBusinessSolutions@va.gov'}}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'|}
```

```
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
LOG: 'MetabaseService', 'ALREADY CACHED'
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'l}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'|}
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable_api: false, tableau_url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{tooltips: Object{search:
'Enter search term.', contact-search: 'Click to search contacts.', site-wide-
search: 'Click to search site.', phone: 'Enter a phone number.', rte: 'Rich
text editor', emailtitle: 'Enter email title.', email: 'Enter email
address.', erevenueurl: 'Enter eRevenue URL.', cancel: 'Click cancel to
discard changes.', save: 'Click to save changes.'}}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{tooltips: Object{search:
'Enter search term.', contact-search: 'Click to search contacts.', site-wide-
search: 'Click to search site.', phone: 'Enter a phone number.', rte: 'Rich
text editor', emailtitle: 'Enter email title.', email: 'Enter email
```

```
address.', erevenueurl: 'Enter eRevenue URL.', cancel: 'Click cancel to
discard changes.', save: 'Click to save changes.'}}
LOG: 'MetabaseService->cherryPick~cached', Object{tooltips: Object{search:
'Enter search term.', contact-search: 'Click to search contacts.', site-wide-
search: 'Click to search site.', phone: 'Enter a phone number.', rte: 'Rich
text editor', emailtitle: 'Enter email title.', email: 'Enter email
address.', erevenueurl: 'Enter eRevenue URL.', cancel: 'Click cancel to
discard changes.', save: 'Click to save changes.'}}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 4 of 309 SUCCESS (0 secs / 13.469
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:55.836:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'SHOWME|global['it']', function () { ... }
08 11 2018 10:39:55.836:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'SHOWME|environment', Object{enable api: false,
tableau url: 'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:39:55.836:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'MainContentService cTor'
08 11 2018 10:39:55.836:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'AppComponent::.ctor'
08 11 2018 10:39:55.836:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:39:55.836:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'MetabaseService->cherryPick~cached', Object{}
08 11 2018 10:39:55.836:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:39:55.836:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'MetabaseService->environment',
Object{enable api: false, tableau url: 'https://public.tableau.com',
ssoiLandingHost: 'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:39:55.837:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'MetabaseService->missing', ['logLevel']
08 11 2018 10:39:55.837:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: '>>>>>> logLevel', 'Info'
08 11 2018 10:39:55.837:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'ToolTipService cTor'
08 11 2018 10:39:55.837:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'EnvironmentService', 'ALREADY CACHED'
```

```
08 11 2018 10:39:55.837:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'MetabaseService->cherryPick~cached',
Object{menus: [Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title:
..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}], accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
08 11 2018 10:39:55.837:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:55.837:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'MetabaseService->cherryPick~cached',
Object{products: [Object{name: ..., erevenueUrl: ...}, Object{name: ...,
erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name: ...,
erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name: ...,
erevenueUrl: \ldots}, Object{name: \ldots, erevenueUrl: \ldots}, Object{name: \ldots,
erevenueUrl: ...}], contact: Object{phone: '(800) 555-5555', emailText:
'eBusinessSolutions@va.gov', emailValue: 'eBusinessSolutions@va.gov'}}
08 11 2018 10:39:55.837:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:55.837:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'MetabaseService->cherryPick~cached',
Object{accessRoles: ['TEST WRITER', 'epharmacy', 'ebilling', 'npi',
'nonmccf', 'epayments', 'einsurance']}
08 11 2018 10:39:55.837:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:39:55.837:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'MetabaseService->environment',
Object{enable api: false, tableau url: 'https://public.tableau.com',
ssoiLandingHost: 'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:39:55.843:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'MetabaseService->missing', ['ssoiLandingUrl',
'vistaidex']
08 11 2018 10:39:55.843:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:39:55.843:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'MetabaseService->cherryPick~cached',
Object{menus: [Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title:
..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}], accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'|}
08 11 2018 10:39:55.844:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:55.844:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'MetabaseService->cherryPick~cached',
Object{accessRoles: ['TEST WRITER', 'epharmacy', 'ebilling', 'npi',
'nonmccf', 'epayments', 'einsurance']}
08 11 2018 10:39:55.844:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:39:55.844:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'MetabaseService->environment',
Object{enable api: false, tableau url: 'https://public.tableau.com',
```

```
ssoiLandingHost: 'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:39:55.844:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'MetabaseService->missing', ['ssoiLandingUrl',
'vistaidex']
08 11 2018 10:39:55.844:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:39:55.844:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'MetabaseService->cherryPick~cached',
Object{tooltips: Object{search: 'Enter search term.', contact-search: 'Click
to search contacts.', site-wide-search: 'Click to search site.', phone:
'Enter a phone number.', rte: 'Rich text editor', emailtitle: 'Enter email
title.', email: 'Enter email address.', erevenueurl: 'Enter eRevenue URL.',
cancel: 'Click cancel to discard changes.', save: 'Click to save changes.'}}
08 11 2018 10:39:55.844:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:55.844:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'MetabaseService->cherryPick~cached',
Object{secondsForExternalRedirect: 20, localDomains:
'['http://192.168.100.10/']'}
08 11 2018 10:39:55.844:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:55.844:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AppComponent |
should set title correctly]: Success: 3503 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 5 of 309 SUCCESS (0 secs / 16.972
secs)
08 11 2018 10:39:55.846:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AuthService |
should construct]: Success: 99 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 6 of 309 SUCCESS (0 secs / 17.071
secs)
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 6 of 309 SUCCESS (0 secs / 17.071
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST_WRITER', 'TEST_ADMIN', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'], menus: [Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...}]}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 6 of 309 SUCCESS (0 secs / 17.071
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'TEST ADMIN', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'], menus: [Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...}]}
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'TEST ADMIN', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'], menus: [Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...},
```

```
Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...}]}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 6 of 309 SUCCESS (0 secs / 17.071
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:55.847:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AuthService |
should have eBilling authorization]: 'SHOWME|global['it']', function () { ...
08 11 2018 10:39:55.847:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AuthService |
should have eBilling authorization]: 'MetabaseService->cherryPick~cached',
Object{accessRoles: ['TEST WRITER', 'TEST ADMIN', 'ebilling', 'npi',
'nonmccf', 'epayments', 'einsurance'], menus: [Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ...,
rolesAllowed: ...}]}
08 11 2018 10:39:55.847:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AuthService |
should have eBilling authorization]: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:55.847:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AuthService |
should have eBilling authorization]: Success: 121 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 7 of 309 SUCCESS (0 secs / 17.192
secs)
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 7 of 309 SUCCESS (0 secs / 17.192
secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST_WRITER', 'TEST_ADMIN', 'npi', 'nonmccf', 'epayments', 'einsurance'],
menus: [Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}]}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 7 of 309 SUCCESS (0 secs / 17.192
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'TEST ADMIN', 'npi', 'nonmccf', 'epayments', 'einsurance'],
menus: [Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}]}
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'TEST ADMIN', 'npi', 'nonmccf', 'epayments', 'einsurance'],
menus: [Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}]}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 7 of 309 SUCCESS (0 secs / 17.192
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
```

```
LOG: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:55.848:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AuthService |
should not have eBilling authorization]: 'SHOWME|global['it']', function () {
...}
08 11 2018 10:39:55.848:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AuthService |
should not have eBilling autherization]: 'MetabaseService-
>cherryPick~cached', Object{accessRoles: ['TEST WRITER', 'TEST ADMIN', 'npi',
'nonmccf', 'epayments', 'einsurance'], menus: [Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ...,
rolesAllowed: ...}]}
08 11 2018 10:39:55.848:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AuthService |
should not have eBilling authorization]: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:55.848:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AuthService |
should not have eBilling autherization]: Success: 68 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 8 of 309 SUCCESS (0 secs / 17.26
secs)
08 11 2018 10:39:55.863:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
BreadcrumbService | should reset]: Success: 57 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 9 of 309 SUCCESS (0 secs / 17.317
secs)
08 11 2018 10:39:55.877:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
BreadcrumbService | should push crumbs]: Success: 1 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 10 of 309 SUCCESS (0 secs / 17.318
08 11 2018 10:39:55.895:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
BreadcrumbService | should pop crumb]: Success: 67 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 11 of 309 SUCCESS (0 secs / 17.385
08 11 2018 10:39:55.922:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | Database:IdGen
| generates with no seed]: Success: 11 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 12 of 309 SUCCESS (0 secs / 17.396
secs)
08 11 2018 10:39:55.944:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | Database:IdGen
| generates with seed]: Success: 36 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 13 of 309 SUCCESS (0 secs / 17.432
secs)
08 11 2018 10:39:55.991:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
Database:MemoryDb | simple add and dumpdb]: Success: 39 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 14 of 309 SUCCESS (0 secs / 17.471
secs)
08 11 2018 10:39:56.001:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
Database:MemoryDb | simple add and get]: Success: 9 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 15 of 309 SUCCESS (0 secs / 17.48
secs)
08 11 2018 10:39:56.072:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
Database: MemoryDb | simple add, change id, and get]: Success: 3 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 16 of 309 SUCCESS (0 secs / 17.483
08 11 2018 10:39:56.072:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
Database: MemoryDb | 2 adds and getAll]: Success: 59 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 17 of 309 SUCCESS (0 secs / 17.542
08 11 2018 10:39:56.120:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
Database: MemoryDb | add, get, and update]: Success: 2 ms
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 18 of 309 SUCCESS (0 secs / 17.544
secs)
08 11 2018 10:39:56.121:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
Database: MemoryDb | 3 adds, delete, and getAll]: Success: 7 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 19 of 309 SUCCESS (0 secs / 17.551
secs)
08 11 2018 10:39:56.447:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
Database:MemoryDb | expects stats]: Success: 50 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 20 of 309 SUCCESS (0 secs / 17.601
secs)
ERROR: 'Unhandled Promise rejection:', 'undefined is not a function
(evaluating 'provider.sample(scope, 10)')', '; Zone:', 'ProxyZone', ';
Task:', 'jasmine.onComplete', '; Value:', TypeError{line: 1001, sourceURL:
'http://localhost:9876/ karma webpack /main.bundle.js', stack:
'http://localhost:9876/ karma webpack /main.bundle.js:1001:61
step@http://localhost:9876/ karma webpack /main.bundle.js:792:27
http://localhost:9876/_karma_webpack_/main.bundle.js:773:57
http://localhost:9876/ karma webpack /main.bundle.js:767:75
ZoneAwarePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:64
http://localhost:9876/ karma webpack /main.bundle.js:763:36
http://localhost:9876/ karma webpack /main.bundle.js:993:25
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /vendor.bundle.js:134222:37
attemptSync@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13
execute@http://localhost:9876/ karma webpack /vendor.bundle.js:134250:46
queueRunnerFactory@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:816:42
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28
fn@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44
attemptAsync@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11
complete@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', zone symbol currentTask: ZoneTask{ zone: Zone{ properties: ...,
parent: ..., name: ..., zoneDelegate: ...}, runCount: 0, zoneDelegates:
```

```
null, state: 'notScheduled', type: 'microTask', source:
'jasmine.onComplete', data: undefined, scheduleFn: undefined, cancelFn: null,
callback: function complete(enabledAgain) { ... }, invoke: function () { ...
}}}, 'http://localhost:9876/ karma webpack /main.bundle.js:1001:61
step@http://localhost:9876/ karma webpack_/main.bundle.js:792:27
http://localhost:9876/ karma webpack /main.bundle.js:773:57
http://localhost:9876/ karma webpack /main.bundle.js:767:75
ZoneAwarePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:64
11:37
http://localhost:9876/ karma webpack /main.bundle.js:763:36
http://localhost:9876/ karma webpack /main.bundle.js:993:25
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /vendor.bundle.js:134222:37
attemptSync@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13
execute@http://localhost:9876/ karma webpack /vendor.bundle.js:134250:46
queueRunnerFactory@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:816:42
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28
fn@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44
attemptAsync@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11
complete@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 20 of 309 SUCCESS (0 secs / 17.601
ERROR: 'Unhandled Promise rejection:', 'undefined is not a function
(evaluating 'provider.sample(scope, 10)')', '; Zone:', 'ProxyZone', ';
Task:', 'jasmine.onComplete', '; Value:', TypeError{line: 1001, sourceURL:
'http://localhost:9876/_karma_webpack_/main.bundle.js', stack: http://localhost:9876/_karma_webpack_/main.bundle.js:1001:61
step@http://localhost:9876/ karma webpack /main.bundle.js:792:27
http://localhost:9876/ karma webpack /main.bundle.js:773:57
http://localhost:9876/ karma webpack /main.bundle.js:767:75
ZoneAwarePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:64
11:37
```

```
http://localhost:9876/ karma webpack /main.bundle.js:763:36
http://localhost:9876/karma webpack /main.bundle.js:993:25
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /vendor.bundle.js:134222:37
attemptSync@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13
execute@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134250:46
queueRunnerFactory@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:816:42
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28
fn@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44
attemptAsync@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11
complete@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', __zone_symbol__currentTask: ZoneTask{_zone: Zone{_properties: ...,
_parent: ..., _name: ..., _zoneDelegate: ...}, runCount: 0, zoneDelegates:
null, state: 'notScheduled', type: 'microTask', source:
'jasmine.onComplete', data: undefined, scheduleFn: undefined, cancelFn: null,
callback: function complete(enabledAgain) { ... }, invoke: function () { ...
}}}, 'http://localhost:9876/ karma webpack /main.bundle.js:1001:61
step@http://localhost:9876/ karma webpack /main.bundle.js:792:27
http://localhost:9876/_karma_webpack_/main.bundle.js:773:57
http://localhost:9876/_karma_webpack_/main.bundle.js:767:75
ZoneAwarePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:64
11:37
http://localhost:9876/ karma webpack /main.bundle.js:763:36
http://localhost:9876/ karma webpack /main.bundle.js:993:25
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/_karma_webpack_/vendor.bundle.js:134222:37
attemptSync@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20
```

```
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13
execute@http://localhost:9876/ karma webpack /vendor.bundle.js:134250:46
queueRunnerFactory@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:816:42
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28
fn@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44
attemptAsync@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11
complete@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42'
ERROR: 'Unhandled Promise rejection:', 'undefined is not a function
(evaluating 'provider.sample(scope, 10)')', '; Zone:', 'ProxyZone', ';
Task:', 'jasmine.onComplete', '; Value:', TypeError{line: 1001, sourceURL:
'http://localhost:9876/ karma webpack /main.bundle.js', stack:
'http://localhost:9876/ karma webpack /main.bundle.js:1001:61
step@http://localhost:9876/_karma_webpack_/main.bundle.js:792:27
http://localhost:9876/_karma_webpack_/main.bundle.js:773:57
http://localhost:9876/ karma webpack /main.bundle.js:767:75
ZoneAwarePromise@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:64
11:37
http://localhost:9876/ karma webpack /main.bundle.js:763:36
http://localhost:9876/_karma_webpack_/main.bundle.js:993:25
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /vendor.bundle.js:134222:37
attemptSync@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13
execute@http://localhost:9876/ karma webpack /vendor.bundle.js:134250:46
queueRunnerFactory@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:816:42
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28
fn@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44
```

```
attemptAsync@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11
complete@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', __zone_symbol__currentTask: ZoneTask{_zone: Zone{_properties: ...,
_parent: ..., _name: ..., _zoneDelegate: ...}, runCount: 0, _zoneDelegates: null, _state: 'notScheduled', type: 'microTask', source:
'jasmine.onComplete', data: undefined, scheduleFn: undefined, cancelFn: null,
callback: function complete(enabledAgain) { ... }, invoke: function () { ...
}}}, 'http://localhost:9876/ karma webpack /main.bundle.js:1001:61
step@http://localhost:9876/ karma webpack /main.bundle.js:792:27
http://localhost:9876/ karma webpack /main.bundle.js:773:57
http://localhost:9876/karma_webpack_/main.bundle.js:767:75
ZoneAwarePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:64
11:37
http://localhost:9876/ karma webpack /main.bundle.js:763:36
http://localhost:9876/ karma webpack /main.bundle.js:993:25
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /vendor.bundle.js:134222:37
attemptSync@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13
execute@http://localhost:9876/ karma webpack /vendor.bundle.js:134250:46
queueRunnerFactory@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:816:42
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28
fn@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44
attemptAsync@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11
complete@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19
```

```
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42'
ERROR: Error{line: 6634, sourceURL:
'http://localhost:9876/ karma webpack /polyfills.bundle.js', stack:
'ZoneAwareError@http://localhost:9876/ karma webpack /polyfills.bundle.js:663
resolvePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:6347
ZoneAwarePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:64
http://localhost:9876/ karma webpack /main.bundle.js:763:36
http://localhost:9876/_karma_webpack_/main.bundle.js:993:25
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /vendor.bundle.js:134222:37
attemptSync@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13
execute@http://localhost:9876/ karma webpack /vendor.bundle.js:134250:46
queueRunnerFactory@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:816:42
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28
fn@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44
attemptAsync@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11
complete@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', originalStack:
'ZoneAwareError@http://localhost:9876/ karma webpack /polyfills.bundle.js:663
resolvePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:6347
ZoneAwarePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:64
14:31
http://localhost:9876/ karma webpack /main.bundle.js:763:36
http://localhost:9876/karma webpack /main.bundle.js:993:25
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
```

```
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /vendor.bundle.js:134222:37
attemptSync@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13
execute@http://localhost:9876/ karma webpack /vendor.bundle.js:134250:46
queueRunnerFactory@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:816:42
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28
fn@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44
attemptAsync@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11
complete@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
runTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', zoneAwareStack:
'http://localhost:9876/ karma webpack /main.bundle.js:763:36 [ProxyZone]
http://localhost:9876/ karma webpack /main.bundle.js:993:25 [ProxyZone]
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
[ProxyZone]
http://localhost:9876/ karma webpack /vendor.bundle.js:134222:37 [<root>]
attemptSync@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:28 [<root>]
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20 [<root>]
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13 [<root>]
execute@http://localhost:9876/ karma webpack /vendor.bundle.js:134250:46
[<root>]
queueRunnerFactory@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:816:42 [<root>]
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28 [<root>]
fn@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44 [<root>]
attemptAsync@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914:28 [<root>]
```

```
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21 [<root>]
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19 [<root>]
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11 [<root>]
complete@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19 [<root>]
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42 [<root>]', rejection: TypeError{line: 1001, sourceURL:
'http://localhost:9876/_karma_webpack_/main.bundle.js', stack:
'http://localhost:9876/ karma webpack /main.bundle.js:1001:61
step@http://localhost:9876/ karma webpack /main.bundle.js:792:27
http://localhost:9876/ karma webpack /main.bundle.js:773:57
http://localhost:9876/karma webpack /main.bundle.js:767:75
ZoneAwarePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:64
11:37
http://localhost:9876/ karma webpack /main.bundle.js:763:36
http://localhost:9876/ karma webpack /main.bundle.js:993:25
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/_karma_webpack_/vendor.bundle.js:134222:37
attemptSync@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13
execute@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134250:46
queueRunnerFactory@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:816:42
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28
fn@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44
attemptAsync@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11
complete@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', zone symbol currentTask: ZoneTask{ zone: ..., runCount: ...,
zoneDelegates: ..., state: ..., type: ..., source: ..., data: ...,
scheduleFn: ..., cancelFn: ..., callback: ..., invoke: ...}}, promise:
ZoneAwarePromise{__zone_symbol__state: 0, __zone_symbol__value:
TypeError{line: ..., sourceURL: ..., stack: ..., __zone_symbol__currentTask:
```

```
...}}, zone: Zone{ properties: Object{ProxyZoneSpec: ...}, parent:
\label{local_properties: ..., _name: ..., _zoneDelegate: ...}, \ \_name: \\
'ProxyZone', zoneDelegate: ZoneDelegate{ taskCounts: ..., zone: ...,
_parentDelegate: ..., _forkZS: ..., _forkDlgt: ..., _forkCurrZone: ...,
_interceptZS: ..., _interceptDlgt: ..., _interceptCurrZone: ..., _invokeZS:
..., _invokeDlgt: ..., _invokeCurrZone: ..., handleErrorZS: ...,
_handleErrorDlgt: ..., _handleErrorCurrZone: ..., _scheduleTaskZS: ...,
__scheduleTaskDlgt: ..., _scheduleTaskCurrZone: ..., _invokeTaskZS: ...,
_invokeTaskDlgt: ..., _invokeTaskCurrZone: ..., _cancelTaskZS: ...,
_cancelTaskDlgt: ..., _cancelTaskCurrZone: ..., _hasTaskZS: ...,
_hasTaskDlgt: ..., _hasTaskDlgtOwner: ..., _hasTaskCurrZone: ...}}, task:
ZoneTask{ zone: Zone{ properties: ..., parent: ..., name: ...,
_zoneDelegate: ...}, runCount: 0, _zoneDelegates: null, _state:
'notScheduled', type: 'microTask', source: 'jasmine.onComplete', data:
undefined, scheduleFn: undefined, cancelFn: null, callback: function
complete(enabledAgain) { ... }, invoke: function () { ... }}}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 20 of 309 SUCCESS (0 secs / 17.601
ERROR: Error{line: 6634, sourceURL:
'http://localhost:9876/ karma webpack /polyfills.bundle.js', stack:
'ZoneAwareError@http://localhost:9876/ karma webpack /polyfills.bundle.js:663
resolvePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:6347
ZoneAwarePromise@http://localhost:9876/ karma webpack_/polyfills.bundle.js:64
http://localhost:9876/ karma webpack /main.bundle.js:763:36
http://localhost:9876/ karma webpack /main.bundle.js:993:25
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /vendor.bundle.js:134222:37
attemptSync@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13
execute@http://localhost:9876/ karma webpack /vendor.bundle.js:134250:46
queueRunnerFactory@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:816:42
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28
fn@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44
attemptAsync@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11
```

```
complete@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', originalStack:
'ZoneAwareError@http://localhost:9876/ karma webpack /polyfills.bundle.js:663
resolvePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:6347
ZoneAwarePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:64
http://localhost:9876/ karma webpack /main.bundle.js:763:36
http://localhost:9876/_karma_webpack_/main.bundle.js:993:25
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /vendor.bundle.js:134222:37
attemptSync@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13
execute@http://localhost:9876/ karma webpack /vendor.bundle.js:134250:46
queueRunnerFactory@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:816:42
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28
fn@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44
attemptAsync@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11
complete@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', zoneAwareStack:
'http://localhost:9876/ karma webpack /main.bundle.js:763:36 [ProxyZone]
http://localhost:9876/ karma webpack /main.bundle.js:993:25 [ProxyZone]
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
[ProxyZone]
http://localhost:9876/ karma webpack /vendor.bundle.js:134222:37 [<root>]
attemptSync@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:28 [<root>]
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20 [<root>]
```

```
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13 [<root>]
execute@http://localhost:9876/ karma webpack /vendor.bundle.js:134250:46
[<root>]
queueRunnerFactory@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:816:42 [<root>]
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28 [<root>]
fn@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44 [<root>]
attemptAsync@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914:28 [<root>]
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21 [<root>]
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19 [<root>]
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11 [<root>]
complete@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19 [<root>]
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42 [<root>]', rejection: TypeError{line: 1001, sourceURL:
'http://localhost:9876/_karma_webpack_/main.bundle.js', stack:
'http://localhost:9876/ karma webpack /main.bundle.js:1001:61
step@http://localhost:9876/ karma webpack /main.bundle.js:792:27
http://localhost:9876/ karma webpack /main.bundle.js:773:57
http://localhost:9876/karma webpack /main.bundle.js:767:75
ZoneAwarePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:64
11:37
http://localhost:9876/_karma_webpack_/main.bundle.js:763:36
http://localhost:9876/karma webpack /main.bundle.js:993:25
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /vendor.bundle.js:134222:37
attemptSync@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13
execute@http://localhost:9876/ karma webpack /vendor.bundle.js:134250:46
queueRunnerFactory@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:816:42
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28
fn@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44
attemptAsync@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21
```

```
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11
complete@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma_webpack_/polyfills.bundle.js
:6228:42', __zone_symbol__currentTask: ZoneTask{_zone: ..., runCount: ...,
zoneDelegates: ..., state: ..., type: ..., source: ..., data: ...,
scheduleFn: ..., cancelFn: ..., callback: ..., invoke: ...}}, promise:
ZoneAwarePromise{__zone_symbol__state: 0, __zone_symbol__value:
TypeError{line: ..., sourceURL: ..., stack: ..., __zone_symbol__currentTask:
...}}, zone: Zone{_properties: Object{ProxyZoneSpec: ...}, _parent:
{\tt Zone\{\_properties:\ \dots,\ \_parent:\ \dots,\ \_name:\ \dots,\ \_zoneDelegate:\ \dots\},\ \_name:}
'ProxyZone', _zoneDelegate: ZoneDelegate{_taskCounts: ..., zone: ...,
_parentDelegate: ..., _forkZS: ..., _forkDlgt: ..., _forkCurrZone: ...,
_interceptZS: ..., _interceptDlgt: ..., _interceptCurrZone: ..., _invokeZS:
..., invokeDlgt: ..., invokeCurrZone: ..., handleErrorZS: ...,
_handleErrorDlgt: ..., _handleErrorCurrZone: ..., _scheduleTaskZS: ...,
_scheduleTaskDlgt: ..., _scheduleTaskCurrZone: ..., _invokeTaskZS: ...,
_invokeTaskDlgt: ..., _invokeTaskCurrZone: ..., _cancelTaskZS: ...,
_cancelTaskDlgt: ..., _cancelTaskCurrZone: ..., _hasTaskZS: ...,
_hasTaskDlgt: ..., _hasTaskDlgtOwner: ..., _hasTaskCurrZone: ...}}, task:
ZoneTask{ zone: Zone{ properties: ..., parent: ..., name: ...,
_zoneDelegate: ...}, runCount: 0, _zoneDelegates: null, _state:
'notScheduled', type: 'microTask', source: 'jasmine.onComplete', data:
undefined, scheduleFn: undefined, cancelFn: null, callback: function
complete(enabledAgain) { ... }, invoke: function () { ... }}}
ERROR: Error{line: 6634, sourceURL:
'http://localhost:9876/ karma webpack /polyfills.bundle.js', stack:
'ZoneAwareError@http://localhost:9876/ karma webpack /polyfills.bundle.js:663
resolvePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:6347
ZoneAwarePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:64
http://localhost:9876/ karma webpack /main.bundle.js:763:36
http://localhost:9876/ karma webpack /main.bundle.js:993:25
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /vendor.bundle.js:134222:37
attemptSync@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13
execute@http://localhost:9876/ karma webpack /vendor.bundle.js:134250:46
queueRunnerFactory@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:816:42
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28
```

```
fn@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44
attemptAsync@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11
complete@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', originalStack:
'ZoneAwareError@http://localhost:9876/ karma webpack /polyfills.bundle.js:663
4:28
resolvePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:6347
ZoneAwarePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:64
http://localhost:9876/_karma_webpack_/main.bundle.js:763:36
http://localhost:9876/karma_webpack_/main.bundle.js:993:25
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /vendor.bundle.js:134222:37
attemptSync@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13
execute@http://localhost:9876/ karma webpack /vendor.bundle.js:134250:46
queueRunnerFactory@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:816:42
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28
fn@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44
attemptAsync@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11
complete@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
```

```
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', zoneAwareStack:
'http://localhost:9876/ karma webpack /main.bundle.js:763:36 [ProxyZone]
http://localhost:9876/ karma webpack /main.bundle.js:993:25 [ProxyZone]
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
[ProxyZone]
http://localhost:9876/ karma webpack /vendor.bundle.js:134222:37 [<root>]
attemptSync@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:28 [<root>]
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20 [<root>]
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13 [<root>]
execute@http://localhost:9876/ karma webpack /vendor.bundle.js:134250:46
[<root>]
queueRunnerFactory@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:816:42 [<root>]
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28 [<root>]
fn@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44 [<root>]
attemptAsync@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914:28 [<root>]
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21 [<root>]
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19 [<root>]
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11 [<root>]
complete@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19 [<root>]
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42 [<root>]', rejection: TypeError{line: 1001, sourceURL:
'http://localhost:9876/_karma_webpack_/main.bundle.js', stack: http://localhost:9876/_karma_webpack_/main.bundle.js:1001:61
step@http://localhost:9876/ karma webpack /main.bundle.js:792:27
http://localhost:9876/ karma webpack /main.bundle.js:773:57
http://localhost:9876/ karma webpack /main.bundle.js:767:75
ZoneAwarePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:64
http://localhost:9876/ karma webpack /main.bundle.js:763:36
http://localhost:9876/_karma_webpack_/main.bundle.js:993:25
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /vendor.bundle.js:134222:37
attemptSync@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13
execute@http://localhost:9876/ karma webpack /vendor.bundle.js:134250:46
```

```
queueRunnerFactory@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:816:42
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28
fn@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44
attemptAsync@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11
complete@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', zone symbol currentTask: ZoneTask{ zone: ..., runCount: ...,
zoneDelegates: ..., state: ..., type: ..., source: ..., data: ...,
scheduleFn: ..., cancelFn: ..., callback: ..., invoke: ...}}, promise:
ZoneAwarePromise{__zone_symbol__state: 0, __zone_symbol__value:
TypeError{line: ..., sourceURL: ..., stack: ..., __zone_symbol__currentTask:
...}}, zone: Zone{ properties: Object{ProxyZoneSpec: ...}, parent:
Zone{_properties: ..., _parent: ..., _name: ..., _zoneDelegate: ...}, _name:
'ProxyZone', zoneDelegate: ZoneDelegate{ taskCounts: ..., zone: ...,
_parentDelegate: ..., _forkZS: ..., _forkDlgt: ..., _forkCurrZone: ...,
_interceptZS: ..., _interceptDlgt: ..., _interceptCurrZone: ..., _invokeZS:
..., _invokeDlgt: ..., _invokeCurrZone: ..., _handleErrorZS: ...,
_handleErrorDlgt: ..., _handleErrorCurrZone: ..., _scheduleTaskZS: ...,
_scheduleTaskDlgt: ..., _scheduleTaskCurrZone: ..., _invokeTaskZS: ...,
__invokeTaskDlgt: ..., _invokeTaskCurrZone: ..., _cancelTaskZS: ..., _cancelTaskDlgt: ..., _cancelTaskCurrZone: ..., _hasTaskZS: ..., _hasTaskDlgt: ..., _cancelTaskCurrZone: ..., _hasTaskZS: ...,
hasTaskDlgt: ..., _hasTaskDlgtOwner: ..., _hasTaskCurrZone: ...}}, task:
ZoneTask{ zone: Zone{ properties: ..., parent: ..., name: ...,
_zoneDelegate: ...}, runCount: 0, _zoneDelegates: null, _state:
'notScheduled', type: 'microTask', source: 'jasmine.onComplete', data:
undefined, scheduleFn: undefined, cancelFn: null, callback: function
complete(enabledAgain) { ... }, invoke: function () { ... }}}
08 11 2018 10:39:56.448:ERROR [PhantomJS 2.1.1 (Linux 0.0.0) |
Database: MemoryDb | sample w/o data]: 'Unhandled Promise rejection:',
'undefined is not a function (evaluating 'provider.sample(scope, 10)')', ';
Zone:', 'ProxyZone', '; Task:', 'jasmine.onComplete', '; Value:',
TypeError{line: 1001, sourceURL:
'http://localhost:9876/ karma webpack /main.bundle.js', stack:
'http://localhost:9876/ karma webpack /main.bundle.js:1001:61
step@http://localhost:9876/ karma webpack /main.bundle.js:792:27
http://localhost:9876/_karma_webpack_/main.bundle.js:773:57
http://localhost:9876/karma webpack /main.bundle.js:767:75
ZoneAwarePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:64
11:37
http://localhost:9876/ karma webpack /main.bundle.js:763:36
http://localhost:9876/karma webpack /main.bundle.js:993:25
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
```

```
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /vendor.bundle.js:134222:37
attemptSync@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13
execute@http://localhost:9876/ karma webpack /vendor.bundle.js:134250:46
queueRunnerFactory@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:816:42
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28
fn@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44
attemptAsync@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11
complete@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
runTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/_karma_webpack_/polyfills.bundle.js
:6228:42', zone symbol currentTask: ZoneTask{ zone: Zone{ properties: ...,
_parent: ..., _name: ..., _zoneDelegate: ...}, runCount: 0, _zoneDelegates:
null, state: 'notScheduled', type: 'microTask', source:
'jasmine.onComplete', data: undefined, scheduleFn: undefined, cancelFn: null,
callback: function complete(enabledAgain) { \dots }, invoke: function () { \dots
}}}, 'http://localhost:9876/ karma webpack /main.bundle.js:1001:61
step@http://localhost:9876/ karma webpack /main.bundle.js:792:27
http://localhost:9876/ karma webpack /main.bundle.js:773:57
http://localhost:9876/ karma webpack /main.bundle.js:767:75
ZoneAwarePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:64
11:37
http://localhost:9876/_karma_webpack_/main.bundle.js:763:36
http://localhost:9876/ karma webpack /main.bundle.js:993:25
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /vendor.bundle.js:134222:37
attemptSync@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13
execute@http://localhost:9876/ karma webpack /vendor.bundle.js:134250:46
```

```
queueRunnerFactory@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:816:42
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28
fn@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44
attemptAsync@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11
complete@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42'
08 11 2018 10:39:56.448:ERROR [PhantomJS 2.1.1 (Linux 0.0.0) |
Database: MemoryDb | sample w/o data]: Error{line: 6634, sourceURL:
'http://localhost:9876/ karma webpack /polyfills.bundle.js', stack:
'ZoneAwareError@http://localhost:9876/ karma webpack /polyfills.bundle.js:663
resolvePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:6347
ZoneAwarePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:64
http://localhost:9876/_karma_webpack_/main.bundle.js:763:36
http://localhost:9876/karma webpack /main.bundle.js:993:25
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /vendor.bundle.js:134222:37
attemptSync@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13
execute@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134250:46
queueRunnerFactory@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:816:42
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28
fn@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44
attemptAsync@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21
```

```
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11
complete@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', originalStack:
'ZoneAwareError@http://localhost:9876/_karma_webpack /polyfills.bundle.js:663
resolvePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:6347
ZoneAwarePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:64
http://localhost:9876/_karma_webpack_/main.bundle.js:763:36
http://localhost:9876/ karma webpack /main.bundle.js:993:25
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /vendor.bundle.js:134222:37
attemptSync@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13
execute@http://localhost:9876/ karma webpack /vendor.bundle.js:134250:46
queueRunnerFactory@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:816:42
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28
fn@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44
attemptAsync@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11
complete@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', zoneAwareStack:
'http://localhost:9876/ karma webpack /main.bundle.js:763:36 [ProxyZone]
http://localhost:9876/ karma webpack /main.bundle.js:993:25 [ProxyZone]
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
[ProxyZone]
http://localhost:9876/ karma webpack /vendor.bundle.js:134222:37 [<root>]
```

```
attemptSync@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:28 [<root>]
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20 [<root>]
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13 [<root>]
execute@http://localhost:9876/ karma webpack /vendor.bundle.js:134250:46
[<root>]
queueRunnerFactory@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:816:42 [<root>]
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28 [<root>]
fn@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44 [<root>]
attemptAsync@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914:28 [<root>]
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21 [<root>]
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19 [<root>]
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11 [<root>]
complete@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19 [<root>]
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42 [<root>]', rejection: TypeError{line: 1001, sourceURL:
'http://localhost:9876/ karma webpack /main.bundle.js', stack:
'http://localhost:9876/ karma webpack /main.bundle.js:1001:61
step@http://localhost:9876/_karma_webpack_/main.bundle.js:792:27
http://localhost:9876/_karma_webpack_/main.bundle.js:773:57
http://localhost:9876/ karma webpack /main.bundle.js:767:75
ZoneAwarePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:64
11:37
http://localhost:9876/ karma webpack /main.bundle.js:763:36
http://localhost:9876/_karma_webpack_/main.bundle.js:993:25
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /vendor.bundle.js:134222:37
attemptSync@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13
execute@http://localhost:9876/ karma webpack /vendor.bundle.js:134250:46
queueRunnerFactory@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:816:42
execute@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28
fn@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44
```

```
attemptAsync@http://localhost:9876/base/node modules/jasmine-
core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914:28
run@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19
http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11
complete@http://localhost:9876/base/node modules/jasmine-core/lib/jasmine-
core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/_karma_webpack_/polyfills.bundle.js
:6228:42', __zone_symbol__currentTask: ZoneTask{_zone: ..., runCount: ...,
zoneDelegates: ..., _state: ..., type: ..., source: ..., data: ...,
scheduleFn: ..., cancelFn: ..., callback: ..., invoke: ...}}, promise:
ZoneAwarePromise{    zone symbol    state: 0,         zone symbol    value:
TypeError{line: ..., sourceURL: ..., stack: ..., zone symbol currentTask:
...}}, zone: Zone{ properties: Object{ProxyZoneSpec: ...}, parent:
Zone{ properties: ..., parent: ..., name: ..., zoneDelegate: ...}, name:
'ProxyZone', zoneDelegate: ZoneDelegate{ taskCounts: ..., zone: ...,
_parentDelegate: ..., _forkZS: ..., _forkDlgt: ..., _forkCurrZone: ...,
_interceptZS: ..., _interceptDlgt: ..., _interceptCurrZone: ..., _invokeZS:
..., _invokeDlgt: ..., _invokeCurrZone: ..., _handleErrorZS: ...,
_handleErrorDlgt: ..., _handleErrorCurrZone: ..., _scheduleTaskZS: ...,
_scheduleTaskDlgt: ..., _scheduleTaskCurrZone: ..., _invokeTaskZS: ...,
__invokeTaskDlgt: ..., _invokeTaskCurrZone: ..., _cancelTaskZS: ..., _cancelTaskDlgt: ..., _cancelTaskCurrZone: ..., _hasTaskZS: ...,
_hasTaskDlgt: ..., _hasTaskDlgtOwner: ..., _hasTaskCurrZone: ...}}, task:
ZoneTask{_zone: Zone{_properties: ..., _parent: ..., _name: ...,
_zoneDelegate: ...}, runCount: 0, _zoneDelegates: null, _state:
'notScheduled', type: 'microTask', source: 'jasmine.onComplete', data:
undefined, scheduleFn: undefined, cancelFn: null, callback: function
complete(enabledAgain) { ... }, invoke: function () { ... }}}
08 11 2018 10:39:56.448:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
Database: MemoryDb | sample w/o data]: Success: 58 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 21 of 309 SUCCESS (0 secs / 17.659
secs)
ERROR: 'Unhandled Promise rejection:', 'undefined is not a constructor
(evaluating 'provider.sample(scope, 10)')', '; Zone:', 'ProxyZone', ';
Task:', 'Promise.then', '; Value:', TypeError{line: 1030, sourceURL:
'http://localhost:9876/ karma webpack /main.bundle.js', stack:
'http://localhost:9876/_karma_webpack_/main.bundle.js:1030:65
step@http://localhost:9876/ karma webpack /main.bundle.js:792:27
http://localhost:9876/ karma webpack /main.bundle.js:773:57
fulfilled@http://localhost:9876/ karma webpack /main.bundle.js:764:62
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/ karma webpack /vendor.bundle.js:134532:49
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6032:48
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
```

```
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', zone symbol currentTask: ZoneTask{ zone: Zone{ properties: ...,
_parent: ..., _name: ..., _zoneDelegate: ...}, runCount: 0, _zoneDelegates: null, _state: 'notScheduled', type: 'microTask', source: 'Promise.then',
data: undefined, scheduleFn: undefined, cancelFn: null, callback: function ()
{ ... }, invoke: function () { ... }}},
'http://localhost:9876/ karma webpack /main.bundle.js:1030:65
step@http://localhost:9876/ karma webpack /main.bundle.js:792:27
http://localhost:9876/ karma webpack /main.bundle.js:773:57
fulfilled@http://localhost:9876/ karma webpack /main.bundle.js:764:62
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134532:49
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6032:48
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 21 of 309 SUCCESS (0 secs / 17.659
ERROR: 'Unhandled Promise rejection:', 'undefined is not a constructor
(evaluating 'provider.sample(scope, 10)')', '; Zone:', 'ProxyZone', ';
Task:', 'Promise.then', '; Value:', TypeError{line: 1030, sourceURL:
'http://localhost:9876/ karma webpack /main.bundle.js', stack:
'http://localhost:9876/ karma webpack /main.bundle.js:1030:65
step@http://localhost:9876/ karma webpack /main.bundle.js:792:27
http://localhost:9876/ karma webpack /main.bundle.js:773:57
fulfilled@http://localhost:9876/_karma_webpack_/main.bundle.js:764:62
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/ karma webpack /vendor.bundle.js:134532:49
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6032:48
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', zone symbol currentTask: ZoneTask{ zone: Zone{ properties: ...,
_parent: ..., _name: ..., _zoneDelegate: ...}, runCount: 0, _zoneDelegates: null, _state: 'notScheduled', type: 'microTask', source: 'Promise.then',
data: undefined, scheduleFn: undefined, cancelFn: null, callback: function ()
{ ... }, invoke: function () { ... }}},
'http://localhost:9876/ karma webpack /main.bundle.js:1030:65
step@http://localhost:9876/ karma webpack /main.bundle.js:792:27
http://localhost:9876/_karma_webpack_/main.bundle.js:773:57
fulfilled@http://localhost:9876/ karma webpack /main.bundle.js:764:62
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/ karma webpack /vendor.bundle.js:134532:49
```

```
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6032:48
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42'
ERROR: 'Unhandled Promise rejection:', 'undefined is not a constructor
(evaluating 'provider.sample(scope, 10)')', '; Zone:', 'ProxyZone', ';
Task:', 'Promise.then', '; Value:', TypeError{line: 1030, sourceURL:
'http://localhost:9876/ karma webpack /main.bundle.js', stack:
'http://localhost:9876/ karma webpack /main.bundle.js:1030:65
step@http://localhost:9876/ karma webpack /main.bundle.js:792:27
http://localhost:9876/ karma webpack /main.bundle.js:773:57
fulfilled@http://localhost:9876/ karma webpack /main.bundle.js:764:62
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/ karma webpack /vendor.bundle.js:134532:49
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6032:48
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', __zone_symbol__currentTask: ZoneTask{_zone: Zone{_properties: ...,
_parent: ..., _name: ..., _zoneDelegate: ...}, runCount: 0, _zoneDelegates:
null, state: 'notScheduled', type: 'microTask', source: 'Promise.then',
data: undefined, scheduleFn: undefined, cancelFn: null, callback: function ()
{ ... }, invoke: function () { ... }}},
'http://localhost:9876/ karma webpack /main.bundle.js:1030:65
step@http://localhost:9876/ karma webpack /main.bundle.js:792:27
http://localhost:9876/ karma webpack /main.bundle.js:773:57
fulfilled@http://localhost:9876/_karma_webpack_/main.bundle.js:764:62
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/ karma webpack /vendor.bundle.js:134532:49
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6032:48
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42'
ERROR: Error{line: 6634, sourceURL:
'http://localhost:9876/ karma webpack /polyfills.bundle.js', stack:
'ZoneAwareError@http://localhost:9876/_karma_webpack /polyfills.bundle.js:663
resolvePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:6347
http://localhost:9876/ karma webpack /polyfills.bundle.js:6273:31
fulfilled@http://localhost:9876/ karma webpack /main.bundle.js:764:92
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/ karma webpack /vendor.bundle.js:134532:49
```

```
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6032:48
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', originalStack:
'ZoneAwareError@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:663
resolvePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:6347
http://localhost:9876/ karma webpack /polyfills.bundle.js:6273:31
fulfilled@http://localhost:9876/ karma webpack /main.bundle.js:764:92
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134532:49
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6032:48
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', zoneAwareStack:
'fulfilled@http://localhost:9876/ karma webpack /main.bundle.js:764:92
[ProxyZone]
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
[ProxyZone]
http://localhost:9876/ karma webpack /polyfills.bundle.js:6395:60 [ProxyZone]
onInvokeTask@http://localhost:9876/ karma webpack /vendor.bundle.js:134532:49
[ProxyZone]
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42 [<root>]', rejection: TypeError{line: 1030, sourceURL:
'http://localhost:9876/_karma_webpack_/main.bundle.js', stack:
'http://localhost:9876/_karma_webpack_/main.bundle.js:1030:65
step@http://localhost:9876/ karma webpack /main.bundle.js:792:27
http://localhost:9876/ karma webpack /main.bundle.js:773:57
fulfilled@http://localhost:9876/ karma webpack /main.bundle.js:764:62
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/ karma webpack /vendor.bundle.js:134532:49
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6032:48
runTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', zone symbol currentTask: ZoneTask{ zone: ..., runCount: ...,
zoneDelegates: ..., state: ..., type: ..., source: ..., data: ...,
scheduleFn: ..., cancelFn: ..., callback: ..., invoke: ...}}, promise:
ZoneAwarePromise{__zone_symbol__state: 0, __zone_symbol__value:
TypeError{line: ..., sourceURL: ..., stack: ..., __zone_symbol__currentTask:
...}}, zone: Zone{ properties: Object{ProxyZoneSpec: ...}, parent:
Zone{ properties: ..., parent: ..., name: ..., zoneDelegate: ...}, name:
'ProxyZone', zoneDelegate: ZoneDelegate{ taskCounts: ..., zone: ...,
_parentDelegate: ..., _forkZS: ..., _forkDlgt: ..., _forkCurrZone: ...,
__interceptZS: ..., _interceptDlgt: ..., _interceptCurrZone: ..., _invokeZS: ..., _invokeDlgt: ..., _invokeCurrZone: ..., _handleErrorZS: ...,
_handleErrorDlgt: ..., _handleErrorCurrZone: ..., _scheduleTaskZS: ...,
```

```
scheduleTaskDlgt: ..., scheduleTaskCurrZone: ..., invokeTaskZS: ...,
_invokeTaskDlgt: ..., _invokeTaskCurrZone: ..., _cancelTaskZS: ...,
_cancelTaskDlgt: ..., _cancelTaskCurrZone: ..., _hasTaskZS: ...,
_hasTaskDlgt: ..., _hasTaskDlgtOwner: ..., _hasTaskCurrZone: ...}}, task:
ZoneTask{ zone: Zone{ properties: ..., parent: ..., name: ...,
_zoneDelegate: ...}, runCount: 0, _zoneDelegates: null, _state:
'notScheduled', type: 'microTask', source: 'Promise.then', data: undefined,
scheduleFn: undefined, cancelFn: null, callback: function () { ... }, invoke:
function () { ... }}}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 21 of 309 SUCCESS (0 secs / 17.659
secs)
ERROR: Error{line: 6634, sourceURL:
'http://localhost:9876/ karma webpack /polyfills.bundle.js', stack:
'ZoneAwareError@http://localhost:9876/ karma webpack /polyfills.bundle.js:663
4:28
resolvePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:6347
:40
http://localhost:9876/ karma webpack /polyfills.bundle.js:6273:31
fulfilled@http://localhost:9876/ karma webpack /main.bundle.js:764:92
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/ karma webpack /vendor.bundle.js:134532:49
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6032:48
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', originalStack:
'ZoneAwareError@http://localhost:9876/ karma webpack /polyfills.bundle.js:663
resolvePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:6347
http://localhost:9876/ karma webpack /polyfills.bundle.js:6273:31
fulfilled@http://localhost:9876/ karma webpack /main.bundle.js:764:92
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/ karma webpack /vendor.bundle.js:134532:49
invokeTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6032:48
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', zoneAwareStack:
'fulfilled@http://localhost:9876/ karma webpack /main.bundle.js:764:92
[ProxyZone]
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
[ProxyZone]
http://localhost:9876/ karma webpack /polyfills.bundle.js:6395:60 [ProxyZone]
onInvokeTask@http://localhost:9876/ karma webpack /vendor.bundle.js:134532:49
[ProxyZone]
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42 [<root>]', rejection: TypeError{line: 1030, sourceURL:
```

```
'http://localhost:9876/ karma webpack /main.bundle.js', stack:
'http://localhost:9876/ karma webpack /main.bundle.js:1030:65
step@http://localhost:9876/ karma webpack /main.bundle.js:792:27
http://localhost:9876/ karma webpack /main.bundle.js:773:57
fulfilled@http://localhost:9876/ karma webpack /main.bundle.js:764:62
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/ karma webpack /vendor.bundle.js:134532:49
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6032:48
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/_karma_webpack_/polyfills.bundle.js
:6228:42', __zone_symbol__currentTask: ZoneTask{_zone: ..., runCount: ...,
_zoneDelegates: ..., _state: ..., type: ..., source: ..., data: ...,
scheduleFn: ..., cancelFn: ..., callback: ..., invoke: ...}}, promise:
ZoneAwarePromise{__zone_symbol__state: 0, zone symbol value:
TypeError{line: ..., sourceURL: ..., stack: ..., zone symbol currentTask:
...}}, zone: Zone{ properties: Object{ProxyZoneSpec: ...}, parent:
Zone{ properties: ..., parent: ..., name: ..., zoneDelegate: ...}, name:
'ProxyZone', zoneDelegate: ZoneDelegate{ taskCounts: ..., zone: ...,
_parentDelegate: ..., _forkZS: ..., _forkDlgt: ..., _forkCurrZone: ...,
_interceptZS: ..., _interceptDlgt: ..., _interceptCurrZone: ..., _invokeZS:
..., _invokeDlgt: ..., _invokeCurrZone: ..., _handleErrorZS: ...,
_handleErrorDlgt: ..., _handleErrorCurrZone: ..., _scheduleTaskZS: ...,
_scheduleTaskDlgt: ..., _scheduleTaskCurrZone: ..., _invokeTaskZS: ...,
__invokeTaskDlgt: ..., _invokeTaskCurrZone: ..., _cancelTaskZS: ...,
_cancelTaskDlgt: ..., _cancelTaskCurrZone: ..., _hasTaskZS: ...,
_hasTaskDlgt: ..., _hasTaskDlgtOwner: ..., _hasTaskCurrZone: ...}}, task:
ZoneTask{_zone: Zone{_properties: ..., _parent: ..., _name: ...,
_zoneDelegate: ...}, runCount: 0, _zoneDelegates: null, _state:
'notScheduled', type: 'microTask', source: 'Promise.then', data: undefined,
scheduleFn: undefined, cancelFn: null, callback: function () { ... }, invoke:
function () { ... }}}
ERROR: Error{line: 6634, sourceURL:
'http://localhost:9876/ karma webpack /polyfills.bundle.js', stack:
'ZoneAwareError@http://localhost:9876/ karma webpack /polyfills.bundle.js:663
resolvePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:6347
http://localhost:9876/ karma webpack /polyfills.bundle.js:6273:31
fulfilled@http://localhost:9876/_karma_webpack_/main.bundle.js:764:92
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134532:49
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6032:48
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', originalStack:
'ZoneAwareError@http://localhost:9876/ karma webpack /polyfills.bundle.js:663
4:28
```

```
resolvePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:6347
http://localhost:9876/ karma webpack /polyfills.bundle.js:6273:31
fulfilled@http://localhost:9876/ karma webpack /main.bundle.js:764:92
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/ karma webpack /vendor.bundle.js:134532:49
invokeTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6032:48
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', zoneAwareStack:
'fulfilled@http://localhost:9876/ karma webpack /main.bundle.js:764:92
[ProxyZone]
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
[ProxyZone]
http://localhost:9876/ karma webpack /polyfills.bundle.js:6395:60 [ProxyZone]
onInvokeTask@http://localhost:9876/ karma webpack /vendor.bundle.js:134532:49
[ProxyZone]
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42 [<root>]', rejection: TypeError{line: 1030, sourceURL:
'http://localhost:9876/_karma_webpack_/main.bundle.js', stack:
'http://localhost:9876/ karma webpack /main.bundle.js:1030:65
step@http://localhost:9876/ karma webpack /main.bundle.js:792:27
http://localhost:9876/ karma webpack /main.bundle.js:773:57
fulfilled@http://localhost:9876/ karma webpack /main.bundle.js:764:62
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134508:45
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/ karma webpack /vendor.bundle.js:134532:49
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6032:48
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', zone symbol currentTask: ZoneTask{ zone: ..., runCount: ...,
zoneDelegates: ..., state: ..., type: ..., source: ..., data: ...,
scheduleFn: ..., cancelFn: ..., callback: ..., invoke: ...}}, promise:
ZoneAwarePromise{__zone_symbol__state: 0, __zone_symbol__value:
TypeError{line: ..., sourceURL: ..., stack: ..., __zone_symbol__currentTask:
...}}, zone: Zone{_properties: Object{ProxyZoneSpec: ...}, _parent:
Zone{ properties: ..., parent: ..., name: ..., zoneDelegate: ...}, name:
'ProxyZone', zoneDelegate: ZoneDelegate{ taskCounts: ..., zone: ...,
_parentDelegate: ..., _forkZS: ..., _forkDlgt: ..., _forkCurrZone: ...,
_interceptZS: ..., _interceptDlgt: ..., _interceptCurrZone: ..., invokeZS:
..., _invokeDlgt: ..., _invokeCurrZone: ..., _handleErrorZS: ...,
_handleErrorDlgt: ..., _handleErrorCurrZone: ..., _scheduleTaskZS: ...,
_scheduleTaskDlgt: ..., _scheduleTaskCurrZone: ..., _invokeTaskZS: ...,
_invokeTaskDlgt: ..., _invokeTaskCurrZone: ..., _cancelTaskZS: ...,
_cancelTaskDlgt: ..., _cancelTaskCurrZone: ..., _hasTaskZS: ...,
hasTaskDlgt: ..., hasTaskDlgtOwner: ..., hasTaskCurrZone: ...}}, task:
ZoneTask{_zone: Zone{_properties: ..., _parent: ..., _name: ...,
zoneDelegate: ...}, runCount: 0, zoneDelegates: null, state:
```

```
'notScheduled', type: 'microTask', source: 'Promise.then', data: undefined,
scheduleFn: undefined, cancelFn: null, callback: function () { ... }, invoke:
function () { ... }}}
08 11 2018 10:39:56.449:ERROR [PhantomJS 2.1.1 (Linux 0.0.0) |
Database: MemoryDb | 20 adds and sample]: 'Unhandled Promise rejection:',
'undefined is not a constructor (evaluating 'provider.sample(scope, 10)')',
'; Zone:', 'ProxyZone', '; Task:', 'Promise.then', '; Value:',
TypeError{line: 1030, sourceURL:
'http://localhost:9876/_karma_webpack_/main.bundle.js', stack: http://localhost:9876/_karma_webpack_/main.bundle.js:1030:65
step@http://localhost:9876/ karma webpack /main.bundle.js:792:27
http://localhost:9876/ karma webpack /main.bundle.js:773:57
fulfilled@http://localhost:9876/ karma webpack /main.bundle.js:764:62
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/ karma webpack /vendor.bundle.js:134532:49
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6032:48
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', __zone_symbol__currentTask: ZoneTask{_zone: Zone{_properties: ...,
_parent: ..., _name: ..., _zoneDelegate: ...}, runCount: 0, _zoneDelegates:
null, state: 'notScheduled', type: 'microTask', source: 'Promise.then',
data: undefined, scheduleFn: undefined, cancelFn: null, callback: function ()
{ ... }, invoke: function () { ... }}},
'http://localhost:9876/ karma webpack /main.bundle.js:1030:65
step@http://localhost:9876/ karma webpack /main.bundle.js:792:27
http://localhost:9876/_karma_webpack_/main.bundle.js:773:57
fulfilled@http://localhost:9876/_karma_webpack_/main.bundle.js:764:62
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/ karma webpack /vendor.bundle.js:134532:49
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6032:48
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42'
08 11 2018 10:39:56.449:ERROR [PhantomJS 2.1.1 (Linux 0.0.0) |
Database:MemoryDb | 20 adds and sample]: Error{line: 6634, sourceURL:
'http://localhost:9876/ karma webpack /polyfills.bundle.js', stack:
'ZoneAwareError@http://localhost:9876/ karma webpack /polyfills.bundle.js:663
resolvePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:6347
http://localhost:9876/ karma webpack /polyfills.bundle.js:6273:31
fulfilled@http://localhost:9876/ karma webpack /main.bundle.js:764:92
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /polyfills.bundle.js:6395:60
```

```
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/ karma webpack /vendor.bundle.js:134532:49
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6032:48
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', originalStack:
'ZoneAwareError@http://localhost:9876/ karma webpack /polyfills.bundle.js:663
resolvePromise@http://localhost:9876/ karma webpack /polyfills.bundle.js:6347
http://localhost:9876/ karma webpack /polyfills.bundle.js:6273:31
fulfilled@http://localhost:9876/ karma webpack /main.bundle.js:764:92
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/ karma webpack /vendor.bundle.js:134532:49
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6032:48
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', zoneAwareStack:
'fulfilled@http://localhost:9876/ karma webpack /main.bundle.js:764:92
[ProxyZone]
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
http://localhost:9876/ karma webpack /polyfills.bundle.js:6395:60 [ProxyZone]
onInvokeTask@http://localhost:9876/ karma webpack /vendor.bundle.js:134532:49
[ProxyZone]
drainMicroTaskQueue@http://localhost:9876/_karma_webpack_/polyfills.bundle.js
:6228:42 [<root>]', rejection: TypeError{line: 1030, sourceURL:
'http://localhost:9876/ karma webpack /main.bundle.js', stack:
'http://localhost:9876/ karma webpack /main.bundle.js:1030:65
step@http://localhost:9876/ karma webpack /main.bundle.js:792:27
http://localhost:9876/ karma webpack /main.bundle.js:773:57
fulfilled@http://localhost:9876/ karma webpack /main.bundle.js:764:62
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/ karma webpack /vendor.bundle.js:134508:45
invoke@http://localhost:9876/ karma webpack /polyfills.bundle.js:5999:40
run@http://localhost:9876/ karma webpack /polyfills.bundle.js:5760:49
http://localhost:9876/ karma webpack /polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134532:49
invokeTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:6032:48
runTask@http://localhost:9876/ karma webpack /polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/ karma webpack /polyfills.bundle.js
:6228:42', zone symbol currentTask: ZoneTask{_zone: ..., runCount: ...,
zoneDelegates: ..., state: ..., type: ..., source: ..., data: ...,
scheduleFn: ..., cancelFn: ..., callback: ..., invoke: ...}}, promise:
ZoneAwarePromise{__zone_symbol__state: 0, __zone_symbol__value:
TypeError{line: ..., sourceURL: ..., stack: ..., __zone_symbol__currentTask:
...}}, zone: Zone{ properties: Object{ProxyZoneSpec: ...}, parent:
Zone{ properties: ..., parent: ..., name: ..., zoneDelegate: ...}, name:
'ProxyZone', zoneDelegate: ZoneDelegate{ taskCounts: ..., zone: ...,
_parentDelegate: ..., _forkZS: ..., _forkDlgt: ..., _forkCurrZone: ...,
interceptZS: ..., interceptDlgt: ..., interceptCurrZone: ..., invokeZS:
```

```
..., invokeDlgt: ..., invokeCurrZone: ..., handleErrorZS: ...,
_handleErrorDlgt: ..., _handleErrorCurrZone: ..., _scheduleTaskZS: ...,
 scheduleTaskDlgt: ..., _scheduleTaskCurrZone: ..., _invokeTaskZS: ...,
_invokeTaskDlgt: ..., _invokeTaskCurrZone: ..., _cancelTaskZS: ...,
_cancelTaskDlgt: ..., _cancelTaskCurrZone: ..., hasTaskZS: ...,
hasTaskDlgt: ..., hasTaskDlgtOwner: ..., hasTaskCurrZone: ...}}, task:
ZoneTask{_zone: Zone{_properties: ..., _parent: ..., _name: ...,
_zoneDelegate: ...}, runCount: 0, _zoneDelegates: null, _state:
'notScheduled', type: 'microTask', source: 'Promise.then', data: undefined,
scheduleFn: undefined, cancelFn: null, callback: function () { ... }, invoke:
function () { ... }}}
08 11 2018 10:39:56.449:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
Database: MemoryDb | 20 adds and sample]: Success: 157 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 22 of 309 SUCCESS (0 secs / 17.816
secs)
08 11 2018 10:39:56.450:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
Database: MemoryDb | 3 adds and query]: Success: 13 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 23 of 309 SUCCESS (0 secs / 17.829
secs)
08 11 2018 10:39:56.456:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
Database: MemoryDb | add, updateall, get]: Success: 49 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 24 of 309 SUCCESS (0 secs / 17.878
secs)
08 11 2018 10:39:56.456:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
Database:MemoryDb | get tokenized data]: Success: 16 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 25 of 309 SUCCESS (0 secs / 17.894
08 11 2018 10:39:56.457:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
Database: Memory Db | get tokenized data (terms)]: Success: 12 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 26 of 309 SUCCESS (0 secs / 17.906
08 11 2018 10:39:56.458:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
Database: MemoryDb | get tokenized data (scan)]: Success: 28 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 27 of 309 SUCCESS (0 secs / 17.934
secs)
08 11 2018 10:39:56.492:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
Database: MemoryDb | get tokenized data (top)]: Success: 2 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 28 of 309 SUCCESS (0 secs / 17.936
secs)
08 11 2018 10:39:56.492:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
Database: MemoryDb | get tokenized data (all)]: Success: 7 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 29 of 309 SUCCESS (0 secs / 17.943
secs)
08 11 2018 10:39:56.503:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
Database: MemoryDb | get tokenized data (all, chained)]: Success: 21 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 30 of 309 SUCCESS (0 secs / 17.964
secs)
08 11 2018 10:39:56.503:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
Database: MemoryDb | get tokenized data (filter)]: Success: 9 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 31 of 309 SUCCESS (0 secs / 17.973
08 11 2018 10:39:56.600:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
Database: Memory Db | get tokenized data (highlight)]: Success: 29 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 32 of 309 SUCCESS (0 secs / 18.002
08 11 2018 10:39:56.621:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | MenusService |
should construct]: Success: 85 ms
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 33 of 309 SUCCESS (0 secs / 18.087
secs)
08 11 2018 10:39:56.768:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EnvironmentService | should construct]: Success: 81 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 34 of 309 SUCCESS (0 secs / 18.168
secs)
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 34 of 309 SUCCESS (0 secs / 18.168
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
08 11 2018 10:39:56.769:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EnvironmentService | should get data]: 'SHOWME|global['it']', function () {
08 11 2018 10:39:56.769:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EnvironmentService | should get data]: Success: 59 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 35 of 309 SUCCESS (0 secs / 18.227
08 11 2018 10:39:57.501:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ErrorModalComponent | start div should have no accessibility issues]:
Success: 531 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 36 of 309 SUCCESS (0 secs / 18.758
08 11 2018 10:39:57.938:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ErrorModalComponent | notified div should have no accessibility issues]:
Success: 474 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 37 of 309 SUCCESS (0 secs / 19.232
08 11 2018 10:39:58.131:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ErrorModalComponent | clipboard div should have no accessibility issues]:
Success: 330 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 38 of 309 SUCCESS (0 secs / 19.562
08 11 2018 10:39:58.208:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ErrorService |
should create]: Success: 60 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 39 of 309 SUCCESS (0 secs / 19.622
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 39 of 309 SUCCESS (0 secs / 19.622
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 39 of 309 SUCCESS (0 secs / 19.622
secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 39 of 309 SUCCESS (0 secs / 19.622
secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
```

```
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['secondsForExternalRedirect',
'localDomains'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 39 of 309 SUCCESS (0 secs / 19.622
secs)
LOG: 'MetabaseService->missing', ['secondsForExternalRedirect',
'localDomains']
LOG: 'MetabaseService->missing', ['secondsForExternalRedirect',
'localDomains']
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 39 of 309 SUCCESS (0 secs / 19.622
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 39 of 309 SUCCESS (0 secs / 19.622
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:59.749:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should have no accessibility issues]:
'MetabaseService->cherryPick~cached', Object{}
08 11 2018 10:39:59.750:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should have no accessibility issues]:
'SHOWME|global['it']', function () { ... }
08 11 2018 10:39:59.750:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should have no accessibility issues]:
'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:39:59.750:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should have no accessibility issues]:
'MetabaseService->missing', ['secondsForExternalRedirect', 'localDomains']
08 11 2018 10:39:59.750:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should have no accessibility issues]:
'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect: 20,
localDomains: '['http://192.168.100.10/']'}
08 11 2018 10:39:59.750:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should have no accessibility issues]:
'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:39:59.750:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should have no accessibility issues]: Success: 1494
PhantomJS 2.1.1 (Linux 0.0.0): Executed 40 of 309 SUCCESS (0 secs / 21.116
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 40 of 309 SUCCESS (0 secs / 21.116
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
```

```
08 11 2018 10:40:01.142:WARN [web-server]: 404: /www.halfaker.com
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 40 of 309 SUCCESS (0 secs / 21.116
secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 40 of 309 SUCCESS (0 secs / 21.116
secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['secondsForExternalRedirect',
'localDomains'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 40 of 309 SUCCESS (0 secs / 21.116
secs)
LOG: 'MetabaseService->missing', ['secondsForExternalRedirect',
'localDomains'
LOG: 'MetabaseService->missing', ['secondsForExternalRedirect',
'localDomains'l
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 40 of 309 SUCCESS (0 secs / 21.116
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 40 of 309 SUCCESS (0 secs / 21.116
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:40:01.209:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should zero out seconds]: 'MetabaseService-
>cherryPick~cached', Object{}
08 11 2018 10:40:01.209:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should zero out seconds]: 'SHOWME|global['it']',
function () { ... }
08 11 2018 10:40:01.209:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should zero out seconds]: 'MetabaseService-
>environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:40:01.209:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should zero out seconds]: 'MetabaseService->missing',
['secondsForExternalRedirect', 'localDomains']
```

```
08 11 2018 10:40:01.209:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should zero out seconds]: 'MetabaseService-
>cherryPick~cached', Object{secondsForExternalRedirect: 20, localDomains:
'['http://192.168.100.10/']'}
08 11 2018 10:40:01.209:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should zero out seconds]: 'MetabaseService', 'ALREADY
08 11 2018 10:40:01.209:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should zero out seconds]: Success: 1448 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 41 of 309 SUCCESS (0 secs / 22.564
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 41 of 309 SUCCESS (0 secs / 22.564
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 41 of 309 SUCCESS (0 secs / 22.564
secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 41 of 309 SUCCESS (0 secs / 22.564
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['secondsForExternalRedirect',
'localDomains']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 41 of 309 SUCCESS (0 secs / 22.564
secs)
LOG: 'MetabaseService->missing', ['secondsForExternalRedirect',
'localDomains'
LOG: 'MetabaseService->missing', ['secondsForExternalRedirect',
'localDomains'
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 41 of 309 SUCCESS (0 secs / 22.564
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 41 of 309 SUCCESS (0 secs / 22.564
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
```

```
08 11 2018 10:40:02.774:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should call cancel on click]: 'MetabaseService-
>cherryPick~cached', Object{}
08 11 2018 10:40:02.780:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should call cancel on click]: 'SHOWME|global['it']',
function () { ... }
08 11 2018 10:40:02.780:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should call cancel on click]: 'MetabaseService-
>environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:40:02.781:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should call cancel on click]: 'MetabaseService-
>missing', ['secondsForExternalRedirect', 'localDomains']
08 11 2018 10:40:02.781:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should call cancel on click]: 'MetabaseService-
>cherryPick~cached', Object{secondsForExternalRedirect: 20, localDomains:
'['http://192.168.100.10/']'}
08 11 2018 10:40:02.781:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should call cancel on click]: 'MetabaseService',
'ALREADY CACHED'
08 11 2018 10:40:02.781:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should call cancel on click |: Success: 1582 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 42 of 309 SUCCESS (0 secs / 24.146
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 42 of 309 SUCCESS (0 secs / 24.146
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 42 of 309 SUCCESS (0 secs / 24.146
secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 42 of 309 SUCCESS (0 secs / 24.146
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['secondsForExternalRedirect',
'localDomains'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 42 of 309 SUCCESS (0 secs / 24.146
LOG: 'MetabaseService->missing', ['secondsForExternalRedirect',
'localDomains'l
```

```
LOG: 'MetabaseService->missing', ['secondsForExternalRedirect',
'localDomains']
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 42 of 309 SUCCESS (0 secs / 24.146
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
LOG: 'MetabaseService->cherryPick~cached', Object{secondsForExternalRedirect:
20, localDomains: '['http://192.168.100.10/']'}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 42 of 309 SUCCESS (0 secs / 24.146
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:40:04.276:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should call cancelFocus on click]: 'MetabaseService-
>cherryPick~cached', Object{}
08 11 2018 10:40:04.276:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should call cancelFocus on click]:
'SHOWME|global['it']', function () { ... }
08 11 2018 10:40:04.276:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should call cancelFocus on click]: 'MetabaseService-
>environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:40:04.276:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should call cancelFocus on click]: 'MetabaseService-
>missing', ['secondsForExternalRedirect', 'localDomains']
08 11 2018 10:40:04.276:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should call cancelFocus on click]: 'MetabaseService-
>cherryPick~cached', Object{secondsForExternalRedirect: 20, localDomains:
'['http://192.168.100.10/']'}
08 11 2018 10:40:04.276:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should call cancelFocus on click]: 'MetabaseService',
'ALREADY CACHED'
08 11 2018 10:40:04.276:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ExtLinkModalComponent | should call cancelFocus on click]: Success: 1513 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 43 of 309 SUCCESS (0 secs / 25.659
secs)
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 43 of 309 SUCCESS (0 secs / 25.659
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 43 of 309 SUCCESS (0 secs / 25.659
secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 43 of 309 SUCCESS (0 secs / 25.659
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'EnvironmentService', 'ALREADY CACHED'
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 43 of 309 SUCCESS (0 secs / 25.659
secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 43 of 309 SUCCESS (0 secs / 25.659
secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['tooltips']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 43 of 309 SUCCESS (0 secs / 25.659
secs)
LOG: 'MetabaseService->missing', ['tooltips']
LOG: 'MetabaseService->missing', ['tooltips']
08 11 2018 10:40:05.320:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
HomepageComponent | expects rendered quick news list]: 'ToolTipService cTor'
08 11 2018 10:40:05.331:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
HomepageComponent | expects rendered quick news list]: 'SHOWME | global ['it']',
function () { ... }
08 11 2018 10:40:05.332:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
HomepageComponent | expects rendered quick news list]: 'MetabaseService-
>cherryPick~cached', Object{}
08 11 2018 10:40:05.332:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
HomepageComponent | expects rendered quick news list]: 'EnvironmentService',
'ALREADY CACHED'
08 11 2018 10:40:05.332:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
HomepageComponent | expects rendered quick news list]: 'MetabaseService-
>environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:40:05.332:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
HomepageComponent | expects rendered quick news list]: 'MetabaseService-
>missing', ['tooltips']
08 11 2018 10:40:05.332:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
HomepageComponent | expects rendered quick news list]: Success: 709 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 44 of 309 SUCCESS (0 secs / 26.368
secs)
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 44 of 309 SUCCESS (0 secs / 26.368
secs)
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 44 of 309 SUCCESS (0 secs / 26.368
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
```

```
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 44 of 309 SUCCESS (0 secs / 26.368
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 44 of 309 SUCCESS (0 secs / 26.368
secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 44 of 309 SUCCESS (0 secs / 26.368
secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['tooltips']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 44 of 309 SUCCESS (0 secs / 26.368
LOG: 'MetabaseService->missing', ['tooltips']
LOG: 'MetabaseService->missing', ['tooltips']
08 11 2018 10:40:05.927:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
HomepageComponent | div 1 should have no accessibility issues]:
'ToolTipService cTor'
08 11 2018 10:40:05.927:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
HomepageComponent | div 1 should have no accessibility issues]:
'SHOWME|global['it']', function () { ... }
08 11 2018 10:40:05.927:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
HomepageComponent | div 1 should have no accessibility issues]:
'MetabaseService->cherryPick~cached', Object{}
08 11 2018 10:40:05.927:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
HomepageComponent | div 1 should have no accessibility issues]:
'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:40:05.927:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
HomepageComponent | div 1 should have no accessibility issues]:
'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:40:05.927:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
HomepageComponent | div 1 should have no accessibility issues]:
'MetabaseService->missing', ['tooltips']
08 11 2018 10:40:05.927:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
HomepageComponent | div 1 should have no accessibility issues]: Success: 914
PhantomJS 2.1.1 (Linux 0.0.0): Executed 45 of 309 SUCCESS (0 secs / 27.282
08 11 2018 10:40:06.038:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerService |
expects one output from LogLevel.Error]: Success: 89 ms
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 46 of 309 SUCCESS (0 secs / 27.371
secs)
08 11 2018 10:40:06.060:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerService |
expects two outputs from LogLevel.Warn]: Success: 28 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 47 of 309 SUCCESS (0 secs / 27.399
secs)
08 11 2018 10:40:06.263:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerService |
expects three outputs from LogLevel.Info]: Success: 61 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 48 of 309 SUCCESS (0 secs / 27.46
secs)
08 11 2018 10:40:06.264:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerService |
expects five outputs from LogLevel.Debug]: Success: 144 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 49 of 309 SUCCESS (0 secs / 27.604
08 11 2018 10:40:06.332:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerService |
expects UPPERCASE]: Success: 22 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 50 of 309 SUCCESS (0 secs / 27.626
08 11 2018 10:40:06.452:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerService |
expects JSON output]: Success: 61 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 51 of 309 SUCCESS (0 secs / 27.687
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 51 of 309 SUCCESS (0 secs / 27.687
secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 51 of 309 SUCCESS (0 secs / 27.687
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:40:06.504:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
LoggingApiService | add log]: 'SHOWME|global['it']', function () { ... }
08 11 2018 10:40:06.504:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
LoggingApiService | add log]: 'SHOWME|environment', Object{enable api: false,
tableau url: 'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:40:06.504:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
LoggingApiService | add log]: Success: 53 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 52 of 309 SUCCESS (0 secs / 27.74
secs)
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 52 of 309 SUCCESS (0 secs / 27.74
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
```

```
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 52 of 309 SUCCESS (0 secs / 27.74
secs)
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:40:06.505:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
LoggingApiService | get all logs]: 'SHOWME|global['it']', function () { ... }
08 11 2018 10:40:06.505:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
LoggingApiService | get all logs]: 'SHOWME|environment', Object{enable api:
false, tableau url: 'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:40:06.505:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
LoggingApiService | get all logs]: Success: 48 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 53 of 309 SUCCESS (0 secs / 27.788
secs)
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 53 of 309 SUCCESS (0 secs / 27.788
secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|environment', Object{enable_api: false, tableau_url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 53 of 309 SUCCESS (0 secs / 27.788
secs)
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:40:06.611:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
LoggingApiService | get all logs with paging]: 'SHOWME|global['it']',
function () { ... }
08 11 2018 10:40:06.611:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
LoggingApiService | get all logs with paging]: 'SHOWME|environment',
Object{enable api: false, tableau url: 'https://public.tableau.com',
ssoiLandingHost: 'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:40:06.611:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
LoggingApiService | get all logs with paging]: Success: 78 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 54 of 309 SUCCESS (0 secs / 27.866
secs)
LOG: 'SHOWME|global['it']', function () { ... }
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 54 of 309 SUCCESS (0 secs / 27.866
secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|environment', Object{enable_api: false, tableau_url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 54 of 309 SUCCESS (0 secs / 27.866
secs)
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:40:06.612:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
LoggingApiService | get all logs with paging using sample data (ensure page 0
is page 1 and page 2 is not page 1)]: 'SHOWME|global['it']', function () {
08 11 2018 10:40:06.612:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
LoggingApiService | get all logs with paging using sample data (ensure page 0
is page 1 and page 2 is not page 1)]: 'SHOWME|environment',
Object{enable api: false, tableau url: 'https://public.tableau.com',
ssoiLandingHost: 'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:40:06.612:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
LoggingApiService | get all logs with paging using sample data (ensure page 0
is page 1 and page 2 is not page 1)]: Success: 68 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 55 of 309 SUCCESS (0 secs / 27.934
08 11 2018 10:40:06.816:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | MenusService |
should construct]: Success: 131 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 56 of 309 SUCCESS (0 secs / 28.065
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 56 of 309 SUCCESS (0 secs / 28.065
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 56 of 309 SUCCESS (0 secs / 28.065
secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 56 of 309 SUCCESS (0 secs / 28.065
secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
```

```
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['menus', 'accessRoles']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 56 of 309 SUCCESS (0 secs / 28.065
LOG: 'MetabaseService->missing', ['menus', 'accessRoles']
LOG: 'MetabaseService->missing', ['menus', 'accessRoles']
08 11 2018 10:40:06.905:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | MenusService |
should get data]: 'MetabaseService->cherryPick~cached', Object{}
08 11 2018 10:40:06.905:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | MenusService |
should get data]: 'SHOWME|global['it']', function () { ... }
08 11 2018 10:40:06.905:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | MenusService |
should get data]: 'MetabaseService->environment', Object{enable api: false,
tableau url: 'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:40:06.905:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | MenusService |
should get data]: 'MetabaseService->missing', ['menus', 'accessRoles']
08 11 2018 10:40:06.906:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | MenusService |
should get data]: Success: 68 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 57 of 309 SUCCESS (0 secs / 28.133
secs)
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 57 of 309 SUCCESS (0 secs / 28.133
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}], accessRoles: ['ebilling']}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 57 of 309 SUCCESS (0 secs / 28.133
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}], accessRoles: ['ebilling']}
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
... }], accessRoles: ['ebilling']}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 57 of 309 SUCCESS (0 secs / 28.133
secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:40:06.907:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | MenusService |
should get eBilling data and not ePharmacy]: 'SHOWME|global['it']', function
() { ... }
08 11 2018 10:40:06.913:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | MenusService |
should get eBilling data and not ePharmacy]: 'MetabaseService-
>cherryPick~cached', Object{menus: [Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...}],
accessRoles: ['ebilling']}
08 11 2018 10:40:06.913:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | MenusService |
should get eBilling data and not ePharmacy]: 'MetabaseService', 'ALREADY
CACHED'
```

```
08 11 2018 10:40:06.913:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | MenusService |
should get eBilling data and not ePharmacy]: Success: 81 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 58 of 309 SUCCESS (0 secs / 28.214
secs)
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 58 of 309 SUCCESS (0 secs / 28.214
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 58 of 309 SUCCESS (0 secs / 28.214
secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 58 of 309 SUCCESS (0 secs / 28.214
secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 58 of 309 SUCCESS (0 secs / 28.214
secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 58 of 309 SUCCESS (0 secs / 28.214
secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['tooltips']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 58 of 309 SUCCESS (0 secs / 28.214
secs)
LOG: 'MetabaseService->missing', ['tooltips']
LOG: 'MetabaseService->missing', ['tooltips']
08 11 2018 10:40:07.363:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | SearchComponent
| should have no accessibility issues]: 'ToolTipService cTor'
08 11 2018 10:40:07.363:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | SearchComponent
| should have no accessibility issues]: 'SHOWME|global['it']', function () {
08 11 2018 10:40:07.363:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | SearchComponent
| should have no accessibility issues]: 'MetabaseService->cherryPick~cached',
08 11 2018 10:40:07.363:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | SearchComponent
| should have no accessibility issues]: 'EnvironmentService', 'ALREADY
CACHED'
08 11 2018 10:40:07.363:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | SearchComponent
| should have no accessibility issues]: 'MetabaseService->environment',
Object{enable api: false, tableau url: 'https://public.tableau.com',
```

```
ssoiLandingHost: 'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:40:07.363:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | SearchComponent
| should have no accessibility issues]: 'MetabaseService->missing',
['tooltips']
08 11 2018 10:40:07.363:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | SearchComponent
| should have no accessibility issues]: Success: 386 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 59 of 309 SUCCESS (0 secs / 28.6
08 11 2018 10:40:07.859:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
BreadcrumbComponent | should have no accessibility issues]: Success: 489 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 60 of 309 SUCCESS (0 secs / 29.089
08 11 2018 10:40:08.328:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
CalendarComponent | should have no accessibility issues]: Success: 458 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 61 of 309 SUCCESS (0 secs / 29.547
secs)
08 11 2018 10:40:09.204:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
DataTableComponent | should have no accessibility issues]: Success: 860 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 62 of 309 SUCCESS (0 secs / 30.407
secs)
08 11 2018 10:40:10.568:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
set valid date]: Success: 427 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 63 of 309 SUCCESS (0 secs / 30.834
secs)
08 11 2018 10:40:13.986:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
open/close selector]: Success: 949 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 64 of 309 SUCCESS (0 secs / 31.783
08 11 2018 10:40:13.986:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
select today button]: Success: 860 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 65 of 309 SUCCESS (0 secs / 32.643
08 11 2018 10:40:13.986:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
select previous month]: Success: 688 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 66 of 309 SUCCESS (0 secs / 33.331
08 11 2018 10:40:19.156:WARN [web-server]: 404: /sourcesanspro-light-
webfont.3920c044810625353fed.woff
08 11 2018 10:40:19.156:WARN [web-server]: 404: /sourcesanspro-regular-
webfont.d2e3cf3e91620fa02db7.woff
08 11 2018 10:40:19.164:WARN [web-server]: 404: /sourcesanspro-bold-
webfont.74f174d071369e0df856.woff
08 11 2018 10:40:35.484:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
select next month]: Success: 941 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 67 of 309 SUCCESS (0 secs / 34.272
secs)
08 11 2018 10:40:35.484:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
select previous month january change year]: Success: 982 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 68 of 309 SUCCESS (0 secs / 35.254
08 11 2018 10:40:35.484:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
select next month december change year]: Success: 818 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 69 of 309 SUCCESS (0 secs / 36.072
08 11 2018 10:40:35.485:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
select previous month from selector]: Success: 1013 ms
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 70 of 309 SUCCESS (0 secs / 37.085
secs)
08 11 2018 10:40:35.485:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
select next month from selector]: Success: 934 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 71 of 309 SUCCESS (0 secs / 38.019
secs)
08 11 2018 10:40:35.485:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
select previous year]: Success: 1078 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 72 of 309 SUCCESS (0 secs / 39.097
secs)
08 11 2018 10:40:35.485:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
select next year]: Success: 1259 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 73 of 309 SUCCESS (0 secs / 40.356
08 11 2018 10:40:35.486:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
test calendar year 2016 month one by one - next month button]: Success: 3486
PhantomJS 2.1.1 (Linux 0.0.0): Executed 74 of 309 SUCCESS (0 secs / 43.842
secs)
08 11 2018 10:40:35.486:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
test calendar year 2016 month one by one - previous month button]: Success:
PhantomJS 2.1.1 (Linux 0.0.0): Executed 75 of 309 SUCCESS (0 secs / 47.565
secs)
08 11 2018 10:40:35.486:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - date format]: Success: 547 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 76 of 309 SUCCESS (0 secs / 48.112
secs)
08 11 2018 10:40:35.492:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - show today button]: Success: 2356 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 77 of 309 SUCCESS (0 secs / 50.468
secs)
08 11 2018 10:40:35.493:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - today button text]: Success: 866 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 78 of 309 SUCCESS (0 secs / 51.334
secs)
08 11 2018 10:40:35.493:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - first day of week]: Success: 974 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 79 of 309 SUCCESS (0 secs / 52.308
08 11 2018 10:40:35.493:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - mark current day]: Success: 1917 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 80 of 309 SUCCESS (0 secs / 54.225
08 11 2018 10:40:54.278:WARN [web-server]: 404: /sourcesanspro-bold-
webfont.86937a00b9e6bd153ddb.ttf
08 11 2018 10:40:54.278:WARN [web-server]: 404: /sourcesanspro-light-
webfont.5110c10b6fcf515fc776.ttf
08 11 2018 10:40:54.355:WARN [web-server]: 404: /sourcesanspro-regular-
webfont.01c34960c01c24ac996e.ttf
08 11 2018 10:41:13.166:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - mark current month]: Success: 1101 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 81 of 309 SUCCESS (0 secs / 55.326
secs)
08 11 2018 10:41:13.166:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - mark current year]: Success: 1406 ms
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 82 of 309 SUCCESS (0 secs / 56.732
secs)
08 11 2018 10:41:13.167:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - month selector]: Success: 1612 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 83 of 309 SUCCESS (0 secs / 58.344
secs)
08 11 2018 10:41:13.167:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - year selector]: Success: 1348 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 84 of 309 SUCCESS (0 secs / 59.692
secs)
08 11 2018 10:41:13.167:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - disable header buttons]: Success: 2295 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 85 of 309 SUCCESS (0 secs / 1 min
1.987 secs)
08 11 2018 10:41:13.178:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - min year]: Success: 1430 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 86 of 309 SUCCESS (0 secs / 1 min
3.417 secs)
08 11 2018 10:41:13.179:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - max year]: Success: 1321 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 87 of 309 SUCCESS (0 secs / 1 min
4.738 secs)
08 11 2018 10:41:13.179:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - disable until]: Success: 1027 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 88 of 309 SUCCESS (0 secs / 1 min
5.765 secs)
08 11 2018 10:41:13.185:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - disable since]: Success: 817 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 89 of 309 SUCCESS (0 secs / 1 min
6.582 secs)
08 11 2018 10:41:13.185:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - disable days one by one]: Success: 925 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 90 of 309 SUCCESS (0 secs / 1 min
7.507 secs)
08 11 2018 10:41:13.185:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - enable disabled days one by one]: Success: 1017 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 91 of 309 SUCCESS (0 secs / 1 min
8.524 secs)
08 11 2018 10:41:13.185:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - disable date ranges]: Success: 1736 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 92 of 309 SUCCESS (0 secs / 1 min
10.26 secs)
08 11 2018 10:41:13.186:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - mark dates]: Success: 1990 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 93 of 309 SUCCESS (0 secs / 1 min
12.25 secs)
08 11 2018 10:41:13.186:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - mark weekends]: Success: 2029 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 94 of 309 SUCCESS (0 secs / 1 min
14.279 secs)
08 11 2018 10:41:13.186:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - disable weekends]: Success: 1170 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 95 of 309 SUCCESS (0 secs / 1 min
15.449 secs)
08 11 2018 10:41:13.186:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - allow deselect date]: Success: 1795 ms
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 96 of 309 SUCCESS (0 secs / 1 min
17.244 secs)
08 11 2018 10:41:13.186:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - inline]: Success: 528 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 97 of 309 SUCCESS (0 secs / 1 min
17.772 secs)
08 11 2018 10:41:13.187:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - show clear date button]: Success: 2436 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 98 of 309 SUCCESS (0 secs / 1 min
20.208 secs)
08 11 2018 10:41:13.187:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - show decrease date button]: Success: 2666 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 99 of 309 SUCCESS (0 secs / 1 min
22.874 secs)
08 11 2018 10:41:13.187:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - show increase date button]: Success: 2812 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 100 of 309 SUCCESS (0 secs / 1 min
25.686 secs)
08 11 2018 10:41:13.187:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - height]: Success: 443 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 101 of 309 SUCCESS (0 secs / 1 min
26.129 secs)
08 11 2018 10:41:13.188:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - width]: Success: 530 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 102 of 309 SUCCESS (0 secs / 1 min
26.659 secs)
08 11 2018 10:41:13.188:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - selector height]: Success: 873 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 103 of 309 SUCCESS (0 secs / 1 min
27.532 secs)
08 11 2018 10:41:13.188:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - selector width]: Success: 995 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 104 of 309 SUCCESS (0 secs / 1 min
28.527 secs)
08 11 2018 10:41:13.188:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - selection text font size]: Success: 555 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 105 of 309 SUCCESS (0 secs / 1 min
29.082 secs)
08 11 2018 10:41:13.198:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - align selector right]: Success: 1228 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 106 of 309 SUCCESS (0 secs / 1 min
30.31 secs)
08 11 2018 10:41:13.199:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - open selector top of input]: Success: 2659 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 107 of 309 SUCCESS (0 secs / 1 min
32.969 secs)
08 11 2018 10:41:31.965:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - indicate invalid date]: Success: 562 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 108 of 309 SUCCESS (0 secs / 1 min
33.531 secs)
08 11 2018 10:41:31.965:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - disableUntil input dates validation]: Success: 821 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 109 of 309 SUCCESS (0 secs / 1 min
34.352 secs)
08 11 2018 10:41:31.968:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - disableSince input dates validation]: Success: 478 ms
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 110 of 309 SUCCESS (0 secs / 1 min
34.83 secs)
08 11 2018 10:41:31.974:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - disable weekends input date validation]: Success: 698 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 111 of 309 SUCCESS (0 secs / 1 min
35.528 secs)
08 11 2018 10:41:31.975:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - disable weekdays]: Success: 1980 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 112 of 309 SUCCESS (0 secs / 1 min
37.508 secs)
08 11 2018 10:41:31.975:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - disableDays input date validation]: Success: 840 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 113 of 309 SUCCESS (0 secs / 1 min
38.348 secs)
08 11 2018 10:41:31.976:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - disable component]: Success: 447 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 114 of 309 SUCCESS (0 secs / 1 min
38.795 secs)
08 11 2018 10:41:31.984:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - editable date field]: Success: 693 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 115 of 309 SUCCESS (0 secs / 1 min
39.488 secs)
08 11 2018 10:41:31.984:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - click input to open selector]: Success: 954 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 116 of 309 SUCCESS (0 secs / 1 min
40.442 secs)
08 11 2018 10:41:31.985:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - show selector arrow]: Success: 2676 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 117 of 309 SUCCESS (0 secs / 1 min
43.118 secs)
08 11 2018 10:41:31.985:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - show input field]: Success: 746 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 118 of 309 SUCCESS (0 secs / 1 min
43.864 secs)
08 11 2018 10:41:31.986:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - show week numbers]: Success: 2271 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 119 of 309 SUCCESS (0 secs / 1 min
46.135 secs)
08 11 2018 10:41:31.994:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - aria label texts]: Success: 2121 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 120 of 309 SUCCESS (0 secs / 1 min
48.256 secs)
08 11 2018 10:41:31.994:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
options - allowSelectionOnlyInCurrentMonth]: Success: 1120 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 121 of 309 SUCCESS (0 secs / 1 min
49.376 secs)
08 11 2018 10:41:31.994:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
defaultMonth - initially selected month]: Success: 1440 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 122 of 309 SUCCESS (0 secs / 1 min
50.816 secs)
08 11 2018 10:41:31.994:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
disabled - disable component]: Success: 1216 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 123 of 309 SUCCESS (0 secs / 1 min
52.032 secs)
08 11 2018 10:41:31.995:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
placeholder - placeholder text]: Success: 582 ms
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 124 of 309 SUCCESS (0 secs / 1 min
52.614 secs)
08 11 2018 10:41:31.996:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker |
"selects" the date if the selected date is not the same as the input date on
input changed and the input date is valid]: Success: 451 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 125 of 309 SUCCESS (0 secs / 1 min
53.065 secs)
08 11 2018 10:41:32.703:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ModalComponent
| should have no accessibility issues]: Success: 742 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 126 of 309 SUCCESS (0 secs / 1 min
53.807 secs)
08 11 2018 10:41:33.070:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ModalComponent
| should call ngOnChanges]: Success: 361 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 127 of 309 SUCCESS (0 secs / 1 min
54.168 secs)
08 11 2018 10:41:33.482:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ModalComponent
| should tab through buttons]: Success: 414 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 128 of 309 SUCCESS (0 secs / 1 min
54.582 secs)
08 11 2018 10:41:33.900:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ModalComponent
| should call headerCloseClick]: Success: 374 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 129 of 309 SUCCESS (0 secs / 1 min
54.956 secs)
08 11 2018 10:41:34.277:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ModalComponent
| should call footerOkClick]: Success: 425 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 130 of 309 SUCCESS (0 secs / 1 min
55.381 secs)
08 11 2018 10:41:34.897:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ModalComponent
| should call footerCancelClick]: Success: 620 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 131 of 309 SUCCESS (0 secs / 1 min
56.001 secs)
08 11 2018 10:41:34.956:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatePipe: |
should truncate collection]: Success: 11 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 132 of 309 SUCCESS (0 secs / 1 min
56.012 secs)
08 11 2018 10:41:35.001:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatePipe: |
should register with the PaginationService]: Success: 27 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 133 of 309 SUCCESS (0 secs / 1 min
56.039 secs)
08 11 2018 10:41:35.020:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatePipe: |
should modify the same instance when called multiple times]: Success: 35 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 134 of 309 SUCCESS (0 secs / 1 min
56.074 secs)
08 11 2018 10:41:35.069:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatePipe: |
should use default id if none specified]: Success: 52 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 135 of 309 SUCCESS (0 secs / 1 min
56.126 secs)
08 11 2018 10:41:35.121:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatePipe: |
should not break when totalItems is specified for in-memory paging]: Success:
57 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 136 of 309 SUCCESS (0 secs / 1 min
56.183 secs)
08 11 2018 10:41:35.188:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatePipe:,
collection modification | should detect simple push or splice without
insert]: Success: 51 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 137 of 309 SUCCESS (0 secs / 1 min
56.234 secs)
```

```
08 11 2018 10:41:35.236:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatePipe:,
collection modification | should detect value changes in collection]:
Success: 59 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 138 of 309 SUCCESS (0 secs / 1 min
56.293 secs)
08 11 2018 10:41:35.306:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatePipe: |
should allow independent instances by setting an idl: Success: 17 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 139 of 309 SUCCESS (0 secs / 1 min
56.31 secs)
08 11 2018 10:41:35.374:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatePipe:,
server-side pagination | should truncate collection]: Success: 53 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 140 of 309 SUCCESS (0 secs / 1 min
56.363 secs)
08 11 2018 10:41:35.413:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatePipe:,
server-side pagination | should display page 2]: Success: 42 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 141 of 309 SUCCESS (0 secs / 1 min
56.405 secs)
08 11 2018 10:41:35.462:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatePipe: |
should return identical array for the same input values]: Success: 19 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 142 of 309 SUCCESS (0 secs / 1 min
56.424 secs)
08 11 2018 10:41:35.529:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatePipe:,
unexpected input: | should pass through non-array inputs]: Success: 9 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 143 of 309 SUCCESS (0 secs / 1 min
56.433 secs)
08 11 2018 10:41:35.549:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatePipe:,
unexpected input: | should work with a string as itemsPerPage arg]: Success:
PhantomJS 2.1.1 (Linux 0.0.0): Executed 144 of 309 SUCCESS (0 secs / 1 min
56.491 secs)
08 11 2018 10:41:35.586:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatePipe:,
unexpected input: | should work with a string as currentPage arg]: Success:
57 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 145 of 309 SUCCESS (0 secs / 1 min
56.548 secs)
08 11 2018 10:41:35.590:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatePipe:,
unexpected input: | should work with itemsPerPage and currentPage as
accessors]: Success: 9 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 146 of 309 SUCCESS (0 secs / 1 min
56.557 secs)
08 11 2018 10:41:36.440:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatePipe:,
DOM tests: | should display the correct number of items per page (10)]:
Success: 698 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 147 of 309 SUCCESS (0 secs / 1 min
57.255 secs)
08 11 2018 10:41:36.961:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatePipe:,
DOM tests: | should display the correct number of items per page (50)]:
Success: 492 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 148 of 309 SUCCESS (0 secs / 1 min
57.747 secs)
08 11 2018 10:41:37.397:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatePipe:,
DOM tests: | should display the correct number of items, after itemsPerPage &
currentPage change]: Success: 455 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 149 of 309 SUCCESS (0 secs / 1 min
58.202 secs)
08 11 2018 10:41:38.223:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatePipe:,
DOM tests: | should display the correct items on init]: Success: 775 ms
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 150 of 309 SUCCESS (0 secs / 1 min
58.977 secs)
08 11 2018 10:41:38.750:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatePipe:,
DOM tests: | should not mutate the collection]: Success: 580 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 151 of 309 SUCCESS (0 secs / 1 min
59.557 secs)
08 11 2018 10:41:39.106:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatePipe:,
DOM tests: | should default to page 1 if currentPage not set]: Success: 471
PhantomJS 2.1.1 (Linux 0.0.0): Executed 152 of 309 SUCCESS (0 secs / 2 mins
0.028 secs)
08 11 2018 10:41:40.453:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent: | should display the correct page links
(simple)]: Success: 478 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 153 of 309 SUCCESS (0 secs / 2 mins
0.506 secs)
08 11 2018 10:41:44.771:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent: | should display the correct page links (end
ellipsis)]: Success: 533 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 154 of 309 SUCCESS (0 secs / 2 mins
1.039 secs)
08 11 2018 10:41:44.772:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent: | should display the correct page links (start
ellipsis)]: Success: 906 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 155 of 309 SUCCESS (0 secs / 2 mins
1.945 secs)
08 11 2018 10:41:44.778:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent: | should display the correct page links (double
ellipsis)]: Success: 652 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 156 of 309 SUCCESS (0 secs / 2 mins
2.597 secs)
08 11 2018 10:41:44.779:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent: | should add "ellipsis" class to ellipsis
links]: Success: 386 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 157 of 309 SUCCESS (0 secs / 2 mins
2.983 secs)
08 11 2018 10:41:44.779:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent: | should update links when collection size
changes]: Success: 1247 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 158 of 309 SUCCESS (0 secs / 2 mins
4.23 secs)
08 11 2018 10:41:47.946:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent: | should update the currently-active
page when currentPage changes]: Success: 511 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 159 of 309 SUCCESS (0 secs / 2 mins
4.741 secs)
08 11 2018 10:41:47.946:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent: | should highlight the currently-active
page when currentPage is passed as a numeric string]: Success: 635 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 160 of 309 SUCCESS (0 secs / 2 mins
5.376 secs)
08 11 2018 10:41:47.953:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent: | should update the currently-active
 page when currentPage becomes invalid (too high)]: Success: 424 ms
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 161 of 309 SUCCESS (0 secs / 2 mins
5.8 secs)
08 11 2018 10:41:47.954:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent: | should allow the tas-pagination-controls to
come before the PaginatePipe]: Success: 299 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 162 of 309 SUCCESS (0 secs / 2 mins
6.099 secs)
08 11 2018 10:41:47.957:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent: | should allow multiple independent instances
(controller test)]: Success: 392 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 163 of 309 SUCCESS (0 secs / 2 mins
6.491 secs)
08 11 2018 10:41:47.957:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent: | should allow multiple independent instances
(template test)]: Success: 495 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 164 of 309 SUCCESS (0 secs / 2 mins
6.986 secs)
08 11 2018 10:41:47.976:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent: | "autoHide" should be boolean]: Success: 284 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 165 of 309 SUCCESS (0 secs / 2 mins
7.27 secs)
08 11 2018 10:41:47.976:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent: | "autoHide" should work with non-data-bound
values]: Success: 354 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 166 of 309 SUCCESS (0 secs / 2 mins
7.624 secs)
08 11 2018 10:41:47.977:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent: | "autoHide" state should be reflected in
default template]: Success: 361 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 167 of 309 SUCCESS (0 secs / 2 mins
7.985 secs)
08 11 2018 10:41:51.727:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent: | "directionLinks" should be boolean]: Success:
258 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 168 of 309 SUCCESS (0 secs / 2 mins
8.243 secs)
08 11 2018 10:41:51.727:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent: | "directionLinks" should work with non-data-
bound values]: Success: 305 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 169 of 309 SUCCESS (0 secs / 2 mins
8.548 secs)
08 11 2018 10:41:51.727:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent: | "directionLinks" state should be reflected in
default template]: Success: 1045 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 170 of 309 SUCCESS (0 secs / 2 mins
9.593 secs)
08 11 2018 10:41:51.728:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent: | "responsive" should work with non-data-bound
values]: Success: 334 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 171 of 309 SUCCESS (0 secs / 2 mins
9.927 secs)
08 11 2018 10:41:51.734:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent: | "responsive" state should be reflected in
default template]: Success: 337 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 172 of 309 SUCCESS (0 secs / 2 mins
10.264 secs)
```

```
08 11 2018 10:41:51.736:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent:, custom labels | previousLabel should bind in
correct locations]: Success: 410 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 173 of 309 SUCCESS (0 secs / 2 mins
10.674 secs)
08 11 2018 10:41:51.736:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent:, custom labels | nextLabel should bind in
correct locations]: Success: 409 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 174 of 309 SUCCESS (0 secs / 2 mins
11.083 secs)
08 11 2018 10:41:51.764:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent:, custom labels | screenReaderPaginationLabel
should bind in correct locations]: Success: 519 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 175 of 309 SUCCESS (0 secs / 2 mins
11.602 secs)
08 11 2018 10:41:51.765:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent:, custom labels | screenReaderPageLabel should
bind in correct locations]: Success: 323 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 176 of 309 SUCCESS (0 secs / 2 mins
11.925 secs)
08 11 2018 10:41:51.765:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsComponent:, custom labels | screenReaderCurrentLabel should
bind in correct locations]: Success: 374 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 177 of 309 SUCCESS (0 secs / 2 mins
12.299 secs)
08 11 2018 10:41:51.779:WARN [web-server]: 404: /www.halfaker.com
08 11 2018 10:41:52.045:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsDirective: | should warn on interaction when an unknown id
is used]: Success: 107 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 178 of 309 SUCCESS (0 secs / 2 mins
12.406 secs)
08 11 2018 10:41:52.844:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsDirective:, template api | "pages" should be an array of
page objects]: Success: 106 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 179 of 309 SUCCESS (0 secs / 2 mins
12.512 secs)
08 11 2018 10:41:52.844:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsDirective:, template api | "maxSize" should be a number]:
Success: 91 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 180 of 309 SUCCESS (0 secs / 2 mins
12.603 secs)
08 11 2018 10:41:52.846:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsDirective:, template api | "getCurrent()" should return
current page]: Success: 77 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 181 of 309 SUCCESS (0 secs / 2 mins
12.68 secs)
08 11 2018 10:41:52.847:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsDirective:, template api | "setCurrent()" should emit
pageChange event with correct value]: Success: 79 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 182 of 309 SUCCESS (0 secs / 2 mins
12.759 secs)
08 11 2018 10:41:52.847:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsDirective:, template api | "previous()" should emit
pageChange event with correct value]: Success: 238 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 183 of 309 SUCCESS (0 secs / 2 mins
12.997 secs)
```

```
08 11 2018 10:41:52.848:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsDirective:, template api | "next()" should emit pageChange
event with correct value]: Success: 135 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 184 of 309 SUCCESS (0 secs / 2 mins
13.132 secs)
08 11 2018 10:41:53.222:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsDirective:, template api | "isFirstPage()" should return
the correct value]: Success: 147 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 185 of 309 SUCCESS (0 secs / 2 mins
13.279 secs)
08 11 2018 10:41:53.222:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsDirective:, template api | "isLastPage()" should return the
correct value]: Success: 131 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 186 of 309 SUCCESS (0 secs / 2 mins
13.41 secs)
08 11 2018 10:41:53.222:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsDirective:, template api | "getTotalItems()" should return
the correct value for in-memory mode]: Success: 126 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 187 of 309 SUCCESS (0 secs / 2 mins
13.536 secs)
08 11 2018 10:41:53.223:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsDirective:, template api | "getTotalItems()" should return
the correct value for server-side mode]: Success: 146 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 188 of 309 SUCCESS (0 secs / 2 mins
13.682 secs)
08 11 2018 10:41:53.776:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsDirective:, custom templates | should display the correct
page links (simple)]: Success: 139 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 189 of 309 SUCCESS (0 secs / 2 mins
13.821 secs)
08 11 2018 10:41:53.883:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsDirective:, custom templates | should display the correct
page links (end ellipsis)]: Success: 247 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 190 of 309 SUCCESS (0 secs / 2 mins
14.068 secs)
08 11 2018 10:41:53.883:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsDirective:, custom templates | should display the correct
page links (start ellipsis)]: Success: 157 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 191 of 309 SUCCESS (0 secs / 2 mins
14.225 secs)
08 11 2018 10:41:53.883:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationControlsDirective:, custom templates | should display the correct
page links (double ellipsis)]: Success: 96 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 192 of 309 SUCCESS (0 secs / 2 mins
14.321 secs)
08 11 2018 10:41:53.923:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationService: | should register the instance]: Success: 39 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 193 of 309 SUCCESS (0 secs / 2 mins
14.36 secs)
08 11 2018 10:41:53.943:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationService: | getInstance() should return a clone of the instance]:
Success: 7 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 194 of 309 SUCCESS (0 secs / 2 mins
14.367 secs)
08 11 2018 10:41:53.969:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationService: | setCurrentPage() should work for valid page number]:
Success: 22 ms
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 195 of 309 SUCCESS (0 secs / 2 mins
14.389 secs)
08 11 2018 10:41:53.979:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationService: | setCurrentPage() should work for max page number]:
Success: 15 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 196 of 309 SUCCESS (0 secs / 2 mins
14.404 secs)
08 11 2018 10:41:53.997:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationService: | setCurrentPage() should not change page if new page is
too high]: Success: 20 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 197 of 309 SUCCESS (0 secs / 2 mins
14.424 secs)
08 11 2018 10:41:54.016:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationService: | setCurrentPage() should not change page if new page is
less than 1]: Success: 17 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 198 of 309 SUCCESS (0 secs / 2 mins
14.441 secs)
08 11 2018 10:41:54.038:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationService: | setTotalItems() should work for valid input]: Success:
19 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 199 of 309 SUCCESS (0 secs / 2 mins
14.46 secs)
08 11 2018 10:41:54.055:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
PaginationService: | setTotalItems() should not work for negative values]:
Success: 32 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 200 of 309 SUCCESS (0 secs / 2 mins
14.492 secs)
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 200 of 309 SUCCESS (0 secs / 2 mins
14.492 secs)
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 200 of 309 SUCCESS (0 secs / 2 mins
14.492 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 200 of 309 SUCCESS (0 secs / 2 mins
14.492 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 200 of 309 SUCCESS (0 secs / 2 mins
14.492 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['tooltips']
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 200 of 309 SUCCESS (0 secs / 2 mins
14.492 secs)
LOG: 'MetabaseService->missing', ['tooltips']
LOG: 'MetabaseService->missing', ['tooltips']
08 11 2018 10:41:54.161:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TooltipsService
| tooltip should lookup data]: 'ToolTipService cTor'
08 11 2018 10:41:54.161:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TooltipsService
| tooltip should lookup data]: 'MetabaseService->cherryPick~cached', Object{}
08 11 2018 10:41:54.161:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TooltipsService
| tooltip should lookup data]: 'SHOWME|global['it']', function () { ... }
08 11 2018 10:41:54.161:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TooltipsService
| tooltip should lookup data]: 'MetabaseService->environment',
Object{enable api: false, tableau url: 'https://public.tableau.com',
ssoiLandingHost: 'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:41:54.162:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TooltipsService
| tooltip should lookup data]: 'MetabaseService->missing', ['tooltips']
08 11 2018 10:41:54.162:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TooltipsService
| tooltip should lookup data]: Success: 58 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 201 of 309 SUCCESS (0 secs / 2 mins
14.55 secs)
08 11 2018 10:41:54.163:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewConfig
| should have sensible default values]: Success: 19 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 202 of 309 SUCCESS (0 secs / 2 mins
14.569 secs)
08 11 2018 10:41:54.206:WARN [web-server]: 404: /www.halfaker.com
08 11 2018 10:41:54.208:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | findItem |
should not find item if root is null or undefined]: Success: 20 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 203 of 309 SUCCESS (0 secs / 2 mins
14.589 secs)
08 11 2018 10:41:54.209:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | findItem |
should find item]: Success: 3 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 204 of 309 SUCCESS (0 secs / 2 mins
14.592 secs)
08 11 2018 10:41:54.209:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | findItem |
should not find item]: Success: 19 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 205 of 309 SUCCESS (0 secs / 2 mins
14.611 secs)
08 11 2018 10:41:54.236:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | findItemInList
| should not find item if list is null or undefined]: Success: 19 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 206 of 309 SUCCESS (0 secs / 2 mins
14.63 secs)
08 11 2018 10:41:54.254:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | findItemInList
| should find item]: Success: 19 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 207 of 309 SUCCESS (0 secs / 2 mins
14.649 secs)
08 11 2018 10:41:54.273:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | findItemInList
| should not find item]: Success: 13 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 208 of 309 SUCCESS (0 secs / 2 mins
14.662 secs)
08 11 2018 10:41:54.303:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | findParent |
should not find parent if root is undefined or root has no children]:
Success: 18 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 209 of 309 SUCCESS (0 secs / 2 mins
14.68 secs)
08 11 2018 10:41:54.323:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | findParent |
should not find parent]: Success: 21 ms
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 210 of 309 SUCCESS (0 secs / 2 mins
14.701 secs)
08 11 2018 10:41:54.332:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | findParent |
should find parent]: Success: 18 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 211 of 309 SUCCESS (0 secs / 2 mins
14.719 secs)
08 11 2018 10:41:54.352:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | removeParent |
should not remove item if root is undefined or root has no children]:
Success: 11 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 212 of 309 SUCCESS (0 secs / 2 mins
14.73 secs)
08 11 2018 10:41:54.421:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | removeParent |
should not remove item]: Success: 1 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 213 of 309 SUCCESS (0 secs / 2 mins
14.731 secs)
08 11 2018 10:41:54.796:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | removeParent |
should remove item & has correct checked]: Success: 47 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 214 of 309 SUCCESS (0 secs / 2 mins
14.778 secs)
08 11 2018 10:41:54.971:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewItemComponent | should initialize with default config]: Success: 266
PhantomJS 2.1.1 (Linux 0.0.0): Executed 215 of 309 SUCCESS (0 secs / 2 mins
15.044 secs)
08 11 2018 10:41:54.972:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewItemComponent, item | should not have element with class "treeview-
item" if no item provided]: Success: 116 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 216 of 309 SUCCESS (0 secs / 2 mins
15.16 secs)
08 11 2018 10:41:54.972:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewItemComponent, item | should have element with class "treeview-item"
if binding item]: Success: 158 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 217 of 309 SUCCESS (0 secs / 2 mins
15.318 secs)
08 11 2018 10:41:55.346:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewItemComponent, template | should work]: Success: 198 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 218 of 309 SUCCESS (0 secs / 2 mins
15.516 secs)
08 11 2018 10:41:55.750:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewItemComponent, template | should render "Parent 1", "Child 1" &
"Child 2" with checked]: Success: 181 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 219 of 309 SUCCESS (0 secs / 2 mins
15.697 secs)
08 11 2018 10:41:55.756:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewItemComponent, template, toggle collapse/expand | should not render
children]: Success: 397 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 220 of 309 SUCCESS (0 secs / 2 mins
16.094 secs)
08 11 2018 10:41:56.053:WARN [web-server]: 404: /www.halfaker.com
08 11 2018 10:41:56.298:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewItemComponent, template, uncheck "Parent 1" | should un-check "Child
1" & "Child 2"]: Success: 266 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 221 of 309 SUCCESS (0 secs / 2 mins
16.36 secs)
08 11 2018 10:41:56.317:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewItemComponent, template, uncheck "Parent 1" | should raise event
checkedChange]: Success: 275 ms
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 222 of 309 SUCCESS (0 secs / 2 mins
16.635 secs)
08 11 2018 10:41:56.787:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewItemComponent, template, un-check "Child 1" | should uncheck "Parent
1"1: Success: 236 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 223 of 309 SUCCESS (0 secs / 2 mins
16.871 secs)
08 11 2018 10:41:57.214:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewItemComponent, template, un-check "Child 1" | should raise event
checkedChange]: Success: 229 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 224 of 309 SUCCESS (0 secs / 2 mins
17.1 secs)
08 11 2018 10:41:57.448:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewItemComponent, template, un-check "Child 1", un-check "Child 2" |
should keep "Parent 1" unchecked]: Success: 450 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 225 of 309 SUCCESS (0 secs / 2 mins
17.55 secs)
08 11 2018 10:41:57.470:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewItemComponent, template, un-check "Child 1", un-check "Child 2" |
should raise event checkedChange]: Success: 235 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 226 of 309 SUCCESS (0 secs / 2 mins
17.785 secs)
08 11 2018 10:41:57.981:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewItemComponent, template, un-check "Child 1", check "Child 1" | should
check "Parent 1"]: Success: 291 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 227 of 309 SUCCESS (0 secs / 2 mins
18.076 secs)
08 11 2018 10:41:58.000:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewItemComponent, template, un-check "Child 1", check "Child 1" | should
raise event checkedChange]: Success: 225 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 228 of 309 SUCCESS (0 secs / 2 mins
18.301 secs)
08 11 2018 10:41:58.060:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem |
should throw error if TreeItem param is null of undefined]: Success: 39 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 229 of 309 SUCCESS (0 secs / 2 mins
18.34 secs)
08 11 2018 10:41:58.080:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem |
should throw error if TreeItem text is not a string]: Success: 13 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 230 of 309 SUCCESS (0 secs / 2 mins
18.353 secs)
08 11 2018 10:41:58.118:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem |
should throw error if TreeviewItem children is assigned an empty array]:
Success: 39 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 231 of 309 SUCCESS (0 secs / 2 mins
18.392 secs)
08 11 2018 10:41:58.128:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem |
should allow to create TreeviewItem with empty children]: Success: 18 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 232 of 309 SUCCESS (0 secs / 2 mins
18.41 secs)
08 11 2018 10:41:58.148:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem,
checked | should have value is true by default]: Success: 12 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 233 of 309 SUCCESS (0 secs / 2 mins
18.422 secs)
08 11 2018 10:41:58.169:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem,
checked | should correct checked value when input second param]: Success: 18
ms
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 234 of 309 SUCCESS (0 secs / 2 mins
18.44 secs)
08 11 2018 10:41:58.177:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem,
checked | should set checked value correctly when invoke correctChecked]:
Success: 13 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 235 of 309 SUCCESS (0 secs / 2 mins
18.453 secs)
08 11 2018 10:41:58.188:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem,
checked | should not change checked value if item is disabled]: Success: 10
PhantomJS 2.1.1 (Linux 0.0.0): Executed 236 of 309 SUCCESS (0 secs / 2 mins
18.463 secs)
08 11 2018 10:41:58.196:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem,
setCheckedRecursive | should apply checked value to children if item is
enabled]: Success: 10 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 237 of 309 SUCCESS (0 secs / 2 mins
18.473 secs)
08 11 2018 10:41:58.207:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem,
setCheckedRecursive | should not apply checked value to children if item is
disabled]: Success: 7 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 238 of 309 SUCCESS (0 secs / 2 mins
18.48 secs)
08 11 2018 10:41:58.227:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem,
collapsed | should set value is false by default]: Success: 9 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 239 of 309 SUCCESS (0 secs / 2 mins
18.489 secs)
08 11 2018 10:41:58.236:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem,
collapsed | should affectly change collapsed value]: Success: 13 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 240 of 309 SUCCESS (0 secs / 2 mins
18.502 secs)
08 11 2018 10:41:58.265:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem,
setCollapsedRecursive | should apply collapsed value to children]: Success:
11 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 241 of 309 SUCCESS (0 secs / 2 mins
18.513 secs)
08 11 2018 10:41:58.276:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem,
disabled | should set value is false by default]: Success: 13 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 242 of 309 SUCCESS (0 secs / 2 mins
18.526 secs)
08 11 2018 10:41:58.295:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem,
disabled | should initialize children are disabled if initializing parent is
disabled]: Success: 7 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 243 of 309 SUCCESS (0 secs / 2 mins
18.533 secs)
08 11 2018 10:41:58.308:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem,
disabled | should change disabled value of children to false if changing
disabled of parent to false]: Success: 21 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 244 of 309 SUCCESS (0 secs / 2 mins
18.554 secs)
08 11 2018 10:41:58.346:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem,
children | should throw error if change value to empty list]: Success: 11 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 245 of 309 SUCCESS (0 secs / 2 mins
18.565 secs)
08 11 2018 10:41:58.365:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem,
children | should affectly change children value]: Success: 20 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 246 of 309 SUCCESS (0 secs / 2 mins
18.585 secs)
```

```
08 11 2018 10:41:58.366:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem,
children | should accept undefined value]: Success: 11 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 247 of 309 SUCCESS (0 secs / 2 mins
18.596 secs)
08 11 2018 10:41:58.386:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem,
getSelection, no children | should return empty list if item is unchecked]:
Success: 10 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 248 of 309 SUCCESS (0 secs / 2 mins
18.606 secs)
08 11 2018 10:41:58.423:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem,
getSelection, no children | should return a list of current item if item is
unchecked]: Success: 0 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 249 of 309 SUCCESS (0 secs / 2 mins
18.606 secs)
08 11 2018 10:41:58.424:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem,
getSelection, has children | should return list of checked items]: Success:
23 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 250 of 309 SUCCESS (0 secs / 2 mins
18.629 secs)
08 11 2018 10:41:59.554:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent | should initialize with default config]: Success: 685 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 251 of 309 SUCCESS (0 secs / 2 mins
19.314 secs)
LOG: '1 treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 251 of 309 SUCCESS (0 secs / 2 mins
19.314 secs)
LOG: '1 treeview component ts ngAfterviewinit'
LOG: '1 treeview component ts ngAfterviewinit'
08 11 2018 10:41:59.576:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, no data binding | should display "No items found"]:
'1 treeview component ts ngAfterviewinit'
08 11 2018 10:41:59.576:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, no data binding | should display "No items found"]:
Success: 449 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 252 of 309 SUCCESS (0 secs / 2 mins
19.763 secs)
LOG: '1 treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 252 of 309 SUCCESS (0 secs / 2 mins
19.763 secs)
LOG: '1 treeview component ts ngAfterviewinit'
LOG: '1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:00.385:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, null data binding | should display "No items found"]:
'1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:00.385:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, null data binding | should display "No items found"]:
Success: 441 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 253 of 309 SUCCESS (0 secs / 2 mins
20.204 secs)
LOG: '1 treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 253 of 309 SUCCESS (0 secs / 2 mins
20.204 secs)
LOG: '1 treeview component ts ngAfterviewinit'
LOG: '1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:00.645:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, keyboard | should call keyboard key listeners]:
'1 treeview component ts ngAfterviewinit'
```

```
08 11 2018 10:42:00.645:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, keyboard | should call keyboard key listeners]: Success:
PhantomJS 2.1.1 (Linux 0.0.0): Executed 254 of 309 SUCCESS (0 secs / 2 mins
20.835 secs)
LOG: '1 treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 254 of 309 SUCCESS (0 secs / 2 mins
20.835 secs)
LOG: '1 treeview component ts ngAfterviewinit'
LOG: '1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:01.660:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, config, hasAllCheckBox | should display checkbox "All" if
value is true]: '1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:01.661:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, config, hasAllCheckBox | should display checkbox "All" if
value is true]: Success: 519 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 255 of 309 SUCCESS (0 secs / 2 mins
21.354 secs)
LOG: '1 treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 255 of 309 SUCCESS (0 secs / 2 mins
21.354 secs)
LOG: '1 treeview component ts ngAfterviewinit'
LOG: '1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:01.661:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, config, hasAllCheckBox | should not display checkbox "All"
if value is false]: '1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:01.661:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, config, hasAllCheckBox | should not display checkbox "All"
if value is false]: Success: 449 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 256 of 309 SUCCESS (0 secs / 2 mins
21.803 secs)
LOG: '1 treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 256 of 309 SUCCESS (0 secs / 2 mins
21.803 secs)
LOG: '1 treeview component ts ngAfterviewinit'
LOG: '1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:02.783:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, config, hasFilter | should display checkbox Filter textbox
if value is true]: '1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:02.783:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, config, hasFilter | should display checkbox Filter textbox
if value is true]: Success: 667 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 257 of 309 SUCCESS (0 secs / 2 mins
22.47 secs)
LOG: '1 treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 257 of 309 SUCCESS (0 secs / 2 mins
22.47 secs)
LOG: '1 treeview component ts ngAfterviewinit'
LOG: '1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:02.784:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, config, hasFilter | should not display checkbox Filter
textbox if value is false]: '1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:02.784:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, config, hasFilter | should not display checkbox Filter
textbox if value is false]: Success: 475 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 258 of 309 SUCCESS (0 secs / 2 mins
22.945 secs)
```

```
LOG: '1 treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 258 of 309 SUCCESS (0 secs / 2 mins
22.945 secs)
LOG: '1 treeview component ts ngAfterviewinit'
LOG: '1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:03.965:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, config, hasCollapseExpand | should display icon
Collapse/Expand if value is true]: '1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:03.965:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, config, hasCollapseExpand | should display icon
Collapse/Expand if value is true]: Success: 463 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 259 of 309 SUCCESS (0 secs / 2 mins
23.408 secs)
LOG: '1 treeview component ts ngAfterviewinit'
Phantom\overline{J}S 2.1.1 (Linux 0.0.0): Executed 259 of 309 SUCCESS (0 secs / 2 mins
23.408 secs)
LOG: '1_treeview component ts ngAfterviewinit'
LOG: '1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:03.971:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, config, hasCollapseExpand | should not display icon
Collapse/Expand if value is false]: '1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:03.971:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, config, hasCollapseExpand | should not display icon
Collapse/Expand if value is false]: Success: 703 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 260 of 309 SUCCESS (0 secs / 2 mins
24.111 secs)
LOG: '1 treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 260 of 309 SUCCESS (0 secs / 2 mins
24.111 secs)
LOG: '1 treeview component ts ngAfterviewinit'
LOG: '1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:06.323:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, items | should have "All" checkbox is checked]:
'1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:06.329:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, items | should have "All" checkbox is checked]: Success:
678 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 261 of 309 SUCCESS (0 secs / 2 mins
24.789 secs)
LOG: '1 treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 261 of 309 SUCCESS (0 secs / 2 mins
24.789 secs)
LOG: '1 treeview component ts ngAfterviewinit'
LOG: '1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:07.216:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, items | should have all of items are checked]: '1 treeview
component ts ngAfterviewinit'
08 11 2018 10:42:07.216:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, items | should have all of items are checked]: Success:
827 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 262 of 309 SUCCESS (0 secs / 2 mins
25.616 secs)
LOG: '1 treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 262 of 309 SUCCESS (0 secs / 2 mins
25.616 secs)
LOG: '1 treeview component ts ngAfterviewinit'
LOG: '1 treeview component ts ngAfterviewinit'
```

```
08 11 2018 10:42:07.217:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, items, collapse/expand icon | should display "Item1" &
"Item2"]: '1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:07.217:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, items, collapse/expand icon | should display "Item1" &
"Item2"]: Success: 841 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 263 of 309 SUCCESS (0 secs / 2 mins
26.457 secs)
LOG: '1 treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 263 of 309 SUCCESS (0 secs / 2 mins
26.457 secs)
LOG: '1 treeview component ts ngAfterviewinit'
LOG: '1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:07.275:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, items, collapse/expand icon, toggle | should display
"Item1" & "Item2"]: '1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:07.276:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
TreeviewComponent, items, collapse/expand icon, toggle | should display
"Item1" & "Item2"]: Success: 879 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 264 of 309 SUCCESS (0 secs / 2 mins
27.336 secs)
LOG: 'MainContentService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 264 of 309 SUCCESS (0 secs / 2 mins
27.336 secs)
LOG: 'MainContentService cTor'
LOG: 'MainContentService cTor'
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 264 of 309 SUCCESS (0 secs / 2 mins
27.336 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 264 of 309 SUCCESS (0 secs / 2 mins
27.336 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 264 of 309 SUCCESS (0 secs / 2 mins
27.336 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['products', 'contact']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 264 of 309 SUCCESS (0 secs / 2 mins
27.336 secs)
LOG: 'MetabaseService->missing', ['products', 'contact']
LOG: 'MetabaseService->missing', ['products', 'contact']
```

```
08 11 2018 10:42:09.544:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EbillingHomeComponent | should have no accessibility issues]:
'MainContentService cTor'
08 11 2018 10:42:09.544:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EbillingHomeComponent | should have no accessibility issues]:
'MetabaseService->cherryPick~cached', Object{}
08 11 2018 10:42:09.544:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EbillingHomeComponent | should have no accessibility issues]:
'SHOWME|global['it']', function () { ... }
08 11 2018 10:42:09.544:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EbillingHomeComponent | should have no accessibility issues]:
'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:42:09.544:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EbillingHomeComponent | should have no accessibility issues]:
'MetabaseService->missing', ['products', 'contact']
08 11 2018 10:42:09.545:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EbillingHomeComponent | should have no accessibility issues]: Success: 2258
PhantomJS 2.1.1 (Linux 0.0.0): Executed 265 of 309 SUCCESS (0 secs / 2 mins
29.594 secs)
LOG: 'MainContentService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 265 of 309 SUCCESS (0 secs / 2 mins
29.594 secs)
LOG: 'MainContentService cTor'
LOG: 'MainContentService cTor'
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 265 of 309 SUCCESS (0 secs / 2 mins
29.594 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 265 of 309 SUCCESS (0 secs / 2 mins
29.594 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 265 of 309 SUCCESS (0 secs / 2 mins
29.594 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['products', 'contact']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 265 of 309 SUCCESS (0 secs / 2 mins
29.594 secs)
LOG: 'MetabaseService->missing', ['products', 'contact']
LOG: 'MetabaseService->missing', ['products', 'contact']
```

```
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 265 of 309 SUCCESS (0 secs / 2 mins
29.594 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 265 of 309 SUCCESS (0 secs / 2 mins
29.594 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'|}
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 265 of 309 SUCCESS (0 secs / 2 mins
29.594 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 265 of 309 SUCCESS (0 secs / 2 mins
29.594 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable_api: false, tableau_url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 265 of 309 SUCCESS (0 secs / 2 mins
29.594 secs)
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 265 of 309 SUCCESS (0 secs / 2 mins
29.594 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 265 of 309 SUCCESS (0 secs / 2 mins
29.594 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'|}
LOG: 'EnvironmentService', 'ALREADY CACHED'
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 265 of 309 SUCCESS (0 secs / 2 mins
29.594 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable_api: false, tableau_url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 265 of 309 SUCCESS (0 secs / 2 mins
29.594 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 265 of 309 SUCCESS (0 secs / 2 mins
29.594 secs)
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
08 11 2018 10:42:11.656:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | Component should be created OK]:
'MainContentService cTor'
08 11 2018 10:42:11.656:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | Component should be created OK]: 'MetabaseService-
>cherryPick~cached', Object{}
08 11 2018 10:42:11.656:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | Component should be created OK]:
'SHOWME|global['it']', function () { ... }
08 11 2018 10:42:11.656:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | Component should be created OK]: 'MetabaseService-
>environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:42:11.656:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | Component should be created OK]: 'MetabaseService-
>missing', ['products', 'contact']
08 11 2018 10:42:11.656:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | Component should be created OK]:
'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:42:11.656:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | Component should be created OK]: 'MetabaseService-
>cherryPick~cached', Object{accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
08 11 2018 10:42:11.656:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | Component should be created OK]:
'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:42:11.656:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | Component should be created OK]: 'MetabaseService-
>environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
```

```
08 11 2018 10:42:11.656:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | Component should be created OK]: 'MetabaseService-
>missing', ['ssoiLandingUrl', 'vistaidex']
08 11 2018 10:42:11.656:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | Component should be created OK]:
'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:42:11.659:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | Component should be created OK]: 'MetabaseService-
>cherryPick~cached', Object{accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
08 11 2018 10:42:11.665:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | Component should be created OK]:
'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:42:11.665:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | Component should be created OK]: 'MetabaseService-
>environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:42:11.665:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | Component should be created OK]: 'MetabaseService-
>missing', ['ssoiLandingUrl', 'vistaidex']
08 11 2018 10:42:11.666:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | Component should be created OK]: Success: 2036 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 266 of 309 SUCCESS (0 secs / 2 mins
31.63 secs)
LOG: 'MainContentService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 266 of 309 SUCCESS (0 secs / 2 mins
31.63 secs)
LOG: 'MainContentService cTor'
LOG: 'MainContentService cTor'
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 266 of 309 SUCCESS (0 secs / 2 mins
31.63 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 266 of 309 SUCCESS (0 secs / 2 mins
31.63 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 266 of 309 SUCCESS (0 secs / 2 mins
31.63 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['products', 'contact']
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 266 of 309 SUCCESS (0 secs / 2 mins
31.63 secs)
LOG: 'MetabaseService->missing', ['products', 'contact']
LOG: 'MetabaseService->missing', ['products', 'contact']
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 266 of 309 SUCCESS (0 secs / 2 mins
31.63 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'|}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 266 of 309 SUCCESS (0 secs / 2 mins
31.63 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'|}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 266 of 309 SUCCESS (0 secs / 2 mins
31.63 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 266 of 309 SUCCESS (0 secs / 2 mins
31.63 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 266 of 309 SUCCESS (0 secs / 2 mins
31.63 secs)
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 266 of 309 SUCCESS (0 secs / 2 mins
31.63 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 266 of 309 SUCCESS (0 secs / 2 mins
31.63 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
```

```
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 266 of 309 SUCCESS (0 secs / 2 mins
31.63 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 266 of 309 SUCCESS (0 secs / 2 mins
31.63 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 266 of 309 SUCCESS (0 secs / 2 mins
31.63 secs)
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
08 11 2018 10:42:13.856:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | starting page should have no accessibility issues]:
'MainContentService cTor'
08 11 2018 10:42:13.856:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | starting page should have no accessibility issues]:
'MetabaseService->cherryPick~cached', Object{}
08 11 2018 10:42:13.856:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | starting page should have no accessibility issues]:
'SHOWME|global['it']', function () { ... }
08 11 2018 10:42:13.856:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | starting page should have no accessibility issues]:
'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:42:13.856:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | starting page should have no accessibility issues]:
'MetabaseService->missing', ['products', 'contact']
08 11 2018 10:42:13.856:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | starting page should have no accessibility issues]:
'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:42:13.856:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | starting page should have no accessibility issues]:
'MetabaseService->cherryPick~cached', Object{accessRoles: ['TEST WRITER',
'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
08 11 2018 10:42:13.856:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | starting page should have no accessibility issues]:
'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:42:13.856:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | starting page should have no accessibility issues]:
```

```
'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:42:13.857:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | starting page should have no accessibility issues]:
'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
08 11 2018 10:42:13.858:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | starting page should have no accessibility issues]:
'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:42:13.859:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | starting page should have no accessibility issues]:
'MetabaseService->cherryPick~cached', Object{accessRoles: ['TEST WRITER',
'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
08 11 2018 10:42:13.859:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | starting page should have no accessibility issues]:
'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:42:13.859:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | starting page should have no accessibility issues]:
'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:42:13.859:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | starting page should have no accessibility issues]:
'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
08 11 2018 10:42:13.859:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | starting page should have no accessibility issues]:
Success: 2220 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 267 of 309 SUCCESS (0 secs / 2 mins
33.85 secs)
LOG: 'MainContentService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 267 of 309 SUCCESS (0 secs / 2 mins
33.85 secs)
LOG: 'MainContentService cTor'
LOG: 'MainContentService cTor'
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 267 of 309 SUCCESS (0 secs / 2 mins
33.85 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 267 of 309 SUCCESS (0 secs / 2 mins
33.85 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 267 of 309 SUCCESS (0 secs / 2 mins
33.85 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
```

```
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['products', 'contact']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 267 of 309 SUCCESS (0 secs / 2 mins
33.85 secs)
LOG: 'MetabaseService->missing', ['products', 'contact']
LOG: 'MetabaseService->missing', ['products', 'contact']
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 267 of 309 SUCCESS (0 secs / 2 mins
33.85 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 267 of 309 SUCCESS (0 secs / 2 mins
33.85 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'|}
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 267 of 309 SUCCESS (0 secs / 2 mins
33.85 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 267 of 309 SUCCESS (0 secs / 2 mins
33.85 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 267 of 309 SUCCESS (0 secs / 2 mins
33.85 secs)
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 267 of 309 SUCCESS (0 secs / 2 mins
33.85 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance']}
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 267 of 309 SUCCESS (0 secs / 2 mins
33.85 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'l}
LOG: 'MetabaseService->cherryPick~cached', Object{accessRoles:
['TEST WRITER', 'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments',
'einsurance'|}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 267 of 309 SUCCESS (0 secs / 2 mins
33.85 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 267 of 309 SUCCESS (0 secs / 2 mins
33.85 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 267 of 309 SUCCESS (0 secs / 2 mins
33.85 secs)
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
LOG: 'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
08 11 2018 10:42:15.938:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | vista choose should have no accessibility issues]:
'MainContentService cTor'
08 11 2018 10:42:15.938:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | vista choose should have no accessibility issues]:
'MetabaseService->cherryPick~cached', Object{}
08 11 2018 10:42:15.938:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | vista choose should have no accessibility issues]:
'SHOWME|global['it']', function () { ... }
08 11 2018 10:42:15.938:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | vista choose should have no accessibility issues]:
'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:42:15.938:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | vista choose should have no accessibility issues]:
'MetabaseService->missing', ['products', 'contact']
08 11 2018 10:42:15.938:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | vista choose should have no accessibility issues]:
'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:42:15.938:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | vista choose should have no accessibility issues]:
'MetabaseService->cherryPick~cached', Object{accessRoles: ['TEST WRITER',
'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
```

```
08 11 2018 10:42:15.938:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | vista choose should have no accessibility issues]:
'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:42:15.939:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | vista choose should have no accessibility issues]:
'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:42:15.939:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | vista choose should have no accessibility issues]:
'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
08 11 2018 10:42:15.946:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | vista choose should have no accessibility issues]:
'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:42:15.946:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | vista choose should have no accessibility issues]:
'MetabaseService->cherryPick~cached', Object{accessRoles: ['TEST WRITER',
'epharmacy', 'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
08 11 2018 10:42:15.947:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | vista choose should have no accessibility issues]:
'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:42:15.947:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | vista choose should have no accessibility issues]:
'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:42:15.947:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | vista choose should have no accessibility issues]:
'MetabaseService->missing', ['ssoiLandingUrl', 'vistaidex']
08 11 2018 10:42:15.947:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceHomeComponent | vista choose should have no accessibility issues]:
Success: 2119 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 268 of 309 SUCCESS (0 secs / 2 mins
35.969 secs)
LOG: 'MainContentService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 268 of 309 SUCCESS (0 secs / 2 mins
35.969 secs)
LOG: 'MainContentService cTor'
LOG: 'MainContentService cTor'
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 268 of 309 SUCCESS (0 secs / 2 mins
35.969 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 268 of 309 SUCCESS (0 secs / 2 mins
35.969 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 268 of 309 SUCCESS (0 secs / 2 mins
35.969 secs)
```

```
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['products', 'contact']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 268 of 309 SUCCESS (0 secs / 2 mins
35.969 secs)
LOG: 'MetabaseService->missing', ['products', 'contact']
LOG: 'MetabaseService->missing', ['products', 'contact']
08 11 2018 10:42:17.163:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceInsuranceCompanyEditorComponent | Component should be created OK]:
'MainContentService cTor'
08 11 2018 10:42:17.163:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceInsuranceCompanyEditorComponent | Component should be created OK]:
'MetabaseService->cherryPick~cached', Object{}
08 11 2018 10:42:17.171:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceInsuranceCompanyEditorComponent | Component should be created OK]:
'SHOWME|global['it']', function () { ... }
08 11 2018 10:42:17.171:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceInsuranceCompanyEditorComponent | Component should be created OK]:
'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:42:17.171:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceInsuranceCompanyEditorComponent | Component should be created OK]:
'MetabaseService->missing', ['products', 'contact']
08 11 2018 10:42:17.171:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsuranceInsuranceCompanyEditorComponent | Component should be created OK]:
Success: 1168 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 269 of 309 SUCCESS (0 secs / 2 mins
37.137 secs)
LOG: 'test'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 269 of 309 SUCCESS (0 secs / 2 mins
37.137 secs)
LOG: 'test'
LOG: 'test'
LOG: 'test'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 269 of 309 SUCCESS (0 secs / 2 mins
37.137 secs)
LOG: 'test'
LOG: 'test'
LOG: 'MainContentService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 269 of 309 SUCCESS (0 secs / 2 mins
37.137 secs)
LOG: 'MainContentService cTor'
LOG: 'MainContentService cTor'
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 269 of 309 SUCCESS (0 secs / 2 mins
37.137 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'SHOWME|global['it']', function () { ... }
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 269 of 309 SUCCESS (0 secs / 2 mins
37.137 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 269 of 309 SUCCESS (0 secs / 2 mins
37.137 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['products', 'contact']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 269 of 309 SUCCESS (0 secs / 2 mins
37.137 secs)
LOG: 'MetabaseService->missing', ['products', 'contact']
LOG: 'MetabaseService->missing', ['products', 'contact']
LOG: '1 treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 269 of 309 SUCCESS (0 secs / 2 mins
37.137 secs)
LOG: '1 treeview component ts ngAfterviewinit'
LOG: '1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:18.981:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsurancePatientMainMenuComponent | Component should be created OK]: 'test'
08 11 2018 10:42:18.981:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsurancePatientMainMenuComponent | Component should be created OK]: 'test'
08 11 2018 10:42:18.981:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsurancePatientMainMenuComponent | Component should be created OK]:
'MainContentService cTor'
08 11 2018 10:42:18.981:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsurancePatientMainMenuComponent | Component should be created OK]:
'MetabaseService->cherryPick~cached', Object{}
08 11 2018 10:42:18.981:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsurancePatientMainMenuComponent | Component should be created OK]:
'SHOWME|global['it']', function () { ... }
08 11 2018 10:42:18.981:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsurancePatientMainMenuComponent | Component should be created OK]:
'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:42:18.982:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsurancePatientMainMenuComponent | Component should be created OK]:
'MetabaseService->missing', ['products', 'contact']
08 11 2018 10:42:18.998:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsurancePatientMainMenuComponent | Component should be created OK]:
'1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:18.999:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsurancePatientMainMenuComponent | Component should be created OK]:
Success: 1772 ms
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 270 of 309 SUCCESS (0 secs / 2 mins
38.909 secs)
LOG: 'MainContentService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 270 of 309 SUCCESS (0 secs / 2 mins
38.909 secs)
LOG: 'MainContentService cTor'
LOG: 'MainContentService cTor'
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 270 of 309 SUCCESS (0 secs / 2 mins
38.909 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 270 of 309 SUCCESS (0 secs / 2 mins
38.909 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 270 of 309 SUCCESS (0 secs / 2 mins
38.909 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['products', 'contact']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 270 of 309 SUCCESS (0 secs / 2 mins
38.909 secs)
LOG: 'MetabaseService->missing', ['products', 'contact']
LOG: 'MetabaseService->missing', ['products', 'contact']
LOG: '1 treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 270 of 309 SUCCESS (0 secs / 2 mins
38.909 secs)
LOG: '1 treeview component ts ngAfterviewinit'
LOG: '1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:21.882:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsurancePatientMainMenuComponent | starting page should have no
accessibility issues]: 'MainContentService cTor'
08 11 2018 10:42:21.882:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsurancePatientMainMenuComponent | starting page should have no
accessibility issues]: 'MetabaseService->cherryPick~cached', Object{}
08 11 2018 10:42:21.882:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsurancePatientMainMenuComponent | starting page should have no
accessibility issues]: 'SHOWME|global['it']', function () { ... }
08 11 2018 10:42:21.882:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsurancePatientMainMenuComponent | starting page should have no
accessibility issues]: 'MetabaseService->environment', Object{enable api:
false, tableau url: 'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
```

```
08 11 2018 10:42:21.882:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsurancePatientMainMenuComponent | starting page should have no
accessibility issues]: 'MetabaseService->missing', ['products', 'contact']
08 11 2018 10:42:21.883:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsurancePatientMainMenuComponent | starting page should have no
accessibility issues]: '1 treeview component ts ngAfterviewinit'
08 11 2018 10:42:21.883:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EinsurancePatientMainMenuComponent | starting page should have no
accessibility issues]: Success: 2948 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 271 of 309 SUCCESS (0 secs / 2 mins
41.857 secs)
08 11 2018 10:42:24.204:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EpaymentHomeComponent | should have no accessibility issues]: Success: 2303
PhantomJS 2.1.1 (Linux 0.0.0): Executed 272 of 309 SUCCESS (0 secs / 2 mins
44.16 secs)
LOG: 'MainContentService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 272 of 309 SUCCESS (0 secs / 2 mins
44.16 secs)
LOG: 'MainContentService cTor'
LOG: 'MainContentService cTor'
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 272 of 309 SUCCESS (0 secs / 2 mins
44.16 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 272 of 309 SUCCESS (0 secs / 2 mins
44.16 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 272 of 309 SUCCESS (0 secs / 2 mins
44.16 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['products', 'contact']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 272 of 309 SUCCESS (0 secs / 2 mins
44.16 secs)
LOG: 'MetabaseService->missing', ['products', 'contact']
LOG: 'MetabaseService->missing', ['products', 'contact']
08 11 2018 10:42:27.077:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EpaymentHomeComponent | should have no accessibility issues]:
'MainContentService cTor'
08 11 2018 10:42:27.078:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EpaymentHomeComponent | should have no accessibility issues1:
'MetabaseService->cherryPick~cached', Object{}
```

```
08 11 2018 10:42:27.078:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EpaymentHomeComponent | should have no accessibility issues]:
'SHOWME|global['it']', function () { ... }
08 11 2018 10:42:27.078:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EpaymentHomeComponent | should have no accessibility issues]:
'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:42:27.078:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EpaymentHomeComponent | should have no accessibility issues]:
'MetabaseService->missing', ['products', 'contact']
08 11 2018 10:42:27.078:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EpaymentHomeComponent | should have no accessibility issues]: Success: 2865
PhantomJS 2.1.1 (Linux 0.0.0): Executed 273 of 309 SUCCESS (0 secs / 2 mins
47.025 secs)
08 11 2018 10:42:30.245:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EpaymentHomeComponent | should have no accessibility issues]: Success: 3166
PhantomJS 2.1.1 (Linux 0.0.0): Executed 274 of 309 SUCCESS (0 secs / 2 mins
50.191 secs)
08 11 2018 10:42:32.836:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EpaymentHomeComponent | should have no accessibility issues]: Success: 2578
PhantomJS 2.1.1 (Linux 0.0.0): Executed 275 of 309 SUCCESS (0 secs / 2 mins
52.769 secs)
LOG: 'MainContentService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 275 of 309 SUCCESS (0 secs / 2 mins
52.769 secs)
LOG: 'MainContentService cTor'
LOG: 'MainContentService cTor'
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 275 of 309 SUCCESS (0 secs / 2 mins
52.769 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 275 of 309 SUCCESS (0 secs / 2 mins
52.769 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 275 of 309 SUCCESS (0 secs / 2 mins
52.769 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['products', 'contact']
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 275 of 309 SUCCESS (0 secs / 2 mins
52.769 secs)
LOG: 'MetabaseService->missing', ['products', 'contact']
LOG: 'MetabaseService->missing', ['products', 'contact']
08 11 2018 10:42:34.994:INFO [PhantomJS 2.1.1 (Linux 0.0.0)
EpharmacyHomeComponent | should have no accessibility issues]:
'MainContentService cTor'
08 11 2018 10:42:34.995:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EpharmacyHomeComponent | should have no accessibility issues]:
'MetabaseService->cherryPick~cached', Object{}
08 11 2018 10:42:34.995:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EpharmacyHomeComponent | should have no accessibility issues]:
'SHOWME|global['it']', function () { ... }
08 11 2018 10:42:34.995:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EpharmacyHomeComponent | should have no accessibility issues]:
'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:42:34.995:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EpharmacyHomeComponent | should have no accessibility issues]:
'MetabaseService->missing', ['products', 'contact']
08 11 2018 10:42:34.995:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EpharmacyHomeComponent | should have no accessibility issues]: Success: 2159
PhantomJS 2.1.1 (Linux 0.0.0): Executed 276 of 309 SUCCESS (0 secs / 2 mins
54.928 secs)
LOG: 'MainContentService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 276 of 309 SUCCESS (0 secs / 2 mins
54.928 secs)
LOG: 'MainContentService cTor'
LOG: 'MainContentService cTor'
08 11 2018 10:42:38.078:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EpharmacyRecentComponent | should have no accessibility issues]:
'MainContentService cTor'
08 11 2018 10:42:38.078:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
EpharmacyRecentComponent | should have no accessibility issues]: Success:
PhantomJS 2.1.1 (Linux 0.0.0): Executed 277 of 309 SUCCESS (0 secs / 2 mins
58 secs)
LOG: 'MainContentService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 277 of 309 SUCCESS (0 secs / 2 mins
58 secs)
LOG: 'MainContentService cTor'
LOG: 'MainContentService cTor'
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 277 of 309 SUCCESS (0 secs / 2 mins
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 277 of 309 SUCCESS (0 secs / 2 mins
58 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
```

```
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 277 of 309 SUCCESS (0 secs / 2 mins
58 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['products', 'contact']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 277 of 309 SUCCESS (0 secs / 2 mins
58 secs)
LOG: 'MetabaseService->missing', ['products', 'contact']
LOG: 'MetabaseService->missing', ['products', 'contact']
08 11 2018 10:42:40.648:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ContactComponent | select page should have no accessibility issues]:
'MainContentService cTor'
08 11 2018 10:42:40.648:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ContactComponent | select page should have no accessibility issues]:
'MetabaseService->cherryPick~cached', Object{}
08 11 2018 10:42:40.648:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ContactComponent | select page should have no accessibility issues]:
'SHOWME|global['it']', function () { ... }
08 11 2018 10:42:40.649:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ContactComponent | select page should have no accessibility issues]:
'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:42:40.649:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ContactComponent | select page should have no accessibility issues]:
'MetabaseService->missing', ['products', 'contact']
08 11 2018 10:42:40.649:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ContactComponent | select page should have no accessibility issues]: Success:
2397 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 278 of 309 SUCCESS (0 secs / 3 mins
0.397 secs)
08 11 2018 10:42:41.929:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | FaqComponent |
should have no accessibility issues]: Success: 1219 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 279 of 309 SUCCESS (0 secs / 3 mins
1.616 secs)
LOG: 'MainContentService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 279 of 309 SUCCESS (0 secs / 3 mins
1.616 secs)
LOG: 'MainContentService cTor'
LOG: 'MainContentService cTor'
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 279 of 309 SUCCESS (0 secs / 3 mins
1.616 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 279 of 309 SUCCESS (0 secs / 3 mins
1.616 secs)
```

```
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 279 of 309 SUCCESS (0 secs / 3 mins
1.616 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 279 of 309 SUCCESS (0 secs / 3 mins
1.616 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['products', 'contact']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 279 of 309 SUCCESS (0 secs / 3 mins
1.616 secs)
LOG: 'MetabaseService->missing', ['products', 'contact']
LOG: 'MetabaseService->missing', ['products', 'contact']
08 11 2018 10:42:43.816:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HelpComponent |
should have no accessibility issues]: 'MainContentService cTor'
08 11 2018 10:42:43.816:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HelpComponent |
should have no accessibility issues]: 'SHOWME|global['it']', function () {
08 11 2018 10:42:43.816:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HelpComponent |
should have no accessibility issues]: 'MetabaseService->cherryPick~cached',
08 11 2018 10:42:43.816:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HelpComponent |
should have no accessibility issues]: 'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:42:43.816:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HelpComponent |
should have no accessibility issues]: 'MetabaseService->environment',
Object{enable api: false, tableau url: 'https://public.tableau.com',
ssoiLandingHost: 'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:42:43.817:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HelpComponent |
should have no accessibility issues]: 'MetabaseService->missing',
['products', 'contact']
08 11 2018 10:42:43.817:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HelpComponent |
should have no accessibility issues]: Success: 1776 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 280 of 309 SUCCESS (0 secs / 3 mins
3.392 secs)
LOG: 'MainContentService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 280 of 309 SUCCESS (0 secs / 3 mins
3.392 secs)
LOG: 'MainContentService cTor'
LOG: 'MainContentService cTor'
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 280 of 309 SUCCESS (0 secs / 3 mins
3.392 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
```

```
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 280 of 309 SUCCESS (0 secs / 3 mins
3.392 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 280 of 309 SUCCESS (0 secs / 3 mins
3.392 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['products', 'contact']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 280 of 309 SUCCESS (0 secs / 3 mins
3.392 secs)
LOG: 'MetabaseService->missing', ['products', 'contact']
LOG: 'MetabaseService->missing', ['products', 'contact']
08 11 2018 10:42:47.724:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
NonMccfHomeComponent | should have no accessibility issues]:
'MainContentService cTor'
08 11 2018 10:42:47.724:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
NonMccfHomeComponent | should have no accessibility issues]:
'MetabaseService->cherryPick~cached', Object{}
08 11 2018 10:42:47.724:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
NonMccfHomeComponent | should have no accessibility issues]:
'SHOWME|global['it']', function () { ... }
08 11 2018 10:42:47.724:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
NonMccfHomeComponent | should have no accessibility issues]:
'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:42:47.724:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
NonMccfHomeComponent | should have no accessibility issues]:
'MetabaseService->missing', ['products', 'contact']
08 11 2018 10:42:47.724:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
NonMccfHomeComponent | should have no accessibility issues]: Success: 3857 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 281 of 309 SUCCESS (0 secs / 3 mins
7.249 secs)
LOG: 'MainContentService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 281 of 309 SUCCESS (0 secs / 3 mins
7.249 secs)
LOG: 'MainContentService cTor'
LOG: 'MainContentService cTor'
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 281 of 309 SUCCESS (0 secs / 3 mins
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
```

```
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 281 of 309 SUCCESS (0 secs / 3 mins
7.249 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 281 of 309 SUCCESS (0 secs / 3 mins
7.249 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['products', 'contact']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 281 of 309 SUCCESS (0 secs / 3 mins
7.249 secs)
LOG: 'MetabaseService->missing', ['products', 'contact']
LOG: 'MetabaseService->missing', ['products', 'contact']
08 11 2018 10:42:51.239:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
NpiHomeComponent | should have no accessibility issues]: 'MainContentService
cTor'
08 11 2018 10:42:51.239:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
NpiHomeComponent | should have no accessibility issues]: 'MetabaseService-
>cherryPick~cached', Object{}
08 11 2018 10:42:51.239:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
NpiHomeComponent | should have no accessibility issues]:
'SHOWME|global['it']', function () { ... }
08 11 2018 10:42:51.239:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
NpiHomeComponent | should have no accessibility issues]: 'MetabaseService-
>environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:42:51.239:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
NpiHomeComponent | should have no accessibility issues]: 'MetabaseService-
>missing', ['products', 'contact']
08 11 2018 10:42:51.239:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
NpiHomeComponent | should have no accessibility issues]: Success: 3395 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 282 of 309 SUCCESS (0 secs / 3 mins
10.644 secs)
08 11 2018 10:42:52.349:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
SearchResultsComponent | no results should have no accessibility issues]:
Success: 934 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 283 of 309 SUCCESS (0 secs / 3 mins
11.578 secs)
08 11 2018 10:42:53.661:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
SearchResultsComponent | with results should have no accessibility issues]:
Success: 1435 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 284 of 309 SUCCESS (0 secs / 3 mins
13.013 secs)
```

```
08 11 2018 10:42:56.813:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
AdminHelpComponent | should have no accessibility issues]: Success: 3108 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 285 of 309 SUCCESS (0 secs / 3 mins
16.121 secs)
LOG: 'MainContentService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 285 of 309 SUCCESS (0 secs / 3 mins
16.121 secs)
LOG: 'MainContentService cTor'
LOG: 'MainContentService cTor'
08 11 2018 10:43:01.256:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
AdminHomeComponent | should have no accessibility issues]:
'MainContentService cTor'
08 11 2018 10:43:01.257:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
AdminHomeComponent | should have no accessibility issues]: Success: 4130 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 286 of 309 SUCCESS (0 secs / 3 mins
20.251 secs)
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 286 of 309 SUCCESS (0 secs / 3 mins
20.251 secs)
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 286 of 309 SUCCESS (0 secs / 3 mins
20.251 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 286 of 309 SUCCESS (0 secs / 3 mins
20.251 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 286 of 309 SUCCESS (0 secs / 3 mins
20.251 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 286 of 309 SUCCESS (0 secs / 3 mins
20.251 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['tooltips']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 286 of 309 SUCCESS (0 secs / 3 mins
20.251 secs)
LOG: 'MetabaseService->missing', ['tooltips']
LOG: 'MetabaseService->missing', ['tooltips']
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
```

```
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST_WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 286 of 309 SUCCESS (0 secs / 3 mins
20.251 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 286 of 309 SUCCESS (0 secs / 3 mins
20.251 secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:43:05.334:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
AdminMenusComponent | should have no accessibility issues]: 'ToolTipService
cTor'
08 11 2018 10:43:05.334:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
AdminMenusComponent | should have no accessibility issues]:
'SHOWME|global['it']', function () { ... }
08 11 2018 10:43:05.334:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
AdminMenusComponent | should have no accessibility issues]: 'MetabaseService-
>cherryPick~cached', Object{}
08 11 2018 10:43:05.334:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
AdminMenusComponent | should have no accessibility issues]:
'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:43:05.334:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
AdminMenusComponent | should have no accessibility issues]: 'MetabaseService-
>environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:43:05.336:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
AdminMenusComponent | should have no accessibility issues]: 'MetabaseService-
>missing', ['tooltips']
08 11 2018 10:43:05.337:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
AdminMenusComponent | should have no accessibility issues]: 'MetabaseService-
>cherryPick~cached', Object{menus: [Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ...,
rolesAllowed: ... }], accessRoles: ['TEST WRITER', 'epharmacy', 'ebilling',
'npi', 'nonmccf', 'epayments', 'einsurance']}
```

```
08 11 2018 10:43:05.337:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
AdminMenusComponent | should have no accessibility issues]:
'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:43:05.337:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
AdminMenusComponent | should have no accessibility issues]: Success: 4061 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 287 of 309 SUCCESS (0 secs / 3 mins
24.312 secs)
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 287 of 309 SUCCESS (0 secs / 3 mins
24.312 secs)
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 287 of 309 SUCCESS (0 secs / 3 mins
24.312 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 287 of 309 SUCCESS (0 secs / 3 mins
24.312 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 287 of 309 SUCCESS (0 secs / 3 mins
24.312 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 287 of 309 SUCCESS (0 secs / 3 mins
24.312 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['tooltips']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 287 of 309 SUCCESS (0 secs / 3 mins
24.312 secs)
LOG: 'MetabaseService->missing', ['tooltips']
LOG: 'MetabaseService->missing', ['tooltips']
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 287 of 309 SUCCESS (0 secs / 3 mins
24.312 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
```

```
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST_WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
LOG: 'MetabaseService->cherryPick~cached', Object{menus: [Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed:
...}, Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ...,
uri: ..., rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy',
'ebilling', 'npi', 'nonmccf', 'epayments', 'einsurance']}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 287 of 309 SUCCESS (0 secs / 3 mins
24.312 secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:43:08.020:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
AdminMenusComponent | should manipulate menus]: 'ToolTipService cTor'
08 11 2018 10:43:08.020:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
AdminMenusComponent | should manipulate menus]: 'SHOWME|global['it']',
function () { ... }
08 11 2018 10:43:08.020:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
AdminMenusComponent | should manipulate menus]: 'MetabaseService-
>cherryPick~cached', Object{}
08 11 2018 10:43:08.020:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
AdminMenusComponent | should manipulate menus]: 'EnvironmentService',
'ALREADY CACHED'
08 11 2018 10:43:08.020:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
AdminMenusComponent | should manipulate menus]: 'MetabaseService-
>environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:43:08.020:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
AdminMenusComponent | should manipulate menus]: 'MetabaseService->missing',
['tooltips']
08 11 2018 10:43:08.020:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
AdminMenusComponent | should manipulate menus]: 'MetabaseService-
>cherryPick~cached', Object{menus: [Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ...,
rolesAllowed: ...}, Object{title: ..., uri: ..., rolesAllowed: ...},
Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ...,
rolesAllowed: ...}], accessRoles: ['TEST WRITER', 'epharmacy', 'ebilling',
'npi', 'nonmccf', 'epayments', 'einsurance']}
08 11 2018 10:43:08.028:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
AdminMenusComponent | should manipulate menus]: 'MetabaseService', 'ALREADY
CACHED'
08 11 2018 10:43:08.028:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
AdminMenusComponent | should manipulate menus]: Success: 2678 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 288 of 309 SUCCESS (0 secs / 3 mins
26.99 secs)
08 11 2018 10:43:09.381:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
DevelopComponent | should have no accessibility issues]: Success: 1375 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 289 of 309 SUCCESS (0 secs / 3 mins
28.365 secs)
```

```
08 11 2018 10:43:11.914:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
HealthCheckComponent | should have no accessibility issues]: Success: 2353 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 290 of 309 SUCCESS (0 secs / 3 mins
30.718 secs)
08 11 2018 10:43:13.988:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
HealthCheckComponent | should set cosmos to down]: Success: 2193 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 291 of 309 SUCCESS (0 secs / 3 mins
32.911 secs)
08 11 2018 10:43:15.778:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
HealthCheckComponent | should set elsatic and fhir to down]: Success: 1795 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 292 of 309 SUCCESS (0 secs / 3 mins
34.706 secs)
08 11 2018 10:43:17.340:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
HealthCheckComponent | should set all systems to up]: Success: 1494 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 293 of 309 SUCCESS (0 secs / 3 mins
36.2 secs)
08 11 2018 10:43:19.515:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
HealthCheckComponent | should set azure to down]: Success: 2068 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 294 of 309 SUCCESS (0 secs / 3 mins
38.268 secs)
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 294 of 309 SUCCESS (0 secs / 3 mins
38.268 secs)
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'IamRecord Service cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 294 of 309 SUCCESS (0 secs / 3 mins
38.268 secs)
LOG: 'IamRecord Service cTor'
LOG: 'IamRecord Service cTor'
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 294 of 309 SUCCESS (0 secs / 3 mins
38.268 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
08 11 2018 10:43:23.017:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
IamManagerComponent | list page should have no accessibility issues]:
'ToolTipService cTor'
08 11 2018 10:43:23.017:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
IamManagerComponent | list page should have no accessibility issues]:
'IamRecord Service cTor'
08 11 2018 10:43:23.017:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
IamManagerComponent | list page should have no accessibility issues]:
'SHOWME|global['it']', function () { ... }
08 11 2018 10:43:23.017:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
IamManagerComponent | list page should have no accessibility issues]:
Success: 3415 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 295 of 309 SUCCESS (0 secs / 3 mins
41.683 secs)
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 295 of 309 SUCCESS (0 secs / 3 mins
41.683 secs)
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'IamRecord Service cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 295 of 309 SUCCESS (0 secs / 3 mins
41.683 secs)
```

```
LOG: 'IamRecord Service cTor'
LOG: 'IamRecord Service cTor'
LOG: 'SHOWME|qlobal['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 295 of 309 SUCCESS (0 secs / 3 mins
41.683 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
08 11 2018 10:43:25.959:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
IamManagerComponent | detail page should have no accessibility issues]:
'ToolTipService cTor'
08 11 2018 10:43:25.959:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
IamManagerComponent | detail page should have no accessibility issues]:
'IamRecord Service cTor'
08 11 2018 10:43:25.959:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
IamManagerComponent | detail page should have no accessibility issues]:
'SHOWME|global['it']', function () { ... }
08 11 2018 10:43:25.959:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
IamManagerComponent | detail page should have no accessibility issues]:
Success: 2777 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 296 of 309 SUCCESS (0 secs / 3 mins
44.46 secs)
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 296 of 309 SUCCESS (0 secs / 3 mins
44.46 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 296 of 309 SUCCESS (0 secs / 3 mins
44.46 secs)
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:43:25.960:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerComponent
| should create]: 'SHOWME|global['it']', function () { ... }
08 11 2018 10:43:25.960:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerComponent
| should create]: 'SHOWME|environment', Object{enable api: false,
tableau url: 'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:43:25.960:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerComponent
| should create]: Success: 126 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 297 of 309 SUCCESS (0 secs / 3 mins
44.586 secs)
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 297 of 309 SUCCESS (0 secs / 3 mins
44.586 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
```

```
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 297 of 309 SUCCESS (0 secs / 3 mins
44.586 secs)
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:43:26.196:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerComponent
| should have no rows]: 'SHOWME|global['it']', function () { ... }
08 11 2018 10:43:26.196:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerComponent
| should have no rows]: 'SHOWME|environment', Object{enable api: false,
tableau url: 'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:43:26.197:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerComponent
| should have no rows]: Success: 39 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 298 of 309 SUCCESS (0 secs / 3 mins
44.625 secs)
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 298 of 309 SUCCESS (0 secs / 3 mins
44.625 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|environment', Object{enable_api: false, tableau_url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 298 of 309 SUCCESS (0 secs / 3 mins
44.625 secs)
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:43:26.197:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerComponent
| should return rowClass DataTableRowError]: 'SHOWME|global['it']', function
() { ... }
08 11 2018 10:43:26.197:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerComponent
| should return rowClass DataTableRowError]: 'SHOWME|environment',
Object{enable api: false, tableau url: 'https://public.tableau.com',
ssoiLandingHost: 'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:43:26.197:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerComponent
| should return rowClass DataTableRowError]: Success: 31 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 299 of 309 SUCCESS (0 secs / 3 mins
44.656 secs)
LOG: 'SHOWME|global['it']', function () { ... }
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 299 of 309 SUCCESS (0 secs / 3 mins
44.656 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 299 of 309 SUCCESS (0 secs / 3 mins
44.656 secs)
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:43:26.284:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerComponent
| should return rowClass DataTableRowWarn]: 'SHOWME|global['it']', function
() { ... }
08 11 2018 10:43:26.284:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerComponent
| should return rowClass DataTableRowWarn]: 'SHOWME|environment',
Object{enable api: false, tableau url: 'https://public.tableau.com',
ssoiLandingHost: 'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:43:26.287:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerComponent
| should return rowClass DataTableRowWarn]: Success: 176 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 300 of 309 SUCCESS (0 secs / 3 mins
44.832 secs)
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 300 of 309 SUCCESS (0 secs / 3 mins
44.832 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 300 of 309 SUCCESS (0 secs / 3 mins
44.832 secs)
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:43:26.287:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerComponent
| should return rowClass DataTableRowDebug]: 'SHOWME|global['it']', function
() { ... }
08 11 2018 10:43:26.287:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerComponent
| should return rowClass DataTableRowDebug]: 'SHOWME|environment',
Object{enable api: false, tableau url: 'https://public.tableau.com',
ssoiLandingHost: 'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
```

```
08 11 2018 10:43:26.288:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerComponent
| should return rowClass DataTableRowDebug]: Success: 70 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 301 of 309 SUCCESS (0 secs / 3 mins
44.902 secs)
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 301 of 309 SUCCESS (0 secs / 3 mins
44.902 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 301 of 309 SUCCESS (0 secs / 3 mins
44.902 secs)
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'SHOWME|environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:43:29.581:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerComponent
| should return rowClass DataTableRowWarn]: 'SHOWME|global['it']', function
() { ... }
08 11 2018 10:43:29.581:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerComponent
| should return rowClass DataTableRowWarn]: 'SHOWME|environment',
Object{enable api: false, tableau url: 'https://public.tableau.com',
ssoiLandingHost: 'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:43:29.581:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerComponent
| should return rowClass DataTableRowWarn]: Success: 30 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 302 of 309 SUCCESS (0 secs / 3 mins
44.932 secs)
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 302 of 309 SUCCESS (0 secs / 3 mins
44.932 secs)
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'MainContentService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 302 of 309 SUCCESS (0 secs / 3 mins
44.932 secs)
LOG: 'MainContentService cTor'
LOG: 'MainContentService cTor'
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 302 of 309 SUCCESS (0 secs / 3 mins
44.932 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 302 of 309 SUCCESS (0 secs / 3 mins
44.932 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'EnvironmentService', 'ALREADY CACHED'
```

```
PhantomJS 2.1.1 (Linux 0.0.0): Executed 302 of 309 SUCCESS (0 secs / 3 mins
44.932 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 302 of 309 SUCCESS (0 secs / 3 mins
44.932 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['tooltips']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 302 of 309 SUCCESS (0 secs / 3 mins
44.932 secs)
LOG: 'MetabaseService->missing', ['tooltips']
LOG: 'MetabaseService->missing', ['tooltips']
LOG: 'MetabaseService->cherryPick~cached', Object{products: [Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}], contact:
Object{phone: '(800) 555-5555', emailText: 'eBusinessSolutions@va.gov',
emailValue: 'eBusinessSolutions@va.gov'}}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 302 of 309 SUCCESS (0 secs / 3 mins
44.932 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{products: [Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}], contact:
Object{phone: '(800) 555-5555', emailText: 'eBusinessSolutions@va.gov',
emailValue: 'eBusinessSolutions@va.gov'}}
LOG: 'MetabaseService->cherryPick~cached', Object{products: [Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}], contact:
Object{phone: '(800) 555-5555', emailText: 'eBusinessSolutions@va.gov',
emailValue: 'eBusinessSolutions@va.gov'}}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 302 of 309 SUCCESS (0 secs / 3 mins
44.932 secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:43:31.760:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
MainContentComponent | should have no accessibility issues]: 'ToolTipService
cTor'
08 11 2018 10:43:31.761:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
MainContentComponent | should have no accessibility issues]:
'MainContentService cTor'
```

```
08 11 2018 10:43:31.761:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
MainContentComponent | should have no accessibility issues]:
'SHOWME|global['it']', function () { ... }
08 11 2018 10:43:31.761:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
MainContentComponent | should have no accessibility issues]:
'MetabaseService->cherryPick~cached', Object{}
08 11 2018 10:43:31.761:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
MainContentComponent | should have no accessibility issues]:
'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:43:31.761:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
MainContentComponent | should have no accessibility issues]:
'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:43:31.761:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
MainContentComponent | should have no accessibility issues]:
'MetabaseService->missing', ['tooltips']
08 11 2018 10:43:31.761:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
MainContentComponent | should have no accessibility issues]:
'MetabaseService->cherryPick~cached', Object{products: [Object{name: ...,
erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name: ...,
erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name: ...,
erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name: ...,
erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}], contact:
Object{phone: '(800) 555-5555', emailText: 'eBusinessSolutions@va.gov',
emailValue: 'eBusinessSolutions@va.gov'}}
08 11 2018 10:43:31.761:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
MainContentComponent | should have no accessibility issues]:
'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:43:31.761:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
MainContentComponent | should have no accessibility issues]: Success: 3237 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 303 of 309 SUCCESS (0 secs / 3 mins
48.169 secs)
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 303 of 309 SUCCESS (0 secs / 3 mins
48.169 secs)
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'MainContentService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 303 of 309 SUCCESS (0 secs / 3 mins
48.169 secs)
LOG: 'MainContentService cTor'
LOG: 'MainContentService cTor'
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 303 of 309 SUCCESS (0 secs / 3 mins
48.169 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 303 of 309 SUCCESS (0 secs / 3 mins
48.169 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 303 of 309 SUCCESS (0 secs / 3 mins
48.169 secs)
```

```
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 303 of 309 SUCCESS (0 secs / 3 mins
48.169 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['tooltips']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 303 of 309 SUCCESS (0 secs / 3 mins
48.169 secs)
LOG: 'MetabaseService->missing', ['tooltips']
LOG: 'MetabaseService->missing', ['tooltips']
LOG: 'MetabaseService->cherryPick~cached', Object{products: [Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}], contact:
Object{phone: '(800) 555-5555', emailText: 'eBusinessSolutions@va.gov',
emailValue: 'eBusinessSolutions@va.gov'}}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 303 of 309 SUCCESS (0 secs / 3 mins
48.169 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{products: [Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}], contact:
Object{phone: '(800) 555-5555', emailText: 'eBusinessSolutions@va.gov',
emailValue: 'eBusinessSolutions@va.gov'}}
LOG: 'MetabaseService->cherryPick~cached', Object{products: [Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}, Object{name:
..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...}], contact:
Object{phone: '(800) 555-5555', emailText: 'eBusinessSolutions@va.gov',
emailValue: 'eBusinessSolutions@va.gov'}}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 303 of 309 SUCCESS (0 secs / 3 mins
48.169 secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:43:33.809:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
MainContentComponent | should show product data]: 'ToolTipService cTor'
08 11 2018 10:43:33.809:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
MainContentComponent | should show product data]: 'MainContentService cTor'
08 11 2018 10:43:33.809:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
MainContentComponent | should show product data]: 'SHOWME|global['it']',
function () { ... }
```

```
08 11 2018 10:43:33.809:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
MainContentComponent | should show product data]: 'MetabaseService-
>cherryPick~cached', Object{}
08 11 2018 10:43:33.810:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
MainContentComponent | should show product data]: 'EnvironmentService',
'ALREADY CACHED'
08 11 2018 10:43:33.810:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
MainContentComponent | should show product data]: 'MetabaseService-
>environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:43:33.810:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
MainContentComponent | should show product data]: 'MetabaseService->missing',
['tooltips']
08 11 2018 10:43:33.810:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
MainContentComponent | should show product data]: 'MetabaseService-
>cherryPick~cached', Object{products: [Object{name: ..., erevenueUrl: ...},
Object{name: ..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...},
Object{name: ..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...},
Object{name: ..., erevenueUrl: ...}, Object{name: ..., erevenueUrl: ...},
Object{name: ..., erevenueUrl: ...}], contact: Object{phone: '(800) 555-
5555', emailText: 'eBusinessSolutions@va.gov', emailValue:
'eBusinessSolutions@va.gov'}}
08 11 2018 10:43:33.810:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
MainContentComponent | should show product data]: 'MetabaseService', 'ALREADY
08 11 2018 10:43:33.810:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
MainContentComponent | should show product data]: Success: 2279 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 304 of 309 SUCCESS (0 secs / 3 mins
50.448 secs)
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 304 of 309 SUCCESS (0 secs / 3 mins
50.448 secs)
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'ReportsConfigService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 304 of 309 SUCCESS (0 secs / 3 mins
50.448 secs)
LOG: 'ReportsConfigService cTor'
LOG: 'ReportsConfigService cTor'
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 304 of 309 SUCCESS (0 secs / 3 mins
50.448 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 304 of 309 SUCCESS (0 secs / 3 mins
50.448 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 304 of 309 SUCCESS (0 secs / 3 mins
50.448 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
```

```
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 304 of 309 SUCCESS (0 secs / 3 mins
50.448 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['tooltips']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 304 of 309 SUCCESS (0 secs / 3 mins
50.448 secs)
LOG: 'MetabaseService->missing', ['tooltips']
LOG: 'MetabaseService->missing', ['tooltips']
LOG: 'MetabaseService->cherryPick~cached', Object{report:
Object{tasFHIREndpoint: 'http://aws-app.mccf.halfakerlabs.com:8080/VA-FHIR-
Server/fhir', operation: 'SEARCH', fhirResourceClaimResponse:
'ClaimResponse', vistaInstance: '001', lastUpdated: '2017-04-17',
requestedBy: 'Doug Fresh', configTimestamp: '2018-04-12'}}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 304 of 309 SUCCESS (0 secs / 3 mins
50.448 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{report:
Object{tasFHIREndpoint: 'http://aws-app.mccf.halfakerlabs.com:8080/VA-FHIR-
Server/fhir', operation: 'SEARCH', fhirResourceClaimResponse:
'ClaimResponse', vistaInstance: '001', lastUpdated: '2017-04-17',
requestedBy: 'Doug Fresh', configTimestamp: '2018-04-12'}}
LOG: 'MetabaseService->cherryPick~cached', Object{report:
Object{tasFHIREndpoint: 'http://aws-app.mccf.halfakerlabs.com:8080/VA-FHIR-
Server/fhir', operation: 'SEARCH', fhirResourceClaimResponse:
'ClaimResponse', vistaInstance: '001', lastUpdated: '2017-04-17',
requestedBy: 'Doug Fresh', configTimestamp: '2018-04-12'}}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 304 of 309 SUCCESS (0 secs / 3 mins
50.448 secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
08 11 2018 10:43:36.619:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsConfigComponent | should be created]: 'ToolTipService cTor'
08 11 2018 10:43:36.619:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsConfigComponent | should be created]: 'ReportsConfigService cTor'
08 11 2018 10:43:36.619:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsConfigComponent | should be created]: 'SHOWME|global['it']', function
() { ... }
08 11 2018 10:43:36.619:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsConfigComponent | should be created]: 'MetabaseService-
>cherryPick~cached', Object{}
08 11 2018 10:43:36.625:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsConfigComponent | should be created]: 'EnvironmentService', 'ALREADY
CACHED'
08 11 2018 10:43:36.625:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsConfigComponent | should be created]: 'MetabaseService->environment',
Object{enable api: false, tableau url: 'https://public.tableau.com',
```

```
ssoiLandingHost: 'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:43:36.625:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsConfigComponent | should be created]: 'MetabaseService->missing',
['tooltips']
08 11 2018 10:43:36.625:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsConfigComponent | should be created]: 'MetabaseService-
>cherryPick~cached', Object{report: Object{tasFHIREndpoint: 'http://aws-
app.mccf.halfakerlabs.com:8080/VA-FHIR-Server/fhir', operation: 'SEARCH',
fhirResourceClaimResponse: 'ClaimResponse', vistaInstance: '001',
lastUpdated: '2017-04-17', requestedBy: 'Doug Fresh', configTimestamp: '2018-
04-12'}}
08 11 2018 10:43:36.625:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsConfigComponent | should be created]: 'MetabaseService', 'ALREADY
CACHED'
08 11 2018 10:43:36.635:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsConfigComponent | should be created]: Success: 1920 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 305 of 309 SUCCESS (0 secs / 3 mins
52.368 secs)
LOG: 'ReportsService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 305 of 309 SUCCESS (0 secs / 3 mins
52.368 secs)
LOG: 'ReportsService cTor'
LOG: 'ReportsService cTor'
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 305 of 309 SUCCESS (0 secs / 3 mins
52.368 secs)
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 305 of 309 SUCCESS (0 secs / 3 mins
52.368 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->cherryPick~cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 305 of 309 SUCCESS (0 secs / 3 mins
52.368 secs)
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'MetabaseService->cherryPick~cached', Object{}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 305 of 309 SUCCESS (0 secs / 3 mins
52.368 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 305 of 309 SUCCESS (0 secs / 3 mins
52.368 secs)
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
```

```
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
LOG: 'MetabaseService->missing', ['tooltips']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 305 of 309 SUCCESS (0 secs / 3 mins
52.368 secs)
LOG: 'MetabaseService->missing', ['tooltips']
LOG: 'MetabaseService->missing', ['tooltips']
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 305 of 309 SUCCESS (0 secs / 3 mins
52.368 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 305 of 309 SUCCESS (0 secs / 3 mins
52.368 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:43:37.028:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsDashboardComponent | should be created]: 'ReportsService cTor'
08 11 2018 10:43:37.028:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsDashboardComponent | should be created]: 'ToolTipService cTor'
08 11 2018 10:43:37.028:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsDashboardComponent | should be created]: 'SHOWME|global['it']',
function () { ... }
08 11 2018 10:43:37.028:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsDashboardComponent | should be created]: 'MetabaseService-
>cherryPick~cached', Object{}
08 11 2018 10:43:37.028:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsDashboardComponent | should be created]: 'EnvironmentService',
'ALREADY CACHED'
08 11 2018 10:43:37.028:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsDashboardComponent | should be created]: 'MetabaseService-
>environment', Object{enable api: false, tableau url:
'https://public.tableau.com', ssoiLandingHost:
'https://logon.int.iam.va.gov', ssoiLandingTarget:
'https://vac20apptas810.aac.va.gov'}
08 11 2018 10:43:37.028:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsDashboardComponent | should be created]: 'MetabaseService->missing',
['tooltips']
08 11 2018 10:43:37.029:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsDashboardComponent | should be created]: 'EnvironmentService',
'ALREADY CACHED'
08 11 2018 10:43:37.029:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsDashboardComponent | should be created]: 'EnvironmentService',
'ALREADY CACHED'
08 11 2018 10:43:37.029:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsDashboardComponent | should be created]: Success: 3065 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 306 of 309 SUCCESS (0 secs / 3 mins
55.433 secs)
LOG: 'ESRRecord Service cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 306 of 309 SUCCESS (0 secs / 3 mins
55.433 secs)
LOG: 'ESRRecord Service cTor'
LOG: 'ESRRecord Service cTor'
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 306 of 309 SUCCESS (0 secs / 3 mins
55.433 secs)
```

```
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 306 of 309 SUCCESS (0 secs / 3 mins
55.433 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 306 of 309 SUCCESS (0 secs / 3 mins
55.433 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:43:40.052:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsComponent | should be created]: 'ESRRecord Service cTor'
08 11 2018 10:43:40.052:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsComponent | should be created]: 'ToolTipService cTor'
08 11 2018 10:43:40.052:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsComponent | should be created]: 'SHOWME|global['it']', function () {
...}
08 11 2018 10:43:40.052:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsComponent | should be created]: 'EnvironmentService', 'ALREADY CACHED'
08 11 2018 10:43:40.052:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsComponent | should be created]: Success: 2748 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 307 of 309 SUCCESS (0 secs / 3 mins
58.181 secs)
LOG: 'ESRRecord Service cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 307 of 309 SUCCESS (0 secs / 3 mins
58.181 secs)
LOG: 'ESRRecord Service cTor'
LOG: 'ESRRecord Service cTor'
08 11 2018 10:43:40.075:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ESRRecordService | should be created]: 'ESRRecord Service cTor'
08 11 2018 10:43:40.075:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ESRRecordService | should be created]: Success: 286 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 308 of 309 SUCCESS (0 secs / 3 mins
58.467 secs)
LOG: 'ReportsConfigService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 308 of 309 SUCCESS (0 secs / 3 mins
58.467 secs)
LOG: 'ReportsConfigService cTor'
LOG: 'ReportsConfigService cTor'
08 11 2018 10:43:40.388:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsConfigService | should be created]: 'ReportsConfigService cTor'
08 11 2018 10:43:40.389:INFO [PhantomJS 2.1.1 (Linux 0.0.0) |
ReportsConfigService | should be created]: Success: 59 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 309 of 309 SUCCESS (0 secs / 3 mins
58.526 secs)
PhantomJS 2.1.1 (Linux 0.0.0): Executed 309 of 309 SUCCESS (4 mins 6.685 secs
/ 3 mins 58.526 secs)
Suites and tests results:
```

- AppComponent :
 - * select page should have no accessibility issues : ok
 - * should have three levels of growl popup notifications : ok
 - * should be router link : ok

```
* should not be router link : ok
  * should set title correctly : ok
- AuthService :
  * should construct : ok
  * should have eBilling authorization : ok
  ^{\star} should not have eBilling autherization : ok
- BreadcrumbService :
  * should reset : ok
  * should push crumbs : ok
  * should pop crumb : ok
- Database: IdGen :
  * generates with no seed : ok
  * generates with seed : ok
- Database: Memory Db:
  * simple add and dumpdb : ok
  * simple add and get : ok
  ^{\star} simple add, change id, and get : ok
  * 2 adds and getAll : ok
  * add, get, and update : ok
  \star 3 adds, delete, and getAll : ok
  * expects stats : ok
  * sample w/o data : ok
  * 20 adds and sample : ok
  * 3 adds and query : ok
  * add, updateall, get : ok
  * get tokenized data : ok
  * get tokenized data (terms) : ok
  * get tokenized data (scan) : ok
  * get tokenized data (top) : ok
  * get tokenized data (all) : ok
  * get tokenized data (all, chained) : ok
  * get tokenized data (filter) : ok
  * get tokenized data (highlight) : ok
- MenusService :
  * should construct : 2 ok
  * should get data : ok
  * should get eBilling data and not ePharmacy : ok
- EnvironmentService :
  * should construct : ok
  * should get data : ok
- ErrorModalComponent :
  * start div should have no accessibility issues : ok
  * notified div should have no accessibility issues : ok
  * clipboard div should have no accessibility issues : ok
- ErrorService :
  * should create : ok
- ExtLinkModalComponent :
  * should have no accessibility issues : ok
  * should zero out seconds : ok
  * should call cancel on click : ok
  * should call cancelFocus on click : ok
- HomepageComponent :
  * expects rendered quick news list : ok
  * div 1 should have no accessibility issues : ok
- LoggerService :
  * expects one output from LogLevel.Error : ok
  * expects two outputs from LogLevel.Warn : ok
```

```
* expects three outputs from LogLevel.Info : ok
   * expects five outputs from LogLevel.Debug : ok
   * expects UPPERCASE : ok
   * expects JSON output : ok
 - LoggingApiService :
   * add log : ok
   * get all logs : ok
   * get all logs with paging : ok
   * get all logs with paging using sample data (ensure page 0 is page 1 and
page 2 is not page 1) : ok
 - SearchComponent :
   * should have no accessibility issues : ok
 - BreadcrumbComponent :
   * should have no accessibility issues : ok
 - CalendarComponent :
   * should have no accessibility issues : ok
 - DataTableComponent :
   * should have no accessibility issues : ok
 - DatePicker :
   * set valid date : ok
   * open/close selector : ok
   * select today button : ok
   * select previous month : ok
   * select next month : ok
   * select previous month january change year : ok
   ^{\star} select next month december change year : ok
   * select previous month from selector : ok
   * select next month from selector : ok
   * select previous year : ok
   * select next year : ok
   ^{\star} test calendar year 2016 month one by one - next month button : ok
   * test calendar year 2016 month one by one - previous month button : ok
   * options - date format : ok
   * options - show today button : ok
   * options - today button text : ok
   * options - first day of week : ok
   * options - mark current day : ok
   * options - mark current month : ok
   * options - mark current year : ok
   * options - month selector : ok
   * options - year selector : ok
   * options - disable header buttons : ok
   * options - min year : ok
   \star options - max year : ok
   * options - disable until : ok
   * options - disable since : ok
   * options - disable days one by one : ok
   * options - enable disabled days one by one : ok
   * options - disable date ranges : ok
   * options - mark dates : ok
   * options - mark weekends : ok
   * options - disable weekends : ok
   * options - allow deselect date : ok
   * options - inline : ok
   * options - show clear date button : ok
   * options - show decrease date button : ok
   * options - show increase date button : ok
```

```
* options - height : ok
   * options - width : ok
   * options - selector height : ok
   * options - selector width : ok
   * options - selection text font size : ok
   * options - align selector right : ok
   * options - open selector top of input : ok
   * options - indicate invalid date : ok
   * options - disableUntil input dates validation : ok
   ^{\star} options - disableSince input dates validation : ok
   * options - disable weekends input date validation : ok
   * options - disable weekdays : ok
   * options - disableDays input date validation : ok
   * options - disable component : ok
   * options - editable date field : ok
   * options - click input to open selector : ok
   * options - show selector arrow : ok
   * options - show input field : ok
   * options - show week numbers : ok
   * options - aria label texts : ok
   * options - allowSelectionOnlyInCurrentMonth : ok
   * defaultMonth - initially selected month : ok
   * disabled - disable component : ok
   * placeholder - placeholder text : ok
   * "selects" the date if the selected date is not the same as the input
date on input changed and the input date is valid : ok
 - ModalComponent :
   * should have no accessibility issues : ok
   * should call ngOnChanges : ok
   * should tab through buttons : ok
   * should call headerCloseClick : ok
   * should call footerOkClick : ok
   * should call footerCancelClick : ok
 - PaginatePipe: :
   * should truncate collection : ok
   * should register with the PaginationService : ok
   * should modify the same instance when called multiple times : ok
   * should use default id if none specified : ok
   * should not break when totalItems is specified for in-memory paging : ok
   * should allow independent instances by setting an id : ok
   * should return identical array for the same input values : ok
   - collection modification :
     * should detect simple push or splice without insert : ok
     * should detect value changes in collection : ok
   - server-side pagination :
     * should truncate collection : ok
     * should display page 2 : ok
   - unexpected input: :
     * should pass through non-array inputs : ok
     * should work with a string as itemsPerPage arg : ok
     * should work with a string as currentPage arg : ok
     * should work with itemsPerPage and currentPage as accessors : ok
   - DOM tests: :
     * should display the correct number of items per page (10): ok
     * should display the correct number of items per page (50): ok
     * should display the correct number of items, after itemsPerPage &
currentPage change : ok
```

```
* should display the correct items on init : ok
     * should not mutate the collection : ok
     * should default to page 1 if currentPage not set : ok
 - PaginationControlsComponent: :
   * should display the correct page links (simple) : ok
   * should display the correct page links (end ellipsis) : ok
   * should display the correct page links (start ellipsis) : ok
   * should display the correct page links (double ellipsis) : ok
   * should add "ellipsis" class to ellipsis links : ok
   * should update links when collection size changes : ok
   * should update the currently-active
 page when currentPage changes : ok
   * should highlight the currently-active
 page when currentPage is passed as a numeric string : ok
   * should update the currently-active
 page when currentPage becomes invalid (too high) : ok
   * should allow the tas-pagination-controls to come before the PaginatePipe
: ok
   * should allow multiple independent instances (controller test) : ok
   * should allow multiple independent instances (template test) : ok
   * "autoHide" should be boolean : ok
   * "autoHide" should work with non-data-bound values : ok
   * "autoHide" state should be reflected in default template : ok
   * "directionLinks" should be boolean : ok
   * "directionLinks" should work with non-data-bound values : ok
   * "directionLinks" state should be reflected in default template : ok
   * "responsive" should work with non-data-bound values : ok
   * "responsive" state should be reflected in default template : ok
   - custom labels :
     * previousLabel should bind in correct locations : ok
     * nextLabel should bind in correct locations : ok
     * screenReaderPaginationLabel should bind in correct locations : ok
     * screenReaderPageLabel should bind in correct locations : ok
     * screenReaderCurrentLabel should bind in correct locations : ok
 - PaginationControlsDirective: :
   * should warn on interaction when an unknown id is used : ok
   - template api :
     * "pages" should be an array of page objects : ok
     * "maxSize" should be a number : ok
     * "getCurrent()" should return current page : ok
     * "setCurrent()" should emit pageChange event with correct value : ok
     * "previous()" should emit pageChange event with correct value : ok
     * "next()" should emit pageChange event with correct value : ok
     * "isFirstPage()" should return the correct value : ok
     * "isLastPage()" should return the correct value : ok
     * "getTotalItems()" should return the correct value for in-memory mode :
ok
     ^{\star} "getTotalItems()" should return the correct value for server-side mode
: ok
   - custom templates :
     * should display the correct page links (simple) : ok
     * should display the correct page links (end ellipsis) : ok
     * should display the correct page links (start ellipsis) : ok
     ^{\star} should display the correct page links (double ellipsis) : ok
```

```
- PaginationService: :
   * should register the instance : ok
   * getInstance() should return a clone of the instance : ok
   * setCurrentPage() should work for valid page number : ok
   * setCurrentPage() should work for max page number : ok
   * setCurrentPage() should not change page if new page is too high : ok
   * setCurrentPage() should not change page if new page is less than 1 : ok
   * setTotalItems() should work for valid input : ok
   * setTotalItems() should not work for negative values : ok
 - TooltipsService :
   * tooltip should lookup data : ok
 - TreeviewConfig :
   * should have sensible default values : ok
 - findItem :
   * should not find item if root is null or undefined : ok
   * should find item : ok
   * should not find item : ok
 - findItemInList :
   * should not find item if list is null or undefined : ok
   * should find item : ok
   * should not find item : ok
 - findParent :
   * should not find parent if root is undefined or root has no children : ok
   * should not find parent : ok
   * should find parent : ok
 - removeParent :
   * should not remove item if root is undefined or root has no children : ok
   * should not remove item : ok
   * should remove item & has correct checked : ok
 - TreeviewItemComponent :
   * should initialize with default config : ok
   - item :
     * should not have element with class "treeview-item" if no item provided
     * should have element with class "treeview-item" if binding item : ok
   - template :
     * should work : ok
     * should render "Parent 1", "Child 1" & "Child 2" with checked : ok
     - toggle collapse/expand :
       * should not render children : ok
     - uncheck "Parent 1" :
       * should un-check "Child 1" & "Child 2" : ok
       * should raise event checkedChange : ok
     - un-check "Child 1" :
       * should uncheck "Parent 1" : ok
       * should raise event checkedChange : ok
       - un-check "Child 2" :
         * should keep "Parent 1" unchecked : ok
         * should raise event checkedChange : ok
       - check "Child 1" :
         * should check "Parent 1" : ok
         * should raise event checkedChange : ok
 - TreeviewItem :
   * should throw error if TreeItem param is null of undefined : ok
   * should throw error if TreeItem text is not a string : ok
   ^{\star} should throw error if TreeviewItem children is assigned an empty array:
ok
```

```
* should allow to create TreeviewItem with empty children : ok
   - checked :
     * should have value is true by default : ok
     should correct checked value when input second param : ok
     ^{\star} should set checked value correctly when invoke correctChecked : ok
     * should not change checked value if item is disabled : ok
   - setCheckedRecursive :
     * should apply checked value to children if item is enabled : ok
     * should not apply checked value to children if item is disabled : ok
   - collapsed :
     should set value is false by default : ok
     * should affectly change collapsed value : ok
   - setCollapsedRecursive :
     * should apply collapsed value to children : ok
   - disabled :
     * should set value is false by default : ok
     * should initialize children are disabled if initializing parent is
disabled : ok
     * should change disabled value of children to false if changing disabled
of parent to false : ok
   - children :
     * should throw error if change value to empty list : ok
     * should affectly change children value : ok
     * should accept undefined value : ok
   - getSelection :
     - no children :
       * should return empty list if item is unchecked : ok
       * should return a list of current item if item is unchecked : ok
     - has children :
       * should return list of checked items : ok
 - TreeviewComponent :
   * should initialize with default config : ok
   - no data binding :
     * should display "No items found" : ok
   - null data binding :
    * should display "No items found" : ok
   - keyboard :
     * should call keyboard key listeners : ok
   - config :
     - hasAllCheckBox :
       * should display checkbox "All" if value is true : ok
       * should not display checkbox "All" if value is false : ok
     - hasFilter :
       * should display checkbox Filter textbox if value is true : ok
       * should not display checkbox Filter textbox if value is false : ok
     - hasCollapseExpand :
       * should display icon Collapse/Expand if value is true : ok
       * should not display icon Collapse/Expand if value is false : ok
   - items :
     * should have "All" checkbox is checked : ok
     * should have all of items are checked : ok
     - collapse/expand icon :
       * should display "Item1" & "Item2" : ok
       - toggle :
         * should display "Item1" & "Item2" : ok
 - EbillingHomeComponent :
   * should have no accessibility issues : ok
```

```
- EinsuranceHomeComponent :
  * Component should be created OK : ok
  * starting page should have no accessibility issues : ok
  * vista choose should have no accessibility issues : ok
- EinsuranceInsuranceCompanyEditorComponent :
  * Component should be created OK : ok
- EinsurancePatientMainMenuComponent :
  * Component should be created OK : ok
  * starting page should have no accessibility issues : ok
- EpaymentHomeComponent :
  * should have no accessibility issues : 4 ok
- EpharmacyHomeComponent :
  * should have no accessibility issues : ok
- EpharmacyRecentComponent :
  * should have no accessibility issues : ok
- ContactComponent :
  * select page should have no accessibility issues : ok
- FaqComponent :
  * should have no accessibility issues : ok
- HelpComponent :
  * should have no accessibility issues : ok
- NonMccfHomeComponent :
  * should have no accessibility issues : ok
- NpiHomeComponent :
  * should have no accessibility issues : ok
- SearchResultsComponent :
  * no results should have no accessibility issues : ok
  * with results should have no accessibility issues : ok
- AdminHelpComponent :
  * should have no accessibility issues : ok
- AdminHomeComponent :
  * should have no accessibility issues : ok
- AdminMenusComponent :
  * should have no accessibility issues : ok
  * should manipulate menus : ok
- DevelopComponent :
  * should have no accessibility issues : ok
- HealthCheckComponent :
  * should have no accessibility issues : ok
  * should set cosmos to down : ok
  * should set elsatic and fhir to down : ok
  * should set all systems to up : ok
  \star should set azure to down : ok
- IamManagerComponent :
  * list page should have no accessibility issues : ok
  * detail page should have no accessibility issues : ok
- LoggerComponent :
  * should create : ok
  * should have no rows : ok
  * should return rowClass DataTableRowError : ok
  * should return rowClass DataTableRowWarn : 2 ok
  * should return rowClass DataTableRowDebug : ok
- MainContentComponent :
  * should have no accessibility issues : ok
  * should show product data : ok
- ReportsConfigComponent :
  * should be created : ok
```

```
- ReportsDashboardComponent :
   * should be created : ok
 - ReportsComponent :
   * should be created : ok
 - ESRRecordService :
   * should be created : ok
 - ReportsConfigService :
   * should be created : ok
Browser results:
 - PhantomJS 2.1.1 (Linux 0.0.0): 309 tests
   - 309 ok
08 11 2018 10:43:47.677:WARN [launcher]: PhantomJS was not killed in 2000 ms,
sending SIGKILL.
[Pipeline] }
[Pipeline] // timeout
[Pipeline] echo
Verify unit test summary exists
[Pipeline] sh
[MCCF EDI TAS WebUI] Running shell script
+ [[ -f unit test report summary.html ]]
+ echo 'move unit_test_report_summary.html to
(/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core)'
move unit test report summary.html to
(/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core)
+ mv unit test report summary.html
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core
[Pipeline] echo
Verify coverage tests exist
[Pipeline] sh
[MCCF EDI TAS WebUI] Running shell script
+ [[ -d coverage ]]
+ echo 'move tests to (/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core)'
move tests to (/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core)
+ mv coverage /home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Pre-Build E2E Tests)
[Pipeline] withEnv
[Pipeline] {
[Pipeline] echo
execute unit test for MCCF EDI TAS WebUI
[Pipeline] dir
Running in
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI
[Pipeline] {
[Pipeline] echo
create selenium test directory
[Pipeline] sh
[MCCF EDI TAS WebUI] Running shell script
```

```
+ [[ -d
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/node mo
dules/protractor/node modules/webdriver-manager/selenium ]]
+ mkdir -p
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/node mo
dules/protractor/node modules/webdriver-manager/selenium
[Pipeline] echo
Execute E2E tests, with timeout 60 minutes
[Pipeline] timeout
Timeout set to expire in 1 hr 0 min
[Pipeline] {
[Pipeline] echo
execute e2e tests
[Pipeline] sh
[MCCF EDI TAS WebUI] Running shell script
+ npm run e2e
> mccf-tas@0.0.0 pree2e
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI
> cross-os before
Did you mkdir node modules/protractor/node modules/webdriver-manager/selenium
> mccf-tas@0.0.0 e2e
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI
> ng e2e --port 4201
** NG Live Development Server is listening on localhost: 4201, open your
browser on http://localhost:4201/ **
(node:78479) [DEP0022] DeprecationWarning: os.tmpDir() is deprecated. Use
os.tmpdir() instead.
webpack: Compiled successfully.
[10:45:58] I/update - chromedriver: unzipping chromedriver 2.31.zip
[10:45:59] I/update - chromedriver: setting permissions to 0755 for
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/node mo
dules/protractor/node modules/webdriver-manager/selenium/chromedriver 2.31
[10:45:59] I/launcher - Running 1 instances of WebDriver
[10:45:59] I/local - Starting selenium standalone server...
```

[10:46:03] I/local - Selenium standalone server started at http://10.245.148.196:53227/wd/hub Started Spec started

US1406 Define Layout of the MCCF EDI home Page

 $\hat{a} \text{@``}$ TC1231 Validate User can Access the eBilling Product Page from the MCCF EDI TAS Portal home Page via Navigation Bar

âœ" TC1232 Validate User can Access the ePharmacy Product Page from the MCCF EDI TAS Portal home Page via Navigation Bar

âœ" TC1233 Validate User can Access the eInsurance Product Page from the MCCF EDI TAS Portal home Page via Navigation Bar

 $\hat{a}\alpha\text{``TC1234}$ Validate User can Access the ePayments Product Page from the MCCF EDI TAS Portal home Page via Navigation Bar

 $\hat{a}\alpha$ " TC1543 Verify when entering manually the "eBilling" Product Page URL address does redirect the user to the correct Product Page.

âœ" TC1545 Verify that entering ePayments URL can be accessed directly

âœ" TC1547 Verify when manually entering "Non-MCCF" Product Page URL address does redirect the user to the correct Product Page.

âœ" TC1549 Verify when entering the "NPI" Product Page URL address manually, does redirect the user to the correct Product Page.

 $\hat{a}e$ " TC1554 Selecting the "FAQ" hyperlink in the header redirects the user to the "Under Construction" page when selected.

 $\rm \hat{a} e \text{``}\ TC1560$ Selecting the "eBusiness Solutions" logo text hyperlink in the header redirects the user to the "MCCF EDI TAS Portal Index Page" when selected.

âce" TC1562 The "MCCF EDI TAS Portal Index Page" will contain a Title Bar (with graphic).

âœ" TC1277 Validate the MCCF EDI Home Page Contains a Contact Us Link

âœ" TC1278 Validate the MCCF EDI Home Page Contains a FAQ Link

âœ" TC1279 Validate the MCCF EDI Home Page Displays a Calendar

 \hat{a} e" TC1556 Selecting the "Contact Us" hyperlink in the header redirects the user to the "Under Construction" page when selected.

âœ" TC1282 Validate User can Access the NPI Product Page from the MCCF EDI TAS Portal Home Page via Navigation Bar

âœ" TC1281 Validate Layout of the MCCF EDI Home Page - Logo Home Page âœ" TC1280 Validate Layout of the MCCF EDI Home Page - Standard Footer

 $\hat{a}e$ " TC1492 Verify Tab order by navigating the product with only a keyboard

Home Page

âœ" TC1561 The "eBusiness Solutions" logo displays correctly.

âæ" TC1558 Selecting the "Help" hyperlink in the header redirects the user to the "Under Construction" page when selected.

 ${\rm \hat{a}}{\rm e}^{\rm w}$ TC1284 Validate the MCCF EDI Home Page Displays a News and Announcements Container

US1407 Add link to eRevenue Resource SharePoint Training Portal âœ" TC1289 Validate link to eRevenue Resource SharePoint Training Portal - From MCCF EDI TAS Portal Home Page (Selects CANCEL)

US1409 Product Landing Page - $\operatorname{eBilling}$, $\operatorname{eInsurance}$, $\operatorname{ePayments}$, $\operatorname{ePharmacy}$, $\operatorname{Non MCCF}$

âœ" TC1194 Validate Product Landing Page Consitent Look and Feel - eBilling

 $\hat{\text{a}}\text{c}\text{w}^{\text{``}}$ TC1195 Validate Product Landing Page Consitent Look and Feel -eInsurance

- âœ" TC1196 Validate Product Landing Page Consitent Look and Feel ePayments
- âœ" TC1197 Validate Product Landing Page Consitent Look and Feel ePharmacy
- $\hat{a}\alpha\text{``TC1199}$ Validate Product Landing Page Consitent Look and Feel Non MCCF
 - âœ" TC1591 Validate Product Landing Page Consitent Look and Feel NPI
- âœ" TC1200 Validate Product Landing Page Consitent Look and Feel eBilling
- âœ" TC1201 Validate Standard Functionality on Product Landing Page eInsurance
- $\hat{a} \text{e}\text{``TC1202}$ Validate Standard Functionality on Product Landing Page ePayments
- $\hat{a} \text{e}\text{``TC1203}$ Validate Standard Functionality on Product Landing Page ePharmacy
- $\rm \hat{a} \alpha^{\rm w}$ TC1205 Validate Standard Functionality on Product Landing Page Non MCCF
 - US2654 Online Help for MCCF EDI TAS Portal
- âœ" TC1893 Selecting the "Help" hyperlink in the header redirects the user to the "Under Construction" page when selected.
- US3212 Enhance Linking to URLs from the MCCF EDI TAS Portal âœ" TC2200 Verify the MCCF EDI TAS Portal Home Page link in the breadcrumb on the eInsurance page is functional
- US3213 Remove All Product Specific Content Boxes from the MCCF EDI TAS Portal Home Page $\,$
- âœ" TC2004 Validate Product Specific Content Boxes are no longer being displayed on the MCCF EDI TAS Portal Home Page
 - âœ" TC2165 Validate Current Days Date on Calendar is Highlighted
 - $\mbox{\^{a}e}\mbox{``}$ TC2167 Validate Look and Feel of Calendar Navigate to Future Month
 - âœ" TC2166 Validate Look and Feel of Calendar Go Back to Prior Month

Pending:

- 1) US1408 Add link to Insurance Capture Buffer (ICB) Web TC1773 Verify the (ICB) Web link
- 41 specs, 0 failures, 1 pending spec Finished in 575.821 seconds

1) US1408 Add link to Insurance Capture Buffer (ICB) Web TC1773 Verify the (ICB) Web link

Temporarily disabled with xit

Executed 40 of 41 specs INCOMPLETE (1 PENDING) in 9 mins 36 secs.

- [10:55:44] I/local Shutting down selenium standalone server.
- [10:55:44] I/launcher O instance(s) of WebDriver still running
- [10:55:44] I/launcher phantomjs #01 passed

```
[Pipeline] }
[Pipeline] // timeout
[Pipeline] echo
Verify e2e test results exist
[Pipeline] sh
[MCCF EDI TAS WebUI] Running shell script
+ [[ -d e2e/reports ]]
+ echo 'no e2e test results found'
no e2e test results found
+ [[ -f e2e/logs/testresults.xml ]]
+ echo 'move tests to (/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core)'
move tests to (/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core)
+ mv e2e/logs/testresults.xml
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/e2e testresults.xml
[Pipeline] echo
remove selenium test directory if exists
[Pipeline] sh
[MCCF EDI TAS WebUI] Running shell script
+ [[ -d
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/node mo
dules/protractor/node modules/webdriver-manager/selenium ]]
+ rm -rf
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/node mo
dules/protractor/node modules/webdriver-manager/selenium
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Build)
[Pipeline] echo
build the project MCCF EDI TAS WebUI
[Pipeline] dir
Running in
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI
[Pipeline] {
[Pipeline] sh
[MCCF EDI TAS WebUI] Running shell script
+ npm run build
> mccf-tas@0.0.0 build
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI
> ng build --target=production --aot=false
```

```
[Pipeline] script
[Pipeline] {
[Pipeline] fileExists
[Pipeline] echo
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/dist/in
dex.html created, ready to package
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Prepare Package)
[Pipeline] echo
Prepare to package mccf-tas TAS.01.00.1517 20181108 103103.tar.gz
[Pipeline] dir
Running in
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI
[Pipeline] {
[Pipeline] echo
packaging mccf-tas for distribution
[Pipeline] script
[Pipeline] {
[Pipeline] echo
packaging /home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/mccf-
tas TAS.01.00.1517 20181108 103103.tar.gz
[Pipeline] sh
[MCCF EDI TAS WebUI] Running shell script
+ tar czf /home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/mccf-
tas TAS.01.00.1517 20181108 103103.tar.gz -C
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/dist/ .
[Pipeline] echo
verify package created
[Pipeline] fileExists
[Pipeline] echo
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/mccf-
tas TAS.01.00.1517 20181108 103103.tar.gz created, ready to deploy
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Stage Package)
[Pipeline] echo
stage the packaged distribution
(/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/mccf-
tas TAS.01.00.1517 20181108 103103.tar.gz) for mccf-tas
[Pipeline] echo
```

```
stage the latest build
artifact(/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/mccf-
tas TAS.01.00.1517 20181108 103103.tar.qz) for deployment
[Pipeline] echo
check for TGT STREAM
[Pipeline] echo
TGT STREAM found (CI)
[Pipeline] echo
check /var/www/html/rtc/tas directory exist
[Pipeline] sh
[RTC MCCF TAS Core] Running shell script
+ [[ -d /var/www/html/rtc/tas ]]
[Pipeline] echo
fix directory permissions
[Pipeline] sh
[RTC MCCF TAS Core] Running shell script
+ set -x
++ dirname /var/www/html/rtc/tas
+ sudo find /var/www/html/rtc -type d -exec chmod 0755 '{}' ';'
[Pipeline] echo
copy /home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/mccf-
tas TAS.01.00.1517 20181108 103103.tar.gz to /var/www/html/rtc/tas/
[Pipeline] sh
[RTC MCCF TAS Core] Running shell script
+ sudo cp /home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/mccf-
tas TAS.01.00.1517 20181108 103103.tar.gz /var/www/html/rtc/tas/
[Pipeline] echo
create symbolic link to staged artifact
[Pipeline] sh
[RTC MCCF TAS Core] Running shell script
+ sudo ln -sfn /var/www/html/rtc/tas/mccf-
tas TAS.01.00.1517 20181108 103103.tar.gz /var/www/html/latest ci
[Pipeline] echo
verify link created
[Pipeline] sh
[RTC MCCF TAS Core] Running shell script
+ readlink /var/www/html/latest ci
[Pipeline] sh
[RTC MCCF TAS Core] Running shell script
+ [[ -n /var/www/html/rtc/tas/mccf-tas TAS.01.00.1517 20181108 103103.tar.gz
11
+ echo 'link exists for /var/www/html/latest ci'
link exists for /var/www/html/latest ci
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Declarative: Post Actions)
[Pipeline] echo
POST always: all tasks are completed, collecting environment variables to
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/jenkins-MCCF TAS-
RTC_MCCF_TAS_Core-1517_environment.log
[Pipeline] sh
[RTC MCCF TAS_Core] Running shell script
+ printenv
[Pipeline] echo
POST always: archiving all logs and artifacts specified
[Pipeline] publishHTML
```

```
[htmlpublisher] Archiving HTML reports...
[htmlpublisher] Archiving at BUILD level
/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core/coverage to
/home/jenkins/jobs/MCCF TAS/jobs/RTC MCCF TAS Core/builds/1517/htmlreports/Co
deCoverage
[Pipeline] junit
Recording test results
[Pipeline] echo
POST success: check environment to determine commit actions
[Pipeline] script
[Pipeline] {
[Pipeline] echo
POST success: determine proper commit action for MAG DEV, (aka MAG)
[Pipeline] echo
POST success: copy packaged artifact
(/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/mccf-
tas TAS.01.00.1517 20181108 103103.tar.gz) to Build Artifacts
[Pipeline] sh
[RTC MCCF TAS Core] Running shell script
+ mkdir -p
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/Build Artifacts/TAS.01.00.
1517 20181108 103103
+ cp /home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/mccf-
tas TAS.01.00.1517 20181108 103103.tar.gz
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/Build Artifacts/TAS.01.00.
1517 20181108 103103/
+ echo 'POST success: check
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/Build Artifacts/TAS.01.00.
1517 20181108 103103/mccf-tas TAS.01.00.1517 20181108 103103.tar.gz'
POST success: check
/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core/Build_Artifacts/TAS.01.00.
1517 20181108 103103/mccf-tas TAS.01.00.1517 20181108 103103.tar.gz
+ [[ -f
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/Build Artifacts/TAS.01.00.
1517 20181108 103103/mccf-tas TAS.01.00.1517 20181108 103103.tar.gz ]]
+ echo 'POST success: Artifact
(/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/Build Artifacts/TAS.01.00
.1517 20181108 103103/mccf-tas TAS.01.00.1517 20181108 103103.tar.gz) exists,
safe to proceed'
POST success: Artifact
(/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/Build Artifacts/TAS.01.00
.1517 20181108 103103/mccf-tas TAS.01.00.1517 20181108 103103.tar.gz) exists,
safe to proceed
[Pipeline] echo
cleanup prior to checkin and deliver
[Pipeline] dir
Running in
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI
[Pipeline] {
[Pipeline] sh
[MCCF EDI TAS WebUI] Running shell script
+ mv ./src/index.html.bak ./src/index.html
[Pipeline] sh
[MCCF EDI TAS WebUI] Running shell script
+ rm -rf node modules
[Pipeline] sh
[MCCF EDI TAS WebUI] Running shell script
```

```
+ rm -rf e2e/logs
[Pipeline] sh
[MCCF EDI TAS WebUI] Running shell script
+ rm -rf dist
[Pipeline] sh
[MCCF EDI TAS WebUI] Running shell script
+ find . -name '*.log' -type f -delete
[Pipeline] }
[Pipeline] // dir
[Pipeline] withCredentials
[Pipeline] {
[Pipeline] isUnix
[Pipeline] sh
[RTC MCCF TAS Core] Running shell script
+ hostname
[Pipeline] echo
show scm status
[Pipeline] sh
[RTC MCCF TAS Core] Running shell script
+ /opt/ibm/teamconcert/6.0.1/jazz/scmtools/eclipse/scm.sh show status -u ****
-P '****' -v --all -d /home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core
Local file system is consistent.
Workspace: (1010) "tascoreCIBuild wksp" (**** @ https://clm.ratio>
  Component: (1002) "Build_Artifacts"
   Baseline: (1139) 22 "TAS.01.247.20180604 092635"
   Outgoing:
      Baselines:
        (1139) 22 "TAS.01.247.20180604 092635"
  Component: (1004) "MCCF EDI TAS Infrastructure" (not loaded)
    Baseline: (1201) 89 "TASCoreBuildDef CIMag #1,476"
    Outgoing:
      Baselines:
        (1201) 89 "TASCoreBuildDef CIMag #1,476"
        (1181) 86 "TASCoreBuildDef CIMag #1,471"
        (1140) 73 "TASCore_Infrastructure_09042018"
        (1135) 71 "TASCoreBuildDef CIMag #1,460"
  Component: (1013) "MCCF EDI_TAS_Web_Services" (outgoing deletion) (not
loaded)
  Component: (1006) "MCCF EDI TAS WebUI"
   Baseline: (1411) 953 "TASCoreBuildDef CIMag #1,517"
    Outgoing:
      Baselines:
        (1411) 953 "TASCoreBuildDef CIMag #1,517"
        (1408) 950 "TASCoreBuildDef CIMag #1,516"
        (1401) 947 "TASCoreBuildDef CIMag #1,515"
        (1396) 944 "TASCoreBuildDef CIMag #1,514"
        (1391) 940 "TASCoreBuildDef CIMag #1,513"
        (1389) 939 "TASCoreBuildDef DevMag #1,623"
        (1384) 935 "TASCoreBuildDef CIMag #1,512"
        (1379) 932 "TASCoreBuildDef CIMag #1,511"
        (1372) 929 "TASCoreBuildDef_CIMag_#1,510"
        (1367) 926 "TASCoreBuildDef CIMag #1,509"
        (1362) 923 "TASCoreBuildDef CIMag #1,508"
        (1357) 920 "TASCoreBuildDef CIMag #1,507"
        (1354) 917 "TASCoreBuildDef CIMag #1,506"
        (1349) 914 "TASCoreBuildDef CIMag #1,505"
        (1346) 911 "TASCoreBuildDef CIMag #1,504"
```

```
(1341) 908 "TASCoreBuildDef CIMag #1,503"
        (1338) 905 "TASCoreBuildDef CIMag #1,502"
        (1333) 902 "TASCoreBuildDef CIMag #1,501"
        (1328) 899 "TASCoreBuildDef CIMag #1,500"
        (1323) 896 "TASCoreBuildDef CIMag #1,499"
        (1318) 893 "TASCoreBuildDef CIMag #1,498"
        (1311) 890 "TASCoreBuildDef CIMag #1,497"
        (1306) 887 "TASCoreBuildDef CIMag #1,496"
        (1301) 884 "TASCoreBuildDef CIMag #1,495"
        (1296) 881 "TASCoreBuildDef CIMag #1,494"
        (1291) 878 "TASCoreBuildDef CIMag #1,493"
        (1286) 875 "TASCoreBuildDef CIMag #1,492"
        (1281) 872 "TASCoreBuildDef CIMag #1,491"
        (1278) 869 "TASCoreBuildDef CIMag #1,490"
        (1268) 866 "TASCoreBuildDef CIMag #1,489"
        (1263) 863 "TASCoreBuildDef_CIMag_#1,488"
        (1258) 860 "TASCoreBuildDef_CIMag_#1,487"
        (1253) 857 "TASCoreBuildDef CIMag #1,486"
        (1248) 854 "TASCoreBuildDef CIMag #1,485"
        (1243) 851 "TASCoreBuildDef CIMag #1,484"
        (1238) 848 "TASCoreBuildDef CIMag #1,483"
        (1233) 845 "TASCoreBuildDef CIMag #1,482"
        (1228) 842 "TASCoreBuildDef CIMag #1,481"
        (1223) 839 "TASCoreBuildDef_CIMag_#1,480"
        (1218) 836 "TASCoreBuildDef CIMag #1,479"
        (1213) 833 "TASCoreBuildDef CIMag #1,478"
        (1206) 830 "TASCoreBuildDef CIMag #1,477"
        (1202) 827 "TASCoreBuildDef CIMag #1,476"
        (1197) 824 "TASCoreBuildDef CIMag #1,475"
        (1193) 821 "TASCoreBuildDef_CIMag_#1,474"
        (1189) 818 "TASCoreBuildDef_CIMag_#1,473"
        (1185) 815 "TASCoreBuildDef CIMag #1,472"
        (1182) 812 "TASCoreBuildDef CIMag #1,471"
        (1176) 809 "TASCoreBuildDef CIMag #1,470"
        (1171) 806 "TASCoreBuildDef_CIMag_#1,469"
        (1166) 803 "TASCoreBuildDef CIMag #1,468"
        (1159) 800 "TASCoreBuildDef CIMag #1,467"
        (1156) 797 "TASCoreBuildDef CIMag #1,466"
        (1154) 796 "TASCoreBuildDef DevMag #1,566"
        (1151) 793 "TASCoreBuildDef CIMag #1,465"
        (1148) 790 "TASCoreBuildDef CIMag #1,463"
        (1143) 788 "TASCoreBuildDef CIMag #1,461"
+ echo '-----'
----- -----
[Pipeline] echo
prepare to checkin components
[Pipeline] echo
loop through each file in MCCF EDI TAS WebUI
[Pipeline] sh
[RTC MCCF TAS Core] Running shell script
+ find MCCF EDI TAS WebUI -maxdepth 1 -type f -name '.*' -exec
/opt/ibm/teamconcert/6.0.1/jazz/scmtools/eclipse/scm.sh checkin -u **** -P
'****' --comment 'version: TAS.01.00.1517 20181108 103103, lastBuildDate: Nov
08, 2018 10:31:03 -0600, distributionFileName: <staging url>/mccf-
tas TAS.01.00.1517 20181108 103103.tar.gz,jenkins-RTC MCCF TAS Core-1517-' --
workitem 807644 -v -d /home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core
'/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/{}' ';"
```

```
[Pipeline] echo
/opt/ibm/teamconcert/6.0.1/jazz/scmtools/eclipse/scm.sh checkin
MCCF EDI TAS WebUI/*
[Pipeline] sh
[RTC MCCF TAS Core] Running shell script
+ /opt/ibm/teamconcert/6.0.1/jazz/scmtools/eclipse/scm.sh checkin -u **** -P
'****' --comment 'version: TAS.01.00.1517 20181108 103103, lastBuildDate: Nov
08, 2018 10:31:03 -0600, distributionFileName: <staging url>/mccf-
tas TAS.01.00.1517 20181108 103103.tar.gz,jenkins-RTC MCCF TAS Core-1517-' --
workitem 807644 -v -d /home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/bower.j
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/capacit
yTests.jenkinsfile
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/e2e
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/Jenkins
file
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/jmeter
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/karma
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/karma.c
onf.js
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/LICENSE
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/package
.json
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/package
-lock.json
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/protrac
tor.conf.js
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/README.
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/runFort
ifyScan.sh
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/scripts
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/src
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/tsconfi
g.json
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/MCCF EDI TAS WebUI/tslint.
json
[Pipeline] echo
----- ----- -----
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] withCredentials
[Pipeline] {
[Pipeline] echo
show scm status
[Pipeline] sh
[RTC MCCF TAS Core] Running shell script
+ /opt/ibm/teamconcert/6.0.1/jazz/scmtools/eclipse/scm.sh show status -u ****
-P '****' -v --all -d /home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core
Local file system is consistent.
Workspace: (1010) "tascoreCIBuild wksp" (**** @ https://clm.ratio>
  Component: (1002) "Build Artifacts"
   Baseline: (1139) 22 "TAS.01.247.20180604 092635"
    Outgoing:
      Baselines:
        (1139) 22 "TAS.01.247.20180604 092635"
```

```
Component: (1004) "MCCF EDI TAS Infrastructure" (not loaded)
    Baseline: (1201) 89 "TASCoreBuildDef CIMag #1,476"
    Outgoing:
      Baselines:
        (1201) 89 "TASCoreBuildDef CIMag #1,476"
        (1181) 86 "TASCoreBuildDef CIMag #1,471"
        (1140) 73 "TASCore Infrastructure 09042018"
        (1135) 71 "TASCoreBuildDef CIMag #1,460"
 Component: (1013) "MCCF EDI_TAS_Web_Services" (outgoing deletion) (not
loaded)
 Component: (1006) "MCCF EDI TAS WebUI"
   Baseline: (1411) 953 "TASCoreBuildDef CIMag #1,517"
   Outgoing:
      Baselines:
        (1411) 953 "TASCoreBuildDef CIMag #1,517"
        (1408) 950 "TASCoreBuildDef CIMag #1,516"
        (1401) 947 "TASCoreBuildDef_CIMag_#1,515"
        (1396) 944 "TASCoreBuildDef CIMag #1,514"
        (1391) 940 "TASCoreBuildDef CIMag #1,513"
        (1389) 939 "TASCoreBuildDef DevMag #1,623"
        (1384) 935 "TASCoreBuildDef CIMag #1,512"
        (1379) 932 "TASCoreBuildDef CIMag #1,511"
        (1372) 929 "TASCoreBuildDef CIMag #1,510"
        (1367) 926 "TASCoreBuildDef_CIMag_#1,509"
        (1362) 923 "TASCoreBuildDef CIMag #1,508"
        (1357) 920 "TASCoreBuildDef CIMag #1,507"
        (1354) 917 "TASCoreBuildDef CIMag #1,506"
        (1349) 914 "TASCoreBuildDef CIMag #1,505"
        (1346) 911 "TASCoreBuildDef CIMag #1,504"
        (1341) 908 "TASCoreBuildDef CIMag #1,503"
        (1338) 905 "TASCoreBuildDef_CIMag_#1,502"
        (1333) 902 "TASCoreBuildDef CIMag #1,501"
        (1328) 899 "TASCoreBuildDef CIMag #1,500"
        (1323) 896 "TASCoreBuildDef CIMag #1,499"
        (1318) 893 "TASCoreBuildDef CIMag #1,498"
        (1311) 890 "TASCoreBuildDef CIMag #1,497"
        (1306) 887 "TASCoreBuildDef CIMag #1,496"
        (1301) 884 "TASCoreBuildDef_CIMag_#1,495"
        (1296) 881 "TASCoreBuildDef CIMag #1,494"
        (1291) 878 "TASCoreBuildDef CIMag #1,493"
        (1286) 875 "TASCoreBuildDef CIMag #1,492"
        (1281) 872 "TASCoreBuildDef CIMag #1,491"
        (1278) 869 "TASCoreBuildDef CIMag #1,490"
        (1268) 866 "TASCoreBuildDef CIMag #1,489"
        (1263) 863 "TASCoreBuildDef CIMag #1,488"
        (1258) 860 "TASCoreBuildDef CIMag #1,487"
        (1253) 857 "TASCoreBuildDef CIMag #1,486"
        (1248) 854 "TASCoreBuildDef CIMag #1,485"
        (1243) 851 "TASCoreBuildDef CIMag #1,484"
        (1238) 848 "TASCoreBuildDef_CIMag_#1,483"
        (1233) 845 "TASCoreBuildDef_CIMag_#1,482"
        (1228) 842 "TASCoreBuildDef CIMag #1,481"
        (1223) 839 "TASCoreBuildDef CIMag #1,480"
        (1218) 836 "TASCoreBuildDef CIMag #1,479"
        (1213) 833 "TASCoreBuildDef CIMag #1,478"
        (1206) 830 "TASCoreBuildDef CIMag #1,477"
        (1202) 827 "TASCoreBuildDef CIMag #1,476"
```

```
(1197) 824 "TASCoreBuildDef CIMag #1,475"
        (1193) 821 "TASCoreBuildDef CIMag #1,474"
        (1189) 818 "TASCoreBuildDef_CIMag_#1,473"
        (1185) 815 "TASCoreBuildDef_CIMag_#1,472"
        (1182) 812 "TASCoreBuildDef CIMag #1,471"
        (1176) 809 "TASCoreBuildDef CIMag #1,470"
        (1171) 806 "TASCoreBuildDef CIMag #1,469"
        (1166) 803 "TASCoreBuildDef CIMag #1,468"
        (1159) 800 "TASCoreBuildDef CIMag #1,467"
        (1156) 797 "TASCoreBuildDef CIMag #1,466"
        (1154) 796 "TASCoreBuildDef DevMag #1,566"
        (1151) 793 "TASCoreBuildDef CIMag #1,465"
        (1148) 790 "TASCoreBuildDef CIMag #1,463"
        (1143) 788 "TASCoreBuildDef CIMag #1,461"
+ echo '-----'
_____ ____
[Pipeline] echo
RTC **** deliver
[Pipeline] sh
[RTC MCCF TAS Core] Running shell script
+ /opt/ibm/teamconcert/6.0.1/jazz/scmtools/eclipse/scm.sh deliver -u **** -P
'****' -V
Problem running 'deliver':
Delivery would cause a conflict because there are incoming changes. Try
running "scm accept" to accept any incoming changes.
<title></title>
[Pipeline] echo
Accept incoming changes
[Pipeline] sh
[RTC MCCF TAS Core] Running shell script
+ /opt/ibm/teamconcert/6.0.1/jazz/scmtools/eclipse/scm.sh accept -u **** -P
'****' -V
Accepting changes:
Workspace unchanged.
<title></title>
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] echo
POST success: send email notification
[Pipeline] echo
send email to recipients ([[$class:DevelopersRecipientProvider]]) for
SUCCESSFUL
[Pipeline] echo
      subject: SUCCESSFUL: Job 'MCCF TAS/RTC MCCF TAS Core [1517]',
    Job: 'MCCF TAS/RTC MCCF TAS Core build: [1517]':
    Check console output at "<a
href="http://vac20fpctas800.va.gov:8080/job/MCCF TAS/job/RTC MCCF TAS Core/15
17/">MCCF TAS/RTC MCCF TAS Core [1517]</a>"
      recipientProviders: [[$class:DevelopersRecipientProvider]],
      replyTo: null,
      to: null
[Pipeline] mail
[Pipeline] }
```

```
[Pipeline] // script
[Pipeline] echo
POST success: collecting console log
[Pipeline] echo
getConsoleLog: prepare logfilename to get console log
[Pipeline] echo
getConsoleLog: console log is
http://vac20fpctas800.va.gov:8080/job/MCCF TAS/job/RTC MCCF TAS Core/ (same
as job url)
[Pipeline] echo
getConsoleLog: console log is changed to
/home/jenkins/job/MCCF TAS/job/RTC MCCF TAS Core/
[Pipeline] echo
getConsoleLog: console log is changed again to
/home/jenkins/jobs/MCCF_TAS/jobs/RTC_MCCF_TAS_Core/
[Pipeline] echo
getConsoleLog: console log is finally
/home/jenkins/jobs/MCCF TAS/jobs/RTC MCCF TAS Core/builds/1517/log
[Pipeline] echo
getConsoleLog: prepare to write to
/home/jenkins/workspace/MCCF TAS/RTC MCCF TAS Core/RTC MCCF TAS Core 1517 con
sole.log
[Pipeline] sh
```