

```

Started by user Cheryl Lach
Lightweight checkout support not available, falling back to full checkout.
Checking out teamconcert-https://clm.rational.oit.va.gov/ccm-RTC601-TAS_Vistalink_BuildDef_CIMag into /home/jenkins/workspace/VistaLink/RTC
RTC : checkout...
Running in Durability level: MAX_SURVIVABILITY
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Declarative: Checkout SCM)
[Pipeline] checkout
RTC : checkout...
[Pipeline] }
[Pipeline] // stage
[Pipeline] withEnv
[Pipeline] {
[Pipeline] withEnv
[Pipeline] {
[Pipeline] timestamps
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Prepare workspace with source code)
[Pipeline] script
[Pipeline] {
[Pipeline] echo
determine region for MAG_DEV
[Pipeline] echo
determine main env for region MAG, (aka MAG_DEV)
[Pipeline] echo
determine action for MAG_DEV, (aka MAG, DEV)
[Pipeline] echo
Initialize workspace from RTC
[Pipeline] teamconcert
RTC : checkout...
[Pipeline] echo
Verify component (MCCF_EDT_TAS_Vistalink) exists
[Pipeline] sh
+ [[ -d MCCF_EDT_TAS_Vistalink ]]
+ echo 'Component (MCCF_EDT_TAS_Vistalink) exists, safe to proceed'
Component (MCCF_EDT_TAS_Vistalink) exists, safe to proceed
[Pipeline] echo
MAG environment, determine SRC_STREAM
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Pre-Build Setup)
[Pipeline] withEnv
[Pipeline] {
[Pipeline] echo
create log directory /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/logs
[Pipeline] sh
+ [[ -d /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/logs ]]
+ mkdir -p /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/logs
[Pipeline] echo
verify there are no repositories listed in pom files
[Pipeline] script
[Pipeline] {
[Pipeline] findFiles
[Pipeline] echo
pom.xml
[Pipeline] echo
MCCF_EDT_TAS_Vistalink/MyVLTesPing/pom.xml
[Pipeline] readMavenPom
[Pipeline] echo
repositories are []
[Pipeline] echo
pom.xml
[Pipeline] echo
MCCF_EDT_TAS_Vistalink/TestJNDI/pom.xml
[Pipeline] readMavenPom
[Pipeline] echo
repositories are []
[Pipeline] echo
pom.xml
[Pipeline] echo
MCCF_EDT_TAS_Vistalink/VAVLGateway/pom.xml
[Pipeline] readMavenPom
[Pipeline] echo
repositories are []
[Pipeline] echo
pom.xml
[Pipeline] echo
MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/pom.xml
[Pipeline] readMavenPom
[Pipeline] echo
repositories are []
[Pipeline] echo
pom.xml
[Pipeline] echo
MCCF_EDT_TAS_Vistalink/VistaLink/pom.xml
[Pipeline] readMavenPom
[Pipeline] echo
repositories are []
[Pipeline] echo
false
[Pipeline] echo

```

```

no repositories listed in pom files, proceed
[Pipeline] }
[Pipeline] // script
[Pipeline] echo
Get pom version of VistaLink
[Pipeline] dir
Running in /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/MyVLTesPing
[Pipeline] {
[Pipeline] script
[Pipeline] {
[Pipeline] readMavenPom
[Pipeline] echo
pomVersion is 0.0.1
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // dir
[Pipeline] dir
Running in /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink
[Pipeline] {
[Pipeline] script
[Pipeline] {
[Pipeline] readMavenPom
[Pipeline] echo
pomVersion is 0.0.3-SNAPSHOT
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // dir
[Pipeline] echo
Get pom version of VAVistaLinkServer
[Pipeline] dir
Running in /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer
[Pipeline] {
[Pipeline] script
[Pipeline] {
[Pipeline] readMavenPom
[Pipeline] echo
pomVersion is 1.0.4
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // dir
[Pipeline] echo
Get pom version of VAVLGateway
[Pipeline] dir
Running in /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway
[Pipeline] {
[Pipeline] script
[Pipeline] {
[Pipeline] readMavenPom
[Pipeline] echo
pomVersion is 1.0
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // dir
[Pipeline] script
[Pipeline] {
[Pipeline] echo
building in MAG, do not use git commit in packageVersion
[Pipeline] echo
final packageVersion for tag 1.0.6_20190226_092351
[Pipeline] }
[Pipeline] // script
[Pipeline] echo
building for package VAVLGateway_1.0.6_20190226_092351-bundle.tar.gz
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Build VistaLink)
[Pipeline] echo
WORKAROUND: add the precompiled xmltypes to the local maven repo store
[Pipeline] dir
Running in /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink
[Pipeline] {
[Pipeline] sh
+ mvn install:install-file -Dfile=./deploy/files/xmltypes-1.6.1.jar -DgroupId=gov.va.med -DartifactId=xmltypes -Dversion=1.6.1 -Dpackaging=
[INFO] Scanning for projects...
[INFO]
[INFO] -----
[INFO] Building Maven Stub Project (No POM) 1
[INFO] -----
[INFO]
[INFO] --- maven-install-plugin:2.4:install-file (default-cli) @ standalone-pom ---
[INFO] Installing /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/deploy/files/xmltypes-1.6.1.jar to
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 1.062 s
[INFO] Finished at: 2019-02-26T08:24:27-06:00
[INFO] Final Memory: 15M/483M
[INFO] -----
[Pipeline] }
[Pipeline] // dir
[Pipeline] echo
build the project MCCF_EDT_TAS_Vistalink/VistaLink
[Pipeline] dir

```

```

Running in /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink
[Pipeline] {
[Pipeline] sh
+ mvn -X -l /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/logs/VistaLink_compile_20190226_092351.log clean compile
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Unit-test VistaLink)
[Pipeline] echo
build the project MCCF_EDT_TAS_Vistalink/VistaLink
[Pipeline] dir
Running in /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink
[Pipeline] {
[Pipeline] sh
+ mvn -e -Dmaven.test.failure.ignore=false -Dgroups=Unit test
[INFO] Error stacktraces are turned on.
[INFO] Scanning for projects...
[INFO]
[INFO] -----
[INFO] Building VistaLink 0.0.3-SNAPSHOT
[INFO] -----
[INFO]
[INFO] --- maven-resources-plugin:2.6:resources (default-resources) @ VistaLink ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 5 resources
[INFO]
[INFO] --- maven-compiler-plugin:3.5.1:compile (default-compile) @ VistaLink ---
[INFO] Changes detected - recompiling the module!
[INFO] Compiling 189 source files to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/target
[WARNING] /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/src/main/java/gov/va/med/crypto/K
[WARNING] /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/src/main/java/gov/va/med/crypto/K
[INFO] /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/src/main/java/gov/va/med/vistalink/s
[INFO] /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/src/main/java/gov/va/med/vistalink/s
[INFO] /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/src/main/java/gov/va/med/vistalink/r
[INFO] /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/src/main/java/gov/va/med/vistalink/r
[INFO]
[INFO] --- maven-resources-plugin:2.6:testResources (default-testResources) @ VistaLink ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/
[INFO]
[INFO] --- maven-compiler-plugin:3.5.1:testCompile (default-testCompile) @ VistaLink ---
[INFO] No sources to compile
[INFO]
[INFO] --- maven-surefire-plugin:2.12.4:test (default-test) @ VistaLink ---
[INFO] No tests to run.
[INFO]
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 8.076 s
[INFO] Finished at: 2019-02-26T08:24:51-06:00
[INFO] Final Memory: 19M/467M
[INFO] -----
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Package VistaLink)
[Pipeline] echo
Package MCCF_EDT_TAS_Vistalink/VistaLink
[Pipeline] dir
Running in /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink
[Pipeline] {
[Pipeline] sh
+ mvn -X -DskipTests -Dbuild.number=0.0.3-SNAPSHOT clean install
Apache Maven 3.3.9 (bb52d8502b132ec0a5a3f4c09453c07478323dc5; 2015-11-10T10:41:47-06:00)
Maven home: /opt/maven/apache-maven-3.3.9
Java version: 1.8.0_191, vendor: Oracle Corporation
Java home: /usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.x86_64/jre
Default locale: en_US, platform encoding: UTF-8
OS name: "linux", version: "3.10.0-957.1.3.el7.x86_64", arch: "amd64", family: "unix"
[DEBUG] Created new class realm maven.api
[DEBUG] Importing foreign packages into class realm maven.api
[DEBUG] Imported: javax.enterprise.inject.* < plexus.core
[DEBUG] Imported: javax.enterprise.util.* < plexus.core
[DEBUG] Imported: javax.inject.* < plexus.core
[DEBUG] Imported: org.apache.maven.* < plexus.core
[DEBUG] Imported: org.apache.maven.artifact < plexus.core
[DEBUG] Imported: org.apache.maven.classrealm < plexus.core
[DEBUG] Imported: org.apache.maven.cli < plexus.core
[DEBUG] Imported: org.apache.maven.configuration < plexus.core
[DEBUG] Imported: org.apache.maven.exception < plexus.core
[DEBUG] Imported: org.apache.maven.execution < plexus.core
[DEBUG] Imported: org.apache.maven.execution.scope < plexus.core
[DEBUG] Imported: org.apache.maven.lifecycle < plexus.core
[DEBUG] Imported: org.apache.maven.model < plexus.core
[DEBUG] Imported: org.apache.maven.monitor < plexus.core
[DEBUG] Imported: org.apache.maven.plugin < plexus.core
[DEBUG] Imported: org.apache.maven.profiles < plexus.core
[DEBUG] Imported: org.apache.maven.project < plexus.core
[DEBUG] Imported: org.apache.maven.reporting < plexus.core
[DEBUG] Imported: org.apache.maven.repository < plexus.core
[DEBUG] Imported: org.apache.maven.rtinfo < plexus.core
[DEBUG] Imported: org.apache.maven.settings < plexus.core
[DEBUG] Imported: org.apache.maven.toolchain < plexus.core
[DEBUG] Imported: org.apache.maven.usability < plexus.core
[DEBUG] Imported: org.apache.maven.wagon.* < plexus.core
[DEBUG] Imported: org.apache.maven.wagon.authentication < plexus.core

```



```
[DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <directory default-value="${project.build.directory}"/>
  <excludeDefaultDirectories default-value="false">${clean.excludeDefaultDirectories}</excludeDefaultDirectories>
  <failOnError default-value="true">${maven.clean.failOnError}</failOnError>
  <followSymLinks default-value="false">${clean.followSymLinks}</followSymLinks>
  <outputDirectory default-value="${project.build.outputDirectory}"/>
  <reportDirectory default-value="${project.reporting.outputDirectory}"/>
  <retryOnError default-value="true">${maven.clean.retryOnError}</retryOnError>
  <skip default-value="false">${clean.skip}</skip>
  <testOutputDirectory default-value="${project.build.testOutputDirectory}"/>
  <verbose>${clean.verbose}</verbose>
</configuration>
[DEBUG] -----
[DEBUG] Goal:          org.apache.maven.plugins:maven-resources-plugin:2.6:resources (default-resources)
[DEBUG] Style:         Regular
[DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <buildFilters default-value="${project.build.filters}"/>
  <encoding default-value="${project.build.sourceEncoding}">${encoding}</encoding>
  <escapeString>${maven.resources.escapeString}</escapeString>
  <escapeWindowsPaths default-value="true">${maven.resources.escapeWindowsPaths}</escapeWindowsPaths>
  <includeEmptyDirs default-value="false">${maven.resources.includeEmptyDirs}</includeEmptyDirs>
  <outputDirectory default-value="${project.build.outputDirectory}"/>
  <overwrite default-value="false">${maven.resources.overwrite}</overwrite>
  <project default-value="${project}"/>
  <resources default-value="${project.resources}"/>
  <session default-value="${session}"/>
  <supportMultiLineFiltering default-value="false">${maven.resources.supportMultiLineFiltering}</supportMultiLineFiltering>
  <useBuildFilters default-value="true"/>
  <useDefaultDelimiters default-value="true"/>
</configuration>
[DEBUG] -----
[DEBUG] Goal:          org.apache.maven.plugins:maven-compiler-plugin:3.5.1:compile (default-compile)
[DEBUG] Style:         Regular
[DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <basedir default-value="${basedir}"/>
  <buildDirectory default-value="${project.build.directory}"/>
  <classpathElements default-value="${project.compileClasspathElements}"/>
  <compileSourceRoots default-value="${project.compileSourceRoots}"/>
  <compilerId default-value="javac">${maven.compiler.compilerId}</compilerId>
  <compilerReuseStrategy default-value="${reuseCreated}">${maven.compiler.compilerReuseStrategy}</compilerReuseStrategy>
  <compilerVersion>${maven.compiler.compilerVersion}</compilerVersion>
  <debug default-value="true">${maven.compiler.debug}</debug>
  <debugLevel>${maven.compiler.debugLevel}</debugLevel>
  <encoding default-value="${project.build.sourceEncoding}">UTF-8</encoding>
  <executable>${maven.compiler.executable}</executable>
  <failOnError default-value="true">${maven.compiler.failOnError}</failOnError>
  <forceJavacCompilerUse default-value="false">${maven.compiler.forceJavacCompilerUse}</forceJavacCompilerUse>
  <fork default-value="false">${maven.compiler.fork}</fork>
  <generatedSourcesDirectory default-value="${project.build.directory}/generated-sources/annotations"/>
  <maxmem>${maven.compiler.maxmem}</maxmem>
  <meminitial>${maven.compiler.meminitial}</meminitial>
  <mojoExecution default-value="${mojoExecution}"/>
  <optimize default-value="false">${maven.compiler.optimize}</optimize>
  <outputDirectory default-value="${project.build.outputDirectory}"/>
  <project default-value="${project}"/>
  <projectArtifact default-value="${project.artifact}"/>
  <session default-value="${session}"/>
  <showDeprecation default-value="false">${maven.compiler.showDeprecation}</showDeprecation>
  <showWarnings default-value="false">${maven.compiler.showWarnings}</showWarnings>
  <skipMain>${maven.main.skip}</skipMain>
  <skipMultiThreadWarning default-value="false">${maven.compiler.skipMultiThreadWarning}</skipMultiThreadWarning>
  <source default-value="1.5">1.8</source>
  <staleMillis default-value="0">${lastModGranularityMs}</staleMillis>
  <target default-value="1.5">1.8</target>
  <useIncrementalCompilation default-value="true">${maven.compiler.useIncrementalCompilation}</useIncrementalCompilation>
  <verbose default-value="false">${maven.compiler.verbose}</verbose>
</configuration>
[DEBUG] -----
[DEBUG] Goal:          org.apache.maven.plugins:maven-resources-plugin:2.6:testResources (default-testResources)
[DEBUG] Style:         Regular
[DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <buildFilters default-value="${project.build.filters}"/>
  <encoding default-value="${project.build.sourceEncoding}">${encoding}</encoding>
  <escapeString>${maven.resources.escapeString}</escapeString>
  <escapeWindowsPaths default-value="true">${maven.resources.escapeWindowsPaths}</escapeWindowsPaths>
  <includeEmptyDirs default-value="false">${maven.resources.includeEmptyDirs}</includeEmptyDirs>
  <outputDirectory default-value="${project.build.testOutputDirectory}"/>
  <overwrite default-value="false">${maven.resources.overwrite}</overwrite>
  <project default-value="${project}"/>
  <resources default-value="${project.testResources}"/>
  <session default-value="${session}"/>
  <skip>${maven.test.skip}</skip>
  <supportMultiLineFiltering default-value="false">${maven.resources.supportMultiLineFiltering}</supportMultiLineFiltering>
  <useBuildFilters default-value="true"/>
  <useDefaultDelimiters default-value="true"/>
</configuration>
[DEBUG] -----
[DEBUG] Goal:          org.apache.maven.plugins:maven-compiler-plugin:3.5.1:testCompile (default-testCompile)
[DEBUG] Style:         Regular
[DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <basedir default-value="${basedir}"/>
  <buildDirectory default-value="${project.build.directory}"/>
  <classpathElements default-value="${project.testClasspathElements}"/>
  <compileSourceRoots default-value="${project.testCompileSourceRoots}"/>
  <compilerId default-value="javac">${maven.compiler.compilerId}</compilerId>
```

```

<compilerReuseStrategy default-value="${reuseCreated}">${maven.compiler.compilerReuseStrategy}</compilerReuseStrategy>
<compilerVersion>${maven.compiler.compilerVersion}</compilerVersion>
<debug default-value="true">${maven.compiler.debug}</debug>
<debuglevel>${maven.compiler.debuglevel}</debuglevel>
<encoding default-value="${project.build.sourceEncoding}">UTF-8</encoding>
<executable>${maven.compiler.executable}</executable>
<failOnError default-value="true">${maven.compiler.failOnError}</failOnError>
<forceJavacCompilerUse default-value="false">${maven.compiler.forceJavacCompilerUse}</forceJavacCompilerUse>
<fork default-value="false">${maven.compiler.fork}</fork>
<generatedTestSourcesDirectory default-value="${project.build.directory}/generated-test-sources/test-annotations"/>
<maxmem>${maven.compiler.maxmem}</maxmem>
<meminitial>${maven.compiler.meminitial}</meminitial>
<mojoExecution default-value="${mojoExecution}">
<optimize default-value="false">${maven.compiler.optimize}</optimize>
<outputDirectory default-value="${project.build.testOutputDirectory}">
<project default-value="${project}">
<session default-value="${session}">
<showDeprecation default-value="false">${maven.compiler.showDeprecation}</showDeprecation>
<showWarnings default-value="false">${maven.compiler.showWarnings}</showWarnings>
<skip>${maven.test.skip}</skip>
<skipMultiThreadWarning default-value="false">${maven.compiler.skipMultiThreadWarning}</skipMultiThreadWarning>
<source default-value="1.5">1.8</source>
<staleMillis default-value="0">${lastModGranularityMs}</staleMillis>
<target default-value="1.5">1.8</target>
<testSource>${maven.compiler.testSource}</testSource>
<testTarget>${maven.compiler.testTarget}</testTarget>
<useIncrementalCompilation default-value="true">${maven.compiler.useIncrementalCompilation}</useIncrementalCompilation>
<verbose default-value="false">${maven.compiler.verbose}</verbose>
</configuration>
[DEBUG] -----
[DEBUG] Goal:          org.apache.maven.plugins:maven-surefire-plugin:2.12.4:test (default-test)
[DEBUG] Style:         Regular
[DEBUG] Configuration:  <?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <argLine>${argLine}</argLine>
  <basedir default-value="${basedir}">
  <childDelegation default-value="false">${childDelegation}</childDelegation>
  <classesDirectory default-value="${project.build.outputDirectory}">
  <debugForkedProcess>${maven.surefire.debug}</debugForkedProcess>
  <disableXmlReport default-value="false">${disableXmlReport}</disableXmlReport>
  <enableAssertions default-value="true">${enableAssertions}</enableAssertions>
  <excludedGroups>${excludedGroups}</excludedGroups>
  <failIfNoSpecifiedTests>${surefire.failIfNoSpecifiedTests}</failIfNoSpecifiedTests>
  <failIfNoTests>${failIfNoTests}</failIfNoTests>
  <forkMode default-value="once">${forkMode}</forkMode>
  <forkedProcessTimeoutInSeconds>${surefire.timeout}</forkedProcessTimeoutInSeconds>
  <groups>${groups}</groups>
  <junitArtifactName default-value="junit:junit">${junitArtifactName}</junitArtifactName>
  <jvm>${jvm}</jvm>
  <localRepository default-value="${localRepository}">
  <objectFactory>${objectFactory}</objectFactory>
  <parallel>${parallel}</parallel>
  <parallelMavenExecution default-value="${session.parallel}">
  <perCoreThreadCount default-value="true">${perCoreThreadCount}</perCoreThreadCount>
  <pluginArtifactMap>${plugin.artifactMap}</pluginArtifactMap>
  <pluginDescriptor default-value="${plugin}">
  <printSummary default-value="true">${surefire.printSummary}</printSummary>
  <projectArtifactMap>${project.artifactMap}</projectArtifactMap>
  <redirectTestOutputToFile default-value="false">${maven.test.redirectTestOutputToFile}</redirectTestOutputToFile>
  <remoteRepositories default-value="${project.pluginArtifactRepositories}">
  <reportFormat default-value="brief">${surefire.reportFormat}</reportFormat>
  <reportNameSuffix default-value="">${surefire.reportNameSuffix}</reportNameSuffix>
  <reportsDirectory default-value="${project.build.directory}/surefire-reports">
  <runOrder default-value="filesystem">
  <skip default-value="false">${maven.test.skip}</skip>
  <skipExec>${maven.test.skip.exec}</skipExec>
  <skipTests default-value="false">${skipTests}</skipTests>
  <test>${test}</test>
  <testClassesDirectory default-value="${project.build.testOutputDirectory}">
  <testFailureIgnore default-value="false">${maven.test.failure.ignore}</testFailureIgnore>
  <testNGArtifactName default-value="org.testng:testng">${testNGArtifactName}</testNGArtifactName>
  <testSourceDirectory default-value="${project.build.testSourceDirectory}">
  <threadCount>${threadCount}</threadCount>
  <trimStackTrace default-value="true">${trimStackTrace}</trimStackTrace>
  <useFile default-value="true">${surefire.useFile}</useFile>
  <useManifestOnlyJar default-value="true">${surefire.useManifestOnlyJar}</useManifestOnlyJar>
  <useSystemClassLoader default-value="true">${surefire.useSystemClassLoader}</useSystemClassLoader>
  <useUnlimitedThreads default-value="false">${useUnlimitedThreads}</useUnlimitedThreads>
  <workingDirectory>${basedir}</workingDirectory>
  <project default-value="${project}">
  <session default-value="${session}">
</configuration>
[DEBUG] -----
[DEBUG] Goal:          org.apache.maven.plugins:maven-jar-plugin:2.4:jar (default-jar)
[DEBUG] Style:         Regular
[DEBUG] Configuration:  <?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <classesDirectory default-value="${project.build.outputDirectory}">
  <defaultManifestFile default-value="${project.build.outputDirectory}/META-INF/MANIFEST.MF">
  <finalName default-value="${project.build.finalName}">${jar.finalName}</finalName>
  <forceCreation default-value="false">${jar.forceCreation}</forceCreation>
  <outputDirectory default-value="${project.build.directory}">
  <project default-value="${project}">
  <session default-value="${session}">
  <skipIfEmpty default-value="false">${jar.skipIfEmpty}</skipIfEmpty>
  <useDefaultManifestFile default-value="false">${jar.useDefaultManifestFile}</useDefaultManifestFile>
</configuration>
[DEBUG] -----
[DEBUG] Goal:          org.apache.maven.plugins:maven-install-plugin:2.4:install (default-install)
[DEBUG] Style:         Regular

```

[illegible]





[illegible]



```

[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for plexus.snapshots (https://oss.sonatype.org/co
[DEBUG] Dependency collection stats: (ConflictMarker.analyzeTime=1, ConflictMarker.markTime=6, ConflictMarker.nodeCount=188, ConflictIdSort
[DEBUG] org.apache.maven.plugins:maven-compiler-plugin:jar:3.5.1:
[DEBUG]   org.apache.maven:maven-plugin-api:jar:3.0:compile
[DEBUG]   org.apache.maven:maven-model:jar:3.0:compile
[DEBUG]   org.sonatype.sisu:sisu-inject-plexus:jar:1.4.2:compile
[DEBUG]   org.sonatype.sisu:sisu-inject-bean:jar:1.4.2:compile
[DEBUG]   org.sonatype.sisu:sisu-guice:jar:3.0:runtime
[DEBUG]   org.apache.maven:maven-artifact:jar:3.0:compile
[DEBUG]   org.codehaus.plexus:plexus-utils:jar:2.0.4:compile
[DEBUG]   org.apache.maven:maven-core:jar:3.0:compile
[DEBUG]   org.apache.maven:maven-settings:jar:3.0:compile
[DEBUG]   org.apache.maven:maven-settings-builder:jar:3.0:compile
[DEBUG]   org.apache.maven:maven-repository-metadata:jar:3.0:compile
[DEBUG]   org.apache.maven:maven-model-builder:jar:3.0:compile
[DEBUG]   org.apache.maven:maven-aether-provider:jar:3.0:runtime
[DEBUG]   org.sonatype.aether:aether-impl:jar:1.7:compile
[DEBUG]   org.sonatype.aether:aether-spi:jar:1.7:compile
[DEBUG]   org.sonatype.aether:aether-api:jar:1.7:compile
[DEBUG]   org.sonatype.aether:aether-util:jar:1.7:compile
[DEBUG]   org.codehaus.plexus:plexus-interpolation:jar:1.14:compile
[DEBUG]   org.codehaus.plexus:plexus-classworlds:jar:2.2.3:compile
[DEBUG]   org.codehaus.plexus:plexus-component-annotations:jar:1.5.5:compile
[DEBUG]   org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3:compile
[DEBUG]   org.sonatype.plexus:plexus-cipher:jar:1.4:compile
[DEBUG]   org.apache.maven:maven-toolchain:jar:2.2.1:compile
[DEBUG]   org.apache.maven.shared:maven-shared-utils:jar:3.0.0:compile
[DEBUG]   commons-io:commons-io:jar:2.4:compile
[DEBUG]   com.google.code.findbugs:jsr305:jar:2.0.1:compile
[DEBUG]   org.apache.maven.shared:maven-shared-incremental:jar:1.1:compile
[DEBUG]   org.codehaus.plexus:plexus-compiler-api:jar:2.7:compile
[DEBUG]   org.codehaus.plexus:plexus-compiler-manager:jar:2.7:compile
[DEBUG]   org.codehaus.plexus:plexus-compiler-javac:jar:2.7:runtime
[DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-compiler-plugin:3.5.1
[DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-compiler-plugin:3.5.1
[DEBUG]   Imported: < maven.api
[DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-compiler-plugin:3.5.1
[DEBUG]   Included: org.apache.maven.plugins:maven-compiler-plugin:jar:3.5.1
[DEBUG]   Included: org.sonatype.sisu:sisu-inject-bean:jar:1.4.2
[DEBUG]   Included: org.sonatype.sisu:sisu-guice:jar:3.0:runtime
[DEBUG]   Included: org.codehaus.plexus:plexus-utils:jar:2.0.4
[DEBUG]   Included: org.sonatype.aether:aether-util:jar:1.7
[DEBUG]   Included: org.codehaus.plexus:plexus-interpolation:jar:1.14
[DEBUG]   Included: org.codehaus.plexus:plexus-component-annotations:jar:1.5.5
[DEBUG]   Included: org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3
[DEBUG]   Included: org.sonatype.plexus:plexus-cipher:jar:1.4
[DEBUG]   Included: org.apache.maven.shared:maven-shared-utils:jar:3.0.0
[DEBUG]   Included: commons-io:commons-io:jar:2.4
[DEBUG]   Included: com.google.code.findbugs:jsr305:jar:2.0.1
[DEBUG]   Included: org.apache.maven.shared:maven-shared-incremental:jar:1.1
[DEBUG]   Included: org.codehaus.plexus:plexus-compiler-api:jar:2.7
[DEBUG]   Included: org.codehaus.plexus:plexus-compiler-manager:jar:2.7
[DEBUG]   Included: org.codehaus.plexus:plexus-compiler-javac:jar:2.7
[DEBUG] Configuring mojo org.apache.maven.plugins:maven-compiler-plugin:3.5.1:compile from plugin realm ClassRealm[plugin>org.apache.maven.
[DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-compiler-plugin:3.5.1:compile' with basic configurator -->
[DEBUG]   (f) basedir = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink
[DEBUG]   (f) buildDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/target
[DEBUG]   (f) classpathElements = [/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/target/c
[DEBUG]   (f) compileSourceRoots = [/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/src/mai
[DEBUG]   (f) compilerId = javac
[DEBUG]   (f) debug = true
[DEBUG]   (f) encoding = UTF-8
[DEBUG]   (f) failOnError = true
[DEBUG]   (f) forceJavacCompilerUse = false
[DEBUG]   (f) fork = false
[DEBUG]   (f) generatedSourcesDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/t
[DEBUG]   (f) mojoExecution = org.apache.maven.plugins:maven-compiler-plugin:3.5.1:compile {execution: default-compile}
[DEBUG]   (f) optimize = false
[DEBUG]   (f) outputDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/target/clas
[DEBUG]   (f) project = MavenProject: VistaLink:VistaLink:0.0.3-SNAPSHOT @ /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/M
[DEBUG]   (f) projectArtifact = VistaLink:VistaLink:jar:0.0.3-SNAPSHOT
[DEBUG]   (f) session = org.apache.maven.execution.MavenSession@5b6813df
[DEBUG]   (f) showDeprecation = false
[DEBUG]   (f) showWarnings = false
[DEBUG]   (f) skipMultiThreadWarning = false
[DEBUG]   (f) source = 1.8
[DEBUG]   (f) staleMillis = 0
[DEBUG]   (f) target = 1.8
[DEBUG]   (f) useIncrementalCompilation = true
[DEBUG]   (f) verbose = false
[DEBUG] -- end configuration --
[DEBUG] Using compiler 'javac'.
[DEBUG] Source directories: [/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/src/main/java]
[DEBUG] Classpath: [/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/target/classes
/home/jenkins/.m2/repository/io/netty/netty-all/5.0.0.Alpha2/netty-all-5.0.0.Alpha2.jar
/home/jenkins/.m2/repository/gov/med/beans/1.6.0/beans-1.6.0.jar
/home/jenkins/.m2/repository/gov/med/xmltypes/1.6.1/xmltypes-1.6.1.jar
/home/jenkins/.m2/repository/org/apache/geronimo/specs/geronimo-j2ee-connector_1.5_spec/1.0.1/geronimo-j2ee-connector_1.5_spec-1.0.1.jar
/home/jenkins/.m2/repository/org/apache/geronimo/specs/geronimo-jta_1.0.1B_spec/1.0.1/geronimo-jta_1.0.1B_spec-1.0.1.jar
/home/jenkins/.m2/repository/javax/resource/javax.resource-api/1.7/javax.resource-api-1.7.jar
/home/jenkins/.m2/repository/javax/transaction/javax.transaction-api/1.2/javax.transaction-api-1.2.jar]
[DEBUG] Output directory: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/target/classes
[DEBUG] Adding /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/target/generated-sources/ann
/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/src/main/java
[DEBUG] New compile source roots:
/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/src/main/java
/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/target/generated-sources/annotations
[DEBUG] CompilerReuseStrategy: reuseCreated
[DEBUG] useIncrementalCompilation enabled
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/src/main/jav

```





```

[DEBUG] /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/target/generated-sources/annotatio
[DEBUG] Command line options:
[DEBUG] -d /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/target/classes -classpath /home/
[DEBUG] incrementalBuildHelper#beforeRebuildExecution
[INFO] Compiling 189 source files to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/target
[DEBUG] incrementalBuildHelper#afterRebuildExecution
[WARNING] /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/src/main/java/gov/va/med/crypto/K
[WARNING] /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/src/main/java/gov/va/med/crypto/K
[INFO] /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/src/main/java/gov/va/med/vistalink/s
[INFO] /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/src/main/java/gov/va/med/vistalink/s
[INFO] /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/src/main/java/gov/va/med/vistalink/r
[INFO] /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/src/main/java/gov/va/med/vistalink/r
[INFO]
[INFO] --- maven-resources-plugin:2.6:testResources (default-testResources) @ VistaLink ---
[DEBUG] Configuring mojo org.apache.maven.plugins:maven-resources-plugin:2.6:testResources from plugin realm ClassRealm[plugin>org.apache.m
[DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-resources-plugin:2.6:testResources' with basic configurator -->
[DEBUG] (f) buildFilters = []
[DEBUG] (f) encoding = UTF-8
[DEBUG] (f) escapeWindowsPaths = true
[DEBUG] (s) includeEmptyDirs = false
[DEBUG] (s) outputDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/target/test
[DEBUG] (s) overwrite = false
[DEBUG] (f) project = MavenProject: VistaLink:VistaLink:0.0.3-SNAPSHOT @ /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/M
[DEBUG] (s) resources = [Resource {targetPath: null, filtering: false, FileSet {directory: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas
[DEBUG] (f) session = org.apache.maven.execution.MavenSession@5b6813df
[DEBUG] (f) supportMultiLineFiltering = false
[DEBUG] (f) useBuildFilters = true
[DEBUG] (s) useDefaultDelimiters = true
[DEBUG] -- end configuration --
[DEBUG] properties used {java.vendor=Oracle Corporation, env.RUN_DISPLAY_URL=http://vac20fpctas800.va.gov:8080/job/VistaLink/job/RTC_MCCF_t
, env.SRC_STREAM=DEV, java.vm.name=OpenJDK 64-Bit Server VM, env.JENKINS_URL=http://vac20fpctas800.va.gov:8080/, env.buildRequesterUserId=V
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[DEBUG] resource with targetPath null
directory /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/src/test/resources
excludes []
includes []
[INFO] skip non existing resourceDirectory /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/
[DEBUG] no use filter components
[INFO]
[INFO] --- maven-compiler-plugin:3.5.1:testCompile (default-testCompile) @ VistaLink ---
[DEBUG] Configuring mojo org.apache.maven.plugins:maven-compiler-plugin:3.5.1:testCompile from plugin realm ClassRealm[plugin>org.apache.ma
[DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-compiler-plugin:3.5.1:testCompile' with basic configurator -->
[DEBUG] (f) basedir = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink
[DEBUG] (f) buildDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/target
[DEBUG] (f) classpathElements = [/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/target/t
[DEBUG] (f) compileSourceRoots = [/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/src/tes
[DEBUG] (f) compilerId = javac
[DEBUG] (f) debug = true
[DEBUG] (f) encoding = UTF-8
[DEBUG] (f) failOnError = true
[DEBUG] (f) forceJavacCompilerUse = false
[DEBUG] (f) fork = false
[DEBUG] (f) generatedTestSourcesDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLi
[DEBUG] (f) mojoExecution = org.apache.maven.plugins:maven-compiler-plugin:3.5.1:testCompile {execution: default-testCompile}
[DEBUG] (f) optimize = false
[DEBUG] (f) outputDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/target/test
[DEBUG] (f) project = MavenProject: VistaLink:VistaLink:0.0.3-SNAPSHOT @ /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/M
[DEBUG] (f) session = org.apache.maven.execution.MavenSession@5b6813df
[DEBUG] (f) showDeprecation = false
[DEBUG] (f) showWarnings = false
[DEBUG] (f) skipMultiThreadWarning = false
[DEBUG] (f) source = 1.8
[DEBUG] (f) staleMillis = 0
[DEBUG] (f) target = 1.8
[DEBUG] (f) useIncrementalCompilation = true
[DEBUG] (f) verbose = false
[DEBUG] -- end configuration --
[DEBUG] Using compiler 'javac'.
[INFO] No sources to compile
[INFO]
[INFO] --- maven-surefire-plugin:2.12.4:test (default-test) @ VistaLink ---
[DEBUG] Dependency collection stats: {ConflictMarker.analyzeTime=1, ConflictMarker.markTime=0, ConflictMarker.nodeCount=132, ConflictIdSort
org.apache.maven.plugins:maven-surefire-plugin:jar:2.12.4:
org.apache.maven:maven-plugin-api:jar:2.0.9:compile
org.apache.maven.surefire:surefire-booter:jar:2.12.4:compile
org.apache.maven.surefire:surefire-api:jar:2.12.4:compile
org.apache.maven.surefire:maven-surefire-common:jar:2.12.4:compile
org.apache.commons:commons-lang3:jar:3.1:compile
org.apache.maven.shared:maven-common-artifact-filters:jar:1.3:compile
org.codehaus.plexus:plexus-utils:jar:3.0.8:compile
org.apache.maven:maven-artifact:jar:2.0.9:compile
org.apache.maven:maven-project:jar:2.0.9:compile
org.apache.maven:maven-settings:jar:2.0.9:compile
org.apache.maven:maven-profile:jar:2.0.9:compile
org.apache.maven:maven-model:jar:2.0.9:compile
org.apache.maven:maven-artifact-manager:jar:2.0.9:compile
org.apache.maven:maven-plugin-registry:jar:2.0.9:compile
org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1:compile
junit:junit:jar:3.8.1:test
org.apache.maven:maven-core:jar:2.0.9:compile
org.apache.maven:maven-plugin-parameter-documenter:jar:2.0.9:compile
org.apache.maven.reporting:maven-reporting-api:jar:2.0.9:compile
org.apache.maven:maven-repository-metadata:jar:2.0.9:compile
org.apache.maven:maven-error-diagnostics:jar:2.0.9:compile
org.apache.maven:maven-plugin-descriptor:jar:2.0.9:compile
org.apache.maven:maven-monitor:jar:2.0.9:compile
classworlds:classworlds:jar:1.1:compile
org.apache.maven:maven-toolchain:jar:2.0.9:compile
org.apache.maven.plugin-tools:maven-plugin-annotations:jar:3.1:compile
[DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-surefire-plugin:2.12.4

```

```

[DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-surefire-plugin:2.12.4
[DEBUG] Imported: < maven.api
[DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-surefire-plugin:2.12.4
[DEBUG] Included: org.apache.maven.plugins:maven-surefire-plugin:jar:2.12.4
[DEBUG] Included: org.apache.maven.surefire:surefire-booter:jar:2.12.4
[DEBUG] Included: org.apache.maven.surefire:surefire-api:jar:2.12.4
[DEBUG] Included: org.apache.maven.surefire:maven-surefire-common:jar:2.12.4
[DEBUG] Included: org.apache.commons:commons-lang3:jar:3.1
[DEBUG] Included: org.apache.maven.shared:maven-common-artifact-filters:jar:1.3
[DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:3.0.8
[DEBUG] Included: org.apache.maven.reporting:maven-reporting-api:jar:2.0.9
[DEBUG] Included: org.apache.maven.plugin-tools:maven-plugin-annotations:jar:3.1
[DEBUG] Configuring mojo org.apache.maven.plugins:maven-surefire-plugin:2.12.4:test from plugin realm ClassRealm[plugin>org.apache.maven.pl
[DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-surefire-plugin:2.12.4:test' with basic configurator -->
[DEBUG] (s) basedir = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink
[DEBUG] (s) childDelegation = false
[DEBUG] (s) classesDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/target/cia
[DEBUG] (s) disableXmlReport = false
[DEBUG] (s) enableAssertions = true
[DEBUG] (s) forkMode = once
[DEBUG] (s) junitArtifactName = junit:junit
[DEBUG] (s) localRepository = id: local
[DEBUG] url: file:///home/jenkins/.m2/repository/
[DEBUG] layout: default
[DEBUG] snapshots: [enabled => true, update => always]
[DEBUG] releases: [enabled => true, update => always]

[DEBUG] (f) parallelMavenExecution = false
[DEBUG] (s) perCoreThreadCount = true
[DEBUG] (s) pluginArtifactMap = {org.apache.maven.plugins:maven-surefire-plugin:org.apache.maven.plugins:maven-surefire-plugin:maven-plug
[DEBUG] (f) pluginDescriptor = Component Descriptor: role: 'org.apache.maven.plugin.Mojo', implementation: 'org.apache.maven.plugin.suref
role: 'org.apache.maven.plugin.Mojo', implementation: 'org.apache.maven.plugin.surefire.SurefirePlugin', role hint: 'org.apache.maven.plugi
---
[DEBUG] (s) printSummary = true
[DEBUG] (s) projectArtifactMap = {io.netty:netty-all:io.netty:netty-all:jar:5.0.0.Alpha2:compile, gov.va.med:xbean:gov.va.med:xbean:jar:1
[DEBUG] (s) redirectTestOutputToFile = false
[DEBUG] (s) remoteRepositories = [ id: mccf-maven-repo
[DEBUG] url: http://vac20fpctas800.va.gov/pub/repo/maven/maven2
[DEBUG] layout: default
[DEBUG] snapshots: [enabled => true, update => daily]
[DEBUG] releases: [enabled => true, update => daily]
]
[DEBUG] (s) reportFormat = brief
[DEBUG] (s) reportsDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/target/sur
[DEBUG] (s) runOrder = filesystem
[DEBUG] (s) skip = false
[DEBUG] (s) skipTests = true
[DEBUG] (s) testClassesDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/target
[DEBUG] (s) testFailureIgnore = false
[DEBUG] (s) testNGArtifactName = org.testng:testng
[DEBUG] (s) testSourceDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/src/tes
[DEBUG] (s) trimStackTrace = true
[DEBUG] (s) useFile = true
[DEBUG] (s) useManifestOnlyJar = true
[DEBUG] (s) useSystemClassLoader = true
[DEBUG] (s) useUnlimitedThreads = false
[DEBUG] (s) workingDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink
[DEBUG] (s) project = MavenProject: VistaLink:VistaLink:0.0.3-SNAPSHOT @ /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/M
[DEBUG] (s) session = org.apache.maven.execution.MavenSession@5b6813df
[DEBUG] -- end configuration --
[INFO] Tests are skipped.
[INFO]
[INFO] --- maven-jar-plugin:2.4:jar (default-jar) @ VistaLink ---
[DEBUG] Dependency collection stats: (ConflictMarker.analyzeTime=1, ConflictMarker.markTime=0, ConflictMarker.nodeCount=74, ConflictIdSorte
[DEBUG] org.apache.maven.plugins:maven-jar-plugin:jar:2.4:
[DEBUG] org.apache.maven:maven-plugin-api:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-project:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-settings:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-profile:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-artifact-manager:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-repository-metadata:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-plugin-registry:jar:2.0.6:compile
[DEBUG] org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1:compile
[DEBUG] junit:junit:jar:3.8.1:compile
[DEBUG] classworlds:classworlds:jar:1.1-alpha-2:compile
[DEBUG] org.apache.maven:maven-model:jar:2.0.6:runtime
[DEBUG] org.apache.maven:maven-artifact:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-archiver:jar:2.5:compile
[DEBUG] org.apache.maven:maven-core:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-plugin-parameter-documenter:jar:2.0.6:compile
[DEBUG] org.apache.maven.reporting:maven-reporting-api:jar:2.0.6:compile
[DEBUG] org.apache.maven.doxia:doxia-sink-api:jar:1.0-alpha-7:compile
[DEBUG] org.apache.maven:maven-error-diagnostics:jar:2.0.6:compile
[DEBUG] commons-cli:commons-cli:jar:1.0:compile
[DEBUG] org.apache.maven:maven-plugin-descriptor:jar:2.0.6:compile
[DEBUG] org.codehaus.plexus:plexus-interactivity-api:jar:1.0-alpha-4:compile
[DEBUG] org.apache.maven:maven-monitor:jar:2.0.6:compile
[DEBUG] org.codehaus.plexus:plexus-interpolation:jar:1.15:compile
[DEBUG] org.codehaus.plexus:plexus-archiver:jar:2.1:compile
[DEBUG] org.codehaus.plexus:plexus-io:jar:2.0.2:compile
[DEBUG] commons-lang:commons-lang:jar:2.1:compile
[DEBUG] org.codehaus.plexus:plexus-utils:jar:3.0:compile
[DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-jar-plugin:2.4
[DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-jar-plugin:2.4
[DEBUG] Imported: < maven.api
[DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-jar-plugin:2.4
[DEBUG] Included: org.apache.maven.plugins:maven-jar-plugin:jar:2.4
[DEBUG] Included: junit:junit:jar:3.8.1
[DEBUG] Included: org.apache.maven:maven-archiver:jar:2.5
[DEBUG] Included: org.apache.maven.reporting:maven-reporting-api:jar:2.0.6

```

```

[DEBUG] Included: org.apache.maven.doxia:doxia-sink-api:jar:1.0-alpha-7
[DEBUG] Included: commons-cli:commons-cli:jar:1.0
[DEBUG] Included: org.codehaus.plexus:plexus-interactivity-api:jar:1.0-alpha-4
[DEBUG] Included: org.codehaus.plexus:plexus-interpolation:jar:1.15
[DEBUG] Included: org.codehaus.plexus:plexus-archiver:jar:2.1
[DEBUG] Included: org.codehaus.plexus:plexus-io:jar:2.0.2
[DEBUG] Included: commons-lang:commons-lang:jar:2.1
[DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:3.0
[DEBUG] Configuring mojo org.apache.maven.plugins:maven-jar-plugin:2.4:jar from plugin realm ClassRealm[plugin>org.apache.maven.plugins:mav
[DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-jar-plugin:2.4:jar' with basic configurator -->
[DEBUG]   (f) classesDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/target/clo
[DEBUG]   (f) defaultManifestFile = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/target/
[DEBUG]   (f) finalName = VistaLink-0.0.3-SNAPSHOT
[DEBUG]   (f) forceCreation = false
[DEBUG]   (f) outputDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/target
[DEBUG]   (f) project = MavenProject: VistaLink:VistaLink:0.0.3-SNAPSHOT @ /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/M
[DEBUG]   (f) session = org.apache.maven.execution.MavenSession@5b6813df
[DEBUG]   (f) skipIfEmpty = false
[DEBUG]   (f) useDefaultManifestFile = false
[DEBUG] -- end configuration --
[DEBUG] isUpToDate: false (Destination /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/targe
[INFO] Building jar: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/target/VistaLink-0.0.3
[DEBUG] adding directory META-INF/
[DEBUG] adding entry META-INF/MANIFEST.MF
[DEBUG] adding directory gov/
[DEBUG] adding directory gov/va/
[DEBUG] adding directory gov/va/med/
[DEBUG] adding directory gov/va/med/vistalink/
[DEBUG] adding directory gov/va/med/vistalink/security/
[DEBUG] adding directory gov/va/med/vistalink/security/images/
[DEBUG] adding directory gov/va/med/vistalink/security/m/
[DEBUG] adding directory gov/va/med/vistalink/rpc/
[DEBUG] adding directory gov/va/med/vistalink/adapters/
[DEBUG] adding directory gov/va/med/vistalink/adapters/record/
[DEBUG] adding directory gov/va/med/vistalink/adapters/cci/
[DEBUG] adding directory gov/va/med/vistalink/adapters/spi/
[DEBUG] adding directory gov/va/med/vistalink/adapters/heartbeat/
[DEBUG] adding directory gov/va/med/vistalink/institution/
[DEBUG] adding directory gov/va/med/vistalink/management/
[DEBUG] adding directory gov/va/med/vistalink/jmx/
[DEBUG] adding directory gov/va/med/vistalink/cache/
[DEBUG] adding directory gov/va/med/vistalink/console/
[DEBUG] adding directory gov/va/med/exception/
[DEBUG] adding directory gov/va/med/net/
[DEBUG] adding directory gov/va/med/crypto/
[DEBUG] adding directory gov/va/med/environment/
[DEBUG] adding directory gov/va/med/xml/
[DEBUG] adding directory gov/va/med/monitor/
[DEBUG] adding directory gov/va/med/monitor/time/
[DEBUG] adding directory schema/
[DEBUG] adding directory schema/src/
[DEBUG] adding entry gov/va/med/vistalink/security/images/helpbook07.gif
[DEBUG] adding entry gov/va/med/vistalink/security/images/error.gif
[DEBUG] adding entry gov/va/med/vistalink/security/images/yesla.gif
[DEBUG] adding entry gov/va/med/vistalink/security/images/HealthVetVistaSmallBlueSm.gif
[DEBUG] adding entry gov/va/med/vistalink/security/VistaLoginModuleTooManyInvalidAttemptsException.class
[DEBUG] adding entry gov/va/med/vistalink/security/VistaLoginModuleException.class
[DEBUG] adding entry gov/va/med/vistalink/security/CallbackLogon.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityVOSetupAndIntroText.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityVO.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityDataSetupAndIntroTextResponse.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityResponse.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityVOLogon.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityVOChangeVc.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityVOSelectDivision.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityVOUserDemographics.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/VistaKernelPrincipal.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/VistaInstitutionVO.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityProductionMismatchException.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityFaultException.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityUserAuthorizationException.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityDataSelectDivisionResponse.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/KernelSecurityHandshake.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityResponseFactory.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityDataLogonResponse.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityDataChangeVcResponse.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityDataUserDemographicsResponse.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityDataLogoutResponse.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityAccessVerifyCodePairInvalidException.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityRequest.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityDivisionDeterminationFaultException.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/KernelSecurityHandshakeManaged.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityTooManyInvalidLoginAttemptsFaultException.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityRequestFactory.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityUserVerifyCodeException.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityConnectionProxyException.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityPrimaryStationMismatchException.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityIPLockedFaultException.class
[DEBUG] adding entry gov/va/med/vistalink/security/m/SecurityIdentityDeterminationFaultException.class
[DEBUG] adding entry gov/va/med/vistalink/security/VistaLoginModuleSPI.class
[DEBUG] adding entry gov/va/med/vistalink/security/VistaKernelPrincipalImpl.class
[DEBUG] adding entry gov/va/med/vistalink/security/VistaLoginModuleLoginsDisabledException.class
[DEBUG] adding entry gov/va/med/vistalink/security/CallbackChangeVc.class
[DEBUG] adding entry gov/va/med/vistalink/security/VistaLoginSwingUtilities.class
[DEBUG] adding entry gov/va/med/vistalink/security/VistaLoginModule.class
[DEBUG] adding entry gov/va/med/vistalink/security/VistaLoginModuleNoJobSlotsAvailableException.class
[DEBUG] adding entry gov/va/med/vistalink/security/VistaLoginModuleNoPathToListenerException.class
[DEBUG] adding entry gov/va/med/vistalink/security/VistaLoginModuleUserCancelledException.class
[DEBUG] adding entry gov/va/med/vistalink/security/VistaLoginModuleUserTimedOutException.class
[DEBUG] adding entry gov/va/med/vistalink/security/VistaLoginModuleIPLockedException.class

```



```

[DEBUG] adding entry gov/va/med/vistalink/security/DialogConfirm$1.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogConfirm$2.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogConfirm$3.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogConfirm$4.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogConfirm$5.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogConfirm$DialogConfirmFocusTraversalPolicy.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogConfirm.class
[DEBUG] adding entry gov/va/med/vistalink/security/CallbackSelectDivision.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogSelectDivision$1.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogSelectDivision$2.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogSelectDivision$3.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogSelectDivision$4.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogSelectDivision$HelpButtonActionListener.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogSelectDivision.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogLogon$1.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogLogon$2.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogLogon$3.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogLogon$4.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogLogon$5.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogLogon$6.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogLogon$7.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogLogon$8.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogLogon$9.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogLogon$DialogLogonFocusTraversalPolicy.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogLogon.class
[DEBUG] adding entry gov/va/med/vistalink/security/CallbackConfirm.class
[DEBUG] adding entry gov/va/med/vistalink/security/CallbackHandlerBase.class
[DEBUG] adding entry gov/va/med/vistalink/security/CallbackCommit.class
[DEBUG] adding entry gov/va/med/vistalink/security/VistaLoginModuleSPIUnitTest.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogChangeVc$1.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogChangeVc$2.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogChangeVc$3.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogChangeVc$4.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogChangeVc$5.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogChangeVc$6.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogChangeVc$HelpButtonActionListener.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogChangeVc$DialogChangeVcFocusTraversalPolicy.class
[DEBUG] adding entry gov/va/med/vistalink/security/DialogChangeVc.class
[DEBUG] adding entry gov/va/med/vistalink/security/VistaLoginModuleSPIMock.class
[DEBUG] adding entry gov/va/med/vistalink/security/CallbackHandlerUnitTest.class
[DEBUG] adding entry gov/va/med/vistalink/security/CallbackHandlerSwing.class
[DEBUG] adding entry gov/va/med/vistalink/security/VistaLoginModuleSPIClientServer.class
[DEBUG] adding entry gov/va/med/vistalink/rpc/RpcRequestFactory.class
[DEBUG] adding entry gov/va/med/vistalink/rpc/RpcRequest.class
[DEBUG] adding entry gov/va/med/vistalink/rpc/RpcRequestParams.class
[DEBUG] adding entry gov/va/med/vistalink/rpc/RpcResponse.class
[DEBUG] adding entry gov/va/med/vistalink/rpc/RpcResponseTypeIsNotXmlException.class
[DEBUG] adding entry gov/va/med/vistalink/rpc/RpcResponseFactory.class
[DEBUG] adding entry gov/va/med/vistalink/rpc/RpcXmlRequestParams.class
[DEBUG] adding entry gov/va/med/vistalink/rpc/RpcTimeoutFaultException.class
[DEBUG] adding entry gov/va/med/vistalink/rpc/RpcFaultException.class
[DEBUG] adding entry gov/va/med/vistalink/rpc/RpcNotOkForProxyUseException.class
[DEBUG] adding entry gov/va/med/vistalink/rpc/RpcXmlRequestFactory.class
[DEBUG] adding entry gov/va/med/vistalink/rpc/RpcXmlRequest.class
[DEBUG] adding entry gov/va/med/vistalink/rpc/RpcRequestParam.class
[DEBUG] adding entry gov/va/med/vistalink/rpc/RpcReferenceType.class
[DEBUG] adding entry gov/va/med/vistalink/rpc/RpcNotInContextFaultException.class
[DEBUG] adding entry gov/va/med/vistalink/rpc/NoRpcContextFaultException.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/record/VistaLinkRequestFactory.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/record/VistaLinkRequestVOImpl.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/record/VistaLinkRequestVO.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/record/VistaLinkRequestRetryStrategy.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/record/VistaLinkResponseVOImpl.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/record/VistaLinkResponseVO.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/record/VistaLinkResponseFactory.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/record/VistaLinkFaultException.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/record/VistaLinkResponseFactoryImpl.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/record/VistaLinkRequestRetryStrategyDeny.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/record/NoJobSlotsAvailableFaultException.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/record/LoginsDisabledFaultException.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/record/VistaLinkRequestRetryStrategyAllow.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/cci/VistaLinkConnectionSpecImpl.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/cci/VistaLinkConnectionSpec.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/cci/VistaLinkConnection.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/cci/VistaLinkConnectionFactory.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/cci/JndiVerificationStrategy.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/cci/VistaLinkResourceException.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/cci/VistaLinkVpidConnectionSpec.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/cci/VistaLinkAppProxyConnectionSpec.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/cci/VistaLinkDuzConnectionSpec.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/cci/JndiVerificationStrategyAlwaysPass.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/cci/VistaLinkCowConnectionSpec.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/cci/VistaLinkConnectionMetaData.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/cci/JndiVerificationStrategyWeblogic81.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/cci/VistaLinkResourceAdapterMetaData.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/spi/EMAdapterEnvironment.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/spi/EMReAuthState.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/spi/VistaLinkServerInfo.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/spi/VistaLinkManagedConnectionFactory.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/spi/ConnectorInfoVO.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/spi/VistaLinkSystemInfoVO.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/spi/VistaLinkManagedConnection.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/spi/ConnectorConfigurator.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/spi/VistaLinkConnectionEventNotifier.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/spi/VistaSocketConnection.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/spi/EMAdapterStatus.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/spi/VistaLinkRequestRetryStrategyAllowOverride.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/spi/VistaLinkConnectionRequestInfo.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/spi/ConnectionHandlesExceededException.class
[DEBUG] adding entry gov/va/med/vistalink/adapters/spi/VistaLinkConnectionImpl.class

```

```

[DEBUG] adding entry gov/va/med/vistalink/adapterspi/VistaLinkSocketClosedException.class
[DEBUG] adding entry gov/va/med/vistalink/adapterspi/VistaLinkSocketAlreadyClosedException.class
[DEBUG] adding entry gov/va/med/vistalink/adapterspi/VistaLinkSystemInfoResponse.class
[DEBUG] adding entry gov/va/med/vistalink/adapterspi/VistaLinkSystemInfoResponseFactory.class
[DEBUG] adding entry gov/va/med/vistalink/adapterspi/ConfigurationReader.class
[DEBUG] adding entry gov/va/med/vistalink/adapterspi/VistaLinkInitSocketRequest.class
[DEBUG] adding entry gov/va/med/vistalink/adapterspi/VistaLinkManagedConnectionMetaData.class
[DEBUG] adding entry gov/va/med/vistalink/adapterspi/VistaLinkSystemInfoRequest.class
[DEBUG] adding entry gov/va/med/vistalink/adapterspi/VistaLinkResourceAdapter.class
[DEBUG] adding entry gov/va/med/vistalink/adapterspi/VistaLinkManagedConnectionEventListener.class
[DEBUG] adding entry gov/va/med/vistalink/adapterspi/VistaLinkInitSocketResponse.class
[DEBUG] adding entry gov/va/med/vistalink/adapterspi/VistaLinkJ2SEConnSpec.class
[DEBUG] adding entry gov/va/med/vistalink/adapterspi/VistaLinkCleanUpPartitionRequest.class
[DEBUG] adding entry gov/va/med/vistalink/adapterspi/VistaLinkConnectionManager.class
[DEBUG] adding entry gov/va/med/vistalink/adapterspi/VistaLinkInitSocketResponseFactory.class
[DEBUG] adding entry gov/va/med/vistalink/adapterspi/heartbeat/VistaHeartBeatTimerManager.class
[DEBUG] adding entry gov/va/med/vistalink/adapterspi/heartbeat/VistaHeartBeatTimerTask.class
[DEBUG] adding entry gov/va/med/vistalink/adapterspi/heartbeat/HeartBeatInitializationFailedException.class
[DEBUG] adding entry gov/va/med/vistalink/adapterspi/heartbeat/HeartBeatFailedException.class
[DEBUG] adding entry gov/va/med/vistalink/adapterspi/heartbeat/VistaHeartBeatTimerRequest.class
[DEBUG] adding entry gov/va/med/vistalink/adapterspi/heartbeat/VistaHeartBeatTimerResponseFactory.class
[DEBUG] adding entry gov/va/med/vistalink/adapterspi/heartbeat/VistaHeartBeatTimerResponse.class
[DEBUG] adding entry gov/va/med/vistalink/institution/InstitutionMappingDelegate.class
[DEBUG] adding entry gov/va/med/vistalink/institution/InstitutionMapNotInitializedException.class
[DEBUG] adding entry gov/va/med/vistalink/institution/InstitutionMappingNotFoundException.class
[DEBUG] adding entry gov/va/med/vistalink/institution/InstitutionMappingVO.class
[DEBUG] adding entry gov/va/med/vistalink/institution/IPrimaryStationRules.class
[DEBUG] adding entry gov/va/med/vistalink/institution/InstitutionMappingBadStationNumberException.class
[DEBUG] adding entry gov/va/med/vistalink/institution/PrimaryStationRulesVHA.class
[DEBUG] adding entry gov/va/med/vistalink/institution/PrimaryStationRulesFactory.class
[DEBUG] adding entry gov/va/med/vistalink/institution/InstitutionMappingFactory.class
[DEBUG] adding entry gov/va/med/vistalink/institution/InstitutionMapping.class
[DEBUG] adding entry gov/va/med/vistalink/management/VistaLinkConnector.class
[DEBUG] adding entry gov/va/med/vistalink/management/VistaLinkConnectorMBean.class
[DEBUG] adding entry gov/va/med/vistalink/management/VistaLinkConnectorNotificationListener.class
[DEBUG] adding entry gov/va/med/vistalink/management/VistaLinkInstitutionMappingMBean.class
[DEBUG] adding entry gov/va/med/vistalink/management/VistaLinkInstitutionMapping.class
[DEBUG] adding entry gov/va/med/vistalink/jmx/IJmxHelper.class
[DEBUG] adding entry gov/va/med/vistalink/jmx/JmxHelperException.class
[DEBUG] adding entry gov/va/med/vistalink/jmx/JmxHelperWebLogic.class
[DEBUG] adding entry gov/va/med/vistalink/jmx/JmxHelperUnknown.class
[DEBUG] adding entry gov/va/med/vistalink/jmx/JmxHelperFactory.class
[DEBUG] adding entry gov/va/med/vistalink/cache/VistaLinkConnectionFactoryLocator.class
[DEBUG] adding entry gov/va/med/vistalink/cache/VistaLinkCacheException.class
[DEBUG] adding entry gov/va/med/vistalink/cache/VistaLinkConnectionFactoryNotFoundException.class
[DEBUG] adding entry gov/va/med/vistalink/cache/WeakValueMap$WeakValue.class
[DEBUG] adding entry gov/va/med/vistalink/cache/WeakValueMap$1.class
[DEBUG] adding entry gov/va/med/vistalink/cache/WeakValueMap.class
[DEBUG] adding entry gov/va/med/vistalink/console/ServerHelperFactory.class
[DEBUG] adding entry gov/va/med/vistalink/console/IServerHelper.class
[DEBUG] adding entry gov/va/med/vistalink/console/ServerHelperNotRunningException.class
[DEBUG] adding entry gov/va/med/vistalink/console/ServerHelperException.class
[DEBUG] adding entry gov/va/med/vistalink/console/ServerHelperAbstract.class
[DEBUG] adding entry gov/va/med/vistalink/console/ServerHelperWebLogic.class
[DEBUG] adding entry gov/va/med/exception/FoundationsExceptionInterface.class
[DEBUG] adding entry gov/va/med/exception/FoundationsException.class
[DEBUG] adding entry gov/va/med/exception/ExceptionUtils.class
[DEBUG] adding entry gov/va/med/net/SocketManager.class
[DEBUG] adding entry gov/va/med/net/VistaSocketTimeoutException.class
[DEBUG] adding entry gov/va/med/net/VistaSocketException.class
[DEBUG] adding entry gov/va/med/crypto/VistaLinkEncrypter.class
[DEBUG] adding entry gov/va/med/crypto/VistaKernelHashCountLimitExceededException.class
[DEBUG] adding entry gov/va/med/crypto/EncrypterRegistry.class
[DEBUG] adding entry gov/va/med/crypto/PassPhraseEncrypter.class
[DEBUG] adding entry gov/va/med/crypto/KeyEncrypter.class
[DEBUG] adding entry gov/va/med/crypto/VistaKernelHash.class
[DEBUG] adding entry gov/va/med/crypto/DESPassPhraseEncrypter.class
[DEBUG] adding entry gov/va/med/crypto/DESEKeyEncrypter.class
[DEBUG] adding entry gov/va/med/crypto/DESScopedEncrypter.class
[DEBUG] adding entry gov/va/med/environment/Environment.class
[DEBUG] adding entry gov/va/med/environment/ServerType.class
[DEBUG] adding entry gov/va/med/environment/ServerTypeEnum.class
[DEBUG] adding entry gov/va/med/xml/XmlUtilities$ThreadLocalDocumentBuilder.class
[DEBUG] adding entry gov/va/med/xml/XmlUtilities$ThreadLocalTransformer.class
[DEBUG] adding entry gov/va/med/xml/XmlUtilities$1.class
[DEBUG] adding entry gov/va/med/xml/XmlUtilities.class
[DEBUG] adding entry gov/va/med/monitor/time/AuditTimer.class
[DEBUG] adding entry schema/src/connectorConfig.xsd
[DEBUG] adding directory META-INF/maven/
[DEBUG] adding directory META-INF/maven/VistaLink/
[DEBUG] adding directory META-INF/maven/VistaLink/VistaLink/
[DEBUG] adding entry META-INF/maven/VistaLink/VistaLink/pom.xml
[DEBUG] adding entry META-INF/maven/VistaLink/VistaLink/pom.properties
[INFO]
[INFO] --- maven-install-plugin:2.4:install (default-install) @ VistaLink ---
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for apache-snapshots (http://people.apache.org/ma
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for codehaus-snapshots (http://snapshots.reposito
[DEBUG] Dependency collection stats: {ConflictMarker.analyzeTime=0, ConflictMarker.markTime=0, ConflictMarker.nodeCount=38, ConflictIdSorte
[DEBUG] org.apache.maven.plugins:maven-install-plugin:jar:2.4:
[DEBUG]   org.apache.maven:maven-plugin-api:jar:2.0.6:compile
[DEBUG]   org.apache.maven:maven-project:jar:2.0.6:compile
[DEBUG]   org.apache.maven:maven-settings:jar:2.0.6:compile
[DEBUG]   org.apache.maven:maven-profile:jar:2.0.6:compile
[DEBUG]   org.apache.maven:maven-plugin-registry:jar:2.0.6:compile
[DEBUG]   org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1:compile
[DEBUG]     junit:junit:jar:3.8.1:compile
[DEBUG]     classworlds:classworlds:jar:1.1-alpha-2:compile
[DEBUG]   org.apache.maven:maven-model:jar:2.0.6:compile
[DEBUG]   org.apache.maven:maven-artifact-manager:jar:2.0.6:compile
[DEBUG]   org.apache.maven:maven-repository-metadata:jar:2.0.6:compile

```

```

[DEBUG] org.apache.maven:maven-artifact:jar:2.0.6:compile
[DEBUG] org.codehaus.plexus:plexus-utils:jar:3.0.5:compile
[DEBUG] org.codehaus.plexus:plexus-digest:jar:1.0:compile
[DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-install-plugin:2.4
[DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-install-plugin:2.4
[DEBUG] Imported: < maven.api
[DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-install-plugin:2.4
[DEBUG] Included: org.apache.maven.plugins:maven-install-plugin:jar:2.4
[DEBUG] Included: junit:junit:jar:3.8.1
[DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:3.0.5
[DEBUG] Included: org.codehaus.plexus:plexus-digest:jar:1.0
[DEBUG] Configuring mojo org.apache.maven.plugins:maven-install-plugin:2.4:install from plugin realm ClassRealm[plugin>org.apache.maven.plu
[DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-install-plugin:2.4:install' with basic configurator -->
[DEBUG] (f) artifact = VistaLink:VistaLink:jar:0.0.3-SNAPSHOT
[DEBUG] (f) attachedArtifacts = []
[DEBUG] (f) createChecksum = false
[DEBUG] (f) localRepository = id: local
[DEBUG] url: file:///home/jenkins/.m2/repository/
[DEBUG] layout: default
[DEBUG] snapshots: [enabled => true, update => always]
[DEBUG] releases: [enabled => true, update => always]

[DEBUG] (f) packaging = jar
[DEBUG] (f) pomFile = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/pom.xml
[DEBUG] (s) skip = false
[DEBUG] (f) updateReleaseInfo = false
[DEBUG] -- end configuration --
[INFO] Installing /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/target/VistaLink-0.0.3-SN
[DEBUG] Writing tracking file /home/jenkins/.m2/repository/VistaLink/VistaLink/0.0.3-SNAPSHOT/_remote.repositories
[INFO] Installing /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VistaLink/pom.xml to /home/jenkins/
[DEBUG] Writing tracking file /home/jenkins/.m2/repository/VistaLink/VistaLink/0.0.3-SNAPSHOT/_remote.repositories
[DEBUG] Installing VistaLink:VistaLink:0.0.3-SNAPSHOT/maven-metadata.xml to /home/jenkins/.m2/repository/VistaLink/VistaLink/0.0.3-SNAPSHOT
[DEBUG] Installing VistaLink:VistaLink:maven-metadata.xml to /home/jenkins/.m2/repository/VistaLink/VistaLink/maven-metadata-local.xml
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 9.806 s
[INFO] Finished at: 2019-02-26T08:25:06-06:00
[INFO] Final Memory: 21M/469M
[INFO] -----
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Build VAVistaLinkServer)
[Pipeline] echo
build the project MCCF_EDT_TAS_Vistalink/VAVistaLinkServer
[Pipeline] dir
Running in /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer
[Pipeline] {
[Pipeline] sh
+ mvn -X -l /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/logs/VAVistaLinkServer_compile_20190226_092351.log clean compile
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Unit-test VAVistaLinkServer)
[Pipeline] echo
build the project MCCF_EDT_TAS_Vistalink/VAVistaLinkServer
[Pipeline] dir
Running in /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer
[Pipeline] {
[Pipeline] sh
+ mvn -e -Dmaven.test.failure.ignore=false -Dgroups=Unit test
[INFO] Error stacktraces are turned on.
[INFO] Scanning for projects...
[WARNING]
[WARNING] Some problems were encountered while building the effective model for va.gov.tas:VAVistaLinkServer:jar:1.0.4
[WARNING] 'dependencies.dependency.(groupId:artifactId:type:classifier)' must be unique: io.netty:netty-all:jar -> version ${netty.version}
[WARNING] 'dependencies.dependency.(groupId:artifactId:type:classifier)' must be unique: io.netty:netty-all:jar -> version ${netty.version}
[WARNING]
[WARNING] It is highly recommended to fix these problems because they threaten the stability of your build.
[WARNING]
[WARNING] For this reason, future Maven versions might no longer support building such malformed projects.
[WARNING]
[INFO]
[INFO] -----
[INFO] Building VAVistaLinkServer 1.0.4
[INFO] -----
[INFO]
[INFO] --- maven-resources-plugin:3.0.2:resources (default-resources) @ VAVistaLinkServer ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 3 resources
[INFO] skip non existing resourceDirectory /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLin
[INFO]
[INFO] --- maven-compiler-plugin:3.5.1:compile (default-compile) @ VAVistaLinkServer ---
[INFO] Nothing to compile - all classes are up to date
[INFO]
[INFO] --- maven-resources-plugin:3.0.2:testResources (default-testResources) @ VAVistaLinkServer ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLin
[INFO]
[INFO] --- maven-compiler-plugin:3.5.1:testCompile (default-testCompile) @ VAVistaLinkServer ---
[INFO] Changes detected - recompiling the module!
[INFO] Compiling 21 source files to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer
[INFO] /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/test/java/gov/va/tas/res
[INFO] /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/test/java/gov/va/tas/res
[INFO]

```

```

[INFO] --- maven-surefire-plugin:2.22.0:test (default-test) @ VAVistaLinkServer ---
[INFO] Surefire report directory: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/t
[INFO] Using configured provider org.junit.platform.surefire.provider.JUnitPlatformProvider
[INFO] parallel='none', perCoreThreadCount=true, threadCount=0, useUnlimitedThreads=false, threadCountSuites=0, threadCountClasses=0, threa
[INFO]
[INFO] -----
[INFO] T E S T S
[INFO] -----
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 0, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 18.569 s
[INFO] Finished at: 2019-02-26T08:25:39-06:00
[INFO] Final Memory: 24M/577M
[INFO] -----
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Package VAVistaLinkServer)
[Pipeline] echo
Package MCCF_EDT_TAS_Vistalink/VAVistaLinkServer
[Pipeline] dir
Running in /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer
[Pipeline] {
[Pipeline] sh
+ mvn -X -DskipTests -Dbuild.number=1.0.4 clean package
Apache Maven 3.3.9 (bb52d8502b132ec0a5a3f4c09453c07478323dc5; 2015-11-10T10:41:47-06:00)
Maven home: /opt/maven/apache-maven-3.3.9
Java version: 1.8.0_191, vendor: Oracle Corporation
Java home: /usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.x86_64/jre
Default locale: en_US, platform encoding: UTF-8
OS name: "linux", version: "3.10.0-957.1.3.el7.x86_64", arch: "amd64", family: "unix"
[DEBUG] Created new class realm maven.api
[DEBUG] Importing foreign packages into class realm maven.api
[DEBUG] Imported: javax.enterprise.inject.* < plexus.core
[DEBUG] Imported: javax.enterprise.util.* < plexus.core
[DEBUG] Imported: javax.inject.* < plexus.core
[DEBUG] Imported: org.apache.maven.* < plexus.core
[DEBUG] Imported: org.apache.maven.artifact < plexus.core
[DEBUG] Imported: org.apache.maven.classrealm < plexus.core
[DEBUG] Imported: org.apache.maven.cli < plexus.core
[DEBUG] Imported: org.apache.maven.configuration < plexus.core
[DEBUG] Imported: org.apache.maven.exception < plexus.core
[DEBUG] Imported: org.apache.maven.execution < plexus.core
[DEBUG] Imported: org.apache.maven.execution.scope < plexus.core
[DEBUG] Imported: org.apache.maven.lifecycle < plexus.core
[DEBUG] Imported: org.apache.maven.model < plexus.core
[DEBUG] Imported: org.apache.maven.monitor < plexus.core
[DEBUG] Imported: org.apache.maven.plugin < plexus.core
[DEBUG] Imported: org.apache.maven.profiles < plexus.core
[DEBUG] Imported: org.apache.maven.project < plexus.core
[DEBUG] Imported: org.apache.maven.reporting < plexus.core
[DEBUG] Imported: org.apache.maven.repository < plexus.core
[DEBUG] Imported: org.apache.maven.rtinfo < plexus.core
[DEBUG] Imported: org.apache.maven.settings < plexus.core
[DEBUG] Imported: org.apache.maven.toolchain < plexus.core
[DEBUG] Imported: org.apache.maven.usability < plexus.core
[DEBUG] Imported: org.apache.maven.wagon.* < plexus.core
[DEBUG] Imported: org.apache.maven.wagon.authentication < plexus.core
[DEBUG] Imported: org.apache.maven.wagon.authorization < plexus.core
[DEBUG] Imported: org.apache.maven.wagon.events < plexus.core
[DEBUG] Imported: org.apache.maven.wagon.observers < plexus.core
[DEBUG] Imported: org.apache.maven.wagon.proxy < plexus.core
[DEBUG] Imported: org.apache.maven.wagon.repository < plexus.core
[DEBUG] Imported: org.apache.maven.wagon.resource < plexus.core
[DEBUG] Imported: org.codehaus.classworlds < plexus.core
[DEBUG] Imported: org.codehaus.plexus.* < plexus.core
[DEBUG] Imported: org.codehaus.plexus.classworlds < plexus.core
[DEBUG] Imported: org.codehaus.plexus.component < plexus.core
[DEBUG] Imported: org.codehaus.plexus.configuration < plexus.core
[DEBUG] Imported: org.codehaus.plexus.container < plexus.core
[DEBUG] Imported: org.codehaus.plexus.context < plexus.core
[DEBUG] Imported: org.codehaus.plexus.lifecycle < plexus.core
[DEBUG] Imported: org.codehaus.plexus.logging < plexus.core
[DEBUG] Imported: org.codehaus.plexus.personality < plexus.core
[DEBUG] Imported: org.codehaus.plexus.util.xml.Xpp3Dom < plexus.core
[DEBUG] Imported: org.codehaus.plexus.util.xml.pull.XmlPullParser < plexus.core
[DEBUG] Imported: org.codehaus.plexus.util.xml.pull.XmlPullParserException < plexus.core
[DEBUG] Imported: org.codehaus.plexus.util.xml.pull.XmlSerializer < plexus.core
[DEBUG] Imported: org.eclipse.aether.* < plexus.core
[DEBUG] Imported: org.eclipse.aether.artifact < plexus.core
[DEBUG] Imported: org.eclipse.aether.collection < plexus.core
[DEBUG] Imported: org.eclipse.aether.deployment < plexus.core
[DEBUG] Imported: org.eclipse.aether.graph < plexus.core
[DEBUG] Imported: org.eclipse.aether.impl < plexus.core
[DEBUG] Imported: org.eclipse.aether.installation < plexus.core
[DEBUG] Imported: org.eclipse.aether.internal.impl < plexus.core
[DEBUG] Imported: org.eclipse.aether.metadata < plexus.core
[DEBUG] Imported: org.eclipse.aether.repository < plexus.core
[DEBUG] Imported: org.eclipse.aether.resolution < plexus.core
[DEBUG] Imported: org.eclipse.aether.spi < plexus.core
[DEBUG] Imported: org.eclipse.aether.transfer < plexus.core
[DEBUG] Imported: org.eclipse.aether.version < plexus.core

```

[illegible]

```

<resources default-value="${project.resources}"/>
<session default-value="${session}"/>
<skip default-value="false">${maven.resources.skip}</skip>
<supportMultiLineFiltering default-value="false"/>
<useBuildFilters default-value="true"/>
<useDefaultDelimiters default-value="true"/>
</configuration>
[DEBUG] -----
[DEBUG] Goal:          org.apache.maven.plugins:maven-compiler-plugin:3.5.1:compile (default-compile)
[DEBUG] Style:         Regular
[DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <basedir default-value="${basedir}"/>
  <buildDirectory default-value="${project.build.directory}"/>
  <classpathElements default-value="${project.compileClasspathElements}"/>
  <compileSourceRoots default-value="${project.compileSourceRoots}"/>
  <compilerId default-value="javac">${maven.compiler.compilerId}</compilerId>
  <compilerReuseStrategy default-value="${reuseCreated}">${maven.compiler.compilerReuseStrategy}</compilerReuseStrategy>
  <compilerVersion>${maven.compiler.compilerVersion}</compilerVersion>
  <debug default-value="true">${maven.compiler.debug}</debug>
  <debuglevel>${maven.compiler.debuglevel}</debuglevel>
  <encoding default-value="${project.build.sourceEncoding}">UTF-8</encoding>
  <executable>${maven.compiler.executable}</executable>
  <failOnError default-value="true">${maven.compiler.failOnError}</failOnError>
  <forceJavacCompilerUse default-value="false">${maven.compiler.forceJavacCompilerUse}</forceJavacCompilerUse>
  <fork default-value="false">${maven.compiler.fork}</fork>
  <generatedSourcesDirectory default-value="${project.build.directory}/generated-sources/annotations"/>
  <maxmem>${maven.compiler.maxmem}</maxmem>
  <meminitial>${maven.compiler.meminitial}</meminitial>
  <mojoExecution default-value="${mojoExecution}"/>
  <optimize default-value="false">${maven.compiler.optimize}</optimize>
  <outputDirectory default-value="${project.build.outputDirectory}"/>
  <project default-value="${project}"/>
  <projectArtifact default-value="${project.artifact}"/>
  <session default-value="${session}"/>
  <showDeprecation default-value="false">${maven.compiler.showDeprecation}</showDeprecation>
  <showWarnings default-value="false">${maven.compiler.showWarnings}</showWarnings>
  <skipMain>${maven.main.skip}</skipMain>
  <skipMultiThreadWarning default-value="false">${maven.compiler.skipMultiThreadWarning}</skipMultiThreadWarning>
  <source default-value="1.5">1.8</source>
  <staleMillis default-value="0">${lastModGranularityMs}</staleMillis>
  <target default-value="1.5">1.8</target>
  <useIncrementalCompilation default-value="true">${maven.compiler.useIncrementalCompilation}</useIncrementalCompilation>
  <verbose default-value="false">${maven.compiler.verbose}</verbose>
</configuration>
[DEBUG] -----
[DEBUG] Goal:          org.apache.maven.plugins:maven-resources-plugin:3.0.2:testResources (default-testResources)
[DEBUG] Style:         Regular
[DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <addDefaultExcludes default-value="true"/>
  <buildFilters default-value="${project.build.filters}"/>
  <encoding default-value="${project.build.sourceEncoding}">UTF-8</encoding>
  <escapeWindowsPaths default-value="true"/>
  <fileNameFiltering default-value="false"/>
  <includeEmptyDirs default-value="false"/>
  <outputDirectory default-value="${project.build.testOutputDirectory}"/>
  <overwrite default-value="false"/>
  <project default-value="${project}"/>
  <resources default-value="${project.testResources}"/>
  <session default-value="${session}"/>
  <skip default-value="false">${maven.test.skip}</skip>
  <supportMultiLineFiltering default-value="false"/>
  <useBuildFilters default-value="true"/>
  <useDefaultDelimiters default-value="true"/>
</configuration>
[DEBUG] -----
[DEBUG] Goal:          org.apache.maven.plugins:maven-compiler-plugin:3.5.1:testCompile (default-testCompile)
[DEBUG] Style:         Regular
[DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <basedir default-value="${basedir}"/>
  <buildDirectory default-value="${project.build.directory}"/>
  <classpathElements default-value="${project.testClasspathElements}"/>
  <compileSourceRoots default-value="${project.testCompileSourceRoots}"/>
  <compilerId default-value="javac">${maven.compiler.compilerId}</compilerId>
  <compilerReuseStrategy default-value="${reuseCreated}">${maven.compiler.compilerReuseStrategy}</compilerReuseStrategy>
  <compilerVersion>${maven.compiler.compilerVersion}</compilerVersion>
  <debug default-value="true">${maven.compiler.debug}</debug>
  <debuglevel>${maven.compiler.debuglevel}</debuglevel>
  <encoding default-value="${project.build.sourceEncoding}">UTF-8</encoding>
  <executable>${maven.compiler.executable}</executable>
  <failOnError default-value="true">${maven.compiler.failOnError}</failOnError>
  <forceJavacCompilerUse default-value="false">${maven.compiler.forceJavacCompilerUse}</forceJavacCompilerUse>
  <fork default-value="false">${maven.compiler.fork}</fork>
  <generatedTestSourcesDirectory default-value="${project.build.directory}/generated-test-sources/test-annotations"/>
  <maxmem>${maven.compiler.maxmem}</maxmem>
  <meminitial>${maven.compiler.meminitial}</meminitial>
  <mojoExecution default-value="${mojoExecution}"/>
  <optimize default-value="false">${maven.compiler.optimize}</optimize>
  <outputDirectory default-value="${project.build.testOutputDirectory}"/>
  <project default-value="${project}"/>
  <session default-value="${session}"/>
  <showDeprecation default-value="false">${maven.compiler.showDeprecation}</showDeprecation>
  <showWarnings default-value="false">${maven.compiler.showWarnings}</showWarnings>
  <skip>${maven.test.skip}</skip>
  <skipMultiThreadWarning default-value="false">${maven.compiler.skipMultiThreadWarning}</skipMultiThreadWarning>
  <source default-value="1.5">1.8</source>
  <staleMillis default-value="0">${lastModGranularityMs}</staleMillis>
  <target default-value="1.5">1.8</target>

```

```

<testSource>${maven.compiler.testSource}</testSource>
<testTarget>${maven.compiler.testTarget}</testTarget>
<useIncrementalCompilation default-value="true">${maven.compiler.useIncrementalCompilation}</useIncrementalCompilation>
<verbose default-value="false">${maven.compiler.verbose}</verbose>
</configuration>
[DEBUG] -----
[DEBUG] Goal:          org.apache.maven.plugins:maven-surefire-plugin:2.22.0:test (default-test)
[DEBUG] Style:         Regular
[DEBUG] Configuration:  <?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <additionalClasspathElements>
    <additionalClasspathElement>C:/Users/vhaisphowart/git/mccf_tas_vistalink/VistaLink/target/VistaLink-0.0.3-SNAPSHOT.jar</additionalClass
  <argLine>-Djava.security.auth.login.config=props/jaas.config</argLine>
  <basedir default-value="${basedir}" />
  <childDelegation default-value="false">${childDelegation}</childDelegation>
  <classesDirectory default-value="${project.build.outputDirectory}" />
  <classpathDependencyExcludes>${maven.test.dependency.excludes}</classpathDependencyExcludes>
  <debugForkedProcess>${maven.surefire.debug}</debugForkedProcess>
  <dependenciesToScan>${dependenciesToScan}</dependenciesToScan>
  <disableXmlReport default-value="false">${disableXmlReport}</disableXmlReport>
  <enableAssertions default-value="true">${enableAssertions}</enableAssertions>
  <encoding default-value="${project.reporting.outputEncoding}">${surefire.encoding}</encoding>
  <excludedGroups>${excludedGroups}</excludedGroups>
  <excludesFile>${surefire.excludesFile}</excludesFile>
  <failIfNoSpecifiedTests>${surefire.failIfNoSpecifiedTests}</failIfNoSpecifiedTests>
  <failIfNoTests>${failIfNoTests}</failIfNoTests>
  <forkCount default-value="1">${forkCount}</forkCount>
  <forkMode default-value="once">${forkMode}</forkMode>
  <forkedProcessExitTimeoutInSeconds default-value="30">${surefire.exitTimeout}</forkedProcessExitTimeoutInSeconds>
  <forkedProcessTimeoutInSeconds>${surefire.timeout}</forkedProcessTimeoutInSeconds>
  <groups>${groups}</groups>
  <includes>
    <include>DDCommand.java</include>
    <include>DeleteCommand.java</include>
    <include>EPAYRPTCommand.java</include>
    <include>FindCommand.java</include>
    <include>HEALTHCCommand.java</include>
    <include>READCommand.java</include>
    <include>TAS837Command.java</include>
    <include>TestCommand.java</include>
    <include>UpdateCommand.java</include>
  </includes>
  <includesFile>${surefire.includesFile}</includesFile>
  <junitArtifactName default-value="junit:junit">${junitArtifactName}</junitArtifactName>
  <junitPlatformArtifactName default-value="org.junit.platform:junit-platform-engine">${junitPlatformArtifactName}</junitPlatformArtifactName>
  <jvm>${jvm}</jvm>
  <localRepository default-value="${localRepository}" />
  <objectFactory>${objectFactory}</objectFactory>
  <parallel>${parallel}</parallel>
  <parallelMavenExecution default-value="${session.parallel}" />
  <parallelOptimized default-value="true">${parallelOptimized}</parallelOptimized>
  <parallelTestsTimeoutForcedInSeconds>${surefire.parallel.forcedTimeout}</parallelTestsTimeoutForcedInSeconds>
  <parallelTestsTimeoutInSeconds>${surefire.parallel.timeout}</parallelTestsTimeoutInSeconds>
  <perCoreThreadCount default-value="true">${perCoreThreadCount}</perCoreThreadCount>
  <pluginArtifactMap>${plugin.artifactMap}</pluginArtifactMap>
  <pluginDescriptor default-value="${plugin}" />
  <printSummary default-value="true">${surefire.printSummary}</printSummary>
  <projectArtifactMap>${project.artifactMap}</projectArtifactMap>
  <projectBuildDirectory default-value="${project.build.directory}" />
  <redirectTestOutputToFile default-value="false">${maven.test.redirectTestOutputToFile}</redirectTestOutputToFile>
  <remoteRepositories default-value="${project.pluginArtifactRepositories}" />
  <reportFormat default-value="brief">${surefire.reportFormat}</reportFormat>
  <reportNameSuffix default-value="">${surefire.reportNameSuffix}</reportNameSuffix>
  <reportsDirectory default-value="${project.build.directory}/surefire-reports" />
  <rerunFailingTestsCount default-value="0">${surefire.rerunFailingTestsCount}</rerunFailingTestsCount>
  <reuseForks default-value="true">${reuseForks}</reuseForks>
  <runOrder default-value="filesystem">${surefire.runOrder}</runOrder>
  <shutdown default-value="testset">${surefire.shutdown}</shutdown>
  <skip default-value="false">${maven.test.skip}</skip>
  <skipAfterFailureCount default-value="0">${surefire.skipAfterFailureCount}</skipAfterFailureCount>
  <skipExec>${maven.test.skip.exec}</skipExec>
  <skipTests default-value="false">${skipTests}</skipTests>
  <suiteXmlFiles>${surefire.suiteXmlFiles}</suiteXmlFiles>
  <tempDir default-value="surefire">${tempDir}</tempDir>
  <test>${test}</test>
  <testClassesDirectory default-value="${project.build.testOutputDirectory}" />
  <testFailureIgnore default-value="false">${maven.test.failure.ignore}</testFailureIgnore>
  <testNGArtifactName default-value="org.testng:testng">${testNGArtifactName}</testNGArtifactName>
  <testSourceDirectory default-value="${project.build.testSourceDirectory}" />
  <threadCount>${threadCount}</threadCount>
  <threadCountClasses default-value="0">${threadCountClasses}</threadCountClasses>
  <threadCountMethods default-value="0">${threadCountMethods}</threadCountMethods>
  <threadCountSuites default-value="0">${threadCountSuites}</threadCountSuites>
  <trimStackTrace default-value="true">${trimStackTrace}</trimStackTrace>
  <useFile default-value="true">${surefire.useFile}</useFile>
  <useManifestOnlyJar default-value="true">${surefire.useManifestOnlyJar}</useManifestOnlyJar>
  <useSystemClassLoader default-value="true">${surefire.useSystemClassLoader}</useSystemClassLoader>
  <useUnlimitedThreads default-value="false">${useUnlimitedThreads}</useUnlimitedThreads>
  <workingDirectory>${basedir}</workingDirectory>
  <project default-value="${project}" />
  <session default-value="${session}" />
</configuration>
[DEBUG] -----
[DEBUG] Goal:          org.apache.maven.plugins:maven-jar-plugin:2.3.2:jar (default-jar)
[DEBUG] Style:         Regular
[DEBUG] Configuration:  <?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <archive>
    <manifest>
      <addClasspath>true</addClasspath>

```

```

    <mainClass>gov.va.tas.ServerLauncher</mainClass>
  </manifest>
</archive>
<classesDirectory default-value="${project.build.outputDirectory}"/>
<defaultManifestFile default-value="${project.build.outputDirectory}/META-INF/MANIFEST.MF"/>
<finalName default-value="${project.build.finalName}">${jar.finalName}</finalName>
<forceCreation default-value="false">${jar.forceCreation}</forceCreation>
<outputDirectory default-value="${project.build.directory}"/>
<project default-value="${project}"/>
<useDefaultManifestFile default-value="false">${jar.useDefaultManifestFile}</useDefaultManifestFile>
</configuration>
[DEBUG] =====
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for sonatype-nexus-snapshots (https://oss.sonatype
[DEBUG] Skipped remote request for VistaLink:VistaLink:0.0.3-SNAPSHOT/maven-metadata.xml, locally installed metadata up-to-date.
[DEBUG] Skipped remote request for VistaLink:VistaLink:0.0.3-SNAPSHOT/maven-metadata.xml, locally installed metadata up-to-date.
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for apache.snapshots (http://svn.apache.org/maven
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for jvnet-nexus-snapshots (https://maven.java.net
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for jboss (http://repository.jboss.org/nexus/cont
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for jvnet-nexus-releases (https://maven.java.net/
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for spy (http://files.couchbase.com/maven2/).
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for maven2-repository.dev.java.net (http://downlo
[DEBUG] Dependency collection stats: (ConflictMarker.analyzeTime=1, ConflictMarker.markTime=0, ConflictMarker.nodeCount=98, ConflictIdSorte
[DEBUG] va.gov.tas.VAVistaLinkServer:jar:1.0.4
[DEBUG]   org.mockito:mockito-core:jar:2.8.9:test
[DEBUG]     net.bytebuddy:byte-buddy:jar:1.6.14:test
[DEBUG]     net.bytebuddy:byte-buddy-agent:jar:1.6.14:test
[DEBUG]     org.objenesis:objenesis:jar:2.5:test
[DEBUG]   org.powermock:powermock-module-junit4:jar:1.7.4:test
[DEBUG]   org.powermock:powermock-module-junit4-common:jar:1.7.4:test
[DEBUG]   org.powermock:powermock-reflect:jar:1.7.4:test
[DEBUG]   org.powermock:powermock-core:jar:1.7.4:test
[DEBUG]   org.javassist:javassist:jar:3.21.0-GA:test
[DEBUG]   junit:junit:jar:4.12:test
[DEBUG]   org.hamcrest:hamcrest-core:jar:1.3:test
[DEBUG]   org.powermock:powermock-api-mockito2:jar:1.7.4:test
[DEBUG]   org.powermock:powermock-api-mockito-common:jar:1.7.4:test
[DEBUG]   org.powermock:powermock-api-support:jar:1.7.4:test
[DEBUG]   io.netty:netty-all:jar:5.0.0.Alpha2:compile
[DEBUG]   org.json:json:jar:20180130:compile
[DEBUG]   com.fasterxml.jackson.core:jackson-annotations:jar:2.9.0:compile
[DEBUG]   com.fasterxml.jackson.core:jackson-databind:jar:2.9.5:compile
[DEBUG]   com.fasterxml.jackson.core:jackson-core:jar:2.9.5:compile
[DEBUG]   VistaLink:VistaLink:jar:0.0.3-SNAPSHOT:compile
[DEBUG]     javax.resource:javax.resource-api:jar:1.7:compile
[DEBUG]     javax.transaction:javax.transaction-api:jar:1.2:compile
[DEBUG]   org.jboss.resteasy:resteasy-jaxrs:jar:4.0.0.Beta4:compile
[DEBUG]   org.jboss.spec.javax.ws.rs:jboss-jaxrs-api_2.1_spec:jar:1.0.0.Final:compile
[DEBUG]   org.jboss.spec.javax.xml.bind:jboss-jaxb-api_2.3_spec:jar:1.0.0.Final:compile
[DEBUG]   org.jboss.resteasy:resteasy-jaxrs-services:jar:4.0.0.Beta4:compile
[DEBUG]   org.reactivestreams:reactive-streams:jar:1.0.2:compile
[DEBUG]   javax.validation:validation-api:jar:1.1.0.Final:compile
[DEBUG]   org.jboss.spec.javax.annotation:jboss-annotations-api_1.2_spec:jar:1.0.0.Final:compile
[DEBUG]   javax.activation:activation:jar:1.1.1:compile
[DEBUG]   commons-io:commons-io:jar:2.5:compile
[DEBUG]   net.jpicip:jcip-annotations:jar:1.0:compile
[DEBUG]   javax.json.bind:javax.json.bind-api:jar:1.0:compile
[DEBUG]   org.jboss.logging:jboss-logging:jar:3.3.1.Final:compile
[DEBUG]   org.junit.jupiter:junit-jupiter-api:jar:5.2.0:test
[DEBUG]   org.apiguardian:apiguardian-api:jar:1.0.0:test
[DEBUG]   org.opentest4j:opentest4j:jar:1.1.0:test
[DEBUG]   org.junit.platform:junit-platform-commons:jar:1.2.0:test
[DEBUG]   org.junit.jupiter:junit-jupiter-engine:jar:5.2.0:test
[DEBUG]   org.junit.platform:junit-platform-engine:jar:1.2.0:test
[DEBUG]   org.junit.vintage:junit-vintage-engine:jar:5.2.0:test
[DEBUG]   org.junit.platform:junit-platform-launcher:jar:1.2.0:test
[DEBUG]   org.junit.platform:junit-platform-runner:jar:1.2.0:test
[DEBUG]   org.junit.platform:junit-platform-suite-api:jar:1.2.0:test
[DEBUG]   commons-pool:commons-pool:jar:1.6:compile
[DEBUG]   org.apache.httpcomponents:httpclient:jar:4.3.5:compile
[DEBUG]   org.apache.httpcomponents:httpcore:jar:4.3.2:compile
[DEBUG]   commons-logging:commons-logging:jar:1.1.3:compile
[DEBUG]   commons-codec:commons-codec:jar:1.6:compile
[DEBUG]   org.apache.geronimo.specs:geronimo-j2ee-connector_1.5_spec:jar:1.0.1:compile
[DEBUG]   org.apache.geronimo.specs:geronimo-jta_1.0.1B_spec:jar:1.0.1:compile
[DEBUG]   gov.va.med.xmltypes:jar:1.6.1:compile
[DEBUG]   gov.va.med.xbean:jar:1.6.0:compile
[DEBUG]   com.github.h-thurow:simple-jndi:jar:0.17.2:compile
[DEBUG]   org.slf4j:slf4j-api:jar:1.7.21:compile
[DEBUG]   org.jetbrains:annotations:jar:13.0:compile
[DEBUG]   commons-lang:commons-lang:jar:2.6:compile
[DEBUG]   log4j:log4j:jar:1.2.17:compile
[DEBUG]   com.squareup.okhttp:okhttp:jar:2.7.5:compile
[DEBUG]   com.squareup.okio:okio:jar:1.6.0:compile
[DEBUG]   javassist:javassist:jar:3.12.1.GA:compile
[INFO]
[INFO] --- maven-clean-plugin:2.5:clean (default-clean) @ VAVistaLinkServer ---
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for apache.snapshots (http://people.apache.org/re
[DEBUG] Dependency collection stats: (ConflictMarker.analyzeTime=0, ConflictMarker.markTime=0, ConflictMarker.nodeCount=3, ConflictIdSorter
[DEBUG] org.apache.maven.plugins:maven-clean-plugin:jar:2.5:
[DEBUG]   org.apache.maven:maven-plugin-api:jar:2.0.6:compile
[DEBUG]   org.codehaus.plexus:plexus-utils:jar:3.0:compile
[DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-clean-plugin:2.5
[DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-clean-plugin:2.5
[DEBUG]   Imported: < maven.api
[DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-clean-plugin:2.5
[DEBUG]   Included: org.apache.maven.plugins:maven-clean-plugin:jar:2.5
[DEBUG]   Included: org.codehaus.plexus:plexus-utils:jar:3.0
[DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-clean-plugin:2.5:clean' from plugin realm ClassRealm[plugin>org.apache.maven.plugins
[DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-clean-plugin:2.5:clean' with basic configurator -->
[DEBUG]   (f) directory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_VistaLink/VAVistaLinkServer/target

```





```

[INFO] --- maven-resources-plugin:3.0.2:resources (default-resources) @ VAVistaLinkServer ---
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for codehaus.snapshots (http://snapshots.reposito
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for plexus.snapshots (https://oss.sonatype.org/co
[DEBUG] Dependency collection stats: (ConflictMarker.analyzeTime=0, ConflictMarker.markTime=0, ConflictMarker.nodeCount=68, ConflictIdSorte
[DEBUG] org.apache.maven.plugins:maven-resources-plugin:jar:3.0.2:
[DEBUG]   org.apache.maven:maven-plugin-api:jar:3.0:compile
[DEBUG]   org.apache.maven:maven-artifact:jar:3.0:compile
[DEBUG]   org.sonatype.sisu:sisu-inject-plexus:jar:1.4.2:compile
[DEBUG]   org.sonatype.sisu:sisu-inject-bean:jar:1.4.2:compile
[DEBUG]   org.sonatype.sisu:sisu-guice:jar:2.1.7:compile
[DEBUG]   org.apache.maven:maven-core:jar:3.0:compile
[DEBUG]   org.apache.maven:maven-settings:jar:3.0:compile
[DEBUG]   org.apache.maven:maven-settings-builder:jar:3.0:compile
[DEBUG]   org.apache.maven:maven-repository-metadata:jar:3.0:compile
[DEBUG]   org.apache.maven:maven-model-builder:jar:3.0:compile
[DEBUG]   org.apache.maven:maven-aether-provider:jar:3.0:runtime
[DEBUG]   org.sonatype.aether:aether-impl:jar:1.7:compile
[DEBUG]   org.sonatype.aether:aether-spi:jar:1.7:compile
[DEBUG]   org.sonatype.aether:aether-api:jar:1.7:compile
[DEBUG]   org.sonatype.aether:aether-util:jar:1.7:compile
[DEBUG]   org.codehaus.plexus:plexus-classworlds:jar:2.2.3:compile
[DEBUG]   org.codehaus.plexus:plexus-component-annotations:jar:1.6:compile
[DEBUG]   org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3:compile
[DEBUG]   org.sonatype.plexus:plexus-cipher:jar:1.4:compile
[DEBUG]   org.apache.maven:maven-model:jar:3.0:compile
[DEBUG]   org.codehaus.plexus:plexus-utils:jar:3.0.24:compile
[DEBUG]   org.apache.maven.shared:maven-filtering:jar:3.1.1:compile
[DEBUG]   org.apache.maven.shared:maven-shared-utils:jar:3.0.0:compile
[DEBUG]   com.google.code.findbugs:jsr305:jar:2.0.1:compile
[DEBUG]   org.sonatype.plexus:plexus-build-api:jar:0.0.7:compile
[DEBUG]   commons-io:commons-io:jar:2.5:compile
[DEBUG]   org.codehaus.plexus:plexus-interpolation:jar:1.24:compile
[DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-resources-plugin:3.0.2
[DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-resources-plugin:3.0.2
[DEBUG] Imported: < maven.api
[DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-resources-plugin:3.0.2
[DEBUG]   Included: org.apache.maven.plugins:maven-resources-plugin:jar:3.0.2
[DEBUG]   Included: org.sonatype.sisu:sisu-inject-bean:jar:1.4.2
[DEBUG]   Included: org.sonatype.sisu:sisu-guice:jar:2.1.7
[DEBUG]   Included: org.sonatype.aether:aether-util:jar:1.7
[DEBUG]   Included: org.codehaus.plexus:plexus-component-annotations:jar:1.6
[DEBUG]   Included: org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3
[DEBUG]   Included: org.sonatype.plexus:plexus-cipher:jar:1.4
[DEBUG]   Included: org.codehaus.plexus:plexus-utils:jar:3.0.24
[DEBUG]   Included: org.apache.maven.shared:maven-filtering:jar:3.1.1
[DEBUG]   Included: org.apache.maven.shared:maven-shared-utils:jar:3.0.0
[DEBUG]   Included: com.google.code.findbugs:jsr305:jar:2.0.1
[DEBUG]   Included: org.sonatype.plexus:plexus-build-api:jar:0.0.7
[DEBUG]   Included: commons-io:commons-io:jar:2.5
[DEBUG]   Included: org.codehaus.plexus:plexus-interpolation:jar:1.24
[DEBUG] Configuring mojo org.apache.maven.plugins:maven-resources-plugin:3.0.2:resources from plugin realm ClassRealm[plugin>org.apache.mav
[DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-resources-plugin:3.0.2:resources' with basic configurator -->
[DEBUG]   (f) addDefaultExcludes = true
[DEBUG]   (f) buildFilters = []
[DEBUG]   (f) encoding = UTF-8
[DEBUG]   (f) escapeWindowsPaths = true
[DEBUG]   (f) fileNameFiltering = false
[DEBUG]   (s) includeEmptyDirs = false
[DEBUG]   (s) outputDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/tar
[DEBUG]   (s) overwrite = false
[DEBUG]   (f) project = MavenProject: va.gov.tas:VAVistaLinkServer:1.0.4 @ /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/M
[DEBUG]   (s) resources = [Resource {targetPath: null, filtering: false, FileSet {directory: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas
[DEBUG]   (f) session = org.apache.maven.execution.MavenSession@407cf41
[DEBUG]   (f) skip = false
[DEBUG]   (f) supportMultiLineFiltering = false
[DEBUG]   (f) useBuildFilters = true
[DEBUG]   (s) useDefaultDelimiters = true
[DEBUG] -- end configuration --
[DEBUG] properties used (env.OLDPWD=/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer
, project.baseUri=file:/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/, env.com_ib
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[DEBUG] resource with targetPath null
directory /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/resources
excludes []
includes []
[DEBUG] ignoreDelta true
[INFO] Copying 3 resources
[DEBUG] Copying file paramLists.properties
[DEBUG] file paramLists.properties has a filtered file extension
[DEBUG] copy /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/resources/paramLists.p
[DEBUG] Copying file rpcParamMaps.properties
[DEBUG] file rpcParamMaps.properties has a filtered file extension
[DEBUG] copy /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/resources/rpcParamMaps
[DEBUG] Copying file resourceToRpcMap.properties
[DEBUG] file resourceToRpcMap.properties has a filtered file extension
[DEBUG] copy /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/resources/resourceToRp
[DEBUG] resource with targetPath null
directory /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/resources/config
excludes []
includes []
[INFO] skip non existing resourceDirectory /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLin
[DEBUG] no use filter components
[INFO]
[INFO] --- maven-compiler-plugin:3.5.1:compile (default-compile) @ VAVistaLinkServer ---
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for snapshots (http://snapshots.maven.codehaus.or
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for central (http://repo1.maven.org/maven2).
[DEBUG] Dependency collection stats: (ConflictMarker.analyzeTime=7, ConflictMarker.markTime=0, ConflictMarker.nodeCount=188, ConflictIdSort
[DEBUG] org.apache.maven.plugins:maven-compiler-plugin:jar:3.5.1:
[DEBUG]   org.apache.maven:maven-plugin-api:jar:3.0:compile
[DEBUG]   org.apache.maven:maven-model:jar:3.0:compile

```

```

[DEBUG]      org.sonatype.sisu:sisu-inject-plexus:jar:1.4.2:compile
[DEBUG]      org.sonatype.sisu:sisu-inject-bean:jar:1.4.2:compile
[DEBUG]      org.sonatype.sisu:sisu-guice:jar:3.0:compile
[DEBUG]      org.apache.maven:maven-artifact:jar:3.0:compile
[DEBUG]      org.codehaus.plexus:plexus-utils:jar:2.0.4:compile
[DEBUG]      org.apache.maven:maven-core:jar:3.0:compile
[DEBUG]      org.apache.maven:maven-settings:jar:3.0:compile
[DEBUG]      org.apache.maven:maven-settings-builder:jar:3.0:compile
[DEBUG]      org.apache.maven:maven-repository-metadata:jar:3.0:compile
[DEBUG]      org.apache.maven:maven-model-builder:jar:3.0:compile
[DEBUG]      org.apache.maven:maven-aether-provider:jar:3.0:runtime
[DEBUG]      org.sonatype.aether:aether-impl:jar:1.7:compile
[DEBUG]      org.sonatype.aether:aether-spi:jar:1.7:compile
[DEBUG]      org.sonatype.aether:aether-api:jar:1.7:compile
[DEBUG]      org.sonatype.aether:aether-util:jar:1.7:compile
[DEBUG]      org.codehaus.plexus:plexus-interpolation:jar:1.14:compile
[DEBUG]      org.codehaus.plexus:plexus-classworlds:jar:2.2.3:compile
[DEBUG]      org.codehaus.plexus:plexus-component-annotations:jar:1.5.5:compile
[DEBUG]      org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3:compile
[DEBUG]      org.sonatype.plexus:plexus-cipher:jar:1.4:compile
[DEBUG]      org.apache.maven:maven-toolchain:jar:2.2.1:compile
[DEBUG]      org.apache.maven.shared:maven-shared-utils:jar:3.0.0:compile
[DEBUG]      commons-io:commons-io:jar:2.4:compile
[DEBUG]      com.google.code.findbugs:jsr305:jar:2.0.1:compile
[DEBUG]      org.apache.maven.shared:maven-shared-incremental:jar:1.1:compile
[DEBUG]      org.codehaus.plexus:plexus-compiler-api:jar:2.7:compile
[DEBUG]      org.codehaus.plexus:plexus-compiler-manager:jar:2.7:compile
[DEBUG]      org.codehaus.plexus:plexus-compiler-javac:jar:2.7:runtime
[DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-compiler-plugin:3.5.1
[DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-compiler-plugin:3.5.1
[DEBUG] Imported: < maven.api
[DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-compiler-plugin:3.5.1
[DEBUG] Included: org.apache.maven.plugins:maven-compiler-plugin:jar:3.5.1
[DEBUG] Included: org.sonatype.sisu:sisu-inject-bean:jar:1.4.2
[DEBUG] Included: org.sonatype.sisu:sisu-guice:jar:3.0:compile
[DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:2.0.4
[DEBUG] Included: org.sonatype.aether:aether-util:jar:1.7
[DEBUG] Included: org.codehaus.plexus:plexus-interpolation:jar:1.14
[DEBUG] Included: org.codehaus.plexus:plexus-component-annotations:jar:1.5.5
[DEBUG] Included: org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3
[DEBUG] Included: org.sonatype.plexus:plexus-cipher:jar:1.4
[DEBUG] Included: org.apache.maven.shared:maven-shared-utils:jar:3.0.0
[DEBUG] Included: commons-io:commons-io:jar:2.4
[DEBUG] Included: com.google.code.findbugs:jsr305:jar:2.0.1
[DEBUG] Included: org.apache.maven.shared:maven-shared-incremental:jar:1.1
[DEBUG] Included: org.codehaus.plexus:plexus-compiler-api:jar:2.7
[DEBUG] Included: org.codehaus.plexus:plexus-compiler-manager:jar:2.7
[DEBUG] Included: org.codehaus.plexus:plexus-compiler-javac:jar:2.7
[DEBUG] Configuring mojo org.apache.maven.plugins:maven-compiler-plugin:3.5.1:compile from plugin realm ClassRealm[plugin>org.apache.maven.
[DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-compiler-plugin:3.5.1:compile' with basic configurator -->
[DEBUG] (f) basedir = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer
[DEBUG] (f) buildDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/targ
[DEBUG] (f) classpathElements = [/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/
[DEBUG] (f) compileSourceRoots = [/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer
[DEBUG] (f) compilerId = javac
[DEBUG] (f) debug = true
[DEBUG] (f) encoding = UTF-8
[DEBUG] (f) failOnError = true
[DEBUG] (f) forceJavacCompilerUse = false
[DEBUG] (f) fork = false
[DEBUG] (f) generatedSourcesDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLink
[DEBUG] (f) mojoExecution = org.apache.maven.plugins:maven-compiler-plugin:3.5.1:compile {execution: default-compile}
[DEBUG] (f) optimize = false
[DEBUG] (f) outputDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/tar
[DEBUG] (f) project = MavenProject: va.gov.tas:VAVistaLinkServer:1.0.4 @ /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/M
[DEBUG] (f) projectArtifact = va.gov.tas:VAVistaLinkServer:jar:1.0.4
[DEBUG] (f) session = org.apache.maven.execution.MavenSession@407cf41
[DEBUG] (f) showDeprecation = false
[DEBUG] (f) showWarnings = false
[DEBUG] (f) skipMultiThreadWarning = false
[DEBUG] (f) source = 1.8
[DEBUG] (f) staleMillis = 0
[DEBUG] (f) target = 1.8
[DEBUG] (f) useIncrementalCompilation = true
[DEBUG] (f) verbose = false
[DEBUG] -- end configuration --
[DEBUG] Using compiler 'javac'.
[DEBUG] Source directories: [/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/ma
[DEBUG] Classpath: [/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/target/classes
/home/jenkins/.m2/repository/io/netty/netty-all/5.0.0.Alpha2/netty-all-5.0.0.Alpha2.jar
/home/jenkins/.m2/repository/org/json/json/20180130/json-20180130.jar
/home/jenkins/.m2/repository/com/fasterxml/jackson/core/jackson-annotations/2.9.0/jackson-annotations-2.9.0.jar
/home/jenkins/.m2/repository/com/fasterxml/jackson/core/jackson-databind/2.9.5/jackson-databind-2.9.5.jar
/home/jenkins/.m2/repository/com/fasterxml/jackson/core/jackson-core/2.9.5/jackson-core-2.9.5.jar
/home/jenkins/.m2/repository/VistaLink/VistaLink/0.0.3-SNAPSHOT/VistaLink-0.0.3-SNAPSHOT.jar
/home/jenkins/.m2/repository/javafx/resource/javafx.resource-api/1.7/javafx.resource-api-1.7.jar
/home/jenkins/.m2/repository/javafx/transaction/javafx.transaction-api/1.2/javafx.transaction-api-1.2.jar
/home/jenkins/.m2/repository/org/jboss/resteasy/resteasy-jaxrs/4.0.0.Beta4/resteasy-jaxrs-4.0.0.Beta4.jar
/home/jenkins/.m2/repository/org/jboss/spec/javax/ws/rs/jboss-jaxrs-api_2.1_spec/1.0.0.Final/jboss-jaxrs-api_2.1_spec-1.0.0.Final.jar
/home/jenkins/.m2/repository/org/jboss/spec/javax/xml/bind/jboss-jaxb-api_2.3_spec/1.0.0.Final/jboss-jaxb-api_2.3_spec-1.0.0.Final.jar
/home/jenkins/.m2/repository/org/jboss/resteasy/resteasy-jaxrs-services/4.0.0.Beta4/resteasy-jaxrs-services-4.0.0.Beta4.jar
/home/jenkins/.m2/repository/org/reactivestreams/reactive-streams/1.0.2/reactive-streams-1.0.2.jar
/home/jenkins/.m2/repository/javafx/validation/validation-api/1.1.0.Final/validation-api-1.1.0.Final.jar
/home/jenkins/.m2/repository/org/jboss/spec/javax/annotation/jboss-annotations-api_1.2_spec/1.0.0.Final/jboss-annotations-api_1.2_spec-1.0
/home/jenkins/.m2/repository/javafx/activation/activation/1.1.1/activation-1.1.1.jar
/home/jenkins/.m2/repository/commons-io/commons-io/2.5/commons-io-2.5.jar
/home/jenkins/.m2/repository/net/jcip/jcip-annotations/1.0/jcip-annotations-1.0.jar
/home/jenkins/.m2/repository/javafx/json/bind/javafx.json.bind-api/1.0/javafx.json.bind-api-1.0.jar
/home/jenkins/.m2/repository/org/jboss/logging/jboss-logging/3.3.1.Final/jboss-logging-3.3.1.Final.jar
/home/jenkins/.m2/repository/commons-pool/commons-pool/1.6/commons-pool-1.6.jar

```

```

/home/jenkins/.m2/repository/org/apache/httpcomponents/httpclient/4.3.5/httpclient-4.3.5.jar
/home/jenkins/.m2/repository/org/apache/httpcomponents/httpcore/4.3.2/httpcore-4.3.2.jar
/home/jenkins/.m2/repository/commons-logging/commons-logging/1.1.3/commons-logging-1.1.3.jar
/home/jenkins/.m2/repository/commons-codec/commons-codec/1.6/commons-codec-1.6.jar
/home/jenkins/.m2/repository/org/apache/geronimo/specs/geronimo-j2ee-connector_1.5_spec/1.0.1/geronimo-j2ee-connector_1.5_spec-1.0.1.jar
/home/jenkins/.m2/repository/org/apache/geronimo/specs/geronimo-jta_1.0.1B_spec/1.0.1/geronimo-jta_1.0.1B_spec-1.0.1.jar
/home/jenkins/.m2/repository/gov/va/med/xmltypes/1.6.1/xmltypes-1.6.1.jar
/home/jenkins/.m2/repository/gov/va/med/xbean/1.6.0/xbean-1.6.0.jar
/home/jenkins/.m2/repository/com/github/h-thurwo/simple-jndi/0.17.2/simple-jndi-0.17.2.jar
/home/jenkins/.m2/repository/org/slf4j/slf4j-api/1.7.21/slf4j-api-1.7.21.jar
/home/jenkins/.m2/repository/org/jetbrains/annotations/13.0/annotations-13.0.jar
/home/jenkins/.m2/repository/commons-lang/commons-lang/2.6/commons-lang-2.6.jar
/home/jenkins/.m2/repository/log4j/log4j/1.2.17/log4j-1.2.17.jar
/home/jenkins/.m2/repository/com/squareup/okhttp/okhttp/2.7.5/okhttp-2.7.5.jar
/home/jenkins/.m2/repository/com/squareup/okio/okio/1.6.0/okio-1.6.0.jar
/home/jenkins/.m2/repository/javassist/javassist/3.12.1.GA/javassist-3.12.1.GA.jar]
[DEBUG] Output directory: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/target/cl
[DEBUG] Adding /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/target/generated-sou
/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/main/java
[DEBUG] New compile source roots:
/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/main/java
/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/target/generated-sources/annotati
[DEBUG] CompilerReuseStrategy: reuseCreated
[DEBUG] useIncrementalCompilation enabled
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[INFO] Changes detected - recompiling the module!
[DEBUG] Classpath:
[DEBUG] /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/target/classes
[DEBUG] /home/jenkins/.m2/repository/io/netty/netty-all/5.0.0.Alpha2/netty-all-5.0.0.Alpha2.jar
[DEBUG] /home/jenkins/.m2/repository/org/json/json/20180130/json-20180130.jar
[DEBUG] /home/jenkins/.m2/repository/com/fasterxml/jackson/core/jackson-annotations/2.9.0/jackson-annotations-2.9.0.jar
[DEBUG] /home/jenkins/.m2/repository/com/fasterxml/jackson/core/jackson-databind/2.9.5/jackson-databind-2.9.5.jar
[DEBUG] /home/jenkins/.m2/repository/com/fasterxml/jackson/core/jackson-core/2.9.5/jackson-core-2.9.5.jar
[DEBUG] /home/jenkins/.m2/repository/VistaLink/VistaLink/0.0.3-SNAPSHOT/VistaLink-0.0.3-SNAPSHOT.jar
[DEBUG] /home/jenkins/.m2/repository/javax/resource/javax.resource-api/1.7/javax.resource-api-1.7.jar
[DEBUG] /home/jenkins/.m2/repository/javax/transaction/javax.transaction-api/1.2/javax.transaction-api-1.2.jar
[DEBUG] /home/jenkins/.m2/repository/org/jboss/resteasy/resteasy-jaxrs/4.0.0.Beta4/resteasy-jaxrs-4.0.0.Beta4.jar
[DEBUG] /home/jenkins/.m2/repository/org/jboss/spec/javax/ws/rs/jboss-jaxrs-api_2.1_spec/1.0.0.Final/jboss-jaxrs-api_2.1_spec-1.0.0.Final
[DEBUG] /home/jenkins/.m2/repository/org/jboss/spec/javax/xml/bind/jboss-jaxb-api_2.3_spec/1.0.0.Final/jboss-jaxb-api_2.3_spec-1.0.0.Final
[DEBUG] /home/jenkins/.m2/repository/org/jboss/resteasy/resteasy-jaxrs-services/4.0.0.Beta4/resteasy-jaxrs-services-4.0.0.Beta4.jar
[DEBUG] /home/jenkins/.m2/repository/org/reactivestreams/reactive-streams/1.0.2/reactive-streams-1.0.2.jar
[DEBUG] /home/jenkins/.m2/repository/javax/validation/validation-api/1.1.0.Final/validation-api-1.1.0.Final.jar
[DEBUG] /home/jenkins/.m2/repository/org/jboss/spec/javax/annotation/jboss-annotations-api_1.2_spec/1.0.0.Final/jboss-annotations-api_1.2_
[DEBUG] /home/jenkins/.m2/repository/javax/activation/activation/1.1.1/activation-1.1.1.jar
[DEBUG] /home/jenkins/.m2/repository/commons-io/commons-io/2.5/commons-io-2.5.jar
[DEBUG] /home/jenkins/.m2/repository/net/jcip/jcip-annotations/1.0/jcip-annotations-1.0.jar
[DEBUG] /home/jenkins/.m2/repository/javax/json/bind/javax.json.bind-api/1.0/javax.json.bind-api-1.0.jar
[DEBUG] /home/jenkins/.m2/repository/org/jboss/logging/jboss-logging/3.3.1.Final/jboss-logging-3.3.1.Final.jar
[DEBUG] /home/jenkins/.m2/repository/commons-pool/commons-pool/1.6/commons-pool-1.6.jar
[DEBUG] /home/jenkins/.m2/repository/org/apache/httpcomponents/httpclient/4.3.5/httpclient-4.3.5.jar
[DEBUG] /home/jenkins/.m2/repository/org/apache/httpcomponents/httpcore/4.3.2/httpcore-4.3.2.jar
[DEBUG] /home/jenkins/.m2/repository/commons-logging/commons-logging/1.1.3/commons-logging-1.1.3.jar
[DEBUG] /home/jenkins/.m2/repository/commons-codec/commons-codec/1.6/commons-codec-1.6.jar
[DEBUG] /home/jenkins/.m2/repository/org/apache/geronimo/specs/geronimo-j2ee-connector_1.5_spec/1.0.1/geronimo-j2ee-connector_1.5_spec-1.0
[DEBUG] /home/jenkins/.m2/repository/org/apache/geronimo/specs/geronimo-jta_1.0.1B_spec/1.0.1/geronimo-jta_1.0.1B_spec-1.0.1.jar
[DEBUG] /home/jenkins/.m2/repository/gov/va/med/xmltypes/1.6.1/xmltypes-1.6.1.jar
[DEBUG] /home/jenkins/.m2/repository/gov/va/med/xbean/1.6.0/xbean-1.6.0.jar
[DEBUG] /home/jenkins/.m2/repository/com/github/h-thurwo/simple-jndi/0.17.2/simple-jndi-0.17.2.jar
[DEBUG] /home/jenkins/.m2/repository/org/slf4j/slf4j-api/1.7.21/slf4j-api-1.7.21.jar
[DEBUG] /home/jenkins/.m2/repository/org/jetbrains/annotations/13.0/annotations-13.0.jar
[DEBUG] /home/jenkins/.m2/repository/commons-lang/commons-lang/2.6/commons-lang-2.6.jar
[DEBUG] /home/jenkins/.m2/repository/log4j/log4j/1.2.17/log4j-1.2.17.jar
[DEBUG] /home/jenkins/.m2/repository/com/squareup/okhttp/okhttp/2.7.5/okhttp-2.7.5.jar
[DEBUG] /home/jenkins/.m2/repository/com/squareup/okio/okio/1.6.0/okio-1.6.0.jar
[DEBUG] /home/jenkins/.m2/repository/javassist/javassist/3.12.1.GA/javassist-3.12.1.GA.jar
[DEBUG] Source roots:
[DEBUG] /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/main/java
[DEBUG] /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/target/generated-sources/a
[DEBUG] Command line options:
[DEBUG] -d /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/target/classes -classpath
[DEBUG] incrementalBuildHelper#beforeRebuildExecution
[INFO] Compiling 22 source files to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer
[DEBUG] incrementalBuildHelper#afterRebuildExecution
[INFO] /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/main/java/gov/va/tas/res
[INFO] /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/main/java/gov/va/tas/res
[INFO]
[INFO] --- maven-resources-plugin:3.0.2:testResources (default-testResources) @ VAVistaLinkServer ---
[DEBUG] Configuring mojo org.apache.maven.plugins:maven-resources-plugin:3.0.2:testResources from plugin realm ClassRealm[plugin>org.apache
[DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-resources-plugin:3.0.2:testResources' with basic configurator -->

```

```

[DEBUG] (f) addDefaultExcludes = true
[DEBUG] (f) buildFilters = []
[DEBUG] (f) encoding = UTF-8
[DEBUG] (f) escapeWindowsPaths = true
[DEBUG] (f) fileNameFiltering = false
[DEBUG] (s) includeEmptyDirs = false
[DEBUG] (s) outputDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/tar
[DEBUG] (s) overwrite = false
[DEBUG] (f) project = MavenProject: va.gov.tas:VAVistaLinkServer:1.0.4 @ /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/M
[DEBUG] (s) resources = [Resource {targetPath: null, filtering: false, FileSet {directory: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas
[DEBUG] (f) session = org.apache.maven.execution.MavenSession@407cf41
[DEBUG] (f) skip = false
[DEBUG] (f) supportMultiLineFiltering = false
[DEBUG] (f) useBuildFilters = true
[DEBUG] (s) useDefaultDelimiters = true
[DEBUG] -- end configuration --
[DEBUG] properties used (env.OLDPWD=/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer
, project.baseUri=file:/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/, env.com_ib
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[DEBUG] resource with targetPath null
directory /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/test/resources
excludes []
includes []
[INFO] skip non existing resourceDirectory /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLin
[DEBUG] no use filter components
[INFO]
[INFO] --- maven-compiler-plugin:3.5.1:testCompile (default-testCompile) @ VAVistaLinkServer ---
[DEBUG] Configuring mojo org.apache.maven.plugins:maven-compiler-plugin:3.5.1:testCompile from plugin realm ClassRealm[plugin>org.apache.ma
[DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-compiler-plugin:3.5.1:testCompile' with basic configurator -->
[DEBUG] (f) basedir = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer
[DEBUG] (f) buildDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/targ
[DEBUG] (f) classpathElements = [/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/
[DEBUG] (f) compileSourceRoots = [/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer
[DEBUG] (f) compilerId = javac
[DEBUG] (f) debug = true
[DEBUG] (f) encoding = UTF-8
[DEBUG] (f) failOnError = true
[DEBUG] (f) forceJavacCompilerUse = false
[DEBUG] (f) fork = false
[DEBUG] (f) generatedTestSourcesDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVista
[DEBUG] (f) mojoExecution = org.apache.maven.plugins:maven-compiler-plugin:3.5.1:testCompile {execution: default-testCompile}
[DEBUG] (f) optimize = false
[DEBUG] (f) outputDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/tar
[DEBUG] (f) project = MavenProject: va.gov.tas:VAVistaLinkServer:1.0.4 @ /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/M
[DEBUG] (f) session = org.apache.maven.execution.MavenSession@407cf41
[DEBUG] (f) showDeprecation = false
[DEBUG] (f) showWarnings = false
[DEBUG] (f) skipMultiThreadWarning = false
[DEBUG] (f) source = 1.8
[DEBUG] (f) staleMillis = 0
[DEBUG] (f) target = 1.8
[DEBUG] (f) useIncrementalCompilation = true
[DEBUG] (f) verbose = false
[DEBUG] -- end configuration --
[DEBUG] Using compiler 'javac'.
[DEBUG] Source directories: [/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/te
[DEBUG] Classpath: [/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/target/test-cla
/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/target/classes
/home/jenkins/.m2/repository/org/mockito/mockito-core/2.8.9/mockito-core-2.8.9.jar
/home/jenkins/.m2/repository/net/bytebuddy/byte-buddy/1.6.14/byte-buddy-1.6.14.jar
/home/jenkins/.m2/repository/net/bytebuddy/byte-buddy-agent/1.6.14/byte-buddy-agent-1.6.14.jar
/home/jenkins/.m2/repository/org/objenesis/objenesis/2.5/objenesis-2.5.jar
/home/jenkins/.m2/repository/org/powermock/powermock-module-junit4/1.7.4/powermock-module-junit4-1.7.4.jar
/home/jenkins/.m2/repository/org/powermock/powermock-module-junit4-common/1.7.4/powermock-module-junit4-common-1.7.4.jar
/home/jenkins/.m2/repository/org/powermock/powermock-reflect/1.7.4/powermock-reflect-1.7.4.jar
/home/jenkins/.m2/repository/org/powermock/powermock-core/1.7.4/powermock-core-1.7.4.jar
/home/jenkins/.m2/repository/org/javassist/javassist/3.21.0-GA/javassist-3.21.0-GA.jar
/home/jenkins/.m2/repository/junit/junit/4.12/junit-4.12.jar
/home/jenkins/.m2/repository/org/hamcrest/hamcrest-core/1.3/hamcrest-core-1.3.jar
/home/jenkins/.m2/repository/org/powermock/powermock-api-mockito2/1.7.4/powermock-api-mockito2-1.7.4.jar
/home/jenkins/.m2/repository/org/powermock/powermock-api-mockito-common/1.7.4/powermock-api-mockito-common-1.7.4.jar
/home/jenkins/.m2/repository/org/powermock/powermock-api-support/1.7.4/powermock-api-support-1.7.4.jar
/home/jenkins/.m2/repository/io/netty/netty-all/5.0.0.Alpha2/netty-all-5.0.0.Alpha2.jar
/home/jenkins/.m2/repository/org/json/json/20180130/json-20180130.jar
/home/jenkins/.m2/repository/com/fasterxml/jackson/core/jackson-annotations/2.9.0/jackson-annotations-2.9.0.jar
/home/jenkins/.m2/repository/com/fasterxml/jackson/core/jackson-databind/2.9.5/jackson-databind-2.9.5.jar
/home/jenkins/.m2/repository/com/fasterxml/jackson/core/jackson-core/2.9.5/jackson-core-2.9.5.jar
/home/jenkins/.m2/repository/VistaLink/VistaLink/0.0.3-SNAPSHOT/VistaLink-0.0.3-SNAPSHOT.jar
/home/jenkins/.m2/repository/javax/resource/javax.resource-api/1.7/javax.resource-api-1.7.jar
/home/jenkins/.m2/repository/javax/transaction/javax.transaction-api/1.2/javax.transaction-api-1.2.jar
/home/jenkins/.m2/repository/org/jboss/resteasy/resteasy-jaxrs/4.0.0.Beta4/resteasy-jaxrs-4.0.0.Beta4.jar
/home/jenkins/.m2/repository/org/jboss/spec/javax/ws/rs/jboss-jaxrs-api_2.1_spec/1.0.0.Final/jboss-jaxrs-api_2.1_spec-1.0.0.Final.jar
/home/jenkins/.m2/repository/org/jboss/spec/javax/xml/bind/jboss-jaxb-api_2.3_spec/1.0.0.Final/jboss-jaxb-api_2.3_spec-1.0.0.Final.jar
/home/jenkins/.m2/repository/org/jboss/resteasy/resteasy-jaxrs-services/4.0.0.Beta4/resteasy-jaxrs-services-4.0.0.Beta4.jar
/home/jenkins/.m2/repository/org/reactivestreams/reactive-streams/1.0.2/reactive-streams-1.0.2.jar
/home/jenkins/.m2/repository/javax/validation/validation-api/1.1.0.Final/validation-api-1.1.0.Final.jar
/home/jenkins/.m2/repository/org/jboss/spec/javax/annotation/jboss-annotations-api_1.2_spec/1.0.0.Final/jboss-annotations-api_1.2_spec-1.0
/home/jenkins/.m2/repository/javax/activation/activation/1.1.1/activation-1.1.1.jar
/home/jenkins/.m2/repository/commons-io/commons-io/2.5/commons-io-2.5.jar
/home/jenkins/.m2/repository/net/jcip/jcip-annotations/1.0/jcip-annotations-1.0.jar
/home/jenkins/.m2/repository/javax/json/bind/javax.json.bind-api/1.0/javax.json.bind-api-1.0.jar
/home/jenkins/.m2/repository/org/jboss/logging/jboss-logging/3.3.1.Final/jboss-logging-3.3.1.Final.jar
/home/jenkins/.m2/repository/org/junit/jupiter/junit-jupiter-api/5.2.0/junit-jupiter-api-5.2.0.jar
/home/jenkins/.m2/repository/org/apiguardian/apiguardian-api/1.0.0/apiguardian-api-1.0.0.jar
/home/jenkins/.m2/repository/org/opentest4j/opentest4j/1.1.0/opentest4j-1.1.0.jar
/home/jenkins/.m2/repository/org/junit/platform/junit-platform-commons/1.2.0/junit-platform-commons-1.2.0.jar
/home/jenkins/.m2/repository/org/junit/jupiter/junit-jupiter-engine/5.2.0/junit-jupiter-engine-5.2.0.jar
/home/jenkins/.m2/repository/org/junit/platform/junit-platform-engine/1.2.0/junit-platform-engine-1.2.0.jar
/home/jenkins/.m2/repository/org/junit/vintage/junit-vintage-engine/5.2.0/junit-vintage-engine-5.2.0.jar
/home/jenkins/.m2/repository/org/junit/platform/junit-platform-launcher/1.2.0/junit-platform-launcher-1.2.0.jar

```

```

/home/jenkins/.m2/repository/org/junit/platform/junit-platform-runner/1.2.0/junit-platform-runner-1.2.0.jar
/home/jenkins/.m2/repository/org/junit/platform/junit-platform-suite-api/1.2.0/junit-platform-suite-api-1.2.0.jar
/home/jenkins/.m2/repository/commons-pool/commons-pool/1.6/commons-pool-1.6.jar
/home/jenkins/.m2/repository/org/apache/httpcomponents/httpclient/4.3.5/httpclient-4.3.5.jar
/home/jenkins/.m2/repository/org/apache/httpcomponents/httpcore/4.3.2/httpcore-4.3.2.jar
/home/jenkins/.m2/repository/commons-logging/commons-logging/1.1.3/commons-logging-1.1.3.jar
/home/jenkins/.m2/repository/commons-codec/commons-codec/1.6/commons-codec-1.6.jar
/home/jenkins/.m2/repository/org/apache/geronimo/specs/geronimo-j2ee-connector_1.5_spec/1.0.1/geronimo-j2ee-connector_1.5_spec-1.0.1.jar
/home/jenkins/.m2/repository/org/apache/geronimo/specs/geronimo-jta_1.0.1B_spec/1.0.1/geronimo-jta_1.0.1B_spec-1.0.1.jar
/home/jenkins/.m2/repository/gov/med/xmltypes/1.6.1/xmltypes-1.6.1.jar
/home/jenkins/.m2/repository/gov/med/xbean/1.6.0/xbean-1.6.0.jar
/home/jenkins/.m2/repository/com/github/h-thurow/simple-jndi/0.17.2/simple-jndi-0.17.2.jar
/home/jenkins/.m2/repository/org/slf4j/slf4j-api/1.7.21/slf4j-api-1.7.21.jar
/home/jenkins/.m2/repository/org/jetbrains/annotations/13.0/annotations-13.0.jar
/home/jenkins/.m2/repository/commons-lang/commons-lang/2.6/commons-lang-2.6.jar
/home/jenkins/.m2/repository/log4j/log4j/1.2.17/log4j-1.2.17.jar
/home/jenkins/.m2/repository/com/squareup/okhttp/okhttp/2.7.5/okhttp-2.7.5.jar
/home/jenkins/.m2/repository/com/squareup/okio/okio/1.6.0/okio-1.6.0.jar
/home/jenkins/.m2/repository/javassist/javassist/3.12.1.GA/javassist-3.12.1.GA.jar]
[DEBUG] Output directory: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/target/tes
[DEBUG] Adding /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/target/generated-test-sources/
/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/test/java
[DEBUG] New test-compile source roots:
/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/test/java
/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/target/generated-test-sources/tes
[DEBUG] CompilerReuseStrategy: reuseCreated
[DEBUG] useIncrementalCompilation enabled
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[DEBUG] Stale source detected: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/
[INFO] Changes detected - recompiling the module!
[DEBUG] Classpath:
/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/target/test-classes
/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/target/classes
/home/jenkins/.m2/repository/org/mockito/mockito-core/2.8.9/mockito-core-2.8.9.jar
/home/jenkins/.m2/repository/net/bytebuddy/byte-buddy/1.6.14/byte-buddy-1.6.14.jar
/home/jenkins/.m2/repository/net/bytebuddy/byte-buddy-agent/1.6.14/byte-buddy-agent-1.6.14.jar
/home/jenkins/.m2/repository/org/objenesis/objenesis/2.5/objenesis-2.5.jar
/home/jenkins/.m2/repository/org/powermock/powermock-module-junit4/1.7.4/powermock-module-junit4-1.7.4.jar
/home/jenkins/.m2/repository/org/powermock/powermock-module-junit4-common/1.7.4/powermock-module-junit4-common-1.7.4.jar
/home/jenkins/.m2/repository/org/powermock/powermock-reflect/1.7.4/powermock-reflect-1.7.4.jar
/home/jenkins/.m2/repository/org/powermock/powermock-core/1.7.4/powermock-core-1.7.4.jar
/home/jenkins/.m2/repository/org/javassist/javassist/3.21.0-GA/javassist-3.21.0-GA.jar
/home/jenkins/.m2/repository/junit/junit/4.12/junit-4.12.jar
/home/jenkins/.m2/repository/org/hamcrest/hamcrest-core/1.3/hamcrest-core-1.3.jar
/home/jenkins/.m2/repository/org/powermock/powermock-api-mockito2/1.7.4/powermock-api-mockito2-1.7.4.jar
/home/jenkins/.m2/repository/org/powermock/powermock-api-mockito-common/1.7.4/powermock-api-mockito-common-1.7.4.jar
/home/jenkins/.m2/repository/org/powermock/powermock-api-support/1.7.4/powermock-api-support-1.7.4.jar
/home/jenkins/.m2/repository/io/netty/netty-all/5.0.0.Alpha2/netty-all-5.0.0.Alpha2.jar
/home/jenkins/.m2/repository/org/json/json/20180130/json-20180130.jar
/home/jenkins/.m2/repository/com/fasterxml/jackson/core/jackson-annotations/2.9.0/jackson-annotations-2.9.0.jar
/home/jenkins/.m2/repository/com/fasterxml/jackson/core/jackson-databind/2.9.5/jackson-databind-2.9.5.jar
/home/jenkins/.m2/repository/com/fasterxml/jackson/core/jackson-core/2.9.5/jackson-core-2.9.5.jar
/home/jenkins/.m2/repository/VistaLink/VistaLink/0.0.3-SNAPSHOT/VistaLink-0.0.3-SNAPSHOT.jar
/home/jenkins/.m2/repository/javax/resource/javax.resource-api/1.7/javax.resource-api-1.7.jar
/home/jenkins/.m2/repository/javax/transaction/javax.transaction-api/1.2/javax.transaction-api-1.2.jar
/home/jenkins/.m2/repository/org/jboss/resteasy/resteasy-jaxrs/4.0.0.Beta4/resteasy-jaxrs-4.0.0.Beta4.jar
/home/jenkins/.m2/repository/org/jboss/spec/javax/ws/rs/jboss-jaxrs-api_2.1_spec/1.0.0.Final/jboss-jaxrs-api_2.1_spec-1.0.0.Final.jar
/home/jenkins/.m2/repository/org/jboss/spec/javax/xml/bind/jboss-jaxb-api_2.3_spec/1.0.0.Final/jboss-jaxb-api_2.3_spec-1.0.0.Final.jar
/home/jenkins/.m2/repository/org/jboss/resteasy/resteasy-jaxrs-services/4.0.0.Beta4/resteasy-jaxrs-services-4.0.0.Beta4.jar
/home/jenkins/.m2/repository/org/reactivestreams/reactive-streams/1.0.2/reactive-streams-1.0.2.jar
/home/jenkins/.m2/repository/javax/validation/validation-api/1.1.0.Final/validation-api-1.1.0.Final.jar
/home/jenkins/.m2/repository/org/jboss/spec/javax/annotation/jboss-annotations-api_1.2_spec/1.0.0.Final/jboss-annotations-api_1.2_spec-1.0.0.Final.jar
/home/jenkins/.m2/repository/javax/activation/activation/1.1.1/activation-1.1.1.jar
/home/jenkins/.m2/repository/commons-io/commons-io/2.5/commons-io-2.5.jar
/home/jenkins/.m2/repository/net/jcip/jcip-annotations/1.0/jcip-annotations-1.0.jar
/home/jenkins/.m2/repository/javax/json/bind/javax.json.bind-api/1.0/javax.json.bind-api-1.0.jar
/home/jenkins/.m2/repository/org/jboss/logging/jboss-logging/3.3.1.Final/jboss-logging-3.3.1.Final.jar
/home/jenkins/.m2/repository/org/junit/jupiter/junit-jupiter-api/5.2.0/junit-jupiter-api-5.2.0.jar
/home/jenkins/.m2/repository/org/apiguardian/apiguardian-api/1.0.0/apiguardian-api-1.0.0.jar
/home/jenkins/.m2/repository/org/opentest4j/opentest4j/1.1.0/opentest4j-1.1.0.jar
/home/jenkins/.m2/repository/org/junit/platform/junit-platform-commons/1.2.0/junit-platform-commons-1.2.0.jar
/home/jenkins/.m2/repository/org/junit/jupiter/junit-jupiter-engine/5.2.0/junit-jupiter-engine-5.2.0.jar
/home/jenkins/.m2/repository/org/junit/platform/junit-platform-engine/1.2.0/junit-platform-engine-1.2.0.jar
/home/jenkins/.m2/repository/org/junit/vintage/junit-vintage-engine/5.2.0/junit-vintage-engine-5.2.0.jar
/home/jenkins/.m2/repository/org/junit/platform/junit-platform-launcher/1.2.0/junit-platform-launcher-1.2.0.jar
/home/jenkins/.m2/repository/org/junit/platform/junit-platform-runner/1.2.0/junit-platform-runner-1.2.0.jar
/home/jenkins/.m2/repository/org/junit/platform/junit-platform-suite-api/1.2.0/junit-platform-suite-api-1.2.0.jar
/home/jenkins/.m2/repository/commons-pool/commons-pool/1.6/commons-pool-1.6.jar
/home/jenkins/.m2/repository/org/apache/httpcomponents/httpclient/4.3.5/httpclient-4.3.5.jar
/home/jenkins/.m2/repository/org/apache/httpcomponents/httpcore/4.3.2/httpcore-4.3.2.jar
/home/jenkins/.m2/repository/commons-logging/commons-logging/1.1.3/commons-logging-1.1.3.jar

```

```

[DEBUG] /home/jenkins/.m2/repository/commons-codec/commons-codec/1.6/commons-codec-1.6.jar
[DEBUG] /home/jenkins/.m2/repository/org/apache/geronimo/specs/geronimo-j2ee-connector_1.5_spec/1.0.1/geronimo-j2ee-connector_1.5_spec-1.0
[DEBUG] /home/jenkins/.m2/repository/org/apache/geronimo/specs/geronimo-jta_1.0.1B_spec/1.0.1/geronimo-jta_1.0.1B_spec-1.0.1.jar
[DEBUG] /home/jenkins/.m2/repository/gov/va/med/xmltypes/1.6.1/xmltypes-1.6.1.jar
[DEBUG] /home/jenkins/.m2/repository/gov/va/med/xbean/1.6.0/xbean-1.6.0.jar
[DEBUG] /home/jenkins/.m2/repository/com/github/h-thurrow/simple-jndi/0.17.2/simple-jndi-0.17.2.jar
[DEBUG] /home/jenkins/.m2/repository/org/slf4j/slf4j-api/1.7.21/slf4j-api-1.7.21.jar
[DEBUG] /home/jenkins/.m2/repository/org/jetbrains/annotations/13.0/annotations-13.0.jar
[DEBUG] /home/jenkins/.m2/repository/commons-lang/commons-lang/2.6/commons-lang-2.6.jar
[DEBUG] /home/jenkins/.m2/repository/log4j/log4j/1.2.17/log4j-1.2.17.jar
[DEBUG] /home/jenkins/.m2/repository/com/squareup/okhttp/okhttp/2.7.5/okhttp-2.7.5.jar
[DEBUG] /home/jenkins/.m2/repository/com/squareup/okio/okio/1.6.0/okio-1.6.0.jar
[DEBUG] /home/jenkins/.m2/repository/javassist/javassist/3.12.1.GA/javassist-3.12.1.GA.jar
[DEBUG] Source roots:
[DEBUG] /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/test/java
[DEBUG] /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/target/generated-test-sour
[DEBUG] Command line options:
[DEBUG] -d /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/target/test-classes -cla
[DEBUG] incrementalBuildHelper#beforeRebuildExecution
[INFO] Compiling 21 source files to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer
[DEBUG] incrementalBuildHelper#afterRebuildExecution
[INFO] /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/test/java/gov/va/tas/res
[INFO] /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/src/test/java/gov/va/tas/res
[INFO]
[INFO] --- maven-surefire-plugin:2.22.0:test (default-test) @ VAVistaLinkServer ---
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for ow2-snapshot (http://repository.ow2.org/nexus
[DEBUG] Dependency collection stats: (ConflictMarker.analyzeTime=0, ConflictMarker.markTime=0, ConflictMarker.nodeCount=133, ConflictIdSort
[DEBUG] org.apache.maven.plugins:maven-surefire-plugin:jar:2.22.0:
[DEBUG]   org.junit.platform:junit-platform-surefire-provider:jar:1.2.0:runtime
[DEBUG]   org.apiguardian:apiguardian-api:jar:1.0.0:runtime
[DEBUG]   org.junit.platform:junit-platform-launcher:jar:1.2.0:runtime
[DEBUG]   org.apache.maven.surefire:surefire-api:jar:2.22.0:compile
[DEBUG]     org.apache.maven.surefire:surefire-logger-api:jar:2.22.0:compile
[DEBUG]   org.apache.maven.surefire:common-java5:jar:2.21.0:runtime
[DEBUG]   org.junit.jupiter:junit-jupiter-engine:jar:5.2.0:runtime
[DEBUG]   org.junit.platform:junit-platform-engine:jar:1.2.0:runtime
[DEBUG]     org.junit.platform:junit-platform-commons:jar:1.2.0:runtime
[DEBUG]   org.opentest4j:opentest4j:jar:1.1.0:runtime
[DEBUG]   org.junit.jupiter:junit-jupiter-api:jar:5.2.0:runtime
[DEBUG]   org.apache.maven.surefire:maven-surefire-common:jar:2.22.0:compile
[DEBUG]     org.apache.maven:maven-plugin-api:jar:2.2.1:compile
[DEBUG]   org.apache.maven.plugin-tools:maven-plugin-annotations:jar:3.5:compile
[DEBUG]   org.apache.maven.surefire:surefire-booster:jar:2.22.0:compile
[DEBUG]   org.apache.maven:maven-artifact:jar:2.2.1:compile
[DEBUG]     org.codehaus.plexus:plexus-utils:jar:1.5.15:compile
[DEBUG]   org.apache.maven:maven-plugin-descriptor:jar:2.2.1:compile
[DEBUG]     org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1:compile
[DEBUG]       junit:junit:jar:4.12:compile
[DEBUG]         org.hamcrest:hamcrest-core:jar:1.3:compile
[DEBUG]   org.apache.maven:maven-project:jar:2.2.1:compile
[DEBUG]   org.apache.maven:maven-settings:jar:2.2.1:compile
[DEBUG]   org.apache.maven:maven-profile:jar:2.2.1:compile
[DEBUG]   org.apache.maven:maven-artifact-manager:jar:2.2.1:compile
[DEBUG]     backport-util-concurrent:backport-util-concurrent:jar:3.1:compile
[DEBUG]   org.apache.maven:maven-plugin-registry:jar:2.2.1:compile
[DEBUG]     org.codehaus.plexus:plexus-interpolation:jar:1.11:compile
[DEBUG]   org.apache.maven:maven-model:jar:2.2.1:compile
[DEBUG]   org.apache.maven:maven-core:jar:2.2.1:compile
[DEBUG]   org.apache.maven:maven-plugin-parameter-documenter:jar:2.2.1:compile
[DEBUG]   org.slf4j:slf4j-jdk14:jar:1.5.6:runtime
[DEBUG]     org.slf4j:slf4j-api:jar:1.5.6:runtime
[DEBUG]   org.slf4j:jcl-over-slf4j:jar:1.5.6:runtime
[DEBUG]   org.apache.maven.reporting:maven-reporting-api:jar:3.0:compile
[DEBUG]   org.apache.maven:maven-repository-metadata:jar:2.2.1:compile
[DEBUG]   org.apache.maven:maven-error-diagnostics:jar:2.2.1:compile
[DEBUG]   org.apache.maven:maven-monitor:jar:2.2.1:compile
[DEBUG]   classworlds:classworlds:jar:1.1:compile
[DEBUG]   org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3:compile
[DEBUG]     org.sonatype.plexus:plexus-cipher:jar:1.4:compile
[DEBUG]   org.apache.maven:maven-toolchain:jar:2.2.1:compile
[DEBUG]   org.codehaus.plexus:plexus-java:jar:0.9.8:compile
[DEBUG]     org.ow2.asm:asm:jar:6.1.1:compile
[DEBUG]     com.thoughtworks.qdox:qdox:jar:2.0-M7:compile
[DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-surefire-plugin:2.22.0
[DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-surefire-plugin:2.22.0
[DEBUG] Imported: < maven.api
[DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-surefire-plugin:2.22.0
[DEBUG] Included: org.apache.maven.plugins:maven-surefire-plugin:jar:2.22.0
[DEBUG] Included: org.junit.platform:junit-platform-surefire-provider:jar:1.2.0
[DEBUG] Included: org.apiguardian:apiguardian-api:jar:1.0.0
[DEBUG] Included: org.junit.platform:junit-platform-launcher:jar:1.2.0
[DEBUG] Included: org.apache.maven.surefire:surefire-api:jar:2.22.0
[DEBUG] Included: org.apache.maven.surefire:surefire-logger-api:jar:2.22.0
[DEBUG] Included: org.apache.maven.surefire:common-java5:jar:2.21.0
[DEBUG] Included: org.junit.jupiter:junit-jupiter-engine:jar:5.2.0
[DEBUG] Included: org.junit.platform:junit-platform-engine:jar:1.2.0
[DEBUG] Included: org.junit.platform:junit-platform-commons:jar:1.2.0
[DEBUG] Included: org.opentest4j:opentest4j:jar:1.1.0
[DEBUG] Included: org.junit.jupiter:junit-jupiter-api:jar:5.2.0
[DEBUG] Included: org.apache.maven.surefire:maven-surefire-common:jar:2.22.0
[DEBUG] Included: org.apache.maven.plugin-tools:maven-plugin-annotations:jar:3.5
[DEBUG] Included: org.apache.maven.surefire:surefire-booster:jar:2.22.0
[DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:1.5.15
[DEBUG] Included: junit:junit:jar:4.12
[DEBUG] Included: org.hamcrest:hamcrest-core:jar:1.3
[DEBUG] Included: backport-util-concurrent:backport-util-concurrent:jar:3.1
[DEBUG] Included: org.codehaus.plexus:plexus-interpolation:jar:1.11
[DEBUG] Included: org.slf4j:slf4j-jdk14:jar:1.5.6
[DEBUG] Included: org.slf4j:jcl-over-slf4j:jar:1.5.6
[DEBUG] Included: org.apache.maven.reporting:maven-reporting-api:jar:3.0

```

```

[DEBUG] Included: org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3
[DEBUG] Included: org.sonatype.plexus:plexus-cipher:jar:1.4
[DEBUG] Included: org.codehaus.plexus:plexus-java:jar:0.9.8
[DEBUG] Included: org.ow2.asm:asm:jar:6.1.1
[DEBUG] Included: com.thoughtworks.qdox:qdox:jar:2.0-M7
[DEBUG] Configuring mojo org.apache.maven.plugins:maven-surefire-plugin:2.22.0:test from plugin realm ClassRealm[plugin>org.apache.maven.pl
[DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-surefire-plugin:2.22.0:test' with basic configurator -->
[DEBUG] (s) additionalClasspathElements = [C:/Users/vhaisphowart/git/mccf_tas_vistalink/VistaLink/target/VistaLink-0.0.3-SNAPSHOT.jar]
[DEBUG] (s) argLine = -Djava.security.auth.login.config=props/jaas.config
[DEBUG] (s) basedir = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer
[DEBUG] (s) childDelegation = false
[DEBUG] (s) classesDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/ta
[DEBUG] (s) classpathDependencyExcludes = []
[DEBUG] (s) dependenciesToScan = []
[DEBUG] (s) disableXmlReport = false
[DEBUG] (s) enableAssertions = true
[DEBUG] (f) forkCount = 1
[DEBUG] (s) forkMode = once
[DEBUG] (s) forkedProcessExitTimeoutInSeconds = 30
[DEBUG] (s) includes = [DDCommand.java, DeleteCommand.java, EPAYRPTCommand.java, FindCommand.java, HEALTHCommand.java, READCommand.java,
[DEBUG] (s) junitArtifactName = junit:junit
[DEBUG] (s) junitPlatformArtifactName = org.junit.platform:junit-platform-engine
[DEBUG] (s) localRepository = id: local
[DEBUG] url: file:///home/jenkins/.m2/repository/
[DEBUG] layout: default
[DEBUG] snapshots: [enabled => true, update => always]
[DEBUG] releases: [enabled => true, update => always]

[DEBUG] (f) parallelMavenExecution = false
[DEBUG] (s) parallelOptimized = true
[DEBUG] (s) perCoreThreadCount = true
[DEBUG] (s) pluginArtifactMap = {org.apache.maven.plugins:maven-surefire-plugin=org.apache.maven.plugins:maven-surefire-plugin:maven-plug
[DEBUG] (f) pluginDescriptor = Component Descriptor: role: 'org.apache.maven.plugin.Mojo', implementation: 'org.apache.maven.plugin.surefire.SurefirePlugin', role hint: 'org.apache.maven.plugi
--
[DEBUG] (s) printSummary = true
[DEBUG] (s) projectArtifactMap = {org.mockito:mockito-core=org.mockito:mockito-core:jar:2.8.9:test, net.bytebuddy:byte-buddy=net.bytebudd
[DEBUG] (s) projectBuildDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServ
[DEBUG] (s) redirectTestOutputToFile = false
[DEBUG] (s) remoteRepositories = [ id: mccf-maven-repo
[DEBUG] url: http://vac20fpctas800.va.gov/pub/repo/maven/maven2
[DEBUG] layout: default
[DEBUG] snapshots: [enabled => true, update => daily]
[DEBUG] releases: [enabled => true, update => daily]
]

[DEBUG] (s) reportFormat = brief
[DEBUG] (s) reportsDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/ta
[DEBUG] (f) rerunFailingTestsCount = 0
[DEBUG] (f) reuseForks = true
[DEBUG] (s) runOrder = filesystem
[DEBUG] (f) shutdown = testset
[DEBUG] (s) skip = false
[DEBUG] (f) skipAfterFailureCount = 0
[DEBUG] (s) skipTests = true
[DEBUG] (s) suiteXmlFiles = []
[DEBUG] (s) tempDir = surefire
[DEBUG] (s) testClassesDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServe
[DEBUG] (s) testFailureIgnore = false
[DEBUG] (s) testNGArtifactName = org.testng:testng
[DEBUG] (s) testSourceDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer
[DEBUG] (s) threadCountClasses = 0
[DEBUG] (s) threadCountMethods = 0
[DEBUG] (s) threadCountSuites = 0
[DEBUG] (s) trimStackTrace = true
[DEBUG] (s) useFile = true
[DEBUG] (s) useManifestOnlyJar = true
[DEBUG] (s) useSystemClassLoader = true
[DEBUG] (s) useUnlimitedThreads = false
[DEBUG] (s) workingDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer
[DEBUG] (s) project = MavenProject: va.gov.tas:VAVistaLinkServer:1.0.4 @ /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/M
[DEBUG] (s) session = org.apache.maven.execution.MavenSession@407cf41
[DEBUG] -- end configuration --
[INFO] Tests are skipped.
[INFO]
[INFO] --- maven-jar-plugin:2.3.2:jar (default-jar) @ VAVistaLinkServer ---
[DEBUG] Dependency collection stats: (ConflictMarker.analyzeTime=0, ConflictMarker.markTime=0, ConflictMarker.nodeCount=47, ConflictIdSorte
[DEBUG] org.apache.maven.plugins:maven-jar-plugin:jar:2.3.2:
[DEBUG] org.apache.maven:maven-plugin-api:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-project:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-settings:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-profile:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-artifact-manager:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-repository-metadata:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-plugin-registry:jar:2.0.6:compile
[DEBUG] org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1:compile
[DEBUG] junit:junit:jar:3.8.1:compile
[DEBUG] classworlds:classworlds:jar:1.1-alpha-2:compile
[DEBUG] org.apache.maven:maven-model:jar:2.0.6:runtime
[DEBUG] org.apache.maven:maven-artifact:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-archiver:jar:2.4.2:compile
[DEBUG] org.codehaus.plexus:plexus-interpolation:jar:1.13:compile
[DEBUG] org.codehaus.plexus:plexus-archiver:jar:2.0.1:compile
[DEBUG] org.codehaus.plexus:plexus-io:jar:2.0.1:compile
[DEBUG] commons-lang:commons-lang:jar:2.1:compile
[DEBUG] org.codehaus.plexus:plexus-utils:jar:3.0:compile
[DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-jar-plugin:2.3.2
[DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-jar-plugin:2.3.2
[DEBUG] Imported: < maven.api
[DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-jar-plugin:2.3.2
[DEBUG] Included: org.apache.maven.plugins:maven-jar-plugin:jar:2.3.2

```



```

[DEBUG] Included: junit:junit:jar:3.8.1
[DEBUG] Included: org.apache.maven:maven-archiver:jar:2.4.2
[DEBUG] Included: org.codehaus.plexus:plexus-interpolation:jar:1.13
[DEBUG] Included: org.codehaus.plexus:plexus-archiver:jar:2.0.1
[DEBUG] Included: org.codehaus.plexus:plexus-io:jar:2.0.1
[DEBUG] Included: commons-lang:commons-lang:jar:2.1
[DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:3.0
[DEBUG] Configuring mojo org.apache.maven.plugins:maven-jar-plugin:2.3.2:jar from plugin realm ClassRealm[plugin>org.apache.maven.plugins:m
[DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-jar-plugin:2.3.2:jar' with basic configurator -->
[DEBUG] (s) addClasspath = true
[DEBUG] (s) mainClass = gov.va.tas.ServerLauncher
[DEBUG] (s) manifest = org.apache.maven.archiver.ManifestConfiguration@2d41bb5a
[DEBUG] (f) archive = org.apache.maven.archiver.MavenArchiveConfiguration@448a6d00
[DEBUG] (f) classesDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/ta
[DEBUG] (f) defaultManifestFile = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer
[DEBUG] (f) finalName = VAVistaLinkServer-1.0.4
[DEBUG] (f) forceCreation = false
[DEBUG] (f) outputDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/tar
[DEBUG] (f) project = MavenProject: va.gov.tas:VAVistaLinkServer:1.0.4 @ /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/M
[DEBUG] (f) useDefaultManifestFile = false
[DEBUG] -- end configuration --
[DEBUG] isUpdate: false (Destination /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServ
[INFO] Building jar: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVistaLinkServer/target/VAVista
[DEBUG] adding directory META-INF/
[DEBUG] adding entry META-INF/MANIFEST.MF
[DEBUG] adding directory gov/
[DEBUG] adding directory gov/va/
[DEBUG] adding directory gov/va/tas/
[DEBUG] adding directory gov/va/tas/vistalink/
[DEBUG] adding directory gov/va/tas/nettyrest/
[DEBUG] adding directory gov/va/tas/nettyrest/error/
[DEBUG] adding directory gov/va/tas/nettyrest/response/
[DEBUG] adding directory gov/va/tas/nettyrest/utils/
[DEBUG] adding directory gov/va/tas/nettyrest/netty/
[DEBUG] adding directory gov/va/tas/resource/
[DEBUG] adding directory gov/va/tas/resource/properties/
[DEBUG] adding entry paramLists.properties
[DEBUG] adding entry rpcParamMaps.properties
[DEBUG] adding entry resourceToRpcMap.properties
[DEBUG] adding entry gov/va/tas/vistalink/VistaLinkRpcExecute.class
[DEBUG] adding entry gov/va/tas/vistalink/VistaLinkRpcConnection.class
[DEBUG] adding entry gov/va/tas/vistalink/VistaLinkPoolableObjectFactory.class
[DEBUG] adding entry gov/va/tas/vistalink/VistaLinkPoolObject.class
[DEBUG] adding entry gov/va/tas/nettyrest/error/StatusCode.class
[DEBUG] adding entry gov/va/tas/nettyrest/error/ConnectionInitializationException.class
[DEBUG] adding entry gov/va/tas/nettyrest/error/ErrorHandler.class
[DEBUG] adding entry gov/va/tas/nettyrest/Route.class
[DEBUG] adding entry gov/va/tas/nettyrest/ApiProtocol.class
[DEBUG] adding entry gov/va/tas/nettyrest/response/Result.class
[DEBUG] adding entry gov/va/tas/nettyrest/response/Info.class
[DEBUG] adding entry gov/va/tas/nettyrest/utils/ShowPoolObjects.class
[DEBUG] adding entry gov/va/tas/nettyrest/ApiHandler.class
[DEBUG] adding entry gov/va/tas/nettyrest/RouteMap.class
[DEBUG] adding entry gov/va/tas/nettyrest/netty/NettyRestServer.class
[DEBUG] adding entry gov/va/tas/nettyrest/netty/ServerHandler.class
[DEBUG] adding entry gov/va/tas/nettyrest/netty/ServerInitializer.class
[DEBUG] adding entry gov/va/tas/nettyrest/ApiRoute.class
[DEBUG] adding entry gov/va/tas/nettyrest/Api.class
[DEBUG] adding entry gov/va/tas/resource/BaseResource$1.class
[DEBUG] adding entry gov/va/tas/resource/BaseResource.class
[DEBUG] adding entry gov/va/tas/resource/properties/ParamPropertyReader$LazyHolder.class
[DEBUG] adding entry gov/va/tas/resource/properties/ParamPropertyReader$TriConsumer.class
[DEBUG] adding entry gov/va/tas/resource/properties/ParamPropertyReader$1.class
[DEBUG] adding entry gov/va/tas/resource/properties/ParamPropertyReader.class
[DEBUG] adding entry gov/va/tas/ServerLauncher.class
[DEBUG] adding directory META-INF/maven/
[DEBUG] adding directory META-INF/maven/va.gov.tas/
[DEBUG] adding directory META-INF/maven/va.gov.tas/VAVistaLinkServer/
[DEBUG] adding entry META-INF/maven/va.gov.tas/VAVistaLinkServer/pom.xml
[DEBUG] adding entry META-INF/maven/va.gov.tas/VAVistaLinkServer/pom.properties
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 7.714 s
[INFO] Finished at: 2019-02-26T08:25:52-06:00
[INFO] Final Memory: 26M/478M
[INFO] -----
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Create VAVLGateway Distribution)
[Pipeline] echo
Prepare to package MCCF_EDT_TAS_Vistalink/VAVLGateway
[Pipeline] dir
Running in /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway
[Pipeline] {
[Pipeline] sh
+ mvn -X -DskipTests -Dbuild.number=6_20190226_092351 clean package
Apache Maven 3.3.9 (bb52d8502b132ec0a5a3f4c09453c07478323dc5; 2015-11-10T10:41:47-06:00)
Maven home: /opt/maven/apache-maven-3.3.9
Java version: 1.8.0_191, vendor: Oracle Corporation
Java home: /usr/lib/jvm/java-1.8.0-openjdk-1.8.0.191.b12-1.el7_6.x86_64/jre
Default locale: en_US, platform encoding: UTF-8
OS name: "linux", version: "3.10.0-957.1.3.el7.x86_64", arch: "amd64", family: "unix"
[DEBUG] Created new class realm maven.api
[DEBUG] Importing foreign packages into class realm maven.api
[DEBUG] Imported: javax.enterprise.inject.* < plexus.core
[DEBUG] Imported: javax.enterprise.util.* < plexus.core

```

```

[DEBUG] Imported: javax.inject.* < plexus.core
[DEBUG] Imported: org.apache.maven.* < plexus.core
[DEBUG] Imported: org.apache.maven.artifact < plexus.core
[DEBUG] Imported: org.apache.maven.classrealm < plexus.core
[DEBUG] Imported: org.apache.maven.cli < plexus.core
[DEBUG] Imported: org.apache.maven.configuration < plexus.core
[DEBUG] Imported: org.apache.maven.exception < plexus.core
[DEBUG] Imported: org.apache.maven.execution < plexus.core
[DEBUG] Imported: org.apache.maven.execution.scope < plexus.core
[DEBUG] Imported: org.apache.maven.lifecycle < plexus.core
[DEBUG] Imported: org.apache.maven.model < plexus.core
[DEBUG] Imported: org.apache.maven.monitor < plexus.core
[DEBUG] Imported: org.apache.maven.plugin < plexus.core
[DEBUG] Imported: org.apache.maven.profiles < plexus.core
[DEBUG] Imported: org.apache.maven.project < plexus.core
[DEBUG] Imported: org.apache.maven.reporting < plexus.core
[DEBUG] Imported: org.apache.maven.repository < plexus.core
[DEBUG] Imported: org.apache.maven.rtinfo < plexus.core
[DEBUG] Imported: org.apache.maven.settings < plexus.core
[DEBUG] Imported: org.apache.maven.toolchain < plexus.core
[DEBUG] Imported: org.apache.maven.usability < plexus.core
[DEBUG] Imported: org.apache.maven.wagon.* < plexus.core
[DEBUG] Imported: org.apache.maven.wagon.authentication < plexus.core
[DEBUG] Imported: org.apache.maven.wagon.authorization < plexus.core
[DEBUG] Imported: org.apache.maven.wagon.events < plexus.core
[DEBUG] Imported: org.apache.maven.wagon.observers < plexus.core
[DEBUG] Imported: org.apache.maven.wagon.proxy < plexus.core
[DEBUG] Imported: org.apache.maven.wagon.repository < plexus.core
[DEBUG] Imported: org.apache.maven.wagon.resource < plexus.core
[DEBUG] Imported: org.codehaus.classworlds < plexus.core
[DEBUG] Imported: org.codehaus.plexus.* < plexus.core
[DEBUG] Imported: org.codehaus.plexus.classworlds < plexus.core
[DEBUG] Imported: org.codehaus.plexus.component < plexus.core
[DEBUG] Imported: org.codehaus.plexus.configuration < plexus.core
[DEBUG] Imported: org.codehaus.plexus.container < plexus.core
[DEBUG] Imported: org.codehaus.plexus.context < plexus.core
[DEBUG] Imported: org.codehaus.plexus.lifecycle < plexus.core
[DEBUG] Imported: org.codehaus.plexus.logging < plexus.core
[DEBUG] Imported: org.codehaus.plexus.personality < plexus.core
[DEBUG] Imported: org.codehaus.plexus.util.xml.Xpp3Dom < plexus.core
[DEBUG] Imported: org.codehaus.plexus.util.xml.pull.XmlPullParser < plexus.core
[DEBUG] Imported: org.codehaus.plexus.util.xml.pull.XmlPullParserException < plexus.core
[DEBUG] Imported: org.codehaus.plexus.util.xml.pull.XmlSerializer < plexus.core
[DEBUG] Imported: org.eclipse.aether.* < plexus.core
[DEBUG] Imported: org.eclipse.aether.artifact < plexus.core
[DEBUG] Imported: org.eclipse.aether.collection < plexus.core
[DEBUG] Imported: org.eclipse.aether.deployment < plexus.core
[DEBUG] Imported: org.eclipse.aether.graph < plexus.core
[DEBUG] Imported: org.eclipse.aether.impl < plexus.core
[DEBUG] Imported: org.eclipse.aether.installation < plexus.core
[DEBUG] Imported: org.eclipse.aether.internal.impl < plexus.core
[DEBUG] Imported: org.eclipse.aether.metadata < plexus.core
[DEBUG] Imported: org.eclipse.aether.repository < plexus.core
[DEBUG] Imported: org.eclipse.aether.resolution < plexus.core
[DEBUG] Imported: org.eclipse.aether.spi < plexus.core
[DEBUG] Imported: org.eclipse.aether.transfer < plexus.core
[DEBUG] Imported: org.eclipse.aether.version < plexus.core
[DEBUG] Imported: org.slf4j.* < plexus.core
[DEBUG] Imported: org.slf4j.helpers.* < plexus.core
[DEBUG] Imported: org.slf4j.spi.* < plexus.core
[DEBUG] Populating class realm maven.api
[INFO] Error stacktraces are turned on.
[DEBUG] Reading global settings from /opt/maven/apache-maven-3.3.9/conf/settings.xml
[DEBUG] Reading user settings from /home/jenkins/.m2/settings.xml
[DEBUG] Reading global toolchains from /opt/maven/apache-maven-3.3.9/conf/toolchains.xml
[DEBUG] Reading user toolchains from /home/jenkins/.m2/toolchains.xml
[DEBUG] Using local repository at /home/jenkins/.m2/repository
[DEBUG] Using manager EnhancedLocalRepositoryManager with priority 10.0 for /home/jenkins/.m2/repository
[INFO] Scanning for projects...
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for mccf-maven-repo (http://vac20fpctas800.aac.va
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for central (https://repo.maven.apache.org/maven2
[DEBUG] Extension realms for project va.gov.tas:VAVLGateway:jar:1.0: (none)
[DEBUG] Looking up lifecycle mappings for packaging jar from ClassRealm[plexus.core, parent: null]
[DEBUG] === REACTOR BUILD PLAN =====
[DEBUG] Project: va.gov.tas:VAVLGateway:jar:1.0
[DEBUG] Tasks: [clean, package]
[DEBUG] Style: Regular
[DEBUG] =====
[INFO]
[INFO] -----
[INFO] Building VAVLGateway 1.0
[INFO] -----
[DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources, compile, proc
[DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
[DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
[DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources, compile, proc
[DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
[DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for apache.snapshots (http://repository.apache.or
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for apache.snapshots (https://repository.apache.o
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for codehaus.org (http://snapshots.repository.cod
[DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources, compile, proc
[DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
[DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
[DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources, compile, proc
[DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
[DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
[DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources, compile, proc
[DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
[DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]

```

```

[DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources, compile, proc
[DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
[DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
[DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources, compile, proc
[DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
[DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
[DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources, compile, proc
[DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
[DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
[DEBUG] Lifecycle default -> [validate, initialize, generate-sources, process-sources, generate-resources, process-resources, compile, proc
[DEBUG] Lifecycle clean -> [pre-clean, clean, post-clean]
[DEBUG] Lifecycle site -> [pre-site, site, post-site, site-deploy]
[DEBUG] === PROJECT BUILD PLAN =====
[DEBUG] Project:          va.gov.tas:VAVLGateway:1.0
[DEBUG] Dependencies (collect): []
[DEBUG] Dependencies (resolve): [compile, runtime, test]
[DEBUG] Repositories (dependencies): [mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2, default, releases+snapshots)]
[DEBUG] Repositories (plugins) : [mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2, default, releases+snapshots)]
[DEBUG] -----
[DEBUG] Goal:          org.apache.maven.plugins:maven-clean-plugin:2.5:clean (default-clean)
[DEBUG] Style:        Regular
[DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <directory default-value="${project.build.directory}"/>
  <excludeDefaultDirectories default-value="false">${clean.excludeDefaultDirectories}</excludeDefaultDirectories>
  <failOnError default-value="true">${maven.clean.failOnError}</failOnError>
  <followSymLinks default-value="false">${clean.followSymLinks}</followSymLinks>
  <outputDirectory default-value="${project.build.outputDirectory}"/>
  <reportDirectory default-value="${project.reporting.outputDirectory}"/>
  <retryOnError default-value="true">${maven.clean.retryOnError}</retryOnError>
  <skip default-value="false">${clean.skip}</skip>
  <testOutputDirectory default-value="${project.build.testOutputDirectory}"/>
  <verbose>${clean.verbose}</verbose>
</configuration>
[DEBUG] -----
[DEBUG] Goal:          org.apache.maven.plugins:maven-resources-plugin:2.6:resources (default-resources)
[DEBUG] Style:        Regular
[DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <buildFilters default-value="${project.build.filters}"/>
  <encoding default-value="${project.build.sourceEncoding}">${encoding}</encoding>
  <escapeString>${maven.resources.escapeString}</escapeString>
  <escapeWindowsPaths default-value="true">${maven.resources.escapeWindowsPaths}</escapeWindowsPaths>
  <includeEmptyDirs default-value="false">${maven.resources.includeEmptyDirs}</includeEmptyDirs>
  <outputDirectory default-value="${project.build.outputDirectory}"/>
  <overwrite default-value="false">${maven.resources.overwrite}</overwrite>
  <project default-value="${project}"/>
  <resources default-value="${project.resources}"/>
  <session default-value="${session}"/>
  <supportMultiLineFiltering default-value="false">${maven.resources.supportMultiLineFiltering}</supportMultiLineFiltering>
  <useBuildFilters default-value="true"/>
  <useDefaultDelimiters default-value="true"/>
</configuration>
[DEBUG] -----
[DEBUG] Goal:          org.apache.maven.plugins:maven-compiler-plugin:3.1:compile (default-compile)
[DEBUG] Style:        Regular
[DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <basedir default-value="${basedir}"/>
  <buildDirectory default-value="${project.build.directory}"/>
  <classpathElements default-value="${project.compileClasspathElements}"/>
  <compileSourceRoots default-value="${project.compileSourceRoots}"/>
  <compilerId default-value="javac">${maven.compiler.compilerId}</compilerId>
  <compilerReuseStrategy default-value="${reuseCreated}">${maven.compiler.compilerReuseStrategy}</compilerReuseStrategy>
  <compilerVersion>${maven.compiler.compilerVersion}</compilerVersion>
  <debug default-value="true">${maven.compiler.debug}</debug>
  <debuglevel>${maven.compiler.debuglevel}</debuglevel>
  <encoding default-value="${project.build.sourceEncoding}">${encoding}</encoding>
  <executable>${maven.compiler.executable}</executable>
  <failOnError default-value="true">${maven.compiler.failOnError}</failOnError>
  <forceJavacCompilerUse default-value="false">${maven.compiler.forceJavacCompilerUse}</forceJavacCompilerUse>
  <fork default-value="false">${maven.compiler.fork}</fork>
  <generatedSourcesDirectory default-value="${project.build.directory}/generated-sources/annotations"/>
  <maxmem>${maven.compiler.maxmem}</maxmem>
  <meminitial>${maven.compiler.meminitial}</meminitial>
  <mojoExecution>${mojoExecution}</mojoExecution>
  <optimize default-value="false">${maven.compiler.optimize}</optimize>
  <outputDirectory default-value="${project.build.outputDirectory}"/>
  <projectArtifact default-value="${project.artifact}"/>
  <showDeprecation default-value="false">${maven.compiler.showDeprecation}</showDeprecation>
  <showWarnings default-value="false">${maven.compiler.showWarnings}</showWarnings>
  <skipMain>${maven.main.skip}</skipMain>
  <skipMultiThreadWarning default-value="false">${maven.compiler.skipMultiThreadWarning}</skipMultiThreadWarning>
  <source default-value="1.5">${maven.compiler.source}</source>
  <staleMillis default-value="0">${lastModGranularityMs}</staleMillis>
  <target default-value="1.5">${maven.compiler.target}</target>
  <useIncrementalCompilation default-value="true">${maven.compiler.useIncrementalCompilation}</useIncrementalCompilation>
  <verbose default-value="false">${maven.compiler.verbose}</verbose>
  <mavenSession default-value="${session}"/>
  <session default-value="${session}"/>
</configuration>
[DEBUG] -----
[DEBUG] Goal:          org.apache.maven.plugins:maven-resources-plugin:2.6:testResources (default-testResources)
[DEBUG] Style:        Regular
[DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <buildFilters default-value="${project.build.filters}"/>
  <encoding default-value="${project.build.sourceEncoding}">${encoding}</encoding>
  <escapeString>${maven.resources.escapeString}</escapeString>
  <escapeWindowsPaths default-value="true">${maven.resources.escapeWindowsPaths}</escapeWindowsPaths>

```

```

<includeEmptyDirs default-value="false">${maven.resources.includeEmptyDirs}</includeEmptyDirs>
<outputDirectory default-value="${project.build.testOutputDirectory}"/>
<overwrite default-value="false">${maven.resources.overwrite}</overwrite>
<project default-value="${project}"/>
<resources default-value="${project.testResources}"/>
<session default-value="${session}"/>
<skip>${maven.test.skip}</skip>
<supportMultiLineFiltering default-value="false">${maven.resources.supportMultiLineFiltering}</supportMultiLineFiltering>
<useBuildFilters default-value="true"/>
<useDefaultDelimiters default-value="true"/>
</configuration>
[DEBUG] -----
[DEBUG] Goal:          org.apache.maven.plugins:maven-compiler-plugin:3.1:testCompile (default-testCompile)
[DEBUG] Style:         Regular
[DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <basedir default-value="${basedir}"/>
  <buildDirectory default-value="${project.build.directory}"/>
  <classpathElements default-value="${project.testClasspathElements}"/>
  <compileSourceRoots default-value="${project.testCompileSourceRoots}"/>
  <compilerId default-value="javac">${maven.compiler.compilerId}</compilerId>
  <compilerReuseStrategy default-value="${reuseCreated}">${maven.compiler.compilerReuseStrategy}</compilerReuseStrategy>
  <compilerVersion>${maven.compiler.compilerVersion}</compilerVersion>
  <debug default-value="true">${maven.compiler.debug}</debug>
  <debugLevel>${maven.compiler.debugLevel}</debugLevel>
  <encoding default-value="${project.build.sourceEncoding}">${encoding}</encoding>
  <executable>${maven.compiler.executable}</executable>
  <failOnError default-value="true">${maven.compiler.failOnError}</failOnError>
  <forceJavaCompilerUse default-value="false">${maven.compiler.forceJavaCompilerUse}</forceJavaCompilerUse>
  <fork default-value="false">${maven.compiler.fork}</fork>
  <generatedTestSourcesDirectory default-value="${project.build.directory}/generated-test-sources/test-annotations"/>
  <maxmem>${maven.compiler.maxmem}</maxmem>
  <meminitial>${maven.compiler.meminitial}</meminitial>
  <mojoExecution>${mojoExecution}</mojoExecution>
  <optimize default-value="false">${maven.compiler.optimize}</optimize>
  <outputDirectory default-value="${project.build.testOutputDirectory}"/>
  <showDeprecation default-value="false">${maven.compiler.showDeprecation}</showDeprecation>
  <showWarnings default-value="false">${maven.compiler.showWarnings}</showWarnings>
  <skip>${maven.test.skip}</skip>
  <skipMultiThreadWarning default-value="false">${maven.compiler.skipMultiThreadWarning}</skipMultiThreadWarning>
  <source default-value="1.5">${maven.compiler.source}</source>
  <staleMillis default-value="0">${lastModGranularityMs}</staleMillis>
  <target default-value="1.5">${maven.compiler.target}</target>
  <testSource>${maven.compiler.testSource}</testSource>
  <testTarget>${maven.compiler.testTarget}</testTarget>
  <useIncrementalCompilation default-value="true">${maven.compiler.useIncrementalCompilation}</useIncrementalCompilation>
  <verbose default-value="false">${maven.compiler.verbose}</verbose>
  <mavenSession default-value="${session}"/>
  <session default-value="${session}"/>
</configuration>
[DEBUG] -----
[DEBUG] Goal:          org.apache.maven.plugins:maven-surefire-plugin:2.12.4:test (default-test)
[DEBUG] Style:         Regular
[DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <argLine>${argLine}</argLine>
  <basedir default-value="${basedir}"/>
  <childDelegation default-value="false">${childDelegation}</childDelegation>
  <classesDirectory default-value="${project.build.outputDirectory}"/>
  <debugForkedProcess>${maven.surefire.debug}</debugForkedProcess>
  <disableXmlReport default-value="false">${disableXmlReport}</disableXmlReport>
  <enableAssertions default-value="true">${enableAssertions}</enableAssertions>
  <excludedGroups>${excludedGroups}</excludedGroups>
  <failIfNoSpecifiedTests>${surefire.failIfNoSpecifiedTests}</failIfNoSpecifiedTests>
  <failIfNoTests>${failIfNoTests}</failIfNoTests>
  <forkMode default-value="once">${forkMode}</forkMode>
  <forkedProcessTimeoutInSeconds>${surefire.timeout}</forkedProcessTimeoutInSeconds>
  <groups>${groups}</groups>
  <junitArtifactName default-value="junit:junit">${junitArtifactName}</junitArtifactName>
  <jvm>${jvm}</jvm>
  <localRepository default-value="${localRepository}"/>
  <objectFactory>${objectFactory}</objectFactory>
  <parallel>${parallel}</parallel>
  <parallelMavenExecution default-value="${session.parallel}"/>
  <perCoreThreadCount default-value="true">${perCoreThreadCount}</perCoreThreadCount>
  <pluginArtifactMap>${plugin.artifactMap}</pluginArtifactMap>
  <pluginDescriptor default-value="${plugin}"/>
  <printSummary default-value="true">${surefire.printSummary}</printSummary>
  <projectArtifactMap>${project.artifactMap}</projectArtifactMap>
  <redirectTestOutputToFile default-value="false">${maven.test.redirectTestOutputToFile}</redirectTestOutputToFile>
  <remoteRepositories default-value="${project.pluginArtifactRepositories}"/>
  <reportFormat default-value="brief">${surefire.reportFormat}</reportFormat>
  <reportNameSuffix default-value="">${surefire.reportNameSuffix}</reportNameSuffix>
  <reportsDirectory default-value="${project.build.directory}/surefire-reports"/>
  <runOrder default-value="filesystem"/>
  <skip default-value="false">${maven.test.skip}</skip>
  <skipExec>${maven.test.skip.exec}</skipExec>
  <skipTests default-value="false">${skipTests}</skipTests>
  <test>${test}</test>
  <testClassesDirectory default-value="${project.build.testOutputDirectory}"/>
  <testFailureIgnore default-value="false">${maven.test.failure.ignore}</testFailureIgnore>
  <testNGArtifactName default-value="org.testng:testng">${testNGArtifactName}</testNGArtifactName>
  <testSourceDirectory default-value="${project.build.testSourceDirectory}"/>
  <threadCount>${threadCount}</threadCount>
  <trimStackTrace default-value="true">${trimStackTrace}</trimStackTrace>
  <useFile default-value="true">${surefire.useFile}</useFile>
  <useManifestOnlyJar default-value="true">${surefire.useManifestOnlyJar}</useManifestOnlyJar>
  <useSystemClassLoader default-value="true">${surefire.useSystemClassLoader}</useSystemClassLoader>
  <useUnlimitedThreads default-value="false">${useUnlimitedThreads}</useUnlimitedThreads>
  <workingDirectory>${basedir}</workingDirectory>

```

```

    <project default-value="${project}"/>
    <session default-value="${session}"/>
</configuration>
[DEBUG] -----
[DEBUG] Goal:          org.apache.maven.plugins:maven-jar-plugin:2.4:jar (default-jar)
[DEBUG] Style:         Regular
[DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <classesDirectory default-value="${project.build.outputDirectory}"/>
  <defaultManifestFile default-value="${project.build.outputDirectory}/META-INF/MANIFEST.MF"/>
  <finalName default-value="${project.build.finalName}">${jar.finalName}</finalName>
  <forceCreation default-value="false">${jar.forceCreation}</forceCreation>
  <outputDirectory default-value="${project.build.directory}"/>
  <project default-value="${project}"/>
  <session default-value="${session}"/>
  <skipIfEmpty default-value="false">${jar.skipIfEmpty}</skipIfEmpty>
  <useDefaultManifestFile default-value="false">${jar.useDefaultManifestFile}</useDefaultManifestFile>
</configuration>
[DEBUG] -----
[DEBUG] Goal:          org.apache.maven.plugins:maven-dependency-plugin:3.1.1:copy-dependencies (copy-dependencies)
[DEBUG] Style:         Regular
[DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <addParentPoms default-value="false">${mdep.addParentPoms}</addParentPoms>
  <classifier default-value="">${classifier}</classifier>
  <copyPom default-value="false">${mdep.copyPom}</copyPom>
  <excludeArtifactIds default-value="">xbean</excludeArtifactIds>
  <excludeClassifiers default-value="">${excludeClassifiers}</excludeClassifiers>
  <excludeGroupIds default-value="">${excludeGroupIds}</excludeGroupIds>
  <excludeScope default-value="">${excludeScope}</excludeScope>
  <excludeTransitive default-value="false">true</excludeTransitive>
  <excludeTypes default-value="">${excludeTypes}</excludeTypes>
  <failOnMissingClassifierArtifact default-value="false">${mdep.failOnMissingClassifierArtifact}</failOnMissingClassifierArtifact>
  <includeArtifactIds default-value="">${includeArtifactIds}</includeArtifactIds>
  <includeClassifiers default-value="">${includeClassifiers}</includeClassifiers>
  <includeGroupIds default-value="">${includeGroupIds}</includeGroupIds>
  <includeScope default-value="">${includeScope}</includeScope>
  <includeTypes default-value="">${includeTypes}</includeTypes>
  <markersDirectory default-value="${project.build.directory}/dependency-maven-plugin-markers">${markersDirectory}</markersDirectory>
  <outputAbsolutePathArtifactFilename default-value="false">${outputAbsolutePathArtifactFilename}</outputAbsolutePathArtifactFilename>
  <outputDirectory default-value="${project.build.directory}/dependency">/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCC
  <overwriteIfNewer default-value="true">${overwriteIfNewer}</overwriteIfNewer>
  <overwriteReleases default-value="false">true</overwriteReleases>
  <overwriteSnapshots default-value="false">true</overwriteSnapshots>
  <prependGroupId default-value="false">${mdep.prependGroupId}</prependGroupId>
  <project default-value="${project}"/>
  <reactorProjects default-value="${reactorProjects}"/>
  <remoteRepositories default-value="${project.remoteArtifactRepositories}"/>
  <session default-value="${session}"/>
  <silent default-value="false">${silent}</silent>
  <skip default-value="false">${mdep.skip}</skip>
  <stripClassifier default-value="false">${mdep.stripClassifier}</stripClassifier>
  <stripVersion default-value="false">${mdep.stripVersion}</stripVersion>
  <type default-value="">${type}</type>
  <useBaseVersion default-value="true">${mdep.useBaseVersion}</useBaseVersion>
  <useRepositoryLayout default-value="false">${mdep.useRepositoryLayout}</useRepositoryLayout>
  <useSubDirectoryPerArtifact default-value="false">${mdep.useSubDirectoryPerArtifact}</useSubDirectoryPerArtifact>
  <useSubDirectoryPerScope default-value="false">${mdep.useSubDirectoryPerScope}</useSubDirectoryPerScope>
  <useSubDirectoryPerType default-value="false">${mdep.useSubDirectoryPerType}</useSubDirectoryPerType>
</configuration>
[DEBUG] -----
[DEBUG] Goal:          org.apache.maven.plugins:maven-dependency-plugin:3.1.1:copy (copy-specific-dependencies)
[DEBUG] Style:         Regular
[DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <artifact>${artifact}</artifact>
  <artifactItems>
    <artifactItem>
      <groupId>gov.va.med</groupId>
      <artifactId>xbean</artifactId>
      <version>1.6.0</version>
      <type>jar</type>
      <overwrite>true</overwrite>
      <outputDirectory>/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target/libs</outpu
      <destFileName>xbean.jar</destFileName>
    </artifactItem>
  </artifactItems>
  <outputAbsolutePathArtifactFilename default-value="false">${outputAbsolutePathArtifactFilename}</outputAbsolutePathArtifactFilename>
  <outputDirectory default-value="${project.build.directory}/dependency">/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCC
  <overwriteIfNewer default-value="true">${mdep.overIfNewer}</overwriteIfNewer>
  <overwriteReleases default-value="false">true</overwriteReleases>
  <overwriteSnapshots default-value="false">true</overwriteSnapshots>
  <prependGroupId default-value="false">${mdep.prependGroupId}</prependGroupId>
  <project default-value="${project}"/>
  <reactorProjects default-value="${reactorProjects}"/>
  <remoteRepositories default-value="${project.remoteArtifactRepositories}"/>
  <session default-value="${session}"/>
  <silent default-value="false">${silent}</silent>
  <skip default-value="false">${mdep.skip}</skip>
  <stripClassifier default-value="false">${mdep.stripClassifier}</stripClassifier>
  <stripVersion default-value="false">${mdep.stripVersion}</stripVersion>
  <useBaseVersion default-value="false">${mdep.useBaseVersion}</useBaseVersion>
</configuration>
[DEBUG] -----
[DEBUG] Goal:          org.apache.maven.plugins:maven-assembly-plugin:2.2-beta-5:single (default)
[DEBUG] Style:         Regular
[DEBUG] Configuration: <?xml version="1.0" encoding="UTF-8"?>
<configuration>
  <appendAssemblyId default-value="true">${appendAssemblyId}</appendAssemblyId>
  <attach default-value="true">${attach}</attach>

```

```

<basedir default-value="${basedir}"/>
<classifier>${classifier}</classifier>
<descriptor>vlgateway.xml</descriptor>
<descriptorId>${descriptorId}</descriptorId>
<dryRun default-value="false">${assembly.dryRun}</dryRun>
<finalName default-value="${project.build.finalName}">VAVLGateway_1.0.6_20190226_092351</finalName>
<ignoreDirFormatExtensions default-value="true"/>
<ignoreMissingDescriptor default-value="false">${ignoreMissingDescriptor}</ignoreMissingDescriptor>
<includeSite default-value="false">${includeSite}</includeSite>
<localRepository default-value="${localRepository}"/>
<mavenSession>${session}</mavenSession>
<outputDirectory default-value="${project.build.directory}"/>
<project default-value="${project}"/>
<reactorProjects default-value="${reactorProjects}"/>
<remoteRepositories default-value="${project.remoteArtifactRepositories}"/>
<runOnlyAtExecutionRoot default-value="false">${runOnlyAtExecutionRoot}</runOnlyAtExecutionRoot>
<siteDirectory default-value="${project.reporting.outputDirectory}"/>
<skipAssembly default-value="false">${skipAssembly}</skipAssembly>
<tarLongFileMode default-value="warn">${tarLongFileMode}</tarLongFileMode>
<tempRoot default-value="${project.build.directory}/archive-tmp"/>
<workDirectory default-value="${project.build.directory}/assembly/work"/>
</configuration>
[DEBUG] =====
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for apache.snapshots (http://people.apache.org/re
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for apache.snapshots (http://svn.apache.org/maven
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for spy (http://files.couchbase.com/maven2/).
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for sonatype-nexus-snapshots (https://oss.sonatyp
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for maven2-repository.dev.java.net (http://downlo
[DEBUG] Dependency collection stats: (ConflictMarker.analyzeTime=1, ConflictMarker.markTime=1, ConflictMarker.nodeCount=34, ConflictIdSorte
[DEBUG] va.gov.tas:VAVLGateway:jar:1.0
[DEBUG] commons-codec:commons-codec:jar:1.6:compile
[DEBUG] commons-dbcp:commons-dbcp:jar:1.4:compile
[DEBUG] commons-io:commons-io:jar:2.6:compile
[DEBUG] commons-lang:commons-lang:jar:2.6:compile
[DEBUG] commons-logging:commons-logging:jar:1.1.3:compile
[DEBUG] commons-pool:commons-pool:jar:1.6:compile
[DEBUG] org.apache.geronimo.specs:geronimo-j2ee-connector_1.5_spec:jar:1.0.1:compile
[DEBUG] org.apache.geronimo.specs:geronimo-jta_1.0.1B_spec:jar:1.0.1:compile
[DEBUG] org.apache.httpcomponents:httpclient:jar:4.3.5:compile
[DEBUG] org.apache.httpcomponents:httpcore:jar:4.3.2:compile
[DEBUG] com.fasterxml.jackson.core:jackson-annotations:jar:2.9.0:compile
[DEBUG] com.fasterxml.jackson.core:jackson-core:jar:2.9.5:compile
[DEBUG] com.fasterxml.jackson.core:jackson-databind:jar:2.9.5:compile
[DEBUG] org.json:json:jar:20141113:compile
[DEBUG] junit:junit:jar:4.12:compile
[DEBUG] org.hamcrest:hamcrest-core:jar:1.3:compile
[DEBUG] log4j:log4j:jar:1.2.17:compile
[DEBUG] io.netty:netty-all:jar:5.0.0.Alpha2:compile
[DEBUG] com.github.h-thurow:simple-jndi:jar:0.17.2:compile
[DEBUG] org.jetbrains:annotations:jar:13.0:compile
[DEBUG] org.slf4j:slf4j-api:jar:1.7.25:compile
[DEBUG] org.slf4j:slf4j-nop:jar:1.7.25:compile
[DEBUG] gov.va.med:xbean:jar:1.6.0:compile
[INFO]
[INFO] --- maven-clean-plugin:2.5:clean (default-clean) @ VAVLGateway ---
[DEBUG] Dependency collection stats: (ConflictMarker.analyzeTime=0, ConflictMarker.markTime=0, ConflictMarker.nodeCount=3, ConflictIdSorter
[DEBUG] org.apache.maven.plugins:maven-clean-plugin:jar:2.5:
[DEBUG] org.apache.maven:maven-plugin-api:jar:2.0.6:compile
[DEBUG] org.codehaus.plexus:plexus-utils:jar:3.0:compile
[DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-clean-plugin:2.5
[DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-clean-plugin:2.5
[DEBUG] Imported: < maven.api
[DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-clean-plugin:2.5
[DEBUG] Included: org.apache.maven.plugins:maven-clean-plugin:jar:2.5
[DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:3.0
[DEBUG] Configuring mojo org.apache.maven.plugins:maven-clean-plugin:2.5:clean from plugin realm ClassRealm[plugin>org.apache.maven.plugins
[DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-clean-plugin:2.5:clean' with basic configurator -->
[DEBUG] (f) directory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target
[DEBUG] (f) excludeDefaultDirectories = false
[DEBUG] (f) failOnError = true
[DEBUG] (f) followSymLinks = false
[DEBUG] (f) outputDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target/cl
[DEBUG] (f) reportDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target/si
[DEBUG] (f) retryOnError = true
[DEBUG] (f) skip = false
[DEBUG] (f) testOutputDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/targe
[DEBUG] -- end configuration --
[DEBUG] Skipping non-existing directory /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/t
[DEBUG] Skipping non-existing directory /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/t
[DEBUG] Skipping non-existing directory /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/t
[DEBUG] Skipping non-existing directory /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/t
[INFO]
[INFO] --- maven-resources-plugin:2.6:resources (default-resources) @ VAVLGateway ---
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for codehaus.snapshots (http://snapshots.reposito
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for snapshots (http://snapshots.maven.codehaus.or
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for central (http://repol.maven.org/maven2).
[DEBUG] Dependency collection stats: (ConflictMarker.analyzeTime=0, ConflictMarker.markTime=0, ConflictMarker.nodeCount=77, ConflictIdSorte
[DEBUG] org.apache.maven.plugins:maven-resources-plugin:jar:2.6:
[DEBUG] org.apache.maven:maven-plugin-api:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-project:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-profile:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-artifact-manager:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-plugin-registry:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-core:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-plugin-parameter-documenter:jar:2.0.6:compile
[DEBUG] org.apache.maven.reporting:maven-reporting-api:jar:2.0.6:compile
[DEBUG] org.apache.maven.doxia:doxia-sink-api:jar:1.0-alpha-7:compile
[DEBUG] org.apache.maven:maven-repository-metadata:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-error-diagnostics:jar:2.0.6:compile
[DEBUG] commons-cli:commons-cli:jar:1.0:compile

```

```

[DEBUG] org.apache.maven:maven-plugin-descriptor:jar:2.0.6:compile
[DEBUG] org.codehaus.plexus:plexus-interactivity-api:jar:1.0-alpha-4:compile
[DEBUG] classworlds:classworlds:jar:1.1:compile
[DEBUG] org.apache.maven:maven-artifact:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-settings:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-model:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-monitor:jar:2.0.6:compile
[DEBUG] org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1:compile
[DEBUG] junit:junit:jar:3.8.1:compile
[DEBUG] org.codehaus.plexus:plexus-utils:jar:2.0.5:compile
[DEBUG] org.apache.maven.shared:maven-filtering:jar:1.1:compile
[DEBUG] org.sonatype.plexus:plexus-build-api:jar:0.0.4:compile
[DEBUG] org.codehaus.plexus:plexus-interpolation:jar:1.13:compile
[DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-resources-plugin:2.6
[DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-resources-plugin:2.6
[DEBUG] Imported: < maven.api
[DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-resources-plugin:2.6
[DEBUG] Included: org.apache.maven.plugins:maven-resources-plugin:jar:2.6
[DEBUG] Included: org.apache.maven.reporting:maven-reporting-api:jar:2.0.6
[DEBUG] Included: org.apache.maven.doxia:doxia-sink-api:jar:1.0-alpha-7
[DEBUG] Included: commons-cli:commons-cli:jar:1.0
[DEBUG] Included: org.codehaus.plexus:plexus-interactivity-api:jar:1.0-alpha-4
[DEBUG] Included: junit:junit:jar:3.8.1
[DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:2.0.5
[DEBUG] Included: org.apache.maven.shared:maven-filtering:jar:1.1
[DEBUG] Included: org.sonatype.plexus:plexus-build-api:jar:0.0.4
[DEBUG] Included: org.codehaus.plexus:plexus-interpolation:jar:1.13
[DEBUG] Configuring mojo org.apache.maven.plugins:maven-resources-plugin:2.6:resources from plugin realm ClassRealm[plugin>org.apache.maven
[DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-resources-plugin:2.6:resources' with basic configurator -->
[DEBUG] (f) buildFilters = []
[DEBUG] (f) encoding = UTF-8
[DEBUG] (f) escapeWindowsPaths = true
[DEBUG] (s) includeEmptyDirs = false
[DEBUG] (s) outputDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target/cl
[DEBUG] (s) overwrite = false
[DEBUG] (f) project = MavenProject: va.gov.tas:VAVLGateway:1.0 @ /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_
[DEBUG] (s) resources = [Resource {targetPath: null, filtering: false, FileSet {directory: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas
[DEBUG] (f) session = org.apache.maven.execution.MavenSession@5217f3d0
[DEBUG] (f) supportMultiLineFiltering = false
[DEBUG] (f) useBuildFilters = true
[DEBUG] (s) useDefaultDelimiters = true
[DEBUG] -- end configuration --
[DEBUG] properties used (env.OLDPWD=/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway, file
, env.com.ibm.rational.connector.hudson.connectionTimeout=30, env.buildDefinitionId=TAS_Vistalink_BuildDef_CIMag, env.JOB_NAME=Vistalink/RT
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[DEBUG] resource with targetPath null
directory /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/src/main/resources
excludes []
includes []
[INFO] skip non existing resourceDirectory /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGatewa
[DEBUG] no use filter components
[INFO]
[INFO] --- maven-compiler-plugin:3.1:compile (default-compile) @ VAVLGateway ---
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for plexus.snapshots (https://oss.sonatype.org/co
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for apache.snapshots (http://people.apache.org/re
[DEBUG] Dependency collection stats: (ConflictMarker.analyzeTime=0, ConflictMarker.markTime=1, ConflictMarker.nodeCount=160, ConflictIdSort
[DEBUG] org.apache.maven.plugins:maven-compiler-plugin:jar:3.1:
[DEBUG] org.apache.maven:maven-plugin-api:jar:2.0.9:compile
[DEBUG] org.apache.maven:maven-artifact:jar:2.0.9:compile
[DEBUG] org.codehaus.plexus:plexus-utils:jar:1.5.1:compile
[DEBUG] org.apache.maven:maven-core:jar:2.0.9:compile
[DEBUG] org.apache.maven:maven-settings:jar:2.0.9:compile
[DEBUG] org.apache.maven:maven-plugin-parameter-documenter:jar:2.0.9:compile
[DEBUG] org.apache.maven:maven-profile:jar:2.0.9:compile
[DEBUG] org.apache.maven:maven-model:jar:2.0.9:compile
[DEBUG] org.apache.maven:maven-repository-metadata:jar:2.0.9:compile
[DEBUG] org.apache.maven:maven-error-diagnostics:jar:2.0.9:compile
[DEBUG] org.apache.maven:maven-project:jar:2.0.9:compile
[DEBUG] org.apache.maven:maven-plugin-registry:jar:2.0.9:compile
[DEBUG] org.apache.maven:maven-plugin-descriptor:jar:2.0.9:compile
[DEBUG] org.apache.maven:maven-artifact-manager:jar:2.0.9:compile
[DEBUG] org.apache.maven:maven-monitor:jar:2.0.9:compile
[DEBUG] org.apache.maven:maven-toolchain:jar:1.0:compile
[DEBUG] org.apache.maven.shared:maven-shared-utils:jar:0.1:compile
[DEBUG] com.google.code.findbugs:jsr305:jar:2.0.1:compile
[DEBUG] org.apache.maven.shared:maven-shared-incremental:jar:1.1:compile
[DEBUG] org.codehaus.plexus:plexus-component-annotations:jar:1.5.5:compile
[DEBUG] org.codehaus.plexus:plexus-compiler-api:jar:2.2:compile
[DEBUG] org.codehaus.plexus:plexus-compiler-manager:jar:2.2:compile
[DEBUG] org.codehaus.plexus:plexus-compiler-javac:jar:2.2:runtime
[DEBUG] org.codehaus.plexus:plexus-container-default:jar:1.5.5:compile
[DEBUG] org.codehaus.plexus:plexus-classworlds:jar:2.2.2:compile
[DEBUG] org.apache.xbean:xbean-reflect:jar:3.4:compile
[DEBUG] log4j:log4j:jar:1.2.12:compile
[DEBUG] commons-logging:commons-logging-api:jar:1.1:compile
[DEBUG] com.google.collections:google-collections:jar:1.0:compile
[DEBUG] junit:junit:jar:3.8.2:compile
[DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-compiler-plugin:3.1
[DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-compiler-plugin:3.1
[DEBUG] Imported: < maven.api
[DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-compiler-plugin:3.1
[DEBUG] Included: org.apache.maven.plugins:maven-compiler-plugin:jar:3.1
[DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:1.5.1
[DEBUG] Included: org.apache.maven.shared:maven-shared-utils:jar:0.1
[DEBUG] Included: com.google.code.findbugs:jsr305:jar:2.0.1
[DEBUG] Included: org.apache.maven.shared:maven-shared-incremental:jar:1.1
[DEBUG] Included: org.codehaus.plexus:plexus-component-annotations:jar:1.5.5
[DEBUG] Included: org.codehaus.plexus:plexus-compiler-api:jar:2.2
[DEBUG] Included: org.codehaus.plexus:plexus-compiler-manager:jar:2.2
[DEBUG] Included: org.codehaus.plexus:plexus-compiler-javac:jar:2.2

```

```

[DEBUG] Included: org.apache.xbean:xbean-reflect:jar:3.4
[DEBUG] Included: log4j:log4j:jar:1.2.12
[DEBUG] Included: commons-logging:commons-logging-api:jar:1.1
[DEBUG] Included: com.google.collections:google-collections:jar:1.0
[DEBUG] Included: junit:junit:jar:3.8.2
[DEBUG] Configuring mojo org.apache.maven.plugins:maven-compiler-plugin:3.1:compile from plugin realm ClassRealm[plugin>org.apache.maven.pl
[DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-compiler-plugin:3.1:compile' with basic configurator -->
[DEBUG] (f) basedir = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway
[DEBUG] (f) buildDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target
[DEBUG] (f) classpathElements = [/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target
[DEBUG] (f) compileSourceRoots = [/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/src/m
[DEBUG] (f) compilerId = javac
[DEBUG] (f) debug = true
[DEBUG] (f) encoding = UTF-8
[DEBUG] (f) failOnError = true
[DEBUG] (f) forceJavacCompilerUse = false
[DEBUG] (f) fork = false
[DEBUG] (f) generatedSourcesDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway
[DEBUG] (f) mojoExecution = org.apache.maven.plugins:maven-compiler-plugin:3.1:compile (execution: default-compile)
[DEBUG] (f) optimize = false
[DEBUG] (f) outputDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target/cl
[DEBUG] (f) projectArtifact = va.gov.tas:VAVLGateway:jar:1.0
[DEBUG] (f) showDeprecation = false
[DEBUG] (f) showWarnings = false
[DEBUG] (f) skipMultiThreadWarning = false
[DEBUG] (f) source = 1.5
[DEBUG] (f) staleMillis = 0
[DEBUG] (f) target = 1.5
[DEBUG] (f) useIncrementalCompilation = true
[DEBUG] (f) verbose = false
[DEBUG] (f) mavenSession = org.apache.maven.execution.MavenSession@5217f3d0
[DEBUG] (f) session = org.apache.maven.execution.MavenSession@5217f3d0
[DEBUG] -- end configuration --
[DEBUG] Using compiler 'javac'.
[INFO] No sources to compile
[INFO]
[INFO] --- maven-resources-plugin:2.6:testResources (default-testResources) @ VAVLGateway ---
[DEBUG] Configuring mojo org.apache.maven.plugins:maven-resources-plugin:2.6:testResources from plugin realm ClassRealm[plugin>org.apache.m
[DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-resources-plugin:2.6:testResources' with basic configurator -->
[DEBUG] (f) buildFilters = []
[DEBUG] (f) encoding = UTF-8
[DEBUG] (f) escapeWindowsPaths = true
[DEBUG] (s) includeEmptyDirs = false
[DEBUG] (s) outputDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target/te
[DEBUG] (s) overwrite = false
[DEBUG] (f) project = MavenProject: va.gov.tas:VAVLGateway:1.0 @ /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_
[DEBUG] (s) resources = [Resource {targetPath: null, filtering: false, FileSet {directory: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas
[DEBUG] (f) session = org.apache.maven.execution.MavenSession@5217f3d0
[DEBUG] (f) supportMultiLineFiltering = false
[DEBUG] (f) useBuildFilters = true
[DEBUG] (s) useDefaultDelimiters = true
[DEBUG] -- end configuration --
[DEBUG] properties used (env.OLDPWD=/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway, file
, env.com.ibm.rational.connector.hudson.connectionTimeout=30, env.buildDefinitionId=TAS_Vistalink_BuildDef_CIMag, env.JOB_NAME=VistaLink/RT
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[DEBUG] resource with targetPath null
directory /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/src/test/resources
excludes []
includes []
[INFO] skip non existing resourceDirectory /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGatwa
[DEBUG] no use filter components
[INFO]
[INFO] --- maven-compiler-plugin:3.1:testCompile (default-testCompile) @ VAVLGateway ---
[DEBUG] Configuring mojo org.apache.maven.plugins:maven-compiler-plugin:3.1:testCompile from plugin realm ClassRealm[plugin>org.apache.mave
[DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-compiler-plugin:3.1:testCompile' with basic configurator -->
[DEBUG] (f) basedir = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway
[DEBUG] (f) buildDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target
[DEBUG] (f) classpathElements = [/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target
[DEBUG] (f) compileSourceRoots = [/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/src/t
[DEBUG] (f) compilerId = javac
[DEBUG] (f) debug = true
[DEBUG] (f) encoding = UTF-8
[DEBUG] (f) failOnError = true
[DEBUG] (f) forceJavacCompilerUse = false
[DEBUG] (f) fork = false
[DEBUG] (f) generatedTestSourcesDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGat
[DEBUG] (f) mojoExecution = org.apache.maven.plugins:maven-compiler-plugin:3.1:testCompile (execution: default-testCompile)
[DEBUG] (f) optimize = false
[DEBUG] (f) outputDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target/te
[DEBUG] (f) showDeprecation = false
[DEBUG] (f) showWarnings = false
[DEBUG] (f) skipMultiThreadWarning = false
[DEBUG] (f) source = 1.5
[DEBUG] (f) staleMillis = 0
[DEBUG] (f) target = 1.5
[DEBUG] (f) useIncrementalCompilation = true
[DEBUG] (f) verbose = false
[DEBUG] (f) mavenSession = org.apache.maven.execution.MavenSession@5217f3d0
[DEBUG] (f) session = org.apache.maven.execution.MavenSession@5217f3d0
[DEBUG] -- end configuration --
[DEBUG] Using compiler 'javac'.
[INFO] No sources to compile
[INFO]
[INFO] --- maven-surefire-plugin:2.12.4:test (default-test) @ VAVLGateway ---
[DEBUG] Dependency collection stats: {ConflictMarker.analyzeTime=0, ConflictMarker.markTime=0, ConflictMarker.nodeCount=132, ConflictIdSort
[DEBUG] org.apache.maven.plugins:maven-surefire-plugin:jar:2.12.4:
[DEBUG]   org.apache.maven:maven-plugin-api:jar:2.0.9:compile
[DEBUG]   org.apache.maven.surefire:surefire-booter:jar:2.12.4:compile
[DEBUG]     org.apache.maven.surefire:surefire-api:jar:2.12.4:compile
[DEBUG]       org.apache.maven.surefire:maven-surefire-common:jar:2.12.4:compile

```



```

[DEBUG]      org.apache.commons:commons-lang3:jar:3.1:compile
[DEBUG]      org.apache.maven.shared:maven-common-artifact-filters:jar:1.3:compile
[DEBUG]      org.codehaus.plexus:plexus-utils:jar:3.0.8:compile
[DEBUG]      org.apache.maven:maven-artifact:jar:2.0.9:compile
[DEBUG]      org.apache.maven:maven-project:jar:2.0.9:compile
[DEBUG]      org.apache.maven:maven-settings:jar:2.0.9:compile
[DEBUG]      org.apache.maven:maven-profile:jar:2.0.9:compile
[DEBUG]      org.apache.maven:maven-model:jar:2.0.9:compile
[DEBUG]      org.apache.maven:maven-artifact-manager:jar:2.0.9:compile
[DEBUG]      org.apache.maven:maven-plugin-registry:jar:2.0.9:compile
[DEBUG]      org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1:compile
[DEBUG]      junit:junit:jar:3.8.1:test
[DEBUG]      org.apache.maven:maven-core:jar:2.0.9:compile
[DEBUG]      org.apache.maven:maven-plugin-parameter-documenter:jar:2.0.9:compile
[DEBUG]      org.apache.maven.reporting:maven-reporting-api:jar:2.0.9:compile
[DEBUG]      org.apache.maven:maven-repository-metadata:jar:2.0.9:compile
[DEBUG]      org.apache.maven:maven-error-diagnostics:jar:2.0.9:compile
[DEBUG]      org.apache.maven:maven-plugin-descriptor:jar:2.0.9:compile
[DEBUG]      org.apache.maven:maven-monitor:jar:2.0.9:compile
[DEBUG]      classworlds:classworlds:jar:1.1:compile
[DEBUG]      org.apache.maven:maven-toolchain:jar:2.0.9:compile
[DEBUG]      org.apache.maven.plugin-tools:maven-plugin-annotations:jar:3.1:compile
[DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-surefire-plugin:2.12.4
[DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-surefire-plugin:2.12.4
[DEBUG]   Imported: < maven.api
[DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-surefire-plugin:2.12.4
[DEBUG]   Included: org.apache.maven.plugins:maven-surefire-plugin:jar:2.12.4
[DEBUG]   Included: org.apache.maven.surefire:surefire-booter:jar:2.12.4
[DEBUG]   Included: org.apache.maven.surefire:surefire-api:jar:2.12.4
[DEBUG]   Included: org.apache.maven.surefire:maven-surefire-common:jar:2.12.4
[DEBUG]   Included: org.apache.commons:commons-lang3:jar:3.1
[DEBUG]   Included: org.apache.maven.shared:maven-common-artifact-filters:jar:1.3
[DEBUG]   Included: org.codehaus.plexus:plexus-utils:jar:3.0.8
[DEBUG]   Included: org.apache.maven.reporting:maven-reporting-api:jar:2.0.9
[DEBUG]   Included: org.apache.maven.plugin-tools:maven-plugin-annotations:jar:3.1
[DEBUG] Configuring mojo org.apache.maven.plugins:maven-surefire-plugin:2.12.4:test from plugin realm ClassRealm[plugin>org.apache.maven.pl
[DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-surefire-plugin:2.12.4:test' with basic configurator -->
[DEBUG]   (s) basedir = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway
[DEBUG]   (s) childDelegation = false
[DEBUG]   (s) classesDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target/c
[DEBUG]   (s) disableXmlReport = false
[DEBUG]   (s) enableAssertions = true
[DEBUG]   (s) forkMode = once
[DEBUG]   (s) junitArtifactName = junit:junit
[DEBUG]   (s) localRepository =      id: local
[DEBUG]     url: file:///home/jenkins/.m2/repository/
[DEBUG]     layout: default
[DEBUG] snapshots: [enabled => true, update => always]
[DEBUG] releases: [enabled => true, update => always]
[DEBUG]   (f) parallelMavenExecution = false
[DEBUG]   (s) perCoreThreadCount = true
[DEBUG]   (s) pluginArtifactMap = {org.apache.maven.plugins:maven-surefire-plugin=org.apache.maven.plugins:maven-surefire-plugin:maven-plug
[DEBUG]   (f) pluginDescriptor = Component Descriptor: role: 'org.apache.maven.plugin.Mojo', implementation: 'org.apache.maven.plugin.suref
role: 'org.apache.maven.plugin.Mojo', implementation: 'org.apache.maven.plugin.surefire.SurefirePlugin', role hint: 'org.apache.maven.plugi
---
[DEBUG]   (s) printSummary = true
[DEBUG]   (s) projectArtifactMap = {commons-codec:commons-codec=commons-codec:commons-codec:jar:1.6:compile, commons-dbcp:commons-dbcp=comm
[DEBUG]   (s) redirectTestOutputToFile = false
[DEBUG]   (s) remoteRepositories = [      id: mccf-maven-repo
[DEBUG]     url: http://vac20fpctas800.va.gov/pub/repo/maven/maven2
[DEBUG]     layout: default
[DEBUG] snapshots: [enabled => true, update => daily]
[DEBUG] releases: [enabled => true, update => daily]
}
[DEBUG]   (s) reportFormat = brief
[DEBUG]   (s) reportsDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target/s
[DEBUG]   (s) runOrder = filesystem
[DEBUG]   (s) skip = false
[DEBUG]   (s) skipTests = true
[DEBUG]   (s) testClassesDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/targ
[DEBUG]   (s) testFailureIgnore = false
[DEBUG]   (s) testNGArtifactName = org.testng:testng
[DEBUG]   (s) testSourceDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/src/t
[DEBUG]   (s) trimStackTrace = true
[DEBUG]   (s) useFile = true
[DEBUG]   (s) useManifestOnlyJar = true
[DEBUG]   (s) useSystemClassLoader = true
[DEBUG]   (s) useUnlimitedThreads = false
[DEBUG]   (s) workingDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway
[DEBUG]   (s) project = MavenProject: va.gov.tas:VAVLGateway:1.0 @ /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_
[DEBUG]   (s) session = org.apache.maven.execution.MavenSession@521f73d0
[DEBUG] -- end configuration --
[INFO] Tests are skipped.
[INFO]
[INFO] --- maven-jar-plugin:2.4:jar (default-jar) @ VAVLGateway ---
[DEBUG] Dependency collection stats: (ConflictMarker.analyzeTime=0, ConflictMarker.markTime=0, ConflictMarker.nodeCount=74, ConflictIdSorte
[DEBUG] org.apache.maven.plugins:maven-jar-plugin:jar:2.4:
[DEBUG]   org.apache.maven:maven-plugin-api:jar:2.0.6:compile
[DEBUG]   org.apache.maven:maven-project:jar:2.0.6:compile
[DEBUG]   org.apache.maven:maven-settings:jar:2.0.6:compile
[DEBUG]   org.apache.maven:maven-profile:jar:2.0.6:compile
[DEBUG]   org.apache.maven:maven-artifact-manager:jar:2.0.6:compile
[DEBUG]   org.apache.maven:maven-repository-metadata:jar:2.0.6:compile
[DEBUG]   org.apache.maven:maven-plugin-registry:jar:2.0.6:compile
[DEBUG]   org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1:compile
[DEBUG]   junit:junit:jar:3.8.1:compile
[DEBUG]   classworlds:classworlds:jar:1.1-alpha-2:compile
[DEBUG]   org.apache.maven:maven-model:jar:2.0.6:runtime
[DEBUG]   org.apache.maven:maven-artifact:jar:2.0.6:compile

```

```

[DEBUG] org.apache.maven:maven-archiver:jar:2.5:compile
[DEBUG] org.apache.maven:maven-core:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-plugin-parameter-documenter:jar:2.0.6:compile
[DEBUG] org.apache.maven.reporting:maven-reporting-api:jar:2.0.6:compile
[DEBUG] org.apache.maven.doxia:doxia-sink-api:jar:1.0-alpha-7:compile
[DEBUG] org.apache.maven:maven-error-diagnostics:jar:2.0.6:compile
[DEBUG] commons-cli:commons-cli:jar:1.0:compile
[DEBUG] org.apache.maven:maven-plugin-descriptor:jar:2.0.6:compile
[DEBUG] org.codehaus.plexus:plexus-interactivity-api:jar:1.0-alpha-4:compile
[DEBUG] org.apache.maven:maven-monitor:jar:2.0.6:compile
[DEBUG] org.codehaus.plexus:plexus-interpolation:jar:1.15:compile
[DEBUG] org.codehaus.plexus:plexus-archiver:jar:2.1:compile
[DEBUG] org.codehaus.plexus:plexus-io:jar:2.0.2:compile
[DEBUG] commons-lang:commons-lang:jar:2.1:compile
[DEBUG] org.codehaus.plexus:plexus-utils:jar:3.0:compile
[DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-jar-plugin:2.4
[DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-jar-plugin:2.4
[DEBUG] Imported: < maven.api
[DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-jar-plugin:2.4
[DEBUG] Included: org.apache.maven.plugins:maven-jar-plugin:jar:2.4
[DEBUG] Included: junit:junit:jar:3.8.1
[DEBUG] Included: org.apache.maven:maven-archiver:jar:2.5
[DEBUG] Included: org.apache.maven.reporting:maven-reporting-api:jar:2.0.6
[DEBUG] Included: org.apache.maven.doxia:doxia-sink-api:jar:1.0-alpha-7
[DEBUG] Included: commons-cli:commons-cli:jar:1.0
[DEBUG] Included: org.codehaus.plexus:plexus-interactivity-api:jar:1.0-alpha-4
[DEBUG] Included: org.codehaus.plexus:plexus-interpolation:jar:1.15
[DEBUG] Included: org.codehaus.plexus:plexus-archiver:jar:2.1
[DEBUG] Included: org.codehaus.plexus:plexus-io:jar:2.0.2
[DEBUG] Included: commons-lang:commons-lang:jar:2.1
[DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:3.0
[DEBUG] Configuring mojo org.apache.maven.plugins:maven-jar-plugin:2.4:jar from plugin realm ClassRealm[plugin>org.apache.maven.plugins:mav
[DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-jar-plugin:2.4:jar' with basic configurator -->
[DEBUG] (f) classesDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target/c
[DEBUG] (f) defaultManifestFile = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/targe
[DEBUG] (f) finalName = VAVLGateway-1.0
[DEBUG] (f) forceCreation = false
[DEBUG] (f) outputDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target
[DEBUG] (f) project = MavenProject: va.gov.tas:VAVLGateway:1.0 @ /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_
[DEBUG] (f) session = org.apache.maven.execution.MavenSession@5217f3d0
[DEBUG] (f) skipIfEmpty = false
[DEBUG] (f) useDefaultManifestFile = false
[DEBUG] -- end configuration --
[WARNING] JAR will be empty - no content was marked for inclusion!
[DEBUG] isUpdate: false (Destination /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/tar
[INFO] Building jar: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target/VAVLGateway-1
[DEBUG] adding directory META-INF/
[DEBUG] adding entry META-INF/MANIFEST.MF
[DEBUG] adding directory META-INF/maven/
[DEBUG] adding directory META-INF/maven/va.gov.tas/
[DEBUG] adding directory META-INF/maven/va.gov.tas/VAVLGateway/
[DEBUG] adding entry META-INF/maven/va.gov.tas/VAVLGateway/pom.xml
[DEBUG] adding entry META-INF/maven/va.gov.tas/VAVLGateway/pom.properties
[INFO]
[INFO] --- maven-dependency-plugin:3.1.1:copy-dependencies (copy-dependencies) @ VAVLGateway ---
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for apache-snapshots (http://people.apache.org/ma
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for codehaus-snapshots (http://snapshots.reposito
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for apache.snapshots (http://people.apache.org/ma
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for ow2-snapshot (http://repository.ow2.org/nexus
[DEBUG] Dependency collection stats: (ConflictMarker.analyzeTime=0, ConflictMarker.markTime=1, ConflictMarker.nodeCount=354, ConflictIdSort
[DEBUG] org.apache.maven.plugins:maven-dependency-plugin:jar:3.1.1:
[DEBUG] org.apache.maven:maven-artifact:jar:3.0:compile
[DEBUG] org.apache.maven:maven-plugin-api:jar:3.0:compile
[DEBUG] org.sonatype.sisu:sisu-inject-plexus:jar:1.4.2:compile
[DEBUG] org.sonatype.sisu:sisu-inject-bean:jar:1.4.2:compile
[DEBUG] org.sonatype.sisu:sisu-guice:jar:3.0:compile
[DEBUG] org.apache.maven:maven-model:jar:3.0:compile
[DEBUG] org.apache.maven:maven-core:jar:3.0:compile
[DEBUG] org.apache.maven:maven-settings:jar:3.0:compile
[DEBUG] org.apache.maven:maven-settings-builder:jar:3.0:compile
[DEBUG] org.apache.maven:maven-model-builder:jar:3.0:compile
[DEBUG] org.apache.maven:maven-aether-provider:jar:3.0:runtime
[DEBUG] org.sonatype.aether:aether-impl:jar:1.7:compile
[DEBUG] org.sonatype.aether:aether-spi:jar:1.7:compile
[DEBUG] org.sonatype.aether:aether-api:jar:1.7:compile
[DEBUG] org.sonatype.aether:aether-util:jar:1.7:compile
[DEBUG] org.codehaus.plexus:plexus-interpolation:jar:1.14:compile
[DEBUG] org.codehaus.plexus:plexus-classworlds:jar:2.2.3:compile
[DEBUG] org.codehaus.plexus:plexus-component-annotations:jar:1.7.1:compile
[DEBUG] org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3:compile
[DEBUG] org.sonatype.plexus:plexus-cipher:jar:1.4:compile
[DEBUG] org.apache.maven:maven-repository-metadata:jar:3.0:compile
[DEBUG] org.apache.maven.reporting:maven-reporting-api:jar:3.0:compile
[DEBUG] org.apache.maven.reporting:maven-reporting-impl:jar:2.3:compile
[DEBUG] org.apache.maven.doxia:doxia-core:jar:1.2:compile
[DEBUG] xerces:xercesImpl:jar:2.9.1:compile
[DEBUG] xml-apis:xml-apis:jar:1.3.04:compile
[DEBUG] org.apache.httpcomponents:httpclient:jar:4.0.2:compile
[DEBUG] org.apache.httpcomponents:httpcore:jar:4.0.1:compile
[DEBUG] commons-validator:commons-validator:jar:1.3.1:compile
[DEBUG] commons-beanutils:commons-beanutils:jar:1.7.0:compile
[DEBUG] commons-digester:commons-digester:jar:1.6:compile
[DEBUG] commons-logging:commons-logging:jar:1.0.4:compile
[DEBUG] commons-io:commons-io:jar:2.5:compile
[DEBUG] org.apache.maven.doxia:doxia-sink-api:jar:1.4:compile
[DEBUG] org.apache.maven.doxia:doxia-logging-api:jar:1.4:compile
[DEBUG] org.apache.maven.doxia:doxia-site-renderer:jar:1.4:compile
[DEBUG] org.apache.maven.doxia:doxia-decoration-model:jar:1.4:compile
[DEBUG] org.apache.maven.doxia:doxia-module-xhtml:jar:1.4:compile
[DEBUG] org.apache.maven.doxia:doxia-module-fml:jar:1.4:compile

```

```

[DEBUG] org.codehaus.plexus:plexus-il8n:jar:1.0-beta-7:compile
[DEBUG] org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-30:compile
[DEBUG] junit:junit:jar:3.8.1:compile
[DEBUG] org.codehaus.plexus:plexus-velocity:jar:1.1.7:compile
[DEBUG] org.apache.velocity:velocity:jar:1.5:compile
[DEBUG] oro:oro:jar:2.0.8:compile
[DEBUG] org.apache.velocity:velocity-tools:jar:2.0:compile
[DEBUG] commons-chain:commons-chain:jar:1.1:compile
[DEBUG] dom4j:dom4j:jar:1.1:compile
[DEBUG] sslext:sslext:jar:1.2-0:compile
[DEBUG] org.apache.struts:struts-core:jar:1.3.8:compile
[DEBUG] antlr:antlr:jar:2.7.2:compile
[DEBUG] org.apache.struts:struts-taglib:jar:1.3.8:compile
[DEBUG] org.apache.struts:struts-tiles:jar:1.3.8:compile
[DEBUG] org.codehaus.plexus:plexus-archiver:jar:3.6.0:compile
[DEBUG] org.apache.commons:commons-compress:jar:1.16.1:compile
[DEBUG] org.objenesis:objenesis:jar:2.6:compile
[DEBUG] org.iq80.snappy:snappy:jar:0.4:compile
[DEBUG] org.tukaani:xz:jar:1.8:runtime
[DEBUG] org.codehaus.plexus:plexus-utils:jar:3.1.0:compile
[DEBUG] org.apache.maven.shared:file-management:jar:3.0.0:compile
[DEBUG] org.apache.maven.shared:maven-shared-io:jar:3.0.0:compile
[DEBUG] org.apache.maven:maven-compat:jar:3.0:compile
[DEBUG] org.apache.maven.wagon:wagon-provider-api:jar:2.10:compile
[DEBUG] org.codehaus.plexus:plexus-io:jar:3.0.0:compile
[DEBUG] org.apache.maven.shared:maven-dependency-analyzer:jar:1.10:compile
[DEBUG] org.ow2.asm:asm:jar:6.1.1:compile
[DEBUG] org.apache.maven.shared:maven-dependency-tree:jar:3.0.1:compile
[DEBUG] org.eclipse.aether:aether-util:jar:0.9.0.M2:compile
[DEBUG] org.apache.maven.shared:maven-common-artifact-filters:jar:3.0.1:compile
[DEBUG] org.apache.maven.shared:maven-artifact-transfer:jar:0.9.1:compile
[DEBUG] commons-codec:commons-codec:jar:1.6:compile
[DEBUG] org.slf4j:slf4j-api:jar:1.7.5:compile
[DEBUG] org.apache.maven.shared:maven-shared-utils:jar:3.2.0:compile
[DEBUG] commons-lang:commons-lang:jar:2.6:compile
[DEBUG] commons-collections:commons-collections:jar:3.2.2:compile
[DEBUG] classworlds:classworlds:jar:1.1:compile
[DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-dependency-plugin:3.1.1
[DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-dependency-plugin:3.1.1
[DEBUG] Imported: < maven.api
[DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-dependency-plugin:3.1.1
[DEBUG] Included: org.apache.maven.plugins:maven-dependency-plugin:jar:3.1.1
[DEBUG] Included: org.sonatype.sisu:sisu-inject-bean:jar:1.4.2
[DEBUG] Included: org.sonatype.sisu:sisu-guice:jar:naoap:2.1.7
[DEBUG] Included: org.sonatype.aether:aether-util:jar:1.7
[DEBUG] Included: org.codehaus.plexus:plexus-interpolation:jar:1.14
[DEBUG] Included: org.codehaus.plexus:plexus-component-annotations:jar:1.7.1
[DEBUG] Included: org.sonatype.plexus:plexus-sec-dispatcher:jar:1.3
[DEBUG] Included: org.sonatype.plexus:plexus-cipher:jar:1.4
[DEBUG] Included: org.apache.maven.reporting:maven-reporting-api:jar:3.0
[DEBUG] Included: org.apache.maven.reporting:maven-reporting-impl:jar:2.3
[DEBUG] Included: org.apache.maven.doxia:doxia-core:jar:1.2
[DEBUG] Included: xerces:xercesImpl:jar:2.9.1
[DEBUG] Included: xml-apis:xml-apis:jar:1.3.04
[DEBUG] Included: org.apache.httpcomponents:httpclient:jar:4.0.2
[DEBUG] Included: org.apache.httpcomponents:httpcore:jar:4.0.1
[DEBUG] Included: commons-validator:commons-validator:jar:1.3.1
[DEBUG] Included: commons-beanutils:commons-beanutils:jar:1.7.0
[DEBUG] Included: commons-digester:commons-digester:jar:1.6
[DEBUG] Included: commons-logging:commons-logging:jar:1.0.4
[DEBUG] Included: commons-io:commons-io:jar:2.5
[DEBUG] Included: org.apache.maven.doxia:doxia-sink-api:jar:1.4
[DEBUG] Included: org.apache.maven.doxia:doxia-logging-api:jar:1.4
[DEBUG] Included: org.apache.maven.doxia:doxia-site-renderer:jar:1.4
[DEBUG] Included: org.apache.maven.doxia:doxia-decoration-model:jar:1.4
[DEBUG] Included: org.apache.maven.doxia:doxia-module-xhtml:jar:1.4
[DEBUG] Included: org.apache.maven.doxia:doxia-module-fml:jar:1.4
[DEBUG] Included: org.codehaus.plexus:plexus-il8n:jar:1.0-beta-7
[DEBUG] Included: junit:junit:jar:3.8.1
[DEBUG] Included: org.codehaus.plexus:plexus-velocity:jar:1.1.7
[DEBUG] Included: org.apache.velocity:velocity:jar:1.5
[DEBUG] Included: oro:oro:jar:2.0.8
[DEBUG] Included: org.apache.velocity:velocity-tools:jar:2.0
[DEBUG] Included: commons-chain:commons-chain:jar:1.1
[DEBUG] Included: dom4j:dom4j:jar:1.1
[DEBUG] Included: sslext:sslext:jar:1.2-0
[DEBUG] Included: org.apache.struts:struts-core:jar:1.3.8
[DEBUG] Included: antlr:antlr:jar:2.7.2
[DEBUG] Included: org.apache.struts:struts-taglib:jar:1.3.8
[DEBUG] Included: org.apache.struts:struts-tiles:jar:1.3.8
[DEBUG] Included: org.codehaus.plexus:plexus-archiver:jar:3.6.0
[DEBUG] Included: org.apache.commons:commons-compress:jar:1.16.1
[DEBUG] Included: org.objenesis:objenesis:jar:2.6
[DEBUG] Included: org.iq80.snappy:snappy:jar:0.4
[DEBUG] Included: org.tukaani:xz:jar:1.8
[DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:3.1.0
[DEBUG] Included: org.apache.maven.shared:file-management:jar:3.0.0
[DEBUG] Included: org.apache.maven.shared:maven-shared-io:jar:3.0.0
[DEBUG] Included: org.codehaus.plexus:plexus-io:jar:3.0.0
[DEBUG] Included: org.apache.maven.shared:maven-dependency-analyzer:jar:1.10
[DEBUG] Included: org.ow2.asm:asm:jar:6.1.1
[DEBUG] Included: org.apache.maven.shared:maven-dependency-tree:jar:3.0.1
[DEBUG] Included: org.eclipse.aether:aether-util:jar:0.9.0.M2
[DEBUG] Included: org.apache.maven.shared:maven-common-artifact-filters:jar:3.0.1
[DEBUG] Included: org.apache.maven.shared:maven-artifact-transfer:jar:0.9.1
[DEBUG] Included: commons-codec:commons-codec:jar:1.6
[DEBUG] Included: org.apache.maven.shared:maven-shared-utils:jar:3.2.0
[DEBUG] Included: commons-lang:commons-lang:jar:2.6
[DEBUG] Included: commons-collections:commons-collections:jar:3.2.2
[DEBUG] Configuring mojo org.apache.maven.plugins:maven-dependency-plugin:3.1.1:copy-dependencies from plugin realm ClassRealm[plugin>org.a

```

```

[DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-dependency-plugin:3.1.1:copy-dependencies' with basic configurator -->
[DEBUG] (f) addParentPoms = false
[DEBUG] (s) copyPom = false
[DEBUG] (f) excludeArtifactIds = xbean
[DEBUG] (f) excludeTransitive = true
[DEBUG] (s) failOnMissingClassifierArtifact = false
[DEBUG] (s) markersDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target/d
[DEBUG] (f) outputAbsoluteArtifactFilename = false
[DEBUG] (s) outputDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target/li
[DEBUG] (f) overwriteIfNewer = true
[DEBUG] (f) overwriteReleases = true
[DEBUG] (f) overwriteSnapshots = true
[DEBUG] (s) prependGroupId = false
[DEBUG] (f) project = MavenProject: va.gov.tas:VAVLGateway:1.0 @ /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT
[DEBUG] (f) reactorProjects = [MavenProject: va.gov.tas:VAVLGateway:1.0 @ /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/
[DEBUG] (f) remoteRepositories = [ id: mccf-maven-repo
url: http://vac20fpctas800.va.gov/pub/repo/maven/maven2
layout: default
snapshots: [enabled => true, update => daily]
releases: [enabled => true, update => daily]
]
[DEBUG] (f) session = org.apache.maven.execution.MavenSession@5217f3d0
[DEBUG] (s) silent = false
[DEBUG] (s) skip = false
[DEBUG] (f) stripClassifier = false
[DEBUG] (s) stripVersion = false
[DEBUG] (f) useBaseVersion = true
[DEBUG] (s) useRepositoryLayout = false
[DEBUG] (s) useSubDirectoryPerArtifact = false
[DEBUG] (s) useSubDirectoryPerScope = false
[DEBUG] (s) useSubDirectoryPerType = false
[DEBUG] -- end configuration --
[INFO] Copying httpcore-4.3.2.jar to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/targ
[INFO] Copying geronimo-j2ee-connector_1.5_spec-1.0.1.jar to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vi
[INFO] Copying jackson-core-2.9.5.jar to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/
[INFO] Copying json-20141113.jar to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/targe
[INFO] Copying log4j-1.2.17.jar to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target
[INFO] Copying commons-dbc-1.4.jar to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/ta
[INFO] Copying jackson-annotations-2.9.0.jar to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLG
[INFO] Copying netty-all-5.0.0.Alpha2.jar to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGate
[INFO] Copying junit-4.12.jar to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target/l
[INFO] Copying slf4j-api-1.7.25.jar to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/ta
[INFO] Copying commons-lang-2.6.jar to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/ta
[INFO] Copying commons-logging-1.1.3.jar to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGatew
[INFO] Copying simple-jndi-0.17.2.jar to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/
[INFO] Copying commons-pool-1.6.jar to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/ta
[INFO] Copying commons-io-2.6.jar to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/targ
[INFO] Copying commons-codec-1.6.jar to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/t
[INFO] Copying slf4j-nop-1.7.25.jar to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/ta
[INFO] Copying httpclient-4.3.5.jar to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/ta
[INFO] Copying jackson-databind-2.9.5.jar to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGate
[INFO]
[INFO] --- maven-dependency-plugin:3.1.1:copy (copy-specific-dependencies) @ VAVLGateway ---
[DEBUG] Configuring mojo org.apache.maven.plugins:maven-dependency-plugin:3.1.1:copy from plugin realm ClassRealm[plugin>org.apache.maven.p
[DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-dependency-plugin:3.1.1:copy' with basic configurator -->
[DEBUG] (s) groupId = gov.va.med
[DEBUG] (s) artifactId = xbean
[DEBUG] (s) version = 1.6.0
[DEBUG] (s) type = jar
[DEBUG] (s) overwrite = true
[DEBUG] (s) outputDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target/li
[DEBUG] (s) destFileName = xbean.jar
[DEBUG] (s) artifactItems = [gov.va.med:xbean:1.6.0:jar]
[DEBUG] (f) outputAbsoluteArtifactFilename = false
[DEBUG] (s) outputDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target/li
[DEBUG] (s) overwriteIfNewer = true
[DEBUG] (s) overwriteReleases = true
[DEBUG] (s) overwriteSnapshots = true
[DEBUG] (f) prependGroupId = false
[DEBUG] (f) project = MavenProject: va.gov.tas:VAVLGateway:1.0 @ /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT
[DEBUG] (f) reactorProjects = [MavenProject: va.gov.tas:VAVLGateway:1.0 @ /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/
[DEBUG] (f) remoteRepositories = [ id: mccf-maven-repo
url: http://vac20fpctas800.va.gov/pub/repo/maven/maven2
layout: default
snapshots: [enabled => true, update => daily]
releases: [enabled => true, update => daily]
]
[DEBUG] (f) session = org.apache.maven.execution.MavenSession@5217f3d0
[DEBUG] (s) silent = false
[DEBUG] (s) skip = false
[DEBUG] (s) stripClassifier = false
[DEBUG] (s) stripVersion = false
[DEBUG] (s) useBaseVersion = false
[DEBUG] -- end configuration --
[INFO] Configured Artifact: gov.va.med:xbean:1.6.0:jar
[INFO] Copying xbean-1.6.0.jar to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target/
[INFO]
[INFO] --- maven-assembly-plugin:2.2-beta-5:single (default) @ VAVLGateway ---
[DEBUG] Using mirror mccf-maven-repo (http://vac20fpctas800.va.gov/pub/repo/maven/maven2) for apache.snapshots (http://cvs.apache.org/maven
[DEBUG] Dependency collection stats: (ConflictMarker.analyzeTime=0, ConflictMarker.markTime=1, ConflictMarker.nodeCount=229, ConflictIdSort
[DEBUG] org.apache.maven.plugins:maven-assembly-plugin:jar:2.2-beta-5:
[DEBUG]   org.apache.maven.shared:maven-common-artifact-filters:jar:1.1:compile
[DEBUG]     org.apache.maven.shared:maven-plugin-testing-harness:jar:1.1.1:compile
[DEBUG]   org.codehaus.plexus:plexus-interpolation:jar:1.7:compile
[DEBUG]   org.codehaus.plexus:plexus-archiver:jar:1.0-alpha-12:compile
[DEBUG]   org.apache.maven.shared:file-management:jar:1.1.1:compile
[DEBUG]   org.apache.maven.shared:maven-shared-io:jar:1.1.1:compile
[DEBUG]   org.apache.maven:maven-artifact-manager:jar:2.0.2:compile
[DEBUG]   org.apache.maven:maven-repository-metadata:jar:2.0.2:compile
[DEBUG]   org.apache.maven.wagon:wagon-provider-api:jar:1.0-alpha-6:compile

```

```

[DEBUG] org.apache.maven.shared:maven-filtering:jar:1.0-beta-2:compile
[DEBUG] org.apache.maven:maven-core:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-plugin-parameter-documenter:jar:2.0.6:compile
[DEBUG] org.apache.maven.reporting:maven-reporting-api:jar:2.0.6:compile
[DEBUG] org.apache.maven.doxia:doxia-sink-api:jar:1.0-alpha-7:compile
[DEBUG] org.apache.maven:maven-error-diagnostics:jar:2.0.6:compile
[DEBUG] commons-cli:commons-cli:jar:1.0:compile
[DEBUG] org.apache.maven:maven-plugin-descriptor:jar:2.0.6:compile
[DEBUG] org.codehaus.plexus:plexus-interactivity-api:jar:1.0-alpha-4:compile
[DEBUG] org.apache.maven:maven-monitor:jar:2.0.6:compile
[DEBUG] org.apache.maven:maven-settings:jar:2.0.6:compile
[DEBUG] org.codehaus.plexus:plexus-active

-collections:jar:1.0-beta-2:compile
[DEBUG] org.codehaus.plexus:plexus-io:jar:1.0-alpha-4:compile
[DEBUG] org.apache.maven:maven-plugin-api:jar:2.0.4:compile
[DEBUG] org.apache.maven:maven-project:jar:2.0.4:compile
[DEBUG] org.apache.maven:maven-profile:jar:2.0.4:compile
[DEBUG] org.apache.maven:maven-archiver:jar:2.4:compile
[DEBUG] org.codehaus.plexus:plexus-container-default:jar:1.0-alpha-9-stable-1:compile
[DEBUG] junit:junit:jar:3.8.1:compile
[DEBUG] classworlds:classworlds:jar:1.1-alpha-2:compile
[DEBUG] org.codehaus.plexus:plexus-utils:jar:2.0.1:compile
[DEBUG] org.apache.maven:maven-artifact:jar:2.0.4:compile
[DEBUG] org.apache.maven:maven-model:jar:2.0.4:compile
[DEBUG] org.apache.maven.shared:maven-repository-builder:jar:1.0-alpha-2:compile
[DEBUG] Created new class realm plugin>org.apache.maven.plugins:maven-assembly-plugin:2.2-beta-5
[DEBUG] Importing foreign packages into class realm plugin>org.apache.maven.plugins:maven-assembly-plugin:2.2-beta-5
[DEBUG] Imported: < maven.api
[DEBUG] Populating class realm plugin>org.apache.maven.plugins:maven-assembly-plugin:2.2-beta-5
[DEBUG] Included: org.apache.maven.plugins:maven-assembly-plugin:jar:2.2-beta-5
[DEBUG] Included: org.apache.maven.shared:maven-common-artifact-filters:jar:1.1
[DEBUG] Included: org.apache.maven.shared:maven-plugin-testing-harness:jar:1.1
[DEBUG] Included: org.codehaus.plexus:plexus-interpolation:jar:1.7
[DEBUG] Included: org.codehaus.plexus:plexus-archiver:jar:1.0-alpha-12
[DEBUG] Included: org.apache.maven.shared:file-management:jar:1.1
[DEBUG] Included: org.apache.maven.shared:maven-shared-io:jar:1.1
[DEBUG] Included: org.apache.maven.shared:maven-filtering:jar:1.0-beta-2
[DEBUG] Included: org.apache.maven.reporting:maven-reporting-api:jar:2.0.6
[DEBUG] Included: org.apache.maven.doxia:doxia-sink-api:jar:1.0-alpha-7
[DEBUG] Included: commons-cli:commons-cli:jar:1.0
[DEBUG] Included: org.codehaus.plexus:plexus-interactivity-api:jar:1.0-alpha-4
[DEBUG] Included: org.codehaus.plexus:plexus-active

-collections:jar:1.0-beta-2
[DEBUG] Included: org.codehaus.plexus:plexus-io:jar:1.0-alpha-4
[DEBUG] Included: org.apache.maven:maven-archiver:jar:2.4
[DEBUG] Included: junit:junit:jar:3.8.1
[DEBUG] Included: org.codehaus.plexus:plexus-utils:jar:2.0.1
[DEBUG] Included: org.apache.maven.shared:maven-repository-builder:jar:1.0-alpha-2
[DEBUG] Configuring mojo org.apache.maven.plugins:maven-assembly-plugin:2.2-beta-5:single from plugin realm ClassRealm[plugin>org.apache.ma
[DEBUG] Configuring mojo 'org.apache.maven.plugins:maven-assembly-plugin:2.2-beta-5:single' with basic configurator -->
[DEBUG] (s) appendAssemblyId = true
[DEBUG] (f) attach = true
[DEBUG] (s) basedir = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway
[DEBUG] (s) descriptor = vlgateway.xml
[DEBUG] (f) dryRun = false
[DEBUG] (s) finalName = VAVLGateway_1.0.6_20190226_092351
[DEBUG] (f) ignoreDirFormatExtensions = true
[DEBUG] (s) ignoreMissingDescriptor = false
[DEBUG] (s) includeSite = false
[DEBUG] (s) localRepository = id: local
[DEBUG] url: file:///home/jenkins/.m2/repository/
[DEBUG] layout: default
[DEBUG] snapshots: [enabled => true, update => always]
[DEBUG] releases: [enabled => true, update => always]

[DEBUG] (f) mavenSession = org.apache.maven.execution.MavenSession@5217f3d0
[DEBUG] (s) outputDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target
[DEBUG] (f) project = MavenProject: va.gov.tas:VAVLGateway:1.0 @ /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT
[DEBUG] (s) reactorProjects = [MavenProject: va.gov.tas:VAVLGateway:1.0 @ /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/
[DEBUG] (f) remoteRepositories = [ id: mccf-maven-repo
[DEBUG] url: http://vac20fpctas800.va.gov/pub/repo/maven/maven2
[DEBUG] layout: default
[DEBUG] snapshots: [enabled => true, update => daily]
[DEBUG] releases: [enabled => true, update => daily]
]
[DEBUG] (f) runOnlyAtExecutionRoot = false
[DEBUG] (s) siteDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target/site
[DEBUG] (f) skipAssembly = false
[DEBUG] (s) tarLongFileMode = warn
[DEBUG] (s) tempRoot = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target/archive-t
[DEBUG] (s) workDirectory = /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target/asse
[DEBUG] -- end configuration --
[DEBUG] Before assembly is interpolated:

<?xml version="1.0" encoding="UTF-8"?>
<assembly>
  <id>bundle</id>
  <formats>
    <format>tar.gz</format>
  </formats>
  <includeBaseDirectory>false</includeBaseDirectory>
  <fileSets>
    <fileSet>
      <directory>${project.build.directory}/libs</directory>
      <outputDirectory>vavlgateway/libs</outputDirectory>
      <includes>
        <include>*.jar</include>
      </includes>
    </fileSet>
  </fileSets>

```

```

</fileSet>
<fileSet>
  <directory>${project.basedir}/../deploy/files</directory>
  <outputDirectory>vavlgateway/libs</outputDirectory>
  <includes>
    <include>MyVLTestPing*.jar</include>
    <include>xmlytypes*.jar</include>
  </includes>
</fileSet>
<fileSet>
  <directory>${project.basedir}/../VistaLink/target</directory>
  <outputDirectory>vavlgateway/libs</outputDirectory>
  <includes>
    <include>VistaLink-*.jar</include>
  </includes>
</fileSet>
<fileSet>
  <directory>${project.basedir}/../VAVistaLinkServer/target</directory>
  <outputDirectory>vavlgateway/libs</outputDirectory>
  <includes>
    <include>VAVistaLinkServer*.jar</include>
  </includes>
</fileSet>
<fileSet>
  <directory>${project.basedir}/../VAVistaLinkServer/props</directory>
  <outputDirectory>vavlgateway/props</outputDirectory>
  <includes>
    <include>*.xml</include>
  </includes>
</fileSet>
<fileSet>
  <directory>${project.basedir}/../VAVistaLinkServer/resources</directory>
  <outputDirectory>vavlgateway/resources</outputDirectory>
  <includes>
    <include>*.properties</include>
  </includes>
</fileSet>
</fileSets>
</assembly>

```

[DEBUG] After assembly is interpolated:

```

<?xml version="1.0" encoding="UTF-8"?>
<assembly>
  <id>bundle</id>
  <formats>
    <format>tar.gz</format>
  </formats>
  <includeBaseDirectory>false</includeBaseDirectory>
  <fileSets>
    <fileSet>
      <directory>target/libs</directory>
      <outputDirectory>vavlgateway/libs</outputDirectory>
      <includes>
        <include>*.jar</include>
      </includes>
    </fileSet>
    <fileSet>
      <directory>../deploy/files</directory>
      <outputDirectory>vavlgateway/libs</outputDirectory>
      <includes>
        <include>MyVLTestPing*.jar</include>
        <include>xmlytypes*.jar</include>
      </includes>
    </fileSet>
    <fileSet>
      <directory>../VistaLink/target</directory>
      <outputDirectory>vavlgateway/libs</outputDirectory>
      <includes>
        <include>VistaLink-*.jar</include>
      </includes>
    </fileSet>
    <fileSet>
      <directory>../VAVistaLinkServer/target</directory>
      <outputDirectory>vavlgateway/libs</outputDirectory>
      <includes>
        <include>VAVistaLinkServer*.jar</include>
      </includes>
    </fileSet>
    <fileSet>
      <directory>../VAVistaLinkServer/props</directory>
      <outputDirectory>vavlgateway/props</outputDirectory>
      <includes>
        <include>*.xml</include>
      </includes>
    </fileSet>
    <fileSet>
      <directory>../VAVistaLinkServer/resources</directory>
      <outputDirectory>vavlgateway/resources</outputDirectory>
      <includes>
        <include>*.properties</include>
      </includes>
    </fileSet>
  </fileSets>
</assembly>

```

```

[DEBUG] All known ContainerDescriptorHandler components: [plexus, file-aggregator]
[DEBUG] Cannot find ArtifactResolver with hint: project-cache-aware
org.codehaus.plexus.component.repository.exception.ComponentLookupException: java.util.NoSuchElementException
  role: org.apache.maven.artifact.resolver.ArtifactResolver
  roleHint: project-cache-aware
    at org.codehaus.plexus.DefaultPlexusContainer.lookup(DefaultPlexusContainer.java:267)
    at org.codehaus.plexus.DefaultPlexusContainer.lookup(DefaultPlexusContainer.java:243)
    at org.apache.maven.shared.repository.DefaultRepositoryAssembler.contextualize(DefaultRepositoryAssembler.java:721)
    at org.eclipse.sisu.plexus.PlexusLifecycleManager.contextualize(PlexusLifecycleManager.java:282)
    at org.eclipse.sisu.plexus.PlexusLifecycleManager.activate(PlexusLifecycleManager.java:203)
    at org.eclipse.sisu.bean.BeanScheduler$Pending.activate(BeanScheduler.java:156)
    at org.eclipse.sisu.bean.BeanScheduler$Activator.onProvision(BeanScheduler.java:185)
    at com.google.inject.internal.ProvisionListenerStackCallback$Provision.provision(ProvisionListenerStackCallback.java:126)
    at com.google.inject.internal.ProvisionListenerStackCallback.provision(ProvisionListenerStackCallback.java:68)
    at com.google.inject.internal.ProviderInternalFactory.circularGet(ProviderInternalFactory.java:63)
    at com.google.inject.internal.InternalFactoryToInitializableAdapter.get(InternalFactoryToInitializableAdapter.java:45)
    at com.google.inject.internal.ProviderToInternalFactoryAdapter$1.call(ProviderToInternalFactoryAdapter.java:46)
    at com.google.inject.internal.InjectorImpl.callInContext(InjectorImpl.java:1103)
    at com.google.inject.internal.ProviderToInternalFactoryAdapter.get(ProviderToInternalFactoryAdapter.java:40)
    at com.google.inject.internal.SingletonScope$1.get(SingletonScope.java:145)
    at com.google.inject.internal.InternalFactoryToProviderAdapter.get(InternalFactoryToProviderAdapter.java:41)
    at com.google.inject.internal.InjectorImpl$2$1.call(InjectorImpl.java:1016)
    at com.google.inject.internal.InjectorImpl.callInContext(InjectorImpl.java:1092)
    at com.google.inject.internal.InjectorImpl$2.get(InjectorImpl.java:1012)
    at org.eclipse.sisu.inject.LazyBeanEntry.getValue(LazyBeanEntry.java:81)
    at org.eclipse.sisu.plexus.LazyPlexusBean.getValue(LazyPlexusBean.java:51)
    at org.eclipse.sisu.wire.EntryListAdapter$ValueIterator.next(EntryListAdapter.java:111)
    at org.apache.maven.plugin.assembly.archive.DefaultAssemblyArchiver.createArchive(DefaultAssemblyArchiver.java:188)
    at org.apache.maven.plugin.assembly.mojos.AbstractAssemblyMojo.execute(AbstractAssemblyMojo.java:378)
    at org.apache.maven.plugin.DefaultBuildPluginManager.executeMojo(DefaultBuildPluginManager.java:134)
    at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:207)
    at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:153)
    at org.apache.maven.lifecycle.internal.MojoExecutor.execute(MojoExecutor.java:145)
    at org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:116)
    at org.apache.maven.lifecycle.internal.LifecycleModuleBuilder.buildProject(LifecycleModuleBuilder.java:80)
    at org.apache.maven.lifecycle.internal.builder.singlethreaded.SingleThreadedBuilder.build(SingleThreadedBuilder.java:51)
    at org.apache.maven.lifecycle.internal.LifecycleStarter.execute(LifecycleStarter.java:128)
    at org.apache.maven.DefaultMaven.doExecute(DefaultMaven.java:307)
    at org.apache.maven.DefaultMaven.doExecute(DefaultMaven.java:193)
    at org.apache.maven.DefaultMaven.execute(DefaultMaven.java:106)
    at org.apache.maven.cli.MavenCli.execute(MavenCli.java:863)
    at org.apache.maven.cli.MavenCli.doMain(MavenCli.java:288)
    at org.apache.maven.cli.MavenCli.main(MavenCli.java:199)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
    at java.lang.reflect.Method.invoke(Method.java:498)
    at org.codehaus.plexus.classworlds.launcher.Launcher.launchEnhanced(Launcher.java:289)
    at org.codehaus.plexus.classworlds.launcher.Launcher.launch(Launcher.java:229)
    at org.codehaus.plexus.classworlds.launcher.Launcher.mainWithExitCode(Launcher.java:415)
    at org.codehaus.plexus.classworlds.launcher.Launcher.main(Launcher.java:356)
Caused by: java.util.NoSuchElementException
  at java.util.Collections$EmptyIterator.next(Collections.java:4189)
  at org.codehaus.plexus.DefaultPlexusContainer.lookup(DefaultPlexusContainer.java:263)
  ... 45 more
[DEBUG] FileSet[vavlgateway/libs/] dir perms: -1 file perms: -1
[DEBUG] The archive base directory is 'null'
[DEBUG] NOT reformatting any files in /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/tar
[DEBUG] Adding file-set from directory: '/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/assembly output directory is: 'vavlgateway/libs/'
[DEBUG] Adding file-set in: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target/libs t
[DEBUG] FileSet[vavlgateway/libs/] dir perms: -1 file perms: -1
[DEBUG] The archive base directory is 'null'
[DEBUG] NOT reformatting any files in /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/./
[DEBUG] Adding file-set from directory: '/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/assembly output directory is: 'vavlgateway/libs/'
[DEBUG] Adding file-set in: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/././deploy/f
[DEBUG] FileSet[vavlgateway/libs/] dir perms: -1 file perms: -1
[DEBUG] The archive base directory is 'null'
[DEBUG] NOT reformatting any files in /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/./
[DEBUG] Adding file-set from directory: '/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/assembly output directory is: 'vavlgateway/libs/'
[DEBUG] Adding file-set in: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/././VistaLin
[DEBUG] FileSet[vavlgateway/libs/] dir perms: -1 file perms: -1
[DEBUG] The archive base directory is 'null'
[DEBUG] NOT reformatting any files in /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/./
[DEBUG] Adding file-set from directory: '/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/assembly output directory is: 'vavlgateway/libs/'
[DEBUG] Adding file-set in: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/././VAVistaL
[DEBUG] FileSet[vavlgateway/props/] dir perms: -1 file perms: -1
[DEBUG] The archive base directory is 'null'
[DEBUG] NOT reformatting any files in /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/./
[DEBUG] Adding file-set from directory: '/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/assembly output directory is: 'vavlgateway/props/'
[DEBUG] Adding file-set in: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/././VAVistaL
[DEBUG] FileSet[vavlgateway/resources/] dir perms: -1 file perms: -1
[DEBUG] The archive base directory is 'null'
[DEBUG] NOT reformatting any files in /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/./
[DEBUG] Adding file-set from directory: '/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/assembly output directory is: 'vavlgateway/resources/'
[DEBUG] Adding file-set in: /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/././VAVistaL
[DEBUG] No dependency sets specified.
[INFO] Building tar : /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink/VAVLGateway/target/VAVLGateway_
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 7.754 s
[INFO] Finished at: 2019-02-26T08:26:04-06:00
[INFO] Final Memory: 24M/597M
[INFO] -----

```

```

[Pipeline] }
[Pipeline] // dir
[Pipeline] echo
=====
[Pipeline] echo
version of VistaLink is 0.0.3-SNAPSHOT
[Pipeline] echo
version of VAVistaLinkServer is 1.0.4
[Pipeline] echo
tas_vistalink productRev is 6_20190226_092351
[Pipeline] echo
output filename is VAVLGateway_1.0.6_20190226_092351-bundle.tar.gz
[Pipeline] echo
=====
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Stage Distribution Package)
[Pipeline] echo
stage the packaged distribution (MCCF_EDT_TAS_Vistalink/VAVLGateway/target/VAVLGateway_1.0.6_20190226_092351-bundle.tar.gz) for VAVLGateway
[Pipeline] echo
stage the latest build artifact(MCCF_EDT_TAS_Vistalink/VAVLGateway/target/VAVLGateway_1.0.6_20190226_092351-bundle.tar.gz) for deployment
[Pipeline] echo
check for TGT_STREAM
[Pipeline] echo
TGT_STREAM found (CI)
[Pipeline] echo
check /var/www/html/rtc/tas directory exist
[Pipeline] sh
+ [[ -d /var/www/html/rtc/tas ]]
[Pipeline] echo
fix directory permissions
[Pipeline] sh
+ set -x
++ dirname /var/www/html/rtc/tas
+ sudo find /var/www/html/rtc -type d -exec chmod 0755 '{}' ';'
[Pipeline] echo
copy MCCF_EDT_TAS_Vistalink/VAVLGateway/target/VAVLGateway_1.0.6_20190226_092351-bundle.tar.gz to /var/www/html/rtc/tas/
[Pipeline] sh
+ sudo cp MCCF_EDT_TAS_Vistalink/VAVLGateway/target/VAVLGateway_1.0.6_20190226_092351-bundle.tar.gz /var/www/html/rtc/tas/
[Pipeline] echo
create symbolic link to staged artifact
[Pipeline] sh
+ sudo ln -sfn /var/www/html/rtc/tas/VAVLGateway_1.0.6_20190226_092351-bundle.tar.gz /var/www/html/latest_vistalink_ci
[Pipeline] echo
verify link created
[Pipeline] sh
+ readlink /var/www/html/latest_vistalink_ci
[Pipeline] sh
+ [[ -n /var/www/html/rtc/tas/VAVLGateway_1.0.6_20190226_092351-bundle.tar.gz ]]
+ echo 'link exists for /var/www/html/latest_vistalink_ci'
link exists for /var/www/html/latest_vistalink_ci
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Declarative: Post Actions)
[Pipeline] echo
POST always: all tasks are completed, collecting environment variables to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/je
[Pipeline] sh
+ printenv
[Pipeline] echo
POST always: archiving all logs and artifacts specified
[Pipeline] junit
Recording test results
None of the test reports contained any result
[Pipeline] echo
POST success: check environment to determine commit actions
[Pipeline] script
[Pipeline] {
[Pipeline] echo
POST success: determine proper commit action for MAG_DEV, (aka MAG)
[Pipeline] echo
POST success: copy packaged artifact (MCCF_EDT_TAS_Vistalink/VAVLGateway/target/VAVLGateway_1.0.6_20190226_092351-bundle.tar.gz) to Build_A
[Pipeline] sh
+ mkdir -p /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/Build_Artifacts/1.0
+ cp MCCF_EDT_TAS_Vistalink/VAVLGateway/target/VAVLGateway_1.0.6_20190226_092351-bundle.tar.gz /home/jenkins/workspace/VistaLink/RTC_MCCF_t
+ echo 'POST success: check /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/Build_Artifacts/1.0/VAVLGateway_1.0.6_20190226_0
POST success: check /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/Build_Artifacts/1.0/VAVLGateway_1.0.6_20190226_092351-bu
+ [[ -f /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/Build_Artifacts/1.0/VAVLGateway_1.0.6_20190226_092351-bundle.tar.gz
+ echo 'POST success: Artifact (/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/Build_Artifacts/1.0/VAVLGateway_1.0.6_201902
POST success: Artifact (/home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/Build_Artifacts/1.0/VAVLGateway_1.0.6_20190226_09235
[Pipeline] echo
cleanup prior to checkin and deliver
[Pipeline] dir
Running in /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink
[Pipeline] {
[Pipeline] sh
+ rm -rf '**/logs'
[Pipeline] sh
+ rm -rf VAVistaLinkServer/target VAVLGateway/target VistaLink/target
[Pipeline] sh
+ find . -name '*.log' -type f -delete
[Pipeline] }
[Pipeline] // dir
[Pipeline] dir
Running in /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/MCCF_EDT_TAS_Vistalink
[Pipeline] {
[Pipeline] sh
+ rm -rf '**/logs'
[Pipeline] sh

```



```

+ rm -rf '**/target'
[Pipeline] sh
+ find . -name '*.log' -type f -delete
[Pipeline] sh
+ rm -rf VAVistaLinkServer@tmp VAVLGateway@tmp VistaLink@tmp
[Pipeline] }
[Pipeline] // dir
[Pipeline] withCredentials
[Pipeline] {
[Pipeline] isUnix
[Pipeline] sh
+ hostname
[Pipeline] echo
show scm status
[Pipeline] sh
+ /opt/ibm/teamconcert/6.0.1/jazz/scmtools/eclipse/scm.sh show status -u **** -P '*****' -v --all -d /home/jenkins/workspace/VistaLink/RTC_M
Local file system is consistent.
Workspace: (1919) "TASCore_Vistalink_CI_wksp" (**** @ https://clm>
Component: (1878) "MCCF_EDI_TAS_Vistalink"
Baseline: (1918) 18 "TAS_Vistalink_BuildDef_DevMag_#5"
Outgoing:
Baselines:
(1918) 18 "TAS_Vistalink_BuildDef_DevMag_#5"
+ echo '-----'
-----
[Pipeline] echo
prepare to checkin components
[Pipeline] echo
loop through each file in MCCF_EDI_TAS_Vistalink
[Pipeline] sh
+ find MCCF_EDI_TAS_Vistalink -maxdepth 1 -type f -name '*' -exec /opt/ibm/teamconcert/6.0.1/jazz/scmtools/eclipse/scm.sh checkin -u ****
[Pipeline] echo
/opt/ibm/teamconcert/6.0.1/jazz/scmtools/eclipse/scm.sh checkin MCCF_EDI_TAS_Vistalink/*
[Pipeline] sh
+ /opt/ibm/teamconcert/6.0.1/jazz/scmtools/eclipse/scm.sh checkin -u **** -P '*****' --comment 'version: 1.0, lastBuildDate: Feb 26, 2019 09
[Pipeline] echo
-----
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] withCredentials
[Pipeline] {
[Pipeline] echo
show scm status
[Pipeline] sh
+ /opt/ibm/teamconcert/6.0.1/jazz/scmtools/eclipse/scm.sh show status -u **** -P '*****' -v --all -d /home/jenkins/workspace/VistaLink/RTC_M
Local file system is consistent.
Workspace: (1919) "TASCore_Vistalink_CI_wksp" (**** @ https://clm>
Component: (1878) "MCCF_EDI_TAS_Vistalink"
Baseline: (1918) 18 "TAS_Vistalink_BuildDef_DevMag_#5"
Outgoing:
Baselines:
(1918) 18 "TAS_Vistalink_BuildDef_DevMag_#5"
+ echo '-----'
-----
[Pipeline] echo
RTC **** deliver
[Pipeline] sh
+ /opt/ibm/teamconcert/6.0.1/jazz/scmtools/eclipse/scm.sh deliver -u **** -P '*****' -v
Delivering changes:
Repository: https://clm.rational.oit.va.gov/ccm/
Workspace: (1920) "TASCore_Vistalink_CI_Stream"
Component: (1878) "MCCF_EDI_TAS_Vistalink"
Baselines:
(1918) 18: TAS_Vistalink_BuildDef_DevMag_#5
The deliver command completed successfully.
[Pipeline] echo
Deliver succeeded
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] echo
POST success: send email notification
[Pipeline] echo
send email to recipients ([[ $class:DevelopersRecipientProvider]]) for SUCCESSFUL
[Pipeline] echo

subject: SUCCESSFUL: Job 'VistaLink/RTC_MCCF_tas_vistalink_build [6]',
body:
<p>Job: 'VistaLink/RTC_MCCF_tas_vistalink_build build: [6]':</p>
<p>Check console output at "<a href="http://vac20fpctas800.va.gov:8080/job/VistaLink/job/RTC_MCCF_tas_vistalink_build/6/">VistaLink/RTC
'
recipientProviders: [[ $class:DevelopersRecipientProvider]],
replyTo: null,
to: null

[Pipeline] mail
[Pipeline] }
[Pipeline] // script
[Pipeline] echo
POST success: collecting console log
[Pipeline] echo
getConsoleLog: prepare logfilename to get console log
[Pipeline] echo
getConsoleLog: console log is http://vac20fpctas800.va.gov:8080/job/VistaLink/job/RTC_MCCF_tas_vistalink_build/ (same as job url)
[Pipeline] echo
getConsoleLog: console log is changed to /home/jenkins/job/VistaLink/job/RTC_MCCF_tas_vistalink_build/
[Pipeline] echo
getConsoleLog: console log is changed again to /home/jenkins/jobs/VistaLink/jobs/RTC_MCCF_tas_vistalink_build/
[Pipeline] echo
getConsoleLog: console log is finally /home/jenkins/jobs/VistaLink/jobs/RTC_MCCF_tas_vistalink_build/builds/6/log
[Pipeline] echo

```

```
getConsoleLog: prepare to write to /home/jenkins/workspace/VistaLink/RTC_MCCF_tas_vistalink_build/RTC_MCCF_tas_vistalink_build_6_console.log  
[Pipeline] sh
```