

```

Started by user jenkins admin
Checking out teamconcert-https://clm.rational.oit.va.gov/ccm-RTC601-TASCoreBuildDef_CIBuild7Mag into /home/jenkins/workspace/MCCF_TAS/RTC_M
RTC : checkout...
RTC Checkout : Source control setup
RTC Checkout : Accepting changes into workspace "tascoreCIBuild7_wksp" ...
Using build definition configuration.
Fetching files from repository workspace "tascoreCIBuild7_wksp".
RTC Checkout : Deleting fetch destination "/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build@script" before fetching ...
RTC Checkout : Fetching files to fetch destination "/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build@script" ...
RTC Checkout : Fetching Completed
Resume disabled by user, switching to high-performance, low-durability mode.
[Pipeline] node
Running on Jenkins in /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Declarative: Checkout SCM)
[Pipeline] checkout
RTC : checkout...
RTC Checkout : Source control setup
RTC Checkout : Accepting changes into workspace "tascoreCIBuild7_wksp" ...
Using build definition configuration.
Fetching files from repository workspace "tascoreCIBuild7_wksp".
RTC Checkout : Deleting fetch destination "/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build" before fetching ...
RTC Checkout : Fetching files to fetch destination "/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build" ...
RTC Checkout : Fetching Completed
[Pipeline] }
[Pipeline] // stage
[Pipeline] withEnv
[Pipeline] {
[Pipeline] timestamps
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Prepare workspace with source code)
[Pipeline] script
[Pipeline] {
[Pipeline] echo
determine region for MAG_DEV
[Pipeline] echo
determine main env for region MAG, (aka MAG_DEV)
[Pipeline] echo
determine action for MAG_DEV, (aka MAG, DEV)
[Pipeline] echo
Initialize workspace from RTC
[Pipeline] teamconcert
RTC : checkout...
RTC Checkout : Source control setup
RTC Checkout : Accepting changes into workspace "tascoreCIBuild7_wksp" ...
Using build definition configuration.
Fetching files from repository workspace "tascoreCIBuild7_wksp".
RTC Checkout : Deleting fetch destination "/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build" before fetching ...
RTC Checkout : Fetching files to fetch destination "/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build" ...
RTC Checkout : Fetching Completed
[Pipeline] echo
Verify component (MCCF_EDT_TAS_WebUI) exists
[Pipeline] sh
[RTC MCCF_TAS_Core_Branch_Build] Running shell script
+ [[ -d MCCF_EDT_TAS_WebUI ]]
+ echo 'Component (MCCF_EDT_TAS_WebUI) exists, safe to proceed'
Component (MCCF_EDT_TAS_WebUI) exists, safe to proceed
[Pipeline] echo
EDE environment, determine SRC_STREAM
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Pre-Build Setup)
[Pipeline] echo
create artifact location for jenkins (/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/artifacts/20190213_121152)
[Pipeline] sh
[RTC MCCF_TAS_Core_Branch_Build] Running shell script
+ mkdir -p /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/artifacts/20190213_121152
[Pipeline] echo
prepare npm
[Pipeline] echo
npm cache clean --force
[Pipeline] sh
[RTC MCCF_TAS_Core_Branch_Build] Running shell script
+ npm cache clean --force
npm WARN using --force I sure hope you know what you are doing.
[Pipeline] sh
[RTC MCCF_TAS_Core_Branch_Build] Running shell script
+ sudo npm set registry http://vac20fpctas800.va.gov:4873 -g
[Pipeline] sh
[RTC MCCF_TAS_Core_Branch_Build] Running shell script
+ sudo npm set phantomjs_cdnurl http://vac20fpctas800.va.gov/pub/repo/npm/sinopia/phantomjs -g
[Pipeline] sh
[RTC MCCF_TAS_Core_Branch_Build] Running shell script
+ sudo npm config delete phantomjs_downloadurl -g
[Pipeline] sh
[RTC MCCF_TAS_Core_Branch_Build] Running shell script
+ sudo npm set sass_binary_name linux-x64-57 -g
[Pipeline] sh
[RTC MCCF_TAS_Core_Branch_Build] Running shell script
+ sudo npm set sass_binary_site http://vac20fpctas800.va.gov/pub/repo/npm/sinopia/node-sass -g
[Pipeline] echo
set progress bars to false
[Pipeline] sh
[RTC MCCF_TAS_Core_Branch_Build] Running shell script

```

```

+ sudo npm set progress=false -g
[Pipeline] sh
[RTC_MCCF_TAS_Core_Branch_Build] Running shell script
+ npm config list
; cli configs
metrics-registry = "http://vac20fpctas800.va.gov:4873/"
scope = ""
user-agent = "npm/5.0.3 node/v8.1.2 linux x64"

; userconfig /home/jenkins/.npmrc
registry = "http://vac20fpctas800.va.gov:4873/"

; globalconfig /usr/etc/npmrc
phantomjs_cdnurl = "http://vac20fpctas800.va.gov/pub/repo/npm/sinopia/phantomjs"
progress = false
registry = "http://vac20fpctas800.va.gov:4873/"
sass_binary_name = "linux-x64-57"
sass_binary_site = "http://vac20fpctas800.va.gov/pub/repo/npm/sinopia/node-sass"

; node bin location = /usr/bin/node
; cwd = /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build
; HOME = /home/jenkins
; "npm config ls -l" to show all defaults.

[Pipeline] echo
set final packageVersion
[Pipeline] dir
Running in /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/MCCF_EDI_TAS_WebUI
[Pipeline] {
[Pipeline] script
[Pipeline] {
[Pipeline] echo
building in EDE, do not use git commit in packageVersion
[Pipeline] echo
final packageVersion for tag TAS.01.00.2_20190213_121152
[Pipeline] echo
getting package name
[Pipeline] sh
[MCCF_EDI_TAS_WebUI] Running shell script
+ npm run env
+ grep npm_package_name
+ cut -d = -f 2
[Pipeline] echo
building for package mccf-tas_TAS.01.00.2_20190213_121152.tar.gz
[Pipeline] echo
updating metadata for ./src/index.html
[Pipeline] echo
backup the index file before editing
[Pipeline] sh
[MCCF_EDI_TAS_WebUI] Running shell script
+ cp ./src/index.html ./src/index.html.bak
[Pipeline] echo
update meta tag name="distributionFileName", content="mccf-tas_TAS.01.00.2_20190213_121152.tar.gz"
[Pipeline] sh
[MCCF_EDI_TAS_WebUI] Running shell script
+ sed -Ei '/<head.*?>/a <meta name="distributionFileName" content="mccf-tas_TAS.01.00.2_20190213_121152.tar.gz" >' ./src/index.html
+ grep -i '<meta name="distributionFileName" content="mccf-tas_TAS.01.00.2_20190213_121152.tar.gz" >' ./src/index.html
<meta name="distributionFileName" content="mccf-tas_TAS.01.00.2_20190213_121152.tar.gz" >
+ echo 'PROCEED: added meta tag for distributionFileName'
PROCEED: added meta tag for distributionFileName
[Pipeline] echo
update meta tag name="lastBuildDate", content="Feb 13, 2019 12:11:52 -0500"
[Pipeline] sh
[MCCF_EDI_TAS_WebUI] Running shell script
+ sed -Ei '/<head.*?>/a <meta name="lastBuildDate" content="Feb 13, 2019 12:11:52 -0500" >' ./src/index.html
+ grep -i '<meta name="lastBuildDate" content="Feb 13, 2019 12:11:52 -0500" >' ./src/index.html
<meta name="lastBuildDate" content="Feb 13, 2019 12:11:52 -0500" >
+ echo 'PROCEED: added meta tag for lastBuildDate'
PROCEED: added meta tag for lastBuildDate
[Pipeline] echo
update meta tag name="version", content="TAS.01.00.2_20190213_121152"
[Pipeline] sh
[MCCF_EDI_TAS_WebUI] Running shell script
+ sed -Ei '/<head.*?>/a <meta name="version" content="TAS.01.00.2_20190213_121152" >' ./src/index.html
+ grep -i '<meta name="version" content="TAS.01.00.2_20190213_121152" >' ./src/index.html
<meta name="version" content="TAS.01.00.2_20190213_121152" >
+ echo 'PROCEED: added meta tag for version'
PROCEED: added meta tag for version
[Pipeline] }
[Pipeline] // script
[Pipeline] echo
execute npm install
[Pipeline] sh
[MCCF_EDI_TAS_WebUI] Running shell script
+ npm install
+ tee npm_install.log
npm WARN prefer global node-gyp@3.6.2 should be installed with -g

> phantomjs-prebuilt@2.1.14 install /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/MCCF_EDI_TAS_WebUI/node_modules/phantom
> node install.js

PhantomJS not found on PATH
Download already available at /tmp/phantomjs/phantomjs-2.1.1-linux-x86_64.tar.bz2
Verified checksum of previously downloaded file
Extracting tar contents (via spawned process)
Removing /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/MCCF_EDI_TAS_WebUI/node_modules/phantomjs-prebuilt/lib/phantom
Copying extracted folder /tmp/phantomjs/phantomjs-2.1.1-linux-x86_64.tar.bz2-extract-1550078174042/phantomjs-2.1.1-linux-x86_64 -> /home/jenkins
Writing location.js file
Done. Phantomjs binary available at /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/MCCF_EDI_TAS_WebUI/node_modules/phantom

```

```

> node-sass@4.9.0 install /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/MCCF_EDT_TAS_WebUI/node_modules/node-sass
> node scripts/install.js

Cached binary found at /home/jenkins/.npm/node-sass/4.9.0/linux-x64-57_binding.node

> uglifyjs-webpack-plugin@0.4.6 postinstall /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/MCCF_EDT_TAS_WebUI/node_modules
> node lib/post_install.js

> node-sass@4.9.0 postinstall /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/MCCF_EDT_TAS_WebUI/node_modules/node-sass
> node scripts/build.js

Binary found at /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/MCCF_EDT_TAS_WebUI/node_modules/node-sass/vendor/linux-x64-
Testing binary
Binary is fine

> axe-core@2.5.0 postinstall /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/MCCF_EDT_TAS_WebUI/node_modules/axe-webdriverj
> node build/utills/postinstall.js

added 1210 packages in 181.816s
[Pipeline] echo
check npm_install.log for download syntax
[Pipeline] script
[Pipeline] {
[Pipeline] fileExists
[Pipeline] echo
checking npm install log for 'Downloading.*github'
[Pipeline] sh
[MCCF_EDT_TAS_WebUI] Running shell script
+ grep -Exiq -e 'Downloading.*github' npm_install.log
+ grep -Exiq -e 'HTTP error 404 not Found' npm_install.log
+ echo 'PROCEED: Nothing incriminating found in log'
[Pipeline] echo
PROCEED: Nothing incriminating found in log
[Pipeline] }
[Pipeline] // script
[Pipeline] echo
check dependencies
[Pipeline] sh
[MCCF_EDT_TAS_WebUI] Running shell script
+ check-dependencies --verbose
+ tee npm-check-dependencies.log
@angular/animations: installed: 4.0.0, expected: 4.0.0
@angular/common: installed: 4.0.0, expected: 4.0.0
@angular/compiler: installed: 4.0.0, expected: 4.0.0
@angular/core: installed: 4.0.0, expected: 4.0.0
@angular/forms: installed: 4.0.0, expected: 4.0.0
@angular/http: installed: 4.0.0, expected: 4.0.0
@angular/platform-browser: installed: 4.0.0, expected: 4.0.0
@angular/platform-browser-dynamic: installed: 4.0.0, expected: 4.0.0
@angular/router: installed: 4.0.0, expected: 4.0.0
core-js: installed: 2.4.1, expected: 2.4.1
ngx-clipboard: installed: 8.0.2, expected: 8.0.2
primeng: installed: 4.2.0, expected: 4.2.0
rxjs: installed: 5.1.0, expected: 5.1.0
winston: installed: 2.3.1, expected: 2.3.1
zone.js: installed: 0.8.4, expected: 0.8.4
@angular/cli: installed: 1.7.4, expected: 1.7.4
@angular/compiler-cli: installed: 4.0.0, expected: 4.0.0
@angular/language-service: installed: 4.0.0, expected: 4.0.0
@types/jasmine: installed: 2.5.45, expected: 2.5.45
@types/node: installed: 6.0.60, expected: 6.0.60
axe-core: installed: 2.3.1, expected: 2.3.1
axe-webdriverjs: installed: 1.1.5, expected: 1.1.5
codelyzer: installed: 3.0.1, expected: 3.0.1
cross-os: installed: 1.1.2, expected: 1.1.2
jasmine-core: installed: 2.6.2, expected: 2.6.2
jasmine-spec-reporter: installed: 4.1.0, expected: 4.1.0
karma: installed: 1.7.0, expected: 1.7.0
karma-chrome-launcher: installed: 2.1.1, expected: 2.1.1
karma-cli: installed: 1.0.1, expected: 1.0.1
karma-coverage-istanbul-reporter: installed: 1.2.1, expected: 1.2.1
karma-html-reporter: installed: 0.2.7, expected: 0.2.7
karma-jasmine: installed: 1.1.0, expected: 1.1.0
karma-jasmine-html-reporter: installed: 0.2.2, expected: 0.2.2
karma-phantomjs-launcher: installed: 1.0.4, expected: 1.0.4
karma-verbose-reporter: installed: 0.0.6, expected: 0.0.6
phantomjs-prebuilt: installed: 2.1.14, expected: 2.1.14
protractor: installed: 5.1.2, expected: 5.1.2
ts-node: installed: 3.0.4, expected: 3.0.4
protractor-jasmine2-html-reporter: installed: 0.0.7, expected: 0.0.7
tslint: installed: 5.3.2, expected: 5.3.2
typescript: installed: 2.3.3, expected: 2.3.3
[Pipeline] echo
check npm-check-dependencies for 'not installed'
[Pipeline] script
[Pipeline] {
[Pipeline] fileExists
[Pipeline] echo
checking log for 'not installed'
[Pipeline] sh
[MCCF_EDT_TAS_WebUI] Running shell script
+ grep -Exq '.*not installed.*' npm-check-dependencies.log
+ echo 'PROCEED: All packages installed'
[Pipeline] echo
PROCEED: All packages installed
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // dir

```

```

[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Pre-Build Unit Tests)
[Pipeline] echo
execute unit test for MCCF_EDT_TAS_WebUI
[Pipeline] dir
Running in /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/MCCF_EDT_TAS_WebUI
[Pipeline] {
[Pipeline] echo
Execute UNIT tests, with timeout 5 minutes
[Pipeline] timeout
Timeout set to expire in 15 min
[Pipeline] {
[Pipeline] echo
execute npm unit tests
[Pipeline] sh
[MCCF_EDT_TAS_WebUI] Running shell script
+ npm run test

> mccf-tas@0.0.0 test /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/MCCF_EDT_TAS_WebUI
> ng test --code-coverage

13 02 2019 12:17:12.475:INFO [karma]: Karma v1.7.0 server started at http://0.0.0.0:9876/
13 02 2019 12:17:12.484:INFO [launcher]: Launching browser PhantomJS with unlimited concurrency
13 02 2019 12:17:12.497:INFO [launcher]: Starting browser PhantomJS
13 02 2019 12:18:12.513:WARN [launcher]: PhantomJS have not captured in 60000 ms, killing.
13 02 2019 12:18:15.769:INFO [launcher]: Trying to start PhantomJS again (1/2).
13 02 2019 12:18:43.879:INFO [PhantomJS 2.1.1 (Linux 0.0.0)]: Connected on socket rq0mioglIC_-bhWZAAAA with id 28288378
PhantomJS 2.1.1 (Linux 0.0.0) LOG: 'load webfont.js file'

PhantomJS 2.1.1 (Linux 0.0.0) LOG: 'load webfont.js file'
PhantomJS 2.1.1 (Linux 0.0.0) LOG: 'load fontloader.js'

PhantomJS 2.1.1 (Linux 0.0.0) LOG: 'load fontloader.js'
PhantomJS 2.1.1 (Linux 0.0.0) LOG: 'load fontloader.js'
PhantomJS 2.1.1 (Linux 0.0.0) LOG: '>>>>>', '_SEP_TAG_@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6634:28', 'ZoneAwareErr

PhantomJS 2.1.1 (Linux 0.0.0) LOG: '>>>>>', '_SEP_TAG_@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6634:28', 'ZoneAwareErr
PhantomJS 2.1.1 (Linux 0.0.0) LOG: '>>>>>', '_SEP_TAG_@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6634:28', 'ZoneAwareErr
PhantomJS 2.1.1 (Linux 0.0.0) LOG: '>>>>>', '_SEP_TAG_@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6634:28', 'getStacktrac

PhantomJS 2.1.1 (Linux 0.0.0) LOG: '>>>>>', '_SEP_TAG_@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6634:28', 'getStacktrac
PhantomJS 2.1.1 (Linux 0.0.0) LOG: '>>>>>', '_SEP_TAG_@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6634:28', 'getStacktrac
PhantomJS 2.1.1 (Linux 0.0.0) LOG: '>>>>>', '_SEP_TAG_@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6634:28', 'LongStackTra

PhantomJS 2.1.1 (Linux 0.0.0) LOG: '>>>>>', '_SEP_TAG_@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6634:28', 'LongStackTra
PhantomJS 2.1.1 (Linux 0.0.0) LOG: '>>>>>', '_SEP_TAG_@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6634:28', 'LongStackTra
PhantomJS 2.1.1 (Linux 0.0.0) LOG: '>>>>>', '_SEP_TAG_@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6634:28', 'captureStack

PhantomJS 2.1.1 (Linux 0.0.0) LOG: '>>>>>', '_SEP_TAG_@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6634:28', 'captureStack
PhantomJS 2.1.1 (Linux 0.0.0) LOG: '>>>>>', '_SEP_TAG_@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6634:28', 'captureStack
13 02 2019 12:18:47.698:INFO [PhantomJS 2.1.1 (Linux 0.0.0)]: Starting tests 28288378

PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 310 SUCCESS (0 secs / 0 secs)
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 310 SUCCESS (0 secs / 0 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
13 02 2019 12:18:51.154:WARN [web-server]: 404: /sourcesanspro-regular-webfont.d2e3cf3e91620fa02db7.woff
13 02 2019 12:18:51.154:WARN [web-server]: 404: /sourcesanspro-light-webfont.3920c044810625353fed.woff
13 02 2019 12:18:51.162:WARN [web-server]: 404: /merriweather-italic-webfont.5568fe0d4ab09cd47227.woff
13 02 2019 12:18:51.163:WARN [web-server]: 404: /sourcesanspro-bold-webfont.74f174d071369e0df856.woff
13 02 2019 12:18:51.170:WARN [web-server]: 404: /merriweather-bold-webfont.b6b7444ff6c03617a6a.woff
13 02 2019 12:18:51.172:WARN [web-server]: 404: /merriweather-regular-webfont.8af54a984d2993508bf2.woff
13 02 2019 12:18:51.172:WARN [web-server]: 404: /merriweather-light-webfont.c370c7b61d28a26alc81.woff
13 02 2019 12:18:51.180:WARN [web-server]: 404: /fontawesome-webfont.fee66e712a8a08eef580.woff?v=4.7.0
13 02 2019 12:18:51.180:WARN [web-server]: 404: /sourcesanspro-italic-webfont.1c766c2ac93653f97310.woff
LOG: 'SHOWME|environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.int.iam.va.
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 310 SUCCESS (0 secs / 0 secs)
LOG: 'SHOWME|environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.int.iam.va.
LOG: 'SHOWME|environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.int.iam.va.
LOG: 'MainContentService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 310 SUCCESS (0 secs / 0 secs)
LOG: 'MainContentService cTor'
LOG: 'MainContentService cTor'
LOG: 'AppComponent:::ctor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 310 SUCCESS (0 secs / 0 secs)
LOG: 'AppComponent:::ctor'
LOG: 'AppComponent:::ctor'
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 310 SUCCESS (0 secs / 0 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->cherryPick<cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 310 SUCCESS (0 secs / 0 secs)
LOG: 'MetabaseService->cherryPick<cached', Object{}
LOG: 'MetabaseService->cherryPick<cached', Object{}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 310 SUCCESS (0 secs / 0 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.i
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 310 SUCCESS (0 secs / 0 secs)
LOG: 'MetabaseService->environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.i
LOG: 'MetabaseService->environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.i
LOG: 'MetabaseService->missing', ['logLevel']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 0 of 310 SUCCESS (0 secs / 0 secs)
LOG: 'MetabaseService->missing', ['logLevel']

```


[illegible]

[illegible]

```

LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->cherryPick-cached', Object{accessRoles: ['TEST_WRITER', 'TEST_ADMIN', 'ebilling', 'npi', 'nonmccf', 'epayments', 'ei
PhantomJS 2.1.1 (Linux 0.0.0): Executed 6 of 310 SUCCESS (0 secs / 14.186 secs)
LOG: 'MetabaseService->cherryPick-cached', Object{accessRoles: ['TEST_WRITER', 'TEST_ADMIN', 'ebilling', 'npi', 'nonmccf', 'epayments', 'ei
LOG: 'MetabaseService->cherryPick-cached', Object{accessRoles: ['TEST_WRITER', 'TEST_ADMIN', 'ebilling', 'npi', 'nonmccf', 'epayments', 'ei
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 6 of 310 SUCCESS (0 secs / 14.186 secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
13 02 2019 12:19:02.034:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AuthService | should have eBilling authorization]: 'SHOWME|global['it']', fun
13 02 2019 12:19:02.035:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AuthService | should have eBilling authorization]: 'MetabaseService->cherryPi
13 02 2019 12:19:02.035:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AuthService | should have eBilling authorization]: 'MetabaseService', 'ALREAD
13 02 2019 12:19:02.035:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AuthService | should have eBilling authorization]: Success: 99 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 7 of 310 SUCCESS (0 secs / 14.285 secs)
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 7 of 310 SUCCESS (0 secs / 14.285 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->cherryPick-cached', Object{accessRoles: ['TEST_WRITER', 'TEST_ADMIN', 'npi', 'nonmccf', 'epayments', 'einsurance'],
PhantomJS 2.1.1 (Linux 0.0.0): Executed 7 of 310 SUCCESS (0 secs / 14.285 secs)
LOG: 'MetabaseService->cherryPick-cached', Object{accessRoles: ['TEST_WRITER', 'TEST_ADMIN', 'npi', 'nonmccf', 'epayments', 'einsurance'],
LOG: 'MetabaseService->cherryPick-cached', Object{accessRoles: ['TEST_WRITER', 'TEST_ADMIN', 'npi', 'nonmccf', 'epayments', 'einsurance'],
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 7 of 310 SUCCESS (0 secs / 14.285 secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
13 02 2019 12:19:02.040:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AuthService | should not have eBilling authorization]: 'SHOWME|global['it']',
13 02 2019 12:19:02.040:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AuthService | should not have eBilling authorization]: 'MetabaseService->cher
13 02 2019 12:19:02.040:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AuthService | should not have eBilling authorization]: 'MetabaseService', 'AL
13 02 2019 12:19:02.040:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AuthService | should not have eBilling authorization]: Success: 51 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 8 of 310 SUCCESS (0 secs / 14.336 secs)
13 02 2019 12:19:02.112:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | BreadcrumbService | should reset]: Success: 70 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 9 of 310 SUCCESS (0 secs / 14.406 secs)
13 02 2019 12:19:02.132:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | BreadcrumbService | should push crumbs]: Success: 1 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 10 of 310 SUCCESS (0 secs / 14.407 secs)
13 02 2019 12:19:02.133:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | BreadcrumbService | should pop crumb]: Success: 20 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 11 of 310 SUCCESS (0 secs / 14.427 secs)
13 02 2019 12:19:02.181:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | Database:IdGen | generates with no seed]: Success: 12 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 12 of 310 SUCCESS (0 secs / 14.439 secs)
13 02 2019 12:19:02.209:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | Database:IdGen | generates with seed]: Success: 31 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 13 of 310 SUCCESS (0 secs / 14.47 secs)
13 02 2019 12:19:02.265:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | Database:MemoryDb | simple add and dumpdb]: Success: 17 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 14 of 310 SUCCESS (0 secs / 14.487 secs)
13 02 2019 12:19:02.274:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | Database:MemoryDb | simple add and get]: Success: 18 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 15 of 310 SUCCESS (0 secs / 14.505 secs)
13 02 2019 12:19:02.306:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | Database:MemoryDb | simple add, change id, and get]: Success: 9 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 16 of 310 SUCCESS (0 secs / 14.514 secs)
13 02 2019 12:19:02.306:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | Database:MemoryDb | 2 adds and getAll]: Success: 28 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 17 of 310 SUCCESS (0 secs / 14.542 secs)
13 02 2019 12:19:02.341:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | Database:MemoryDb | add, get, and update]: Success: 3 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 18 of 310 SUCCESS (0 secs / 14.545 secs)
13 02 2019 12:19:02.341:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | Database:MemoryDb | 3 adds, delete, and getAll]: Success: 28 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 19 of 310 SUCCESS (0 secs / 14.573 secs)
13 02 2019 12:19:02.410:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | Database:MemoryDb | expects stats]: Success: 8 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 20 of 310 SUCCESS (0 secs / 14.581 secs)
ERROR: 'Unhandled Promise rejection:', 'undefined is not a function (evaluating 'provider.sample(scope, 10)')', ' '; Zone:', 'ProxyZone', ' ;
step@http://localhost:9876/_karma_webpack_/main.bundle.js:794:27
http://localhost:9876/_karma_webpack_/main.bundle.js:775:57
http://localhost:9876/_karma_webpack_/main.bundle.js:769:75
ZoneAwarePromise@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6411:37
http://localhost:9876/_karma_webpack_/main.bundle.js:765:36
http://localhost:9876/_karma_webpack_/main.bundle.js:995:25
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134508:45
runTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5999:40
run@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5760:49
http://localhost:9876/_karma_webpack_/vendor.bundle.js:134222:37
attemptSync@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:
run@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20
execute@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13
execute@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134250:46
queueRunnerFactory@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:
execute@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28
fn@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44
attemptAsync@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914
run@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21
http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19
http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11
complete@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19
invokeTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6033:36
runTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6228:42', __zone_symbol__currentTask: ZoneTask{__zone: Zone{p
step@http://localhost:9876/_karma_webpack_/main.bundle.js:794:27
http://localhost:9876/_karma_webpack_/main.bundle.js:775:57
http://localhost:9876/_karma_webpack_/main.bundle.js:769:75
ZoneAwarePromise@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6411:37
http://localhost:9876/_karma_webpack_/main.bundle.js:765:36
http://localhost:9876/_karma_webpack_/main.bundle.js:995:25
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134508:45
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5999:40
run@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5760:49
http://localhost:9876/_karma_webpack_/vendor.bundle.js:134222:37
attemptSync@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:
run@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20
execute@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13
execute@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134250:46
queueRunnerFactory@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:
execute@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28
fn@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44

```


[illegible]

```

fn@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44 [<root
attemptAsync@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914
run@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21 [<root>]
http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19 [<root>]
http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11 [<root>]
complete@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19 [
drainMicroTaskQueue@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6228:42 [<root>]', rejection: TypeError(line: 1003, sourceURL
step@http://localhost:9876/_karma_webpack_/main.bundle.js:794:27
http://localhost:9876/_karma_webpack_/main.bundle.js:775:57
http://localhost:9876/_karma_webpack_/main.bundle.js:769:75
ZoneAwarePromise@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6411:37
http://localhost:9876/_karma_webpack_/main.bundle.js:765:36
http://localhost:9876/_karma_webpack_/main.bundle.js:995:25
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134508:45
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5999:40
run@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5760:49
http://localhost:9876/_karma_webpack_/vendor.bundle.js:13422:37
attemptSync@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3877:
run@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3866:20
execute@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3851:13
execute@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134250:46
queueRunnerFactory@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc
execute@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:473:28
fn@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:4943:44
attemptAsync@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3914
run@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3863:21
http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3894:19
http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:3827:11
complete@http://localhost:9876/base/node_modules/jasmine-core/lib/jasmine-core/jasmine.js?b92f226f045eefc6b7ea6f5d62253577587c5fc8:485:19
invokeTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6033:36
runTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6228:42', __zone_symbol__currentTask: ZoneTask{ _zone: ..., ru
13 02 2019 12:19:02.411:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | Database:MemoryDb | sample w/o data]: Success: 29 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 21 of 310 SUCCESS (0 secs / 14.61 secs)
ERROR: 'Unhandled Promise rejection:', 'undefined is not a constructor (evaluating 'provider.sample(scope, 10)')', '; Zone:', 'ProxyZone',
step@http://localhost:9876/_karma_webpack_/main.bundle.js:794:27
http://localhost:9876/_karma_webpack_/main.bundle.js:775:57
fulfilled@http://localhost:9876/_karma_webpack_/main.bundle.js:766:62
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134508:45
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5999:40
run@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5760:49
http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134532:49
invokeTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6032:48
runTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6228:42', __zone_symbol__currentTask: ZoneTask{ _zone: Zone{ p
step@http://localhost:9876/_karma_webpack_/main.bundle.js:794:27
http://localhost:9876/_karma_webpack_/main.bundle.js:775:57
fulfilled@http://localhost:9876/_karma_webpack_/main.bundle.js:766:62
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134508:45
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5999:40
run@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5760:49
http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134532:49
invokeTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6032:48
runTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6228:42'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 21 of 310 SUCCESS (0 secs / 14.61 secs)
ERROR: 'Unhandled Promise rejection:', 'undefined is not a constructor (evaluating 'provider.sample(scope, 10)')', '; Zone:', 'ProxyZone',
step@http://localhost:9876/_karma_webpack_/main.bundle.js:794:27
http://localhost:9876/_karma_webpack_/main.bundle.js:775:57
fulfilled@http://localhost:9876/_karma_webpack_/main.bundle.js:766:62
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134508:45
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5999:40
run@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5760:49
http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134532:49
invokeTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6032:48
runTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6228:42', __zone_symbol__currentTask: ZoneTask{ _zone: Zone{ p
step@http://localhost:9876/_karma_webpack_/main.bundle.js:794:27
http://localhost:9876/_karma_webpack_/main.bundle.js:775:57
fulfilled@http://localhost:9876/_karma_webpack_/main.bundle.js:766:62
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134508:45
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5999:40
run@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5760:49
http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134532:49
invokeTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6032:48
runTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6228:42'
ERROR: 'Unhandled Promise rejection:', 'undefined is not a constructor (evaluating 'provider.sample(scope, 10)')', '; Zone:', 'ProxyZone',
step@http://localhost:9876/_karma_webpack_/main.bundle.js:794:27
http://localhost:9876/_karma_webpack_/main.bundle.js:775:57
fulfilled@http://localhost:9876/_karma_webpack_/main.bundle.js:766:62
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134508:45
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5999:40
run@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5760:49
http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6033:36

```

[illegible]

[illegible]

```

onInvokeTask@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134532:49
invokeTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6032:48
runTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6228:42', zoneAwareStack: 'fulfilled@http://localhost:9876/_k
onInvoke@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134508:45 [ProxyZone]
http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6395:60 [ProxyZone]
onInvokeTask@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134532:49 [ProxyZone]
drainMicroTaskQueue@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6228:42 [<root>]', rejection: TypeError(line: 1032, sourceURL
step@http://localhost:9876/_karma_webpack_/main.bundle.js:794:27
http://localhost:9876/_karma_webpack_/main.bundle.js:775:57
fulfilled@http://localhost:9876/_karma_webpack_/main.bundle.js:766:62
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6000:31
onInvoke@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134508:45
invoke@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5999:40
run@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5760:49
http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6395:60
invokeTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6033:36
onInvokeTask@http://localhost:9876/_karma_webpack_/vendor.bundle.js:134532:49
invokeTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6032:48
runTask@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:5800:57
drainMicroTaskQueue@http://localhost:9876/_karma_webpack_/polyfills.bundle.js:6228:42', __zone_symbol__currentTask: ZoneTask{__zone: ..., ru
13 02 2019 12:19:02.449:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | Database:MemoryDb | 20 adds and sample]: Success: 38 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 22 of 310 SUCCESS (0 secs / 14.648 secs)
13 02 2019 12:19:02.458:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | Database:MemoryDb | 3 adds and query]: Success: 2 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 23 of 310 SUCCESS (0 secs / 14.65 secs)
13 02 2019 12:19:02.458:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | Database:MemoryDb | add, updateall, get]: Success: 10 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 24 of 310 SUCCESS (0 secs / 14.66 secs)
13 02 2019 12:19:02.488:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | Database:MemoryDb | get tokenized data]: Success: 36 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 25 of 310 SUCCESS (0 secs / 14.696 secs)
13 02 2019 12:19:02.489:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | Database:MemoryDb | get tokenized data (terms)]: Success: 2 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 26 of 310 SUCCESS (0 secs / 14.698 secs)
13 02 2019 12:19:02.490:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | Database:MemoryDb | get tokenized data (scan)]: Success: 28 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 27 of 310 SUCCESS (0 secs / 14.726 secs)
13 02 2019 12:19:02.518:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | Database:MemoryDb | get tokenized data (top)]: Success: 1 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 28 of 310 SUCCESS (0 secs / 14.727 secs)
13 02 2019 12:19:02.518:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | Database:MemoryDb | get tokenized data (all)]: Success: 8 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 29 of 310 SUCCESS (0 secs / 14.735 secs)
13 02 2019 12:19:02.525:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | Database:MemoryDb | get tokenized data (all, chained)]: Success: 21 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 30 of 310 SUCCESS (0 secs / 14.756 secs)
13 02 2019 12:19:02.597:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | Database:MemoryDb | get tokenized data (filter)]: Success: 8 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 31 of 310 SUCCESS (0 secs / 14.764 secs)
13 02 2019 12:19:02.598:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | Database:MemoryDb | get tokenized data (highlight)]: Success: 21 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 32 of 310 SUCCESS (0 secs / 14.785 secs)
13 02 2019 12:19:02.635:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | MenuService | should construct]: Success: 87 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 33 of 310 SUCCESS (0 secs / 14.872 secs)
13 02 2019 12:19:02.849:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | EnvironmentService | should construct]: Success: 136 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 34 of 310 SUCCESS (0 secs / 15.008 secs)
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 34 of 310 SUCCESS (0 secs / 15.008 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
13 02 2019 12:19:02.850:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | EnvironmentService | should get data]: 'SHOWME|global['it']', function () { .
13 02 2019 12:19:02.850:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | EnvironmentService | should get data]: Success: 58 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 35 of 310 SUCCESS (0 secs / 15.066 secs)
13 02 2019 12:19:03.377:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ErrorModalComponent | start div should have no accessibility issues]: Success
PhantomJS 2.1.1 (Linux 0.0.0): Executed 36 of 310 SUCCESS (0 secs / 15.396 secs)
13 02 2019 12:19:03.735:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ErrorModalComponent | notified div should have no accessibility issues]: Succ
PhantomJS 2.1.1 (Linux 0.0.0): Executed 37 of 310 SUCCESS (0 secs / 15.731 secs)
13 02 2019 12:19:03.924:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ErrorModalComponent | clipboard div should have no accessibility issues]: Suc
PhantomJS 2.1.1 (Linux 0.0.0): Executed 38 of 310 SUCCESS (0 secs / 16.101 secs)
13 02 2019 12:19:04.002:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ErrorService | should create]: Success: 62 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 39 of 310 SUCCESS (0 secs / 16.163 secs)
LOG: 'MetabaseService->cherryPick-cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 39 of 310 SUCCESS (0 secs / 16.163 secs)
LOG: 'MetabaseService->cherryPick-cached', Object{}
LOG: 'MetabaseService->cherryPick-cached', Object{}
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 39 of 310 SUCCESS (0 secs / 16.163 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->environment', Object{enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.i
PhantomJS 2.1.1 (Linux 0.0.0): Executed 39 of 310 SUCCESS (0 secs / 16.163 secs)
LOG: 'MetabaseService->environment', Object{enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.i
LOG: 'MetabaseService->environment', Object{enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.i
LOG: 'MetabaseService->missing', ['secondsForExternalRedirect', 'localDomains']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 39 of 310 SUCCESS (0 secs / 16.163 secs)
LOG: 'MetabaseService->missing', ['secondsForExternalRedirect', 'localDomains']
LOG: 'MetabaseService->missing', ['secondsForExternalRedirect', 'localDomains']
LOG: 'MetabaseService->cherryPick-cached', Object{secondsForExternalRedirect: 20, localDomains: '['http://192.168.100.10/']'}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 39 of 310 SUCCESS (0 secs / 16.163 secs)
LOG: 'MetabaseService->cherryPick-cached', Object{secondsForExternalRedirect: 20, localDomains: '['http://192.168.100.10/']'}
LOG: 'MetabaseService->cherryPick-cached', Object{secondsForExternalRedirect: 20, localDomains: '['http://192.168.100.10/']'}
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 39 of 310 SUCCESS (0 secs / 16.163 secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
13 02 2019 12:19:05.279:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ExtLinkModalComponent | should have no accessibility issues]: 'MetabaseServic
13 02 2019 12:19:05.280:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ExtLinkModalComponent | should have no accessibility issues]: 'SHOWME|global[
13 02 2019 12:19:05.280:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ExtLinkModalComponent | should have no accessibility issues]: 'MetabaseServic
13 02 2019 12:19:05.280:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ExtLinkModalComponent | should have no accessibility issues]: 'MetabaseServic
13 02 2019 12:19:05.280:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ExtLinkModalComponent | should have no accessibility issues]: 'MetabaseServic
13 02 2019 12:19:05.280:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ExtLinkModalComponent | should have no accessibility issues]: 'MetabaseServic
13 02 2019 12:19:05.280:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ExtLinkModalComponent | should have no accessibility issues]: 'MetabaseServic
13 02 2019 12:19:05.280:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ExtLinkModalComponent | should have no accessibility issues]: Success: 1250 m
PhantomJS 2.1.1 (Linux 0.0.0): Executed 40 of 310 SUCCESS (0 secs / 17.413 secs)
13 02 2019 12:19:06.477:WARN [web-server]: 404: /www.halfaker.com
LOG: 'MetabaseService->cherryPick-cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 40 of 310 SUCCESS (0 secs / 17.413 secs)
LOG: 'MetabaseService->cherryPick-cached', Object{}
LOG: 'MetabaseService->cherryPick-cached', Object{}
LOG: 'SHOWME|global['it']', function () { ... }

```

[illegible]

```

PhantomJS 2.1.1 (Linux 0.0.0): Executed 43 of 310 SUCCESS (0 secs / 21.017 secs)
LOG: 'MetabaseService->cherryPick-cached', Object{}
LOG: 'MetabaseService->cherryPick-cached', Object{}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 43 of 310 SUCCESS (0 secs / 21.017 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.i
PhantomJS 2.1.1 (Linux 0.0.0): Executed 43 of 310 SUCCESS (0 secs / 21.017 secs)
LOG: 'MetabaseService->environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.i
LOG: 'MetabaseService->environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.i
LOG: 'MetabaseService->missing', ['tooltips']]
PhantomJS 2.1.1 (Linux 0.0.0): Executed 43 of 310 SUCCESS (0 secs / 21.017 secs)
LOG: 'MetabaseService->missing', ['tooltips']]
LOG: 'MetabaseService->missing', ['tooltips']]
13 02 2019 12:19:09.849:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HomepageComponent | expects rendered quick news list]: 'ToolTipService cTor'
13 02 2019 12:19:09.849:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HomepageComponent | expects rendered quick news list]: 'SHOWME|global['it']',
13 02 2019 12:19:09.849:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HomepageComponent | expects rendered quick news list]: 'MetabaseService->cher
13 02 2019 12:19:09.849:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HomepageComponent | expects rendered quick news list]: 'EnvironmentService',
13 02 2019 12:19:09.849:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HomepageComponent | expects rendered quick news list]: 'MetabaseService->envi
13 02 2019 12:19:09.849:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HomepageComponent | expects rendered quick news list]: 'MetabaseService->miss
13 02 2019 12:19:09.849:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HomepageComponent | expects rendered quick news list]: Success: 552 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 44 of 310 SUCCESS (0 secs / 21.569 secs)
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 44 of 310 SUCCESS (0 secs / 21.569 secs)
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 44 of 310 SUCCESS (0 secs / 21.569 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->cherryPick-cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 44 of 310 SUCCESS (0 secs / 21.569 secs)
LOG: 'MetabaseService->cherryPick-cached', Object{}
LOG: 'MetabaseService->cherryPick-cached', Object{}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 44 of 310 SUCCESS (0 secs / 21.569 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.i
PhantomJS 2.1.1 (Linux 0.0.0): Executed 44 of 310 SUCCESS (0 secs / 21.569 secs)
LOG: 'MetabaseService->environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.i
LOG: 'MetabaseService->environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.i
LOG: 'MetabaseService->missing', ['tooltips']]
PhantomJS 2.1.1 (Linux 0.0.0): Executed 44 of 310 SUCCESS (0 secs / 21.569 secs)
LOG: 'MetabaseService->missing', ['tooltips']]
LOG: 'MetabaseService->missing', ['tooltips']]
13 02 2019 12:19:10.369:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HomepageComponent | div 1 should have no accessibility issues]: 'ToolTipServi
13 02 2019 12:19:10.369:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HomepageComponent | div 1 should have no accessibility issues]: 'SHOWME|globa
13 02 2019 12:19:10.369:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HomepageComponent | div 1 should have no accessibility issues]: 'MetabaseServ
13 02 2019 12:19:10.370:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HomepageComponent | div 1 should have no accessibility issues]: 'EnvironmentS
13 02 2019 12:19:10.370:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HomepageComponent | div 1 should have no accessibility issues]: 'MetabaseServ
13 02 2019 12:19:10.370:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HomepageComponent | div 1 should have no accessibility issues]: 'MetabaseServ
13 02 2019 12:19:10.370:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HomepageComponent | div 1 should have no accessibility issues]: Success: 895
PhantomJS 2.1.1 (Linux 0.0.0): Executed 45 of 310 SUCCESS (0 secs / 22.464 secs)
13 02 2019 12:19:10.488:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerService | expects one output from LogLevel.Error]: Success: 91 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 46 of 310 SUCCESS (0 secs / 22.555 secs)
13 02 2019 12:19:10.510:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerService | expects two outputs from LogLevel.Warn]: Success: 22 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 47 of 310 SUCCESS (0 secs / 22.577 secs)
13 02 2019 12:19:10.586:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerService | expects three outputs from LogLevel.Info]: Success: 50 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 48 of 310 SUCCESS (0 secs / 22.627 secs)
13 02 2019 12:19:10.587:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerService | expects five outputs from LogLevel.Debug]: Success: 21 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 49 of 310 SUCCESS (0 secs / 22.648 secs)
13 02 2019 12:19:10.636:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerService | expects UPPERCASE]: Success: 26 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 50 of 310 SUCCESS (0 secs / 22.674 secs)
13 02 2019 12:19:10.636:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggerService | expects JSON output]: Success: 50 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 51 of 310 SUCCESS (0 secs / 22.724 secs)
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 51 of 310 SUCCESS (0 secs / 22.724 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.int.iam.va.
PhantomJS 2.1.1 (Linux 0.0.0): Executed 51 of 310 SUCCESS (0 secs / 22.724 secs)
LOG: 'SHOWME|environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.int.iam.va.
LOG: 'SHOWME|environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.int.iam.va.
13 02 2019 12:19:10.824:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggingApiService | add log]: 'SHOWME|global['it']', function () { ... }
13 02 2019 12:19:10.824:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggingApiService | add log]: 'SHOWME|environment', Object(enable_api: false,
13 02 2019 12:19:10.824:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggingApiService | add log]: Success: 121 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 52 of 310 SUCCESS (0 secs / 22.845 secs)
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 52 of 310 SUCCESS (0 secs / 22.845 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.int.iam.va.
PhantomJS 2.1.1 (Linux 0.0.0): Executed 52 of 310 SUCCESS (0 secs / 22.845 secs)
LOG: 'SHOWME|environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.int.iam.va.
LOG: 'SHOWME|environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.int.iam.va.
13 02 2019 12:19:10.935:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggingApiService | get all logs]: 'SHOWME|global['it']', function () { ... }
13 02 2019 12:19:10.935:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggingApiService | get all logs]: 'SHOWME|environment', Object(enable_api: f
13 02 2019 12:19:10.935:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggingApiService | get all logs]: Success: 31 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 53 of 310 SUCCESS (0 secs / 22.876 secs)
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 53 of 310 SUCCESS (0 secs / 22.876 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.int.iam.va.
PhantomJS 2.1.1 (Linux 0.0.0): Executed 53 of 310 SUCCESS (0 secs / 22.876 secs)
LOG: 'SHOWME|environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.int.iam.va.
LOG: 'SHOWME|environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.int.iam.va.
LOG: 'SHOWME|environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.int.iam.va.
13 02 2019 12:19:10.936:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggingApiService | get all logs with paging]: 'SHOWME|global['it']', functio

```



```

13 02 2019 12:19:10.936:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggingApiService | get all logs with paging]: 'SHOWME|environment', Object(e
13 02 2019 12:19:10.936:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggingApiService | get all logs with paging]: Success: 52 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 54 of 310 SUCCESS (0 secs / 22.928 secs)
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 54 of 310 SUCCESS (0 secs / 22.928 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://logon.int.iam.va.
PhantomJS 2.1.1 (Linux 0.0.0): Executed 54 of 310 SUCCESS (0 secs / 22.928 secs)
LOG: 'SHOWME|environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://logon.int.iam.va.
LOG: 'SHOWME|environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://logon.int.iam.va.
LOG: 'SHOWME|environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://logon.int.iam.va.
13 02 2019 12:19:10.936:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggingApiService | get all logs with paging using sample data (ensure page 0
13 02 2019 12:19:10.937:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggingApiService | get all logs with paging using sample data (ensure page 0
13 02 2019 12:19:10.937:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | LoggingApiService | get all logs with paging using sample data (ensure page 0
PhantomJS 2.1.1 (Linux 0.0.0): Executed 55 of 310 SUCCESS (0 secs / 22.979 secs)
13 02 2019 12:19:11.070:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | MenuService | should construct]: Success: 85 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 56 of 310 SUCCESS (0 secs / 23.064 secs)
LOG: 'MetabaseService->cherryPick-cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 56 of 310 SUCCESS (0 secs / 23.064 secs)
LOG: 'MetabaseService->cherryPick-cached', Object{}
LOG: 'MetabaseService->cherryPick-cached', Object{}
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 56 of 310 SUCCESS (0 secs / 23.064 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://logon.i
PhantomJS 2.1.1 (Linux 0.0.0): Executed 56 of 310 SUCCESS (0 secs / 23.064 secs)
LOG: 'MetabaseService->environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://logon.i
LOG: 'MetabaseService->environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://logon.i
LOG: 'MetabaseService->missing', ['menus', 'accessRoles']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 56 of 310 SUCCESS (0 secs / 23.064 secs)
LOG: 'MetabaseService->missing', ['menus', 'accessRoles']
LOG: 'MetabaseService->missing', ['menus', 'accessRoles']
13 02 2019 12:19:11.119:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | MenuService | should get data]: 'MetabaseService->cherryPick-cached', Object
13 02 2019 12:19:11.119:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | MenuService | should get data]: 'SHOWME|global['it']', function () { ... }
13 02 2019 12:19:11.119:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | MenuService | should get data]: 'MetabaseService->environment', Object(enabl
13 02 2019 12:19:11.119:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | MenuService | should get data]: 'MetabaseService->missing', ['menus', 'acces
13 02 2019 12:19:11.123:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | MenuService | should get data]: Success: 60 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 57 of 310 SUCCESS (0 secs / 23.124 secs)
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 57 of 310 SUCCESS (0 secs / 23.124 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->cherryPick-cached', Object(menus: [Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rol
PhantomJS 2.1.1 (Linux 0.0.0): Executed 57 of 310 SUCCESS (0 secs / 23.124 secs)
LOG: 'MetabaseService->cherryPick-cached', Object(menus: [Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rol
LOG: 'MetabaseService->cherryPick-cached', Object(menus: [Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rol
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 57 of 310 SUCCESS (0 secs / 23.124 secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
13 02 2019 12:19:11.253:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | MenuService | should get eBilling data and not ePharmacy]: 'SHOWME|global['i
13 02 2019 12:19:11.253:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | MenuService | should get eBilling data and not ePharmacy]: 'MetabaseService-
13 02 2019 12:19:11.253:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | MenuService | should get eBilling data and not ePharmacy]: 'MetabaseService'
13 02 2019 12:19:11.254:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | MenuService | should get eBilling data and not ePharmacy]: Success: 38 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 58 of 310 SUCCESS (0 secs / 23.162 secs)
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 58 of 310 SUCCESS (0 secs / 23.162 secs)
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 58 of 310 SUCCESS (0 secs / 23.162 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->cherryPick-cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 58 of 310 SUCCESS (0 secs / 23.162 secs)
LOG: 'MetabaseService->cherryPick-cached', Object{}
LOG: 'MetabaseService->cherryPick-cached', Object{}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 58 of 310 SUCCESS (0 secs / 23.162 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://logon.i
PhantomJS 2.1.1 (Linux 0.0.0): Executed 58 of 310 SUCCESS (0 secs / 23.162 secs)
LOG: 'MetabaseService->environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://logon.i
LOG: 'MetabaseService->environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://logon.i
LOG: 'MetabaseService->missing', ['tooltips']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 58 of 310 SUCCESS (0 secs / 23.162 secs)
LOG: 'MetabaseService->missing', ['tooltips']
LOG: 'MetabaseService->missing', ['tooltips']
13 02 2019 12:19:11.459:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | SearchComponent | should have no accessibility issues]: 'ToolTipService cTor'
13 02 2019 12:19:11.460:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | SearchComponent | should have no accessibility issues]: 'SHOWME|global['it']'
13 02 2019 12:19:11.460:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | SearchComponent | should have no accessibility issues]: 'MetabaseService->che
13 02 2019 12:19:11.460:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | SearchComponent | should have no accessibility issues]: 'EnvironmentService'
13 02 2019 12:19:11.460:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | SearchComponent | should have no accessibility issues]: 'MetabaseService->env
13 02 2019 12:19:11.460:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | SearchComponent | should have no accessibility issues]: 'MetabaseService->mis
13 02 2019 12:19:11.460:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | SearchComponent | should have no accessibility issues]: Success: 304 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 59 of 310 SUCCESS (0 secs / 23.466 secs)
13 02 2019 12:19:11.891:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | BreadcrumbComponent | should have no accessibility issues]: Success: 427 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 60 of 310 SUCCESS (0 secs / 23.893 secs)
13 02 2019 12:19:12.364:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | CalendarComponent | should have no accessibility issues]: Success: 460 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 61 of 310 SUCCESS (0 secs / 24.353 secs)
13 02 2019 12:19:13.161:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DataTableComponent | should have no accessibility issues]: Success: 789 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 62 of 310 SUCCESS (0 secs / 25.142 secs)
13 02 2019 12:19:14.436:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | set valid date]: Success: 475 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 63 of 310 SUCCESS (0 secs / 25.617 secs)
13 02 2019 12:19:17.401:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | open/close selector]: Success: 808 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 64 of 310 SUCCESS (0 secs / 26.425 secs)
13 02 2019 12:19:17.402:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | select today button]: Success: 757 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 65 of 310 SUCCESS (0 secs / 27.182 secs)

```

```

13 02 2019 12:19:17.402:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | select previous month]: Success: 677 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 66 of 310 SUCCESS (0 secs / 27.859 secs)
13 02 2019 12:19:22.224:WARN [web-server]: 404: /sourcesanspro-light-webfont.3920c044810625353fed.woff
13 02 2019 12:19:22.224:WARN [web-server]: 404: /sourcesanspro-bold-webfont.74f174d071369e0df856.woff
13 02 2019 12:19:22.224:WARN [web-server]: 404: /sourcesanspro-regular-webfont.d2e3cf3e91620fa02db7.woff
13 02 2019 12:19:37.620:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | select next month]: Success: 711 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 67 of 310 SUCCESS (0 secs / 28.57 secs)
13 02 2019 12:19:37.621:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | select previous month january change year]: Success: 869 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 68 of 310 SUCCESS (0 secs / 29.439 secs)
13 02 2019 12:19:37.621:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | select next month december change year]: Success: 818 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 69 of 310 SUCCESS (0 secs / 30.257 secs)
13 02 2019 12:19:37.623:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | select previous month from selector]: Success: 791 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 70 of 310 SUCCESS (0 secs / 31.048 secs)
13 02 2019 12:19:37.623:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | select next month from selector]: Success: 920 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 71 of 310 SUCCESS (0 secs / 31.968 secs)
13 02 2019 12:19:37.624:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | select previous year]: Success: 1085 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 72 of 310 SUCCESS (0 secs / 33.053 secs)
13 02 2019 12:19:37.624:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | select next year]: Success: 1148 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 73 of 310 SUCCESS (0 secs / 34.201 secs)
13 02 2019 12:19:37.625:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | test calendar year 2016 month one by one - next month button]: S
PhantomJS 2.1.1 (Linux 0.0.0): Executed 74 of 310 SUCCESS (0 secs / 37.313 secs)
13 02 2019 12:19:37.625:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | test calendar year 2016 month one by one - previous month button
PhantomJS 2.1.1 (Linux 0.0.0): Executed 75 of 310 SUCCESS (0 secs / 40.604 secs)
13 02 2019 12:19:37.626:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - date format]: Success: 592 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 76 of 310 SUCCESS (0 secs / 41.196 secs)
13 02 2019 12:19:37.626:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - show today button]: Success: 2139 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 77 of 310 SUCCESS (0 secs / 43.335 secs)
13 02 2019 12:19:37.626:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - today button text]: Success: 796 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 78 of 310 SUCCESS (0 secs / 44.131 secs)
13 02 2019 12:19:37.627:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - first day of week]: Success: 970 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 79 of 310 SUCCESS (0 secs / 45.101 secs)
13 02 2019 12:19:37.627:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - mark current day]: Success: 1585 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 80 of 310 SUCCESS (0 secs / 46.686 secs)
13 02 2019 12:19:37.627:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - mark current month]: Success: 949 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 81 of 310 SUCCESS (0 secs / 47.635 secs)
13 02 2019 12:19:52.843:WARN [web-server]: 404: /sourcesanspro-regular-webfont.01c34960c01c24ac996e.ttf
13 02 2019 12:19:52.845:WARN [web-server]: 404: /sourcesanspro-light-webfont.5110c10b6fcf515fc776.ttf
13 02 2019 12:19:52.846:WARN [web-server]: 404: /sourcesanspro-bold-webfont.86937a00b9e6bd153ddb.ttf
13 02 2019 12:20:11.420:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - mark current year]: Success: 872 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 82 of 310 SUCCESS (0 secs / 48.507 secs)
13 02 2019 12:20:11.420:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - month selector]: Success: 1148 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 83 of 310 SUCCESS (0 secs / 49.655 secs)
13 02 2019 12:20:11.420:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - year selector]: Success: 1244 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 84 of 310 SUCCESS (0 secs / 50.899 secs)
13 02 2019 12:20:11.420:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - disable header buttons]: Success: 2107 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 85 of 310 SUCCESS (0 secs / 53.006 secs)
13 02 2019 12:20:11.421:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - min year]: Success: 1091 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 86 of 310 SUCCESS (0 secs / 54.097 secs)
13 02 2019 12:20:11.421:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - max year]: Success: 1032 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 87 of 310 SUCCESS (0 secs / 55.129 secs)
13 02 2019 12:20:11.421:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - disable until]: Success: 968 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 88 of 310 SUCCESS (0 secs / 56.097 secs)
13 02 2019 12:20:11.421:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - disable since]: Success: 910 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 89 of 310 SUCCESS (0 secs / 57.007 secs)
13 02 2019 12:20:11.421:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - disable days one by one]: Success: 754 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 90 of 310 SUCCESS (0 secs / 57.761 secs)
13 02 2019 12:20:11.425:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - enable disabled days one by one]: Success: 1031 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 91 of 310 SUCCESS (0 secs / 58.792 secs)
13 02 2019 12:20:11.426:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - disable date ranges]: Success: 1761 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 92 of 310 SUCCESS (0 secs / 1 min 0.553 secs)
13 02 2019 12:20:11.426:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - mark dates]: Success: 1670 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 93 of 310 SUCCESS (0 secs / 1 min 2.223 secs)
13 02 2019 12:20:11.426:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - mark weekends]: Success: 1664 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 94 of 310 SUCCESS (0 secs / 1 min 3.887 secs)
13 02 2019 12:20:11.427:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - disable weekends]: Success: 920 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 95 of 310 SUCCESS (0 secs / 1 min 4.807 secs)
13 02 2019 12:20:11.427:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - allow deselect date]: Success: 1577 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 96 of 310 SUCCESS (0 secs / 1 min 6.384 secs)
13 02 2019 12:20:11.427:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - inline]: Success: 614 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 97 of 310 SUCCESS (0 secs / 1 min 6.998 secs)
13 02 2019 12:20:11.428:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - show clear date button]: Success: 2183 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 98 of 310 SUCCESS (0 secs / 1 min 9.181 secs)
13 02 2019 12:20:11.428:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - show decrease date button]: Success: 2080 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 99 of 310 SUCCESS (0 secs / 1 min 11.261 secs)
13 02 2019 12:20:11.428:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - show increase date button]: Success: 2267 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 100 of 310 SUCCESS (0 secs / 1 min 13.528 secs)
13 02 2019 12:20:11.428:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - height]: Success: 573 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 101 of 310 SUCCESS (0 secs / 1 min 14.101 secs)
13 02 2019 12:20:11.429:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - width]: Success: 463 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 102 of 310 SUCCESS (0 secs / 1 min 14.564 secs)
13 02 2019 12:20:11.429:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - selector height]: Success: 877 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 103 of 310 SUCCESS (0 secs / 1 min 15.441 secs)
13 02 2019 12:20:11.429:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - selector width]: Success: 799 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 104 of 310 SUCCESS (0 secs / 1 min 16.24 secs)
13 02 2019 12:20:11.429:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - selection text font size]: Success: 642 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 105 of 310 SUCCESS (0 secs / 1 min 16.882 secs)
13 02 2019 12:20:11.429:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - align selector right]: Success: 949 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 106 of 310 SUCCESS (0 secs / 1 min 17.831 secs)
13 02 2019 12:20:11.435:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - open selector top of input]: Success: 1812 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 107 of 310 SUCCESS (0 secs / 1 min 19.643 secs)
13 02 2019 12:20:11.435:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - indicate invalid date]: Success: 510 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 108 of 310 SUCCESS (0 secs / 1 min 20.153 secs)
13 02 2019 12:20:11.435:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - disableUntil input dates validation]: Success: 551 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 109 of 310 SUCCESS (0 secs / 1 min 20.704 secs)
13 02 2019 12:20:11.436:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - disableSince input dates validation]: Success: 461 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 110 of 310 SUCCESS (0 secs / 1 min 21.165 secs)
13 02 2019 12:20:24.641:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - disable weekends input date validation]: Success: 553
PhantomJS 2.1.1 (Linux 0.0.0): Executed 111 of 310 SUCCESS (0 secs / 1 min 21.718 secs)
13 02 2019 12:20:24.642:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - disable weekdays]: Success: 1647 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 112 of 310 SUCCESS (0 secs / 1 min 23.365 secs)

```

```

13 02 2019 12:20:24.642:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - disableDays input date validation]: Success: 550 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 113 of 310 SUCCESS (0 secs / 1 min 23.915 secs)
13 02 2019 12:20:24.643:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - disable component]: Success: 542 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 114 of 310 SUCCESS (0 secs / 1 min 24.457 secs)
13 02 2019 12:20:24.643:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - editable date field]: Success: 435 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 115 of 310 SUCCESS (0 secs / 1 min 24.892 secs)
13 02 2019 12:20:24.643:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - click input to open selector]: Success: 919 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 116 of 310 SUCCESS (0 secs / 1 min 25.811 secs)
13 02 2019 12:20:24.644:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - show selector arrow]: Success: 2331 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 117 of 310 SUCCESS (0 secs / 1 min 28.142 secs)
13 02 2019 12:20:24.644:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - show input field]: Success: 492 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 118 of 310 SUCCESS (0 secs / 1 min 28.634 secs)
13 02 2019 12:20:24.644:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - show week numbers]: Success: 2067 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 119 of 310 SUCCESS (0 secs / 1 min 30.701 secs)
13 02 2019 12:20:24.650:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - aria label texts]: Success: 1707 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 120 of 310 SUCCESS (0 secs / 1 min 32.408 secs)
13 02 2019 12:20:24.650:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | options - allowSelectionOnlyInCurrentMonth]: Success: 1051 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 121 of 310 SUCCESS (0 secs / 1 min 33.459 secs)
13 02 2019 12:20:24.650:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | defaultMonth - initially selected month]: Success: 980 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 122 of 310 SUCCESS (0 secs / 1 min 34.439 secs)
13 02 2019 12:20:24.651:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | disabled - disable component]: Success: 1040 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 123 of 310 SUCCESS (0 secs / 1 min 35.479 secs)
13 02 2019 12:20:24.651:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | placeholder - placeholder text]: Success: 522 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 124 of 310 SUCCESS (0 secs / 1 min 36.001 secs)
13 02 2019 12:20:24.651:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DatePicker | "selects" the date if the selected date is not the same as the i
PhantomJS 2.1.1 (Linux 0.0.0): Executed 125 of 310 SUCCESS (0 secs / 1 min 36.514 secs)
13 02 2019 12:20:25.162:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ModalComponent | should have no accessibility issues]: Success: 520 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 126 of 310 SUCCESS (0 secs / 1 min 37.034 secs)
13 02 2019 12:20:25.514:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ModalComponent | should call ngOnChanges]: Success: 346 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 127 of 310 SUCCESS (0 secs / 1 min 37.38 secs)
13 02 2019 12:20:25.834:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ModalComponent | should tab through buttons]: Success: 318 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 128 of 310 SUCCESS (0 secs / 1 min 37.698 secs)
13 02 2019 12:20:26.175:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ModalComponent | should call headerCloseClick]: Success: 342 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 129 of 310 SUCCESS (0 secs / 1 min 38.04 secs)
13 02 2019 12:20:26.525:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ModalComponent | should call footerOkClick]: Success: 350 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 130 of 310 SUCCESS (0 secs / 1 min 38.39 secs)
13 02 2019 12:20:26.962:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ModalComponent | should call footerCancelClick]: Success: 437 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 131 of 310 SUCCESS (0 secs / 1 min 38.827 secs)
13 02 2019 12:20:27.006:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatorPipe: | should truncate collection]: Success: 11 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 132 of 310 SUCCESS (0 secs / 1 min 38.838 secs)
13 02 2019 12:20:27.013:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatorPipe: | should register with the PaginationService]: Success: 37 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 133 of 310 SUCCESS (0 secs / 1 min 38.875 secs)
13 02 2019 12:20:27.055:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatorPipe: | should modify the same instance when called multiple times]:
PhantomJS 2.1.1 (Linux 0.0.0): Executed 134 of 310 SUCCESS (0 secs / 1 min 38.877 secs)
13 02 2019 12:20:27.057:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatorPipe: | should use default id if none specified]: Success: 2 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 135 of 310 SUCCESS (0 secs / 1 min 38.879 secs)
13 02 2019 12:20:27.058:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatorPipe: | should not break when totalItems is specified for in-memory p
PhantomJS 2.1.1 (Linux 0.0.0): Executed 136 of 310 SUCCESS (0 secs / 1 min 38.917 secs)
13 02 2019 12:20:27.099:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatorPipe: | collection modification | should detect simple push or splice
PhantomJS 2.1.1 (Linux 0.0.0): Executed 137 of 310 SUCCESS (0 secs / 1 min 38.946 secs)
13 02 2019 12:20:27.129:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatorPipe: | collection modification | should detect value changes in colle
PhantomJS 2.1.1 (Linux 0.0.0): Executed 138 of 310 SUCCESS (0 secs / 1 min 38.991 secs)
13 02 2019 12:20:27.187:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatorPipe: | should allow independent instances by setting an id]: Success
PhantomJS 2.1.1 (Linux 0.0.0): Executed 139 of 310 SUCCESS (0 secs / 1 min 39.008 secs)
13 02 2019 12:20:27.225:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatorPipe: | server-side pagination | should truncate collection]: Success:
PhantomJS 2.1.1 (Linux 0.0.0): Executed 140 of 310 SUCCESS (0 secs / 1 min 39.046 secs)
13 02 2019 12:20:27.253:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatorPipe: | server-side pagination | should display page 2]: Success: 37 m
PhantomJS 2.1.1 (Linux 0.0.0): Executed 141 of 310 SUCCESS (0 secs / 1 min 39.083 secs)
13 02 2019 12:20:27.311:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatorPipe: | should return identical array for the same input values]: Suc
PhantomJS 2.1.1 (Linux 0.0.0): Executed 142 of 310 SUCCESS (0 secs / 1 min 39.098 secs)
13 02 2019 12:20:27.349:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatorPipe: | unexpected input: | should pass through non-array inputs]: Suc
PhantomJS 2.1.1 (Linux 0.0.0): Executed 143 of 310 SUCCESS (0 secs / 1 min 39.136 secs)
13 02 2019 12:20:27.379:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatorPipe: | unexpected input: | should work with a string as itemsPerPage
PhantomJS 2.1.1 (Linux 0.0.0): Executed 144 of 310 SUCCESS (0 secs / 1 min 39.167 secs)
13 02 2019 12:20:27.408:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatorPipe: | unexpected input: | should work with a string as currentPage a
PhantomJS 2.1.1 (Linux 0.0.0): Executed 145 of 310 SUCCESS (0 secs / 1 min 39.182 secs)
13 02 2019 12:20:27.421:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatorPipe: | unexpected input: | should work with itemsPerPage and currentP
PhantomJS 2.1.1 (Linux 0.0.0): Executed 146 of 310 SUCCESS (0 secs / 1 min 39.218 secs)
13 02 2019 12:20:28.075:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatorPipe: | DOM tests: | should display the correct number of items per pa
PhantomJS 2.1.1 (Linux 0.0.0): Executed 147 of 310 SUCCESS (0 secs / 1 min 39.74 secs)
13 02 2019 12:20:28.825:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatorPipe: | DOM tests: | should display the correct number of items per pa
PhantomJS 2.1.1 (Linux 0.0.0): Executed 148 of 310 SUCCESS (0 secs / 1 min 40.484 secs)
13 02 2019 12:20:29.385:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatorPipe: | DOM tests: | should display the correct number of items, after
PhantomJS 2.1.1 (Linux 0.0.0): Executed 149 of 310 SUCCESS (0 secs / 1 min 41.04 secs)
13 02 2019 12:20:30.388:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatorPipe: | DOM tests: | should display the correct items on init]: Succes
PhantomJS 2.1.1 (Linux 0.0.0): Executed 150 of 310 SUCCESS (0 secs / 1 min 41.949 secs)
13 02 2019 12:20:31.174:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatorPipe: | DOM tests: | should not mutate the collection]: Success: 881 m
PhantomJS 2.1.1 (Linux 0.0.0): Executed 151 of 310 SUCCESS (0 secs / 1 min 42.83 secs)
13 02 2019 12:20:31.497:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginatorPipe: | DOM tests: | should default to page 1 if currentPage not set]:
PhantomJS 2.1.1 (Linux 0.0.0): Executed 152 of 310 SUCCESS (0 secs / 1 min 43.259 secs)
13 02 2019 12:20:32.435:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent: | should display the correct page links (simple)
PhantomJS 2.1.1 (Linux 0.0.0): Executed 153 of 310 SUCCESS (0 secs / 1 min 43.706 secs)
13 02 2019 12:20:34.125:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent: | should display the correct page links (end ell
PhantomJS 2.1.1 (Linux 0.0.0): Executed 154 of 310 SUCCESS (0 secs / 1 min 44.19 secs)
13 02 2019 12:20:34.125:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent: | should display the correct page links (start e
PhantomJS 2.1.1 (Linux 0.0.0): Executed 155 of 310 SUCCESS (0 secs / 1 min 44.821 secs)
13 02 2019 12:20:37.112:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent: | should display the correct page links (double
PhantomJS 2.1.1 (Linux 0.0.0): Executed 156 of 310 SUCCESS (0 secs / 1 min 45.526 secs)
13 02 2019 12:20:37.113:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent: | should add "ellipsis" class to ellipsis links]
PhantomJS 2.1.1 (Linux 0.0.0): Executed 157 of 310 SUCCESS (0 secs / 1 min 45.867 secs)
13 02 2019 12:20:37.122:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent: | should update links when collection size chang
PhantomJS 2.1.1 (Linux 0.0.0): Executed 158 of 310 SUCCESS (0 secs / 1 min 46.803 secs)
13 02 2019 12:20:37.122:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent: | should update the currently-active

page when currentPage changes]: Success: 383 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 159 of 310 SUCCESS (0 secs / 1 min 47.186 secs)
13 02 2019 12:20:37.123:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent: | should highlight the currently-active

page when currentPage is passed as a numeric string]: Success: 666 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 160 of 310 SUCCESS (0 secs / 1 min 47.852 secs)

```

```

13 02 2019 12:20:37.123:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent: | should update the currently-active
page when currentPage becomes invalid (too high)]: Success: 354 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 161 of 310 SUCCESS (0 secs / 1 min 48.206 secs)
13 02 2019 12:20:41.782:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent: | should allow the tas-pagination-controls to co
PhantomJS 2.1.1 (Linux 0.0.0): Executed 162 of 310 SUCCESS (0 secs / 1 min 48.519 secs)
13 02 2019 12:20:41.784:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent: | should allow multiple independent instances (c
PhantomJS 2.1.1 (Linux 0.0.0): Executed 163 of 310 SUCCESS (0 secs / 1 min 48.874 secs)
13 02 2019 12:20:41.784:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent: | should allow multiple independent instances (t
PhantomJS 2.1.1 (Linux 0.0.0): Executed 164 of 310 SUCCESS (0 secs / 1 min 49.188 secs)
13 02 2019 12:20:41.785:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent: | "autoHide" should be boolean]: Success: 358 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 165 of 310 SUCCESS (0 secs / 1 min 49.546 secs)
13 02 2019 12:20:41.785:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent: | "autoHide" should work with non-data-bound val
PhantomJS 2.1.1 (Linux 0.0.0): Executed 166 of 310 SUCCESS (0 secs / 1 min 49.834 secs)
13 02 2019 12:20:41.791:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent: | "autoHide" state should be reflected in default
PhantomJS 2.1.1 (Linux 0.0.0): Executed 167 of 310 SUCCESS (0 secs / 1 min 50.327 secs)
13 02 2019 12:20:41.793:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent: | "directionLinks" should be boolean]: Success:
PhantomJS 2.1.1 (Linux 0.0.0): Executed 168 of 310 SUCCESS (0 secs / 1 min 50.642 secs)
13 02 2019 12:20:41.794:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent: | "directionLinks" should work with non-data-bou
PhantomJS 2.1.1 (Linux 0.0.0): Executed 169 of 310 SUCCESS (0 secs / 1 min 50.926 secs)
13 02 2019 12:20:41.794:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent: | "directionLinks" state should be reflected in
PhantomJS 2.1.1 (Linux 0.0.0): Executed 170 of 310 SUCCESS (0 secs / 1 min 51.566 secs)
13 02 2019 12:20:41.794:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent: | "responsive" should work with non-data-bound v
PhantomJS 2.1.1 (Linux 0.0.0): Executed 171 of 310 SUCCESS (0 secs / 1 min 51.903 secs)
13 02 2019 12:20:41.794:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent: | "responsive" state should be reflected in defa
PhantomJS 2.1.1 (Linux 0.0.0): Executed 172 of 310 SUCCESS (0 secs / 1 min 52.211 secs)
13 02 2019 12:20:42.961:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent:, custom labels | previousLabel should bind in co
PhantomJS 2.1.1 (Linux 0.0.0): Executed 173 of 310 SUCCESS (0 secs / 1 min 52.592 secs)
13 02 2019 12:20:42.962:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent:, custom labels | nextLabel should bind in correc
PhantomJS 2.1.1 (Linux 0.0.0): Executed 174 of 310 SUCCESS (0 secs / 1 min 53.529 secs)
13 02 2019 12:20:42.966:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent:, custom labels | screenReaderPaginationLabel sho
PhantomJS 2.1.1 (Linux 0.0.0): Executed 175 of 310 SUCCESS (0 secs / 1 min 53.829 secs)
13 02 2019 12:20:42.967:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent:, custom labels | screenReaderPageLabel should bi
PhantomJS 2.1.1 (Linux 0.0.0): Executed 176 of 310 SUCCESS (0 secs / 1 min 54.271 secs)
13 02 2019 12:20:42.967:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsComponent:, custom labels | screenReaderCurrentLabel should
PhantomJS 2.1.1 (Linux 0.0.0): Executed 177 of 310 SUCCESS (0 secs / 1 min 54.611 secs)
13 02 2019 12:20:43.145:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsDirective: | should warn on interaction when an unknown id
PhantomJS 2.1.1 (Linux 0.0.0): Executed 178 of 310 SUCCESS (0 secs / 1 min 54.69 secs)
13 02 2019 12:20:43.342:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsDirective:, template api | "pages" should be an array of pa
PhantomJS 2.1.1 (Linux 0.0.0): Executed 179 of 310 SUCCESS (0 secs / 1 min 54.795 secs)
13 02 2019 12:20:43.985:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsDirective:, template api | "maxSize" should be a number]: S
PhantomJS 2.1.1 (Linux 0.0.0): Executed 180 of 310 SUCCESS (0 secs / 1 min 54.885 secs)
13 02 2019 12:20:43.985:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsDirective:, template api | "getCurrent()" should return cur
PhantomJS 2.1.1 (Linux 0.0.0): Executed 181 of 310 SUCCESS (0 secs / 1 min 54.964 secs)
13 02 2019 12:20:43.985:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsDirective:, template api | "setCurrent()" should emit pageC
PhantomJS 2.1.1 (Linux 0.0.0): Executed 182 of 310 SUCCESS (0 secs / 1 min 55.135 secs)
13 02 2019 12:20:43.985:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsDirective:, template api | "previous()" should emit pageCha
PhantomJS 2.1.1 (Linux 0.0.0): Executed 183 of 310 SUCCESS (0 secs / 1 min 55.242 secs)
13 02 2019 12:20:43.986:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsDirective:, template api | "next()" should emit pageChange
PhantomJS 2.1.1 (Linux 0.0.0): Executed 184 of 310 SUCCESS (0 secs / 1 min 55.34 secs)
13 02 2019 12:20:44.388:WARN [web-server]: 404: /www.halfaker.com
13 02 2019 12:20:44.576:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsDirective:, template api | "isFirstPage()" should return th
PhantomJS 2.1.1 (Linux 0.0.0): Executed 185 of 310 SUCCESS (0 secs / 1 min 55.469 secs)
13 02 2019 12:20:44.576:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsDirective:, template api | "isLastPage()" should return the
PhantomJS 2.1.1 (Linux 0.0.0): Executed 186 of 310 SUCCESS (0 secs / 1 min 55.61 secs)
13 02 2019 12:20:44.576:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsDirective:, template api | "getTotalItems()" should return
PhantomJS 2.1.1 (Linux 0.0.0): Executed 187 of 310 SUCCESS (0 secs / 1 min 55.717 secs)
13 02 2019 12:20:44.577:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsDirective:, template api | "getTotalItems()" should return
PhantomJS 2.1.1 (Linux 0.0.0): Executed 188 of 310 SUCCESS (0 secs / 1 min 55.832 secs)
13 02 2019 12:20:44.781:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsDirective:, custom templates | should display the correct p
PhantomJS 2.1.1 (Linux 0.0.0): Executed 189 of 310 SUCCESS (0 secs / 1 min 55.945 secs)
13 02 2019 12:20:44.781:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsDirective:, custom templates | should display the correct p
PhantomJS 2.1.1 (Linux 0.0.0): Executed 190 of 310 SUCCESS (0 secs / 1 min 56.133 secs)
13 02 2019 12:20:44.781:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsDirective:, custom templates | should display the correct p
PhantomJS 2.1.1 (Linux 0.0.0): Executed 191 of 310 SUCCESS (0 secs / 1 min 56.248 secs)
13 02 2019 12:20:44.782:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationControlsDirective:, custom templates | should display the correct p
PhantomJS 2.1.1 (Linux 0.0.0): Executed 192 of 310 SUCCESS (0 secs / 1 min 56.336 secs)
13 02 2019 12:20:44.831:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationService: | should register the instance]: Success: 41 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 193 of 310 SUCCESS (0 secs / 1 min 56.377 secs)
13 02 2019 12:20:44.840:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationService: | getInstance() should return a clone of the instance]: Su
PhantomJS 2.1.1 (Linux 0.0.0): Executed 194 of 310 SUCCESS (0 secs / 1 min 56.379 secs)
13 02 2019 12:20:44.857:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationService: | setCurrentPage() should work for valid page number]: Suc
PhantomJS 2.1.1 (Linux 0.0.0): Executed 195 of 310 SUCCESS (0 secs / 1 min 56.396 secs)
13 02 2019 12:20:44.868:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationService: | setCurrentPage() should work for max page number]: Succe
PhantomJS 2.1.1 (Linux 0.0.0): Executed 196 of 310 SUCCESS (0 secs / 1 min 56.407 secs)
13 02 2019 12:20:44.879:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationService: | setCurrentPage() should not change page if new page is t
PhantomJS 2.1.1 (Linux 0.0.0): Executed 197 of 310 SUCCESS (0 secs / 1 min 56.418 secs)
13 02 2019 12:20:44.890:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationService: | setCurrentPage() should not change page if new page is 1
PhantomJS 2.1.1 (Linux 0.0.0): Executed 198 of 310 SUCCESS (0 secs / 1 min 56.429 secs)
13 02 2019 12:20:44.898:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationService: | setTotalItems() should work for valid input]: Success: 1
PhantomJS 2.1.1 (Linux 0.0.0): Executed 199 of 310 SUCCESS (0 secs / 1 min 56.439 secs)
13 02 2019 12:20:44.901:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | PaginationService: | setTotalItems() should not work for negative values]: Su
PhantomJS 2.1.1 (Linux 0.0.0): Executed 200 of 310 SUCCESS (0 secs / 1 min 56.441 secs)
13 02 2019 12:20:46.064:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportFilterComponent | should have no accessibility issues]: Success: 1151 m
PhantomJS 2.1.1 (Linux 0.0.0): Executed 201 of 310 SUCCESS (0 secs / 1 min 57.592 secs)
LOG: 'ToolTipService cTOr'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 201 of 310 SUCCESS (0 secs / 1 min 57.592 secs)
LOG: 'ToolTipService cTOr'
LOG: 'ToolTipService cTOr'
LOG: 'MetabaseService->cherryPick-cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 201 of 310 SUCCESS (0 secs / 1 min 57.592 secs)
LOG: 'MetabaseService->cherryPick-cached', Object{}
LOG: 'MetabaseService->cherryPick-cached', Object{}
LOG: 'SHOWME[global['it']], function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 201 of 310 SUCCESS (0 secs / 1 min 57.592 secs)
LOG: 'SHOWME[global['it']], function () { ... }
LOG: 'SHOWME[global['it']], function () { ... }
LOG: 'MetabaseService->environment', Object{enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://logon.i
PhantomJS 2.1.1 (Linux 0.0.0): Executed 201 of 310 SUCCESS (0 secs / 1 min 57.592 secs)
LOG: 'MetabaseService->environment', Object{enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://logon.i

```

```

LOG: 'MetabaseService->environment', Object(enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.i
LOG: 'MetabaseService->missing', ['tooltips']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 201 of 310 SUCCESS (0 secs / 1 min 57.592 secs)
LOG: 'MetabaseService->missing', ['tooltips']
LOG: 'MetabaseService->missing', ['tooltips']
13 02 2019 12:20:46.166:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TooltipsService | tooltip should lookup data]: 'ToolTipService cTor'
13 02 2019 12:20:46.166:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TooltipsService | tooltip should lookup data]: 'MetabaseService->cherryPick-c
13 02 2019 12:20:46.166:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TooltipsService | tooltip should lookup data]: 'SHOWME[global['it']], functio
13 02 2019 12:20:46.166:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TooltipsService | tooltip should lookup data]: 'MetabaseService->environment'
13 02 2019 12:20:46.166:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TooltipsService | tooltip should lookup data]: 'MetabaseService->missing', ['
13 02 2019 12:20:46.166:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TooltipsService | tooltip should lookup data]: Success: 97 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 202 of 310 SUCCESS (0 secs / 1 min 57.689 secs)
13 02 2019 12:20:46.185:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewConfig | should have sensible default values]: Success: 12 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 203 of 310 SUCCESS (0 secs / 1 min 57.701 secs)
13 02 2019 12:20:46.214:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | findItem | should not find item if root is null or undefined]: Success: 12 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 204 of 310 SUCCESS (0 secs / 1 min 57.713 secs)
13 02 2019 12:20:46.232:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | findItem | should find item]: Success: 18 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 205 of 310 SUCCESS (0 secs / 1 min 57.731 secs)
13 02 2019 12:20:46.234:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | findItem | should not find item]: Success: 12 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 206 of 310 SUCCESS (0 secs / 1 min 57.743 secs)
13 02 2019 12:20:46.265:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | findItemInList | should not find item if list is null or undefined]: Success:
PhantomJS 2.1.1 (Linux 0.0.0): Executed 207 of 310 SUCCESS (0 secs / 1 min 57.754 secs)
13 02 2019 12:20:46.282:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | findItemInList | should find item]: Success: 19 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 208 of 310 SUCCESS (0 secs / 1 min 57.773 secs)
13 02 2019 12:20:46.283:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | findItemInList | should not find item]: Success: 12 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 209 of 310 SUCCESS (0 secs / 1 min 57.785 secs)
13 02 2019 12:20:46.302:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | findParent | should not find parent if root is undefined or root has no child
PhantomJS 2.1.1 (Linux 0.0.0): Executed 210 of 310 SUCCESS (0 secs / 1 min 57.796 secs)
13 02 2019 12:20:46.311:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | findParent | should not find parent]: Success: 1 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 211 of 310 SUCCESS (0 secs / 1 min 57.797 secs)
13 02 2019 12:20:46.324:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | findParent | should find parent]: Success: 8 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 212 of 310 SUCCESS (0 secs / 1 min 57.805 secs)
13 02 2019 12:20:46.362:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | removeParent | should not remove item if root is undefined or root has no chi
PhantomJS 2.1.1 (Linux 0.0.0): Executed 213 of 310 SUCCESS (0 secs / 1 min 57.816 secs)
13 02 2019 12:20:46.363:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | removeParent | should not remove item]: Success: 2 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 214 of 310 SUCCESS (0 secs / 1 min 57.818 secs)
13 02 2019 12:20:46.545:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | removeParent | should remove item & has correct checked]: Success: 39 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 215 of 310 SUCCESS (0 secs / 1 min 57.857 secs)
13 02 2019 12:20:46.777:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItemComponent | should initialize with default config]: Success: 170
PhantomJS 2.1.1 (Linux 0.0.0): Executed 216 of 310 SUCCESS (0 secs / 1 min 58.027 secs)
13 02 2019 12:20:46.785:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItemComponent, item | should not have element with class "treeview-it
PhantomJS 2.1.1 (Linux 0.0.0): Executed 217 of 310 SUCCESS (0 secs / 1 min 58.139 secs)
13 02 2019 12:20:46.785:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItemComponent, item | should have element with class "treeview-item"
PhantomJS 2.1.1 (Linux 0.0.0): Executed 218 of 310 SUCCESS (0 secs / 1 min 58.256 secs)
13 02 2019 12:20:47.245:WARN [web-server]: 404: /www.halfaker.com
13 02 2019 12:20:47.426:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItemComponent, template | should work]: Success: 197 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 219 of 310 SUCCESS (0 secs / 1 min 58.453 secs)
13 02 2019 12:20:47.445:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItemComponent, template | should render "Parent 1", "Child 1" & "Chil
PhantomJS 2.1.1 (Linux 0.0.0): Executed 220 of 310 SUCCESS (0 secs / 1 min 58.715 secs)
13 02 2019 12:20:47.446:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItemComponent, template, toggle collapse/expand | should not render c
PhantomJS 2.1.1 (Linux 0.0.0): Executed 221 of 310 SUCCESS (0 secs / 1 min 58.906 secs)
13 02 2019 12:20:47.871:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItemComponent, template, uncheck "Parent 1" | should un-check "Child
PhantomJS 2.1.1 (Linux 0.0.0): Executed 222 of 310 SUCCESS (0 secs / 1 min 59.16 secs)
13 02 2019 12:20:47.871:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItemComponent, template, uncheck "Parent 1" | should raise event chec
PhantomJS 2.1.1 (Linux 0.0.0): Executed 223 of 310 SUCCESS (0 secs / 1 min 59.319 secs)
13 02 2019 12:20:48.212:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItemComponent, template, un-check "Child 1" | should uncheck "Parent
PhantomJS 2.1.1 (Linux 0.0.0): Executed 224 of 310 SUCCESS (0 secs / 1 min 59.505 secs)
13 02 2019 12:20:48.699:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItemComponent, template, un-check "Child 1" | should raise event chec
PhantomJS 2.1.1 (Linux 0.0.0): Executed 225 of 310 SUCCESS (0 secs / 1 min 59.665 secs)
13 02 2019 12:20:48.728:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItemComponent, template, un-check "Child 1", un-check "Child 2" | sho
PhantomJS 2.1.1 (Linux 0.0.0): Executed 226 of 310 SUCCESS (0 secs / 1 min 59.945 secs)
13 02 2019 12:20:48.729:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItemComponent, template, un-check "Child 1", un-check "Child 2" | sho
PhantomJS 2.1.1 (Linux 0.0.0): Executed 227 of 310 SUCCESS (0 secs / 2 mins 0.171 secs)
13 02 2019 12:20:48.737:WARN [web-server]: 404: /www.halfaker.com
13 02 2019 12:20:49.174:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItemComponent, template, un-check "Child 1", check "Child 1" | should
PhantomJS 2.1.1 (Linux 0.0.0): Executed 228 of 310 SUCCESS (0 secs / 2 mins 0.43 secs)
13 02 2019 12:20:49.192:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItemComponent, template, un-check "Child 1", check "Child 1" | should
PhantomJS 2.1.1 (Linux 0.0.0): Executed 229 of 310 SUCCESS (0 secs / 2 mins 0.618 secs)
13 02 2019 12:20:49.231:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem | should throw error if TreeItem param is null or undefined]: Su
PhantomJS 2.1.1 (Linux 0.0.0): Executed 230 of 310 SUCCESS (0 secs / 2 mins 0.63 secs)
13 02 2019 12:20:49.232:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem | should throw error if TreeItem text is not a string]: Success:
PhantomJS 2.1.1 (Linux 0.0.0): Executed 231 of 310 SUCCESS (0 secs / 2 mins 0.647 secs)
13 02 2019 12:20:49.234:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem | should throw error if TreeviewItem children is assigned an emp
PhantomJS 2.1.1 (Linux 0.0.0): Executed 232 of 310 SUCCESS (0 secs / 2 mins 0.649 secs)
13 02 2019 12:20:49.251:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem | should allow to create TreeviewItem with empty children]: Succ
PhantomJS 2.1.1 (Linux 0.0.0): Executed 233 of 310 SUCCESS (0 secs / 2 mins 0.655 secs)
13 02 2019 12:20:49.263:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem, checked | should have value is true by default]: Success: 11 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 234 of 310 SUCCESS (0 secs / 2 mins 0.666 secs)
13 02 2019 12:20:49.280:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem, checked | should correct checked value when input second param]
PhantomJS 2.1.1 (Linux 0.0.0): Executed 235 of 310 SUCCESS (0 secs / 2 mins 0.678 secs)
13 02 2019 12:20:49.292:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem, checked | should set checked value correctly when invoke correc
PhantomJS 2.1.1 (Linux 0.0.0): Executed 236 of 310 SUCCESS (0 secs / 2 mins 0.695 secs)
13 02 2019 12:20:49.294:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem, checked | should not change checked value if item is disabled]:
PhantomJS 2.1.1 (Linux 0.0.0): Executed 237 of 310 SUCCESS (0 secs / 2 mins 0.706 secs)
13 02 2019 12:20:49.323:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem, setCheckedRecursive | should apply checked value to children if
PhantomJS 2.1.1 (Linux 0.0.0): Executed 238 of 310 SUCCESS (0 secs / 2 mins 0.718 secs)
13 02 2019 12:20:49.330:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem, setCheckedRecursive | should not apply checked value to childre
PhantomJS 2.1.1 (Linux 0.0.0): Executed 239 of 310 SUCCESS (0 secs / 2 mins 0.736 secs)
13 02 2019 12:20:49.353:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem, collapsed | should set value is false by default]: Success: 11
PhantomJS 2.1.1 (Linux 0.0.0): Executed 240 of 310 SUCCESS (0 secs / 2 mins 0.747 secs)
13 02 2019 12:20:49.360:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem, collapsed | should affectly change collapsed value]: Success: 1
PhantomJS 2.1.1 (Linux 0.0.0): Executed 241 of 310 SUCCESS (0 secs / 2 mins 0.765 secs)
13 02 2019 12:20:49.373:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem, setCollapsedRecursive | should apply collapsed value to childre
PhantomJS 2.1.1 (Linux 0.0.0): Executed 242 of 310 SUCCESS (0 secs / 2 mins 0.776 secs)
13 02 2019 12:20:49.401:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem, disabled | should set value is false by default]: Success: 11 m
PhantomJS 2.1.1 (Linux 0.0.0): Executed 243 of 310 SUCCESS (0 secs / 2 mins 0.787 secs)
13 02 2019 12:20:49.413:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem, disabled | should initialize children are disabled if initializ
PhantomJS 2.1.1 (Linux 0.0.0): Executed 244 of 310 SUCCESS (0 secs / 2 mins 0.798 secs)
13 02 2019 12:20:49.421:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem, disabled | should change disabled value of children to false if
PhantomJS 2.1.1 (Linux 0.0.0): Executed 245 of 310 SUCCESS (0 secs / 2 mins 0.816 secs)

```

```

13 02 2019 12:20:49.450:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem, children | should throw error if change value to empty list]: S
PhantomJS 2.1.1 (Linux 0.0.0): Executed 246 of 310 SUCCESS (0 secs / 2 mins 0.833 secs)
13 02 2019 12:20:49.461:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem, children | should affectly change children value]: Success: 12
PhantomJS 2.1.1 (Linux 0.0.0): Executed 247 of 310 SUCCESS (0 secs / 2 mins 0.845 secs)
13 02 2019 12:20:49.463:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem, children | should accept undefined value]: Success: 11 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 248 of 310 SUCCESS (0 secs / 2 mins 0.856 secs)
13 02 2019 12:20:49.492:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem, getSelection, no children | should return empty list if item is
PhantomJS 2.1.1 (Linux 0.0.0): Executed 249 of 310 SUCCESS (0 secs / 2 mins 0.864 secs)
13 02 2019 12:20:49.499:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem, getSelection, no children | should return a list of current ite
PhantomJS 2.1.1 (Linux 0.0.0): Executed 250 of 310 SUCCESS (0 secs / 2 mins 0.875 secs)
13 02 2019 12:20:49.531:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewItem, getSelection, has children | should return list of checked item
PhantomJS 2.1.1 (Linux 0.0.0): Executed 251 of 310 SUCCESS (0 secs / 2 mins 0.906 secs)
13 02 2019 12:20:50.470:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent | should initialize with default config]: Success: 405 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 252 of 310 SUCCESS (0 secs / 2 mins 1.311 secs)
LOG: '1_treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 252 of 310 SUCCESS (0 secs / 2 mins 1.311 secs)
LOG: '1_treeview component ts ngAfterviewinit'
LOG: '1_treeview component ts ngAfterviewinit'
13 02 2019 12:20:50.491:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent, no data binding | should display "No items found"]: '1_tre
13 02 2019 12:20:50.491:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent, no data binding | should display "No items found"]: Succes
PhantomJS 2.1.1 (Linux 0.0.0): Executed 253 of 310 SUCCESS (0 secs / 2 mins 1.857 secs)
LOG: '1_treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 253 of 310 SUCCESS (0 secs / 2 mins 1.857 secs)
LOG: '1_treeview component ts ngAfterviewinit'
LOG: '1_treeview component ts ngAfterviewinit'
13 02 2019 12:20:50.928:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent, null data binding | should display "No items found"]: '1_t
13 02 2019 12:20:50.928:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent, null data binding | should display "No items found"]: Succ
PhantomJS 2.1.1 (Linux 0.0.0): Executed 254 of 310 SUCCESS (0 secs / 2 mins 2.287 secs)
LOG: '1_treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 254 of 310 SUCCESS (0 secs / 2 mins 2.287 secs)
LOG: '1_treeview component ts ngAfterviewinit'
LOG: '1_treeview component ts ngAfterviewinit'
13 02 2019 12:20:51.464:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent, keyboard | should call keyboard key listeners]: '1_treevie
13 02 2019 12:20:51.464:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent, keyboard | should call keyboard key listeners]: Success: 5
PhantomJS 2.1.1 (Linux 0.0.0): Executed 255 of 310 SUCCESS (0 secs / 2 mins 2.816 secs)
LOG: '1_treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 255 of 310 SUCCESS (0 secs / 2 mins 2.816 secs)
LOG: '1_treeview component ts ngAfterviewinit'
LOG: '1_treeview component ts ngAfterviewinit'
13 02 2019 12:20:52.477:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent, config, hasAllCheckBox | should display checkbox "All" if
13 02 2019 12:20:52.477:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent, config, hasAllCheckBox | should display checkbox "All" if
PhantomJS 2.1.1 (Linux 0.0.0): Executed 256 of 310 SUCCESS (0 secs / 2 mins 3.378 secs)
LOG: '1_treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 256 of 310 SUCCESS (0 secs / 2 mins 3.378 secs)
LOG: '1_treeview component ts ngAfterviewinit'
LOG: '1_treeview component ts ngAfterviewinit'
13 02 2019 12:20:53.585:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent, config, hasAllCheckBox | should not display checkbox "All"
13 02 2019 12:20:53.585:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent, config, hasAllCheckBox | should not display checkbox "All"
PhantomJS 2.1.1 (Linux 0.0.0): Executed 257 of 310 SUCCESS (0 secs / 2 mins 3.811 secs)
LOG: '1_treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 257 of 310 SUCCESS (0 secs / 2 mins 3.811 secs)
LOG: '1_treeview component ts ngAfterviewinit'
LOG: '1_treeview component ts ngAfterviewinit'
13 02 2019 12:20:53.615:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent, config, hasFilter | should display checkbox Filter textbox
13 02 2019 12:20:53.615:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent, config, hasFilter | should display checkbox Filter textbox
PhantomJS 2.1.1 (Linux 0.0.0): Executed 258 of 310 SUCCESS (0 secs / 2 mins 4.441 secs)
LOG: '1_treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 258 of 310 SUCCESS (0 secs / 2 mins 4.441 secs)
LOG: '1_treeview component ts ngAfterviewinit'
LOG: '1_treeview component ts ngAfterviewinit'
13 02 2019 12:20:53.616:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent, config, hasFilter | should not display checkbox Filter tex
13 02 2019 12:20:53.616:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent, config, hasFilter | should not display checkbox Filter tex
PhantomJS 2.1.1 (Linux 0.0.0): Executed 259 of 310 SUCCESS (0 secs / 2 mins 4.928 secs)
LOG: '1_treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 259 of 310 SUCCESS (0 secs / 2 mins 4.928 secs)
LOG: '1_treeview component ts ngAfterviewinit'
LOG: '1_treeview component ts ngAfterviewinit'
13 02 2019 12:20:54.767:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent, config, hasCollapseExpand | should display icon Collapse/E
13 02 2019 12:20:54.767:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent, config, hasCollapseExpand | should display icon Collapse/E
PhantomJS 2.1.1 (Linux 0.0.0): Executed 260 of 310 SUCCESS (0 secs / 2 mins 5.442 secs)
LOG: '1_treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 260 of 310 SUCCESS (0 secs / 2 mins 5.442 secs)
LOG: '1_treeview component ts ngAfterviewinit'
LOG: '1_treeview component ts ngAfterviewinit'
13 02 2019 12:20:54.767:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent, config, hasCollapseExpand | should not display icon Collap
13 02 2019 12:20:54.767:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent, config, hasCollapseExpand | should not display icon Collap
PhantomJS 2.1.1 (Linux 0.0.0): Executed 261 of 310 SUCCESS (0 secs / 2 mins 6.074 secs)
LOG: '1_treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 261 of 310 SUCCESS (0 secs / 2 mins 6.074 secs)
LOG: '1_treeview component ts ngAfterviewinit'
LOG: '1_treeview component ts ngAfterviewinit'
13 02 2019 12:20:55.910:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent, items | should have "All" checkbox is checked]: '1_treevie
13 02 2019 12:20:55.910:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent, items | should have "All" checkbox is checked]: Success: 6
PhantomJS 2.1.1 (Linux 0.0.0): Executed 262 of 310 SUCCESS (0 secs / 2 mins 6.675 secs)
LOG: '1_treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 262 of 310 SUCCESS (0 secs / 2 mins 6.675 secs)
LOG: '1_treeview component ts ngAfterviewinit'
LOG: '1_treeview component ts ngAfterviewinit'
13 02 2019 12:20:57.298:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent, items | should have all of items are checked]: '1_treeview
13 02 2019 12:20:57.298:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent, items | should have all of items are checked]: Success: 57
PhantomJS 2.1.1 (Linux 0.0.0): Executed 263 of 310 SUCCESS (0 secs / 2 mins 7.248 secs)
LOG: '1_treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 263 of 310 SUCCESS (0 secs / 2 mins 7.248 secs)
LOG: '1_treeview component ts ngAfterviewinit'
LOG: '1_treeview component ts ngAfterviewinit'
13 02 2019 12:20:57.298:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent, items, collapse/expand icon | should display "Item1" & "It
13 02 2019 12:20:57.298:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | TreeviewComponent, items, collapse/expand icon | should display "Item1" & "It
PhantomJS 2.1.1 (Linux 0.0.0): Executed 264 of 310 SUCCESS (0 secs / 2 mins 7.965 secs)
LOG: '1_treeview component ts ngAfterviewinit'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 264 of 310 SUCCESS (0 secs / 2 mins 7.965 secs)

```

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```

PhantomJS 2.1.1 (Linux 0.0.0): Executed 288 of 310 SUCCESS (0 secs / 2 mins 49.827 secs)
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 288 of 310 SUCCESS (0 secs / 2 mins 49.827 secs)
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 288 of 310 SUCCESS (0 secs / 2 mins 49.827 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->cherryPick-cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 288 of 310 SUCCESS (0 secs / 2 mins 49.827 secs)
LOG: 'MetabaseService->cherryPick-cached', Object{}
LOG: 'MetabaseService->cherryPick-cached', Object{}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 288 of 310 SUCCESS (0 secs / 2 mins 49.827 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.i
PhantomJS 2.1.1 (Linux 0.0.0): Executed 288 of 310 SUCCESS (0 secs / 2 mins 49.827 secs)
LOG: 'MetabaseService->environment', Object{enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.i
LOG: 'MetabaseService->environment', Object{enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://login.i
LOG: 'MetabaseService->missing', ['tooltips']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 288 of 310 SUCCESS (0 secs / 2 mins 49.827 secs)
LOG: 'MetabaseService->missing', ['tooltips']
LOG: 'MetabaseService->missing', ['tooltips']
LOG: 'MetabaseService->cherryPick-cached', Object{menus: [Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rol
PhantomJS 2.1.1 (Linux 0.0.0): Executed 288 of 310 SUCCESS (0 secs / 2 mins 49.827 secs)
LOG: 'MetabaseService->cherryPick-cached', Object{menus: [Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rol
LOG: 'MetabaseService->cherryPick-cached', Object{menus: [Object{title: ..., uri: ..., rolesAllowed: ...}, Object{title: ..., uri: ..., rol
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 288 of 310 SUCCESS (0 secs / 2 mins 49.827 secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
13 02 2019 12:21:41.103:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AdminMenuComponent | should manipulate menus]: 'ToolTipService cTor'
13 02 2019 12:21:41.104:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AdminMenuComponent | should manipulate menus]: 'SHOWME|global['it']', functi
13 02 2019 12:21:41.104:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AdminMenuComponent | should manipulate menus]: 'MetabaseService->cherryPick~
13 02 2019 12:21:41.104:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AdminMenuComponent | should manipulate menus]: 'EnvironmentService', 'ALREAD
13 02 2019 12:21:41.104:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AdminMenuComponent | should manipulate menus]: 'MetabaseService->environment
13 02 2019 12:21:41.104:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AdminMenuComponent | should manipulate menus]: 'MetabaseService->missing', [
13 02 2019 12:21:41.104:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AdminMenuComponent | should manipulate menus]: 'MetabaseService->cherryPick~
13 02 2019 12:21:41.104:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AdminMenuComponent | should manipulate menus]: 'MetabaseService', 'ALREADY C
13 02 2019 12:21:41.104:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | AdminMenuComponent | should manipulate menus]: Success: 1844 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 289 of 310 SUCCESS (0 secs / 2 mins 51.671 secs)
13 02 2019 12:21:42.073:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | DevelopComponent | should have no accessibility issues]: Success: 1071 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 290 of 310 SUCCESS (0 secs / 2 mins 52.742 secs)
13 02 2019 12:21:43.993:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HealthCheckComponent | should have no accessibility issues]: Success: 1752 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 291 of 310 SUCCESS (0 secs / 2 mins 54.494 secs)
13 02 2019 12:21:45.407:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HealthCheckComponent | should set cosmos to down]: Success: 1467 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 292 of 310 SUCCESS (0 secs / 2 mins 55.961 secs)
13 02 2019 12:21:46.722:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HealthCheckComponent | should set elsatic and fhir to down]: Success: 1312 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 293 of 310 SUCCESS (0 secs / 2 mins 57.273 secs)
13 02 2019 12:21:48.155:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HealthCheckComponent | should set all systems to up]: Success: 1441 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 294 of 310 SUCCESS (0 secs / 2 mins 58.714 secs)
13 02 2019 12:21:49.496:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | HealthCheckComponent | should set azure to down]: Success: 1326 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 295 of 310 SUCCESS (0 secs / 3 mins 0.04 secs)
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 295 of 310 SUCCESS (0 secs / 3 mins 0.04 secs)
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'IamRecord Service cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 295 of 310 SUCCESS (0 secs / 3 mins 0.04 secs)
LOG: 'IamRecord Service cTor'
LOG: 'IamRecord Service cTor'
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 295 of 310 SUCCESS (0 secs / 3 mins 0.04 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 295 of 310 SUCCESS (0 secs / 3 mins 0.04 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
WARN: 'TAS-DATA-TABLE: no data'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 295 of 310 SUCCESS (0 secs / 3 mins 0.04 secs)
WARN: 'TAS-DATA-TABLE: no data'
WARN: 'TAS-DATA-TABLE: no data'
13 02 2019 12:21:52.803:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | IamManagerComponent | list page should have no accessibility issues]: 'ToolTi
13 02 2019 12:21:52.803:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | IamManagerComponent | list page should have no accessibility issues]: 'IamRec
13 02 2019 12:21:52.805:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | IamManagerComponent | list page should have no accessibility issues]: 'SHOWME
13 02 2019 12:21:52.805:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | IamManagerComponent | list page should have no accessibility issues]: 'Enviro
13 02 2019 12:21:52.805:WARN [PhantomJS 2.1.1 (Linux 0.0.0) | IamManagerComponent | list page should have no accessibility issues]: 'TAS-DA
13 02 2019 12:21:52.805:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | IamManagerComponent | list page should have no accessibility issues]: Success
PhantomJS 2.1.1 (Linux 0.0.0): Executed 296 of 310 SUCCESS (0 secs / 3 mins 3.34 secs)
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 296 of 310 SUCCESS (0 secs / 3 mins 3.34 secs)
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'IamRecord Service cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 296 of 310 SUCCESS (0 secs / 3 mins 3.34 secs)
LOG: 'IamRecord Service cTor'
LOG: 'IamRecord Service cTor'
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 296 of 310 SUCCESS (0 secs / 3 mins 3.34 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 296 of 310 SUCCESS (0 secs / 3 mins 3.34 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
WARN: 'TAS-DATA-TABLE: no data'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 296 of 310 SUCCESS (0 secs / 3 mins 3.34 secs)

```

[illegible]

[illegible]

```

PhantomJS 2.1.1 (Linux 0.0.0): Executed 305 of 310 SUCCESS (0 secs / 3 mins 11.019 secs)
LOG: 'MetabaseService->missing', ['tooltips']
LOG: 'MetabaseService->missing', ['tooltips']
LOG: 'MetabaseService->cherryPick-cached', Object{report: Object{tasFHIREndpoint: 'http://aws-app.mccf.halfakerlabs.com:8080/VA-FHIR-Server
PhantomJS 2.1.1 (Linux 0.0.0): Executed 305 of 310 SUCCESS (0 secs / 3 mins 11.019 secs)
LOG: 'MetabaseService->cherryPick-cached', Object{report: Object{tasFHIREndpoint: 'http://aws-app.mccf.halfakerlabs.com:8080/VA-FHIR-Server
LOG: 'MetabaseService->cherryPick-cached', Object{report: Object{tasFHIREndpoint: 'http://aws-app.mccf.halfakerlabs.com:8080/VA-FHIR-Server
LOG: 'MetabaseService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 305 of 310 SUCCESS (0 secs / 3 mins 11.019 secs)
LOG: 'MetabaseService', 'ALREADY CACHED'
LOG: 'MetabaseService', 'ALREADY CACHED'
13 02 2019 12:22:02.104:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsConfigComponent | should be created]: 'ToolTipService cTor'
13 02 2019 12:22:02.104:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsConfigComponent | should be created]: 'ReportsConfigService cTor'
13 02 2019 12:22:02.104:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsConfigComponent | should be created]: 'SHOWME|global['it']', function
13 02 2019 12:22:02.104:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsConfigComponent | should be created]: 'MetabaseService->cherryPick-cac
13 02 2019 12:22:02.104:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsConfigComponent | should be created]: 'EnvironmentService', 'ALREADY C
13 02 2019 12:22:02.104:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsConfigComponent | should be created]: 'MetabaseService->environment',
13 02 2019 12:22:02.104:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsConfigComponent | should be created]: 'MetabaseService->missing', ['to
13 02 2019 12:22:02.104:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsConfigComponent | should be created]: 'MetabaseService->cherryPick-cac
13 02 2019 12:22:02.104:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsConfigComponent | should be created]: 'MetabaseService', 'ALREADY CACH
13 02 2019 12:22:02.107:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsConfigComponent | should be created]: Success: 1575 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 306 of 310 SUCCESS (0 secs / 3 mins 12.594 secs)
LOG: 'ReportsService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 306 of 310 SUCCESS (0 secs / 3 mins 12.594 secs)
LOG: 'ReportsService cTor'
LOG: 'ReportsService cTor'
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 306 of 310 SUCCESS (0 secs / 3 mins 12.594 secs)
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 306 of 310 SUCCESS (0 secs / 3 mins 12.594 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'MetabaseService->cherryPick-cached', Object{}
PhantomJS 2.1.1 (Linux 0.0.0): Executed 306 of 310 SUCCESS (0 secs / 3 mins 12.594 secs)
LOG: 'MetabaseService->cherryPick-cached', Object{}
LOG: 'MetabaseService->cherryPick-cached', Object{}
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 306 of 310 SUCCESS (0 secs / 3 mins 12.594 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'MetabaseService->environment', Object{enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://logon.i
PhantomJS 2.1.1 (Linux 0.0.0): Executed 306 of 310 SUCCESS (0 secs / 3 mins 12.594 secs)
LOG: 'MetabaseService->environment', Object{enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://logon.i
LOG: 'MetabaseService->environment', Object{enable_api: false, tableau_url: 'https://public.tableau.com', ssoiLandingHost: 'https://logon.i
LOG: 'MetabaseService->missing', ['tooltips']
PhantomJS 2.1.1 (Linux 0.0.0): Executed 306 of 310 SUCCESS (0 secs / 3 mins 12.594 secs)
LOG: 'MetabaseService->missing', ['tooltips']
LOG: 'MetabaseService->missing', ['tooltips']
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 306 of 310 SUCCESS (0 secs / 3 mins 12.594 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 306 of 310 SUCCESS (0 secs / 3 mins 12.594 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
13 02 2019 12:22:06.102:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsDashboardComponent | should be created]: 'ReportsService cTor'
13 02 2019 12:22:06.103:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsDashboardComponent | should be created]: 'ToolTipService cTor'
13 02 2019 12:22:06.103:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsDashboardComponent | should be created]: 'SHOWME|global['it']', functi
13 02 2019 12:22:06.103:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsDashboardComponent | should be created]: 'MetabaseService->cherryPick~
13 02 2019 12:22:06.103:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsDashboardComponent | should be created]: 'ReportsService', 'ALREAD
13 02 2019 12:22:06.103:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsDashboardComponent | should be created]: 'MetabaseService->environment
13 02 2019 12:22:06.103:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsDashboardComponent | should be created]: 'MetabaseService->missing', [
13 02 2019 12:22:06.103:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsDashboardComponent | should be created]: 'EnvironmentService', 'ALREAD
13 02 2019 12:22:06.103:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsDashboardComponent | should be created]: 'EnvironmentService', 'ALREAD
13 02 2019 12:22:06.103:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsDashboardComponent | should be created]: 'EnvironmentService', 'ALREAD
PhantomJS 2.1.1 (Linux 0.0.0): Executed 307 of 310 SUCCESS (0 secs / 3 mins 14.42 secs)
LOG: 'ESRRecord Service cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 307 of 310 SUCCESS (0 secs / 3 mins 14.42 secs)
LOG: 'ESRRecord Service cTor'
LOG: 'ESRRecord Service cTor'
LOG: 'ToolTipService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 307 of 310 SUCCESS (0 secs / 3 mins 14.42 secs)
LOG: 'ToolTipService cTor'
LOG: 'ToolTipService cTor'
LOG: 'SHOWME|global['it']', function () { ... }
PhantomJS 2.1.1 (Linux 0.0.0): Executed 307 of 310 SUCCESS (0 secs / 3 mins 14.42 secs)
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'SHOWME|global['it']', function () { ... }
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 307 of 310 SUCCESS (0 secs / 3 mins 14.42 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 307 of 310 SUCCESS (0 secs / 3 mins 14.42 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 307 of 310 SUCCESS (0 secs / 3 mins 14.42 secs)
LOG: 'EnvironmentService', 'ALREADY CACHED'
LOG: 'EnvironmentService', 'ALREADY CACHED'
WARN: 'TAS-DATA-TABLE: no data'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 307 of 310 SUCCESS (0 secs / 3 mins 14.42 secs)
WARN: 'TAS-DATA-TABLE: no data'
WARN: 'TAS-DATA-TABLE: no data'
13 02 2019 12:22:06.846:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsComponent | should be created]: 'ESRRecord Service cTor'
13 02 2019 12:22:06.847:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsComponent | should be created]: 'ToolTipService cTor'
13 02 2019 12:22:06.847:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsComponent | should be created]: 'SHOWME|global['it']', function () { .

```



```

13 02 2019 12:22:06.847:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsComponent | should be created]: 'EnvironmentService', 'ALREADY CACHED'
13 02 2019 12:22:06.847:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsComponent | should be created]: 'EnvironmentService', 'ALREADY CACHED'
13 02 2019 12:22:06.847:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsComponent | should be created]: 'EnvironmentService', 'ALREADY CACHED'
13 02 2019 12:22:06.847:WARN [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsComponent | should be created]: 'TAS-DATA-TABLE: no data'
13 02 2019 12:22:06.847:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsComponent | should be created]: Success: 2434 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 308 of 310 SUCCESS (0 secs / 3 mins 16.854 secs)
LOG: 'ESRRRecord Service cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 308 of 310 SUCCESS (0 secs / 3 mins 16.854 secs)
LOG: 'ESRRRecord Service cTor'
LOG: 'ESRRRecord Service cTor'
13 02 2019 12:22:06.849:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ESRRRecordService | should be created]: 'ESRRRecord Service cTor'
13 02 2019 12:22:06.849:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ESRRRecordService | should be created]: Success: 121 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 309 of 310 SUCCESS (0 secs / 3 mins 16.975 secs)
LOG: 'ReportsConfigService cTor'
PhantomJS 2.1.1 (Linux 0.0.0): Executed 309 of 310 SUCCESS (0 secs / 3 mins 16.975 secs)
LOG: 'ReportsConfigService cTor'
LOG: 'ReportsConfigService cTor'
13 02 2019 12:22:07.300:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsConfigService | should be created]: 'ReportsConfigService cTor'
13 02 2019 12:22:07.300:INFO [PhantomJS 2.1.1 (Linux 0.0.0) | ReportsConfigService | should be created]: Success: 447 ms
PhantomJS 2.1.1 (Linux 0.0.0): Executed 310 of 310 SUCCESS (0 secs / 3 mins 17.422 secs)
PhantomJS 2.1.1 (Linux 0.0.0): Executed 310 of 310 SUCCESS (3 mins 23.883 secs / 3 mins 17.422 secs)

```

Suites and tests results:

```

- AppComponent :
  * select page should have no accessibility issues : ok
  * should have three levels of growl popup notifications : ok
  * should be router link : ok
  * should not be router link : ok
  * should set title correctly : ok
- AuthService :
  * should construct : ok
  * should have eBilling authorization : ok
  * should not have eBilling authorization : ok
- BreadcrumbService :
  * should reset : ok
  * should push crumbs : ok
  * should pop crumb : ok
- Database:IdGen :
  * generates with no seed : ok
  * generates with seed : ok
- Database:MemoryDb :
  * simple add and dumpdb : ok
  * simple add and get : ok
  * simple add, change id, and get : ok
  * 2 adds and getAll : ok
  * add, get, and update : ok
  * 3 adds, delete, and getAll : ok
  * expects stats : ok
  * sample w/o data : ok
  * 20 adds and sample : ok
  * 3 adds and query : ok
  * add, updateall, get : ok
  * get tokenized data : ok
  * get tokenized data (terms) : ok
  * get tokenized data (scan) : ok
  * get tokenized data (top) : ok
  * get tokenized data (all) : ok
  * get tokenized data (all, chained) : ok
  * get tokenized data (filter) : ok
  * get tokenized data (highlight) : ok
- MenuService :
  * should construct : 2 ok
  * should get data : ok
  * should get eBilling data and not ePharmacy : ok
- EnvironmentService :
  * should construct : ok
  * should get data : ok
- ErrorModalComponent :
  * start div should have no accessibility issues : ok
  * notified div should have no accessibility issues : ok
  * clipboard div should have no accessibility issues : ok
- ErrorService :
  * should create : ok
- ExtLinkModalComponent :
  * should have no accessibility issues : ok
  * should zero out seconds : ok
  * should call cancel on click : ok
  * should call cancelFocus on click : ok
- HomepageComponent :
  * expects rendered quick news list : ok
  * div 1 should have no accessibility issues : ok
- LoggerService :
  * expects one output from LogLevel.Error : ok
  * expects two outputs from LogLevel.Warn : ok
  * expects three outputs from LogLevel.Info : ok
  * expects five outputs from LogLevel.Debug : ok
  * expects UPPERCASE : ok
  * expects JSON output : ok
- LoggingApiService :
  * add log : ok
  * get all logs : ok
  * get all logs with paging : ok
  * get all logs with paging using sample data (ensure page 0 is page 1 and page 2 is not page 1) : ok
- SearchComponent :
  * should have no accessibility issues : ok
- BreadcrumbComponent :
  * should have no accessibility issues : ok
- CalendarComponent :

```

```

* should have no accessibility issues : ok
- DataTableComponent :
* should have no accessibility issues : ok
- DatePicker :
* set valid date : ok
* open/close selector : ok
* select today button : ok
* select previous month : ok
* select next month : ok
* select previous month january change year : ok
* select next month december change year : ok
* select previous month from selector : ok
* select next month from selector : ok
* select previous year : ok
* select next year : ok
* test calendar year 2016 month one by one - next month button : ok
* test calendar year 2016 month one by one - previous month button : ok
* options - date format : ok
* options - show today button : ok
* options - today button text : ok
* options - first day of week : ok
* options - mark current day : ok
* options - mark current month : ok
* options - mark current year : ok
* options - month selector : ok
* options - year selector : ok
* options - disable header buttons : ok
* options - min year : ok
* options - max year : ok
* options - disable until : ok
* options - disable since : ok
* options - disable days one by one : ok
* options - enable disabled days one by one : ok
* options - disable date ranges : ok
* options - mark dates : ok
* options - mark weekends : ok
* options - disable weekends : ok
* options - allow deselect date : ok
* options - inline : ok
* options - show clear date button : ok
* options - show decrease date button : ok
* options - show increase date button : ok
* options - height : ok
* options - width : ok
* options - selector height : ok
* options - selector width : ok
* options - selection text font size : ok
* options - align selector right : ok
* options - open selector top of input : ok
* options - indicate invalid date : ok
* options - disableUntil input dates validation : ok
* options - disableSince input dates validation : ok
* options - disable weekends input date validation : ok
* options - disable weekdays : ok
* options - disableDays input date validation : ok
* options - disable component : ok
* options - editable date field : ok
* options - click input to open selector : ok
* options - show selector arrow : ok
* options - show input field : ok
* options - show week numbers : ok
* options - aria label texts : ok
* options - allowSelectionOnlyInCurrentMonth : ok
* defaultMonth - initially selected month : ok
* disabled - disable component : ok
* placeholder - placeholder text : ok
* "selects" the date if the selected date is not the same as the input date on input changed and the input date is valid : ok
- ModalComponent :
* should have no accessibility issues : ok
* should call ngOnChanges : ok
* should tab through buttons : ok
* should call headerCloseClick : ok
* should call footerOkClick : ok
* should call footerCancelClick : ok
- PaginatePipe :
* should truncate collection : ok
* should register with the PaginationService : ok
* should modify the same instance when called multiple times : ok
* should use default id if none specified : ok
* should not break when totalItems is specified for in-memory paging : ok
* should allow independent instances by setting an id : ok
* should return identical array for the same input values : ok
- collection modification :
* should detect simple push or splice without insert : ok
* should detect value changes in collection : ok
- server-side pagination :
* should truncate collection : ok
* should display page 2 : ok
- unexpected input :
* should pass through non-array inputs : ok
* should work with a string as itemsPerPage arg : ok
* should work with a string as currentPage arg : ok
* should work with itemsPerPage and currentPage as accessors : ok
- DOM tests :
* should display the correct number of items per page (10) : ok
* should display the correct number of items per page (50) : ok
* should display the correct number of items, after itemsPerPage & currentPage change : ok
* should display the correct items on init : ok
* should not mutate the collection : ok
* should default to page 1 if currentPage not set : ok

```

```

- PaginationControlsComponent: :
  * should display the correct page links (simple) : ok
  * should display the correct page links (end ellipsis) : ok
  * should display the correct page links (start ellipsis) : ok
  * should display the correct page links (double ellipsis) : ok
  * should add "ellipsis" class to ellipsis links : ok
  * should update links when collection size changes : ok
  * should update the currently-active

page when currentPage changes : ok
  * should highlight the currently-active

page when currentPage is passed as a numeric string : ok
  * should update the currently-active

page when currentPage becomes invalid (too high) : ok
  * should allow the tas-pagination-controls to come before the PaginatePipe : ok
  * should allow multiple independent instances (controller test) : ok
  * should allow multiple independent instances (template test) : ok
  * "autoHide" should be boolean : ok
  * "autoHide" should work with non-data-bound values : ok
  * "autoHide" state should be reflected in default template : ok
  * "directionLinks" should be boolean : ok
  * "directionLinks" should work with non-data-bound values : ok
  * "directionLinks" state should be reflected in default template : ok
  * "responsive" should work with non-data-bound values : ok
  * "responsive" state should be reflected in default template : ok
- custom labels :
  * previousLabel should bind in correct locations : ok
  * nextLabel should bind in correct locations : ok
  * screenReaderPaginationLabel should bind in correct locations : ok
  * screenReaderPageLabel should bind in correct locations : ok
  * screenReaderCurrentLabel should bind in correct locations : ok
- PaginationControlsDirective: :
  * should warn on interaction when an unknown id is used : ok
- template api :
  * "pages" should be an array of page objects : ok
  * "maxSize" should be a number : ok
  * "getCurrent()" should return current page : ok
  * "setCurrent()" should emit pageChange event with correct value : ok
  * "previous()" should emit pageChange event with correct value : ok
  * "next()" should emit pageChange event with correct value : ok
  * "isFirstPage()" should return the correct value : ok
  * "isLastPage()" should return the correct value : ok
  * "getTotalItems()" should return the correct value for in-memory mode : ok
  * "getTotalItems()" should return the correct value for server-side mode : ok
- custom templates :
  * should display the correct page links (simple) : ok
  * should display the correct page links (end ellipsis) : ok
  * should display the correct page links (start ellipsis) : ok
  * should display the correct page links (double ellipsis) : ok
- PaginationService: :
  * should register the instance : ok
  * getInstance() should return a clone of the instance : ok
  * setCurrentPage() should work for valid page number : ok
  * setCurrentPage() should work for max page number : ok
  * setCurrentPage() should not change page if new page is too high : ok
  * setCurrentPage() should not change page if new page is less than 1 : ok
  * setTotalItems() should work for valid input : ok
  * setTotalItems() should not work for negative values : ok
- ReportFilterComponent :
  * should have no accessibility issues : ok
- TooltipsService :
  * tooltip should lookup data : ok
- TreeviewConfig :
  * should have sensible default values : ok
- findItem :
  * should not find item if root is null or undefined : ok
  * should find item : ok
  * should not find item : ok
- findItemInList :
  * should not find item if list is null or undefined : ok
  * should find item : ok
  * should not find item : ok
- findParent :
  * should not find parent if root is undefined or root has no children : ok
  * should not find parent : ok
  * should find parent : ok
- removeParent :
  * should not remove item if root is undefined or root has no children : ok
  * should not remove item : ok
  * should remove item & has correct checked : ok
- TreeviewItemComponent :
  * should initialize with default config : ok
- item :
  * should not have element with class "treeview-item" if no item provided : ok
  * should have element with class "treeview-item" if binding item : ok
- template :
  * should work : ok
  * should render "Parent 1", "Child 1" & "Child 2" with checked : ok
- toggle collapse/expand :
  * should not render children : ok
- uncheck "Parent 1" :
  * should un-check "Child 1" & "Child 2" : ok
  * should raise event checkedChange : ok
- un-check "Child 1" :
  * should uncheck "Parent 1" : ok
  * should raise event checkedChange : ok
- un-check "Child 2" :
  * should keep "Parent 1" unchecked : ok

```

```

        * should raise event checkedChange : ok
    - check "Child 1" :
        * should check "Parent 1" : ok
        * should raise event checkedChange : ok
- TreeViewItem :
    * should throw error if TreeItem param is null or undefined : ok
    * should throw error if TreeItem text is not a string : ok
    * should throw error if TreeViewItem children is assigned an empty array : ok
    * should allow to create TreeViewItem with empty children : ok
    - checked :
        * should have value is true by default : ok
        * should correct checked value when input second param : ok
        * should set checked value correctly when invoke correctChecked : ok
        * should not change checked value if item is disabled : ok
    - setCheckedRecursive :
        * should apply checked value to children if item is enabled : ok
        * should not apply checked value to children if item is disabled : ok
    - collapsed :
        * should set value is false by default : ok
        * should affectly change collapsed value : ok
    - setCollapsedRecursive :
        * should apply collapsed value to children : ok
    - disabled :
        * should set value is false by default : ok
        * should initialize children are disabled if initializing parent is disabled : ok
        * should change disabled value of children to false if changing disabled of parent to false : ok
    - children :
        * should throw error if change value to empty list : ok
        * should affectly change children value : ok
        * should accept undefined value : ok
    - getSelection :
        - no children :
            * should return empty list if item is unchecked : ok
            * should return a list of current item if item is unchecked : ok
        - has children :
            * should return list of checked items : ok
- TreeviewComponent :
    * should initialize with default config : ok
    - no data binding :
        * should display "No items found" : ok
    - null data binding :
        * should display "No items found" : ok
    - keyboard :
        * should call keyboard key listeners : ok
    - config :
        - hasAllCheckBox :
            * should display checkbox "All" if value is true : ok
            * should not display checkbox "All" if value is false : ok
        - hasFilter :
            * should display checkbox Filter textbox if value is true : ok
            * should not display checkbox Filter textbox if value is false : ok
        - hasCollapseExpand :
            * should display icon Collapse/Expand if value is true : ok
            * should not display icon Collapse/Expand if value is false : ok
    - items :
        * should have "All" checkbox is checked : ok
        * should have all of items are checked : ok
        - collapse/expand icon :
            * should display "Item1" & "Item2" : ok
            - toggle :
                * should display "Item1" & "Item2" : ok
- EbillingHomeComponent :
    * should have no accessibility issues : ok
- EinsuranceHomeComponent :
    * Component should be created OK : ok
    * starting page should have no accessibility issues : ok
    * vista choose should have no accessibility issues : ok
- EinsuranceInsuranceCompanyEditorComponent :
    * Component should be created OK : ok
- EinsurancePatientMainMenuComponent :
    * Component should be created OK : ok
    * starting page should have no accessibility issues : ok
- EpaymentHomeComponent :
    * should have no accessibility issues : 4 ok
- EpharmacyHomeComponent :
    * should have no accessibility issues : ok
- EpharmacyRecentComponent :
    * should have no accessibility issues : ok
- ContactComponent :
    * select page should have no accessibility issues : ok
- FaqComponent :
    * should have no accessibility issues : ok
- HelpComponent :
    * should have no accessibility issues : ok
- NonMccfHomeComponent :
    * should have no accessibility issues : ok
- NpiHomeComponent :
    * should have no accessibility issues : ok
- SearchResultsComponent :
    * no results should have no accessibility issues : ok
    * with results should have no accessibility issues : ok
- AdminHelpComponent :
    * should have no accessibility issues : ok
- AdminHomeComponent :
    * should have no accessibility issues : ok
- AdminMenusComponent :
    * should have no accessibility issues : ok
    * should manipulate menus : ok
- DevelopComponent :
    * should have no accessibility issues : ok

```

```

- HealthCheckComponent :
  * should have no accessibility issues : ok
  * should set cosmos to down : ok
  * should set elsatic and fhir to down : ok
  * should set all systems to up : ok
  * should set azure to down : ok
- IAMManagerComponent :
  * list page should have no accessibility issues : ok
  * detail page should have no accessibility issues : ok
- LoggerComponent :
  * should create : ok
  * should have no rows : ok
  * should return rowClass DataTableRowError : ok
  * should return rowClass DataTableRowWarn : 2 ok
  * should return rowClass DataTableRowDebug : ok
- MainContentComponent :
  * should have no accessibility issues : ok
  * should show product data : ok
- ReportsConfigComponent :
  * should be created : ok
- ReportsDashboardComponent :
  * should be created : ok
- ReportsComponent :
  * should be created : ok
- ESRRecordService :
  * should be created : ok
- ReportsConfigService :
  * should be created : ok

```

Browser results:

```

- PhantomJS 2.1.1 (Linux 0.0.0): 310 tests
  - 310 ok

13 02 2019 12:22:13.893:WARN [launcher]: PhantomJS was not killed in 2000 ms, sending SIGKILL.
[Pipeline] }
[Pipeline] // timeout
[Pipeline] echo
Verify unit test summary exists
[Pipeline] sh
[MCCF_EDT_TAS_WebUI] Running shell script
+ [[ -f unit_test_report_summary.html ]]
+ echo 'move unit_test_report_summary.html to (/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build)'
move unit_test_report_summary.html to (/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build)
+ mv unit_test_report_summary.html /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build
[Pipeline] echo
Verify coverage tests exist
[Pipeline] sh
[MCCF_EDT_TAS_WebUI] Running shell script
+ [[ -d coverage ]]
+ echo 'move tests to (/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build)'
move tests to (/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build)
+ mv coverage /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Pre-Build E2E Tests)
[Pipeline] withEnv
[Pipeline] {
[Pipeline] echo
execute unit test for MCCF_EDT_TAS_WebUI
[Pipeline] dir
Running in /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/MCCF_EDT_TAS_WebUI
[Pipeline] {
[Pipeline] echo
create selenium test directory
[Pipeline] sh
[MCCF_EDT_TAS_WebUI] Running shell script
+ [[ -d /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/MCCF_EDT_TAS_WebUI/node_modules/protractor/node_modules/webdriver-manager ]]
+ mkdir -p /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/MCCF_EDT_TAS_WebUI/node_modules/protractor/node_modules/webdriver-manager
[Pipeline] echo
Execute E2E tests, with timeout 60 minutes
[Pipeline] timeout
Timeout set to expire in 1 hr 0 min
[Pipeline] {
[Pipeline] echo
execute e2e tests
[Pipeline] sh
[MCCF_EDT_TAS_WebUI] Running shell script
+ npm run e2e

> mccf-tas@0.0.0 pre:e2e /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/MCCF_EDT_TAS_WebUI
> cross-os before

Did you mkdir node_modules/protractor/node_modules/webdriver-manager/selenium ?

> mccf-tas@0.0.0 e2e /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/MCCF_EDT_TAS_WebUI
> ng e2e --port 4201

** NG Live Development Server is listening on localhost:4201, open your browser on http://localhost:4201/ **

```

```
(node:13475) [DEP0022] DeprecationWarning: os.tmpDir() is deprecated. Use os.tmpdir() instead.
```

```
webpack: Compiled successfully.
```

```
[12:23:42] I/update - chromedriver: unzipping chromedriver_2.31.zip
[12:23:43] I/update - chromedriver: setting permissions to 0755 for /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/MCCF_ED
[12:23:43] I/launcher - Running 1 instances of WebDriver
[12:23:43] I/local - Starting selenium standalone server...
[12:23:45] I/local - Selenium standalone server started at http://10.245.148.196:42944/wd/hub
Started
Spec started
```

```
US1406 Define Layout of the MCCF EDI home Page
```

```
  â€” TC1231 Validate User can Access the eBilling Product Page from the MCCF EDI TAS Portal home Page via Navigation Bar
  â€” TC1232 Validate User can Access the ePharmacy Product Page from the MCCF EDI TAS Portal home Page via Navigation Bar
  â€” TC1233 Validate User can Access the eInsurance Product Page from the MCCF EDI TAS Portal home Page via Navigation Bar
  â€” TC1234 Validate User can Access the ePayments Product Page from the MCCF EDI TAS Portal home Page via Navigation Bar
  â€” TC1543 Verify when entering manually the "eBilling" Product Page URL address does redirect the user to the correct Product Page.
  â€” TC1545 Verify that entering ePayments URL can be accessed directly
  â€” TC1547 Verify when manually entering "Non-MCCF" Product Page URL address does redirect the user to the correct Product Page.
  â€” TC1549 Verify when entering the "NPI" Product Page URL address manually, does redirect the user to the correct Product Page.
  â€” TC1554 Selecting the "FAQ" hyperlink in the header redirects the user to the "Under Construction" page when selected.
  â€” TC1560 Selecting the "eBusiness Solutions" logo text hyperlink in the header redirects the user to the "MCCF EDI TAS Portal Index P
  â€” TC1562 The "MCCF EDI TAS Portal Index Page" will contain a Title Bar (with graphic).
  â€” TC1277 Validate the MCCF EDI Home Page Contains a Contact Us Link
  â€” TC1278 Validate the MCCF EDI Home Page Contains a FAQ Link
  â€” TC1279 Validate the MCCF EDI Home Page Displays a Calendar
  â€” TC1556 Selecting the "Contact Us" hyperlink in the header redirects the user to the "Under Construction" page when selected.
  â€” TC1282 Validate User can Access the NPI Product Page from the MCCF EDI TAS Portal Home Page via Navigation Bar
  â€” TC1281 Validate Layout of the MCCF EDI Home Page - Logo Home Page
  â€” TC1280 Validate Layout of the MCCF EDI Home Page - Standard Footer Home Page
  â€” TC1492 Verify Tab order by navigating the product with only a keyboard.
  â€” TC1561 The "eBusiness Solutions" logo displays correctly.
  â€” TC1558 Selecting the "Help" hyperlink in the header redirects the user to the "Under Construction" page when selected.
  â€” TC1284 Validate the MCCF EDI Home Page Displays a News and Announcements Container
```

```
US1407 Add link to eRevenue Resource SharePoint Training Portal
```

```
  â€” TC1289 Validate link to eRevenue Resource SharePoint Training Portal - From MCCF EDI TAS Portal Home Page (Selects CANCEL)
```

```
US1408 Add link to Insurance Capture Buffer (ICB) Web
```

```
  â€” TC1773 Verify the (ICB) Web link
```

```
US1409 Product Landing Page - eBilling, eInsurance, ePayments, ePharmacy, Non MCCF
```

```
  â€” TC1194 Validate Product Landing Page Consistent Look and Feel - eBilling
  â€” TC1195 Validate Product Landing Page Consistent Look and Feel - eInsurance
  â€” TC1196 Validate Product Landing Page Consistent Look and Feel - ePayments
  â€” TC1197 Validate Product Landing Page Consistent Look and Feel - ePharmacy
  â€” TC1199 Validate Product Landing Page Consistent Look and Feel - Non MCCF
  â€” TC1591 Validate Product Landing Page Consistent Look and Feel - NPI
  â€” TC1200 Validate Product Landing Page Consistent Look and Feel - eBilling
  â€” TC1201 Validate Standard Functionality on Product Landing Page - eInsurance
  â€” TC1202 Validate Standard Functionality on Product Landing Page - ePayments
  â€” TC1203 Validate Standard Functionality on Product Landing Page - ePharmacy
  â€” TC1205 Validate Standard Functionality on Product Landing Page - Non MCCF
```

```
US2654 Online Help for MCCF EDI TAS Portal
```

```
  â€” TC1893 Selecting the "Help" hyperlink in the header redirects the user to the "Under Construction" page when selected.
```

```
US3212 Enhance Linking to URLs from the MCCF EDI TAS Portal
```

```
  â€” TC2200 Verify the MCCF EDI TAS Portal Home Page link in the breadcrumb on the eInsurance page is functional
```

```
US3213 Remove All Product Specific Content Boxes from the MCCF EDI TAS Portal Home Page
```

```
  â€” TC2004 Validate Product Specific Content Boxes are no longer being displayed on the MCCF EDI TAS Portal Home Page
  â€” TC2165 Validate Current Days Date on Calendar is Highlighted
  â€” TC2167 Validate Look and Feel of Calendar - Navigate to Future Month
  â€” TC2166 Validate Look and Feel of Calendar - Go Back to Prior Month
```

```
41 specs, 0 failures
Finished in 483.486 seconds
```

```
Executed 41 of 41 specs SUCCESS in 8 mins 3 secs.
```

```
[12:32:01] I/local - Shutting down selenium standalone server.
[12:32:01] I/launcher - 0 instance(s) of WebDriver still running
[12:32:01] I/launcher - phantomjs #01 passed
[Pipeline] }
[Pipeline] // timeout
[Pipeline] echo
Verify e2e test results exist
[Pipeline] sh
[MCCF EDI TAS WebUI] Running shell script
+ [[ -d e2e/reports ]]
+ echo 'no e2e test results found'
no e2e test results found
+ [[ -f e2e/logs/testresults.xml ]]
+ echo 'move tests to (/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build)'
move tests to (/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build)
+ mv e2e/logs/testresults.xml /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/e2e_testresults.xml
[Pipeline] echo
remove selenium test directory if exists
```

```

[Pipeline] sh
[MCCF_EDI_TAS_WebUI] Running shell script
+ [[ -d /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/MCCF_EDI_TAS_WebUI/node_modules/protractor/node_modules/webdriver-m
+ rm -rf /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/MCCF_EDI_TAS_WebUI/node_modules/protractor/node_modules/webdriver-
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Build)
[Pipeline] echo
build the project MCCF_EDI_TAS_WebUI
[Pipeline] dir
Running in /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/MCCF_EDI_TAS_WebUI
[Pipeline] {
[Pipeline] sh
[MCCF_EDI_TAS_WebUI] Running shell script
+ npm run build

> mccf-tas@0.0.0 build /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/MCCF_EDI_TAS_WebUI
> ng build --target=production --aot=false

```

```

[Pipeline] script
[Pipeline] {
[Pipeline] fileExists
[Pipeline] echo
/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/MCCF_EDI_TAS_WebUI/dist/index.html created, ready to package
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Prepare Package)
[Pipeline] echo
Prepare to package mccf-tas_TAS.01.00.2_20190213_121152.tar.gz
[Pipeline] dir
Running in /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/MCCF_EDI_TAS_WebUI
[Pipeline] {
[Pipeline] echo
packaging mccf-tas for distribution
[Pipeline] script
[Pipeline] {
[Pipeline] echo
packaging /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/mccf-tas_TAS.01.00.2_20190213_121152.tar.gz
[Pipeline] sh
[MCCF_EDI_TAS_WebUI] Running shell script
+ tar czf /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/mccf-tas_TAS.01.00.2_20190213_121152.tar.gz -C /home/jenkins/work
[Pipeline] echo
verify package created
[Pipeline] fileExists
[Pipeline] echo
/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/mccf-tas_TAS.01.00.2_20190213_121152.tar.gz created, ready to deploy
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Stage Package)
[Pipeline] echo
stage the packaged distribution (/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/mccf-tas_TAS.01.00.2_20190213_121152.tar.g
[Pipeline] echo
stage the latest build artifact (/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/mccf-tas_TAS.01.00.2_20190213_121152.tar.gz
[Pipeline] echo
check for TGT_STREAM
[Pipeline] echo
staging for branch build (null)
[Pipeline] echo
check /var/www/html/rtc/tas directory exist
[Pipeline] sh
[RTC_MCCF_TAS_Core_Branch_Build] Running shell script
+ [[ -d /var/www/html/rtc/tas ]]
[Pipeline] echo
fix directory permissions
[Pipeline] sh
[RTC_MCCF_TAS_Core_Branch_Build] Running shell script
+ set -x
++ dirname /var/www/html/rtc/tas

```

```

+ sudo find /var/www/html/rtc -type d -exec chmod 0755 '{}' ';'
[Pipeline] echo
copy /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/mccf-tas_TAS.01.00.2_20190213_121152.tar.gz to /var/www/html/rtc/tas/
[Pipeline] sh
[RTC_MCCF_TAS_Core_Branch_Build] Running shell script
+ sudo cp /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/mccf-tas_TAS.01.00.2_20190213_121152.tar.gz /var/www/html/rtc/tas
[Pipeline] echo
create symbolic link to staged artifact
[Pipeline] sh
[RTC_MCCF_TAS_Core_Branch_Build] Running shell script
+ sudo ln -sfn /var/www/html/rtc/tas/mccf-tas_TAS.01.00.2_20190213_121152.tar.gz /var/www/html/latest_null
[Pipeline] echo
verify link created
[Pipeline] sh
[RTC_MCCF_TAS_Core_Branch_Build] Running shell script
+ readlink /var/www/html/latest_null
[Pipeline] sh
[RTC_MCCF_TAS_Core_Branch_Build] Running shell script
+ [[ -n /var/www/html/rtc/tas/mccf-tas_TAS.01.00.2_20190213_121152.tar.gz ]]
+ echo 'link exists for /var/www/html/latest_null'
link exists for /var/www/html/latest_null
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Declarative: Post Actions)
[Pipeline] echo
POST always: all tasks are completed, collecting environment variables to /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/j
[Pipeline] sh
[RTC_MCCF_TAS_Core_Branch_Build] Running shell script
+ printenv
[Pipeline] echo
POST always: archiving all logs and artifacts specified
[Pipeline] publishHTML
[htmlpublisher] Archiving HTML reports...
[htmlpublisher] Archiving at BUILD level /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/coverage to /home/jenkins/jobs/MCC
[Pipeline] junit
Recording test results
[Pipeline] echo
POST success: check environment to determine commit actions
[Pipeline] script
[Pipeline] {
[Pipeline] echo
POST success: determine proper commit action for MAG_DEV, (aka MAG)
[Pipeline] echo
POST success: copy packaged artifact (/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/mccf-tas_TAS.01.00.2_20190213_121152.
[Pipeline] sh
[RTC_MCCF_TAS_Core_Branch_Build] Running shell script
+ mkdir -p /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/Build_Artifacts/TAS.01.00.2_20190213_121152
+ cp /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/mccf-tas_TAS.01.00.2_20190213_121152.tar.gz /home/jenkins/workspace/MC
+ echo 'POST success: check /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/Build_Artifacts/TAS.01.00.2_20190213_121152/mcc
POST success: check /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/Build_Artifacts/TAS.01.00.2_20190213_121152/mccf-tas_TA
+ [[ -f /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/Build_Artifacts/TAS.01.00.2_20190213_121152/mccf-tas_TAS.01.00.2_20
+ echo 'POST success: Artifact (/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/Build_Artifacts/TAS.01.00.2_20190213_121152
POST success: Artifact (/home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/Build_Artifacts/TAS.01.00.2_20190213_121152/mccf-ta
[Pipeline] echo
cleanup prior to checkin and deliver
[Pipeline] dir
Running in /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/MCCF_EDI_TAS_WebUI
[Pipeline] {
[Pipeline] sh
[MCCF_EDI_TAS_WebUI] Running shell script
+ mv ./src/index.html.bak ./src/index.html
[Pipeline] sh
[MCCF_EDI_TAS_WebUI] Running shell script
+ rm -rf node_modules
[Pipeline] sh
[MCCF_EDI_TAS_WebUI] Running shell script
+ rm -rf e2e/logs
[Pipeline] sh
[MCCF_EDI_TAS_WebUI] Running shell script
+ rm -rf dist
[Pipeline] sh
[MCCF_EDI_TAS_WebUI] Running shell script
+ find . -name '*.log' -type f -delete
[Pipeline] }
[Pipeline] // dir
[Pipeline] withCredentials
[Pipeline] {
[Pipeline] isUnix
[Pipeline] sh
[RTC_MCCF_TAS_Core_Branch_Build] Running shell script
+ hostname
[Pipeline] echo
show scm status
[Pipeline] sh
[RTC_MCCF_TAS_Core_Branch_Build] Running shell script
+ /opt/ibm/teamconcert/6.0.1/jazz/scmttools/eclipse/scm.sh show status -u **** -P '*****' -v --all -d /home/jenkins/workspace/MCCF_TAS/RTC_MC
Local file system is consistent.
Workspace: (1811) "tascoreCIBuild7_wksp" (**** @ https://clm.rati>
Component: (1002) "Build_Artifacts"
Baseline: (1807) 31 "TAS.01.00.1517_20181108_103103"
Component: (1004) "MCCF_EDI_TAS_Infrastructure" (not loaded)
Baseline: (1816) 154 "TASCoreBuildDef_CIBuild7Mag_#2"
Outgoing:
Baselines:
(1816) 154 "TASCoreBuildDef_CIBuild7Mag_#2"
Component: (1006) "MCCF_EDI_TAS_WebUI"
Baseline: (1817) 1122 "TASCoreBuildDef_CIBuild7Mag_#2"
Outgoing:
Baselines:

```



```

(1817) 1122 "TASCoreBuildDef_CIBuild7Mag_#2"
+ echo '-----'
-----
[Pipeline] echo
prepare to checkin components
[Pipeline] echo
loop through each file in MCCF_EDI_TAS_WebUI
[Pipeline] sh
[RTC MCCF_TAS_Core_Branch_Build] Running shell script
+ find MCCF_EDI_TAS_WebUI -maxdepth 1 -type f -name '*.sh' -exec /opt/ibm/teamconcert/6.0.1/jazz/scmtools/eclipse/scm.sh checkin -u **** -P '
[Pipeline] echo
/opt/ibm/teamconcert/6.0.1/jazz/scmtools/eclipse/scm.sh checkin MCCF_EDI_TAS_WebUI/*
[Pipeline] sh
[RTC MCCF_TAS_Core_Branch_Build] Running shell script
+ /opt/ibm/teamconcert/6.0.1/jazz/scmtools/eclipse/scm.sh checkin -u **** -P '*****' --comment 'version: TAS.01.00.2_20190213_121152, lastBu
[Pipeline] echo
-----
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] withCredentials
[Pipeline] {
[Pipeline] echo
show scm status
[Pipeline] sh
[RTC MCCF_TAS_Core_Branch_Build] Running shell script
+ /opt/ibm/teamconcert/6.0.1/jazz/scmtools/eclipse/scm.sh show status -u **** -P '*****' -v --all -d /home/jenkins/workspace/MCCF_TAS/RTC_MC
Local file system is consistent.
Workspace: (1811) "tascoreCIBuild7_wksp" (**** @ https://clm.rati>
Component: (1002) "Build_Artifacts"
Baseline: (1807) 31 "TAS.01.00.1517_20181108_103103"
Component: (1004) "MCCF_EDI_TAS_Infrastructure" (not loaded)
Baseline: (1816) 154 "TASCoreBuildDef_CIBuild7Mag_#2"
Outgoing:
Baselines:
(1816) 154 "TASCoreBuildDef_CIBuild7Mag_#2"
Component: (1006) "MCCF_EDI_TAS_WebUI"
Baseline: (1817) 1122 "TASCoreBuildDef_CIBuild7Mag_#2"
Outgoing:
Baselines:
(1817) 1122 "TASCoreBuildDef_CIBuild7Mag_#2"
+ echo '-----'
-----
[Pipeline] echo
RTC **** deliver
[Pipeline] sh
[RTC MCCF_TAS_Core_Branch_Build] Running shell script
+ /opt/ibm/teamconcert/6.0.1/jazz/scmtools/eclipse/scm.sh deliver -u **** -P '*****' -v
Delivering changes:
Repository: https://clm.rational.oit.va.gov/ccm/
Workspace: (1812) "TASCore_CIBuild7_stream"
Component: (1006) "MCCF_EDI_TAS_WebUI"
Baselines:
(1817) 1122: TASCoreBuildDef_CIBuild7Mag_#2
The deliver command completed successfully.
[Pipeline] echo
Deliver succeeded
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] echo
POST success: send email notification
[Pipeline] echo
send email to recipients ([[ $class:DevelopersRecipientProvider]]) for SUCCESSFUL
[Pipeline] echo

subject: SUCCESSFUL: Job 'MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build [2]',
body:
<p>Job: 'MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build build: [2]':</p>
<p>Check console output at "<a href="http://vac20fpctas800.va.gov:8080/job/MCCF_TAS/job/RTC_MCCF_TAS_Core_Branch_Build/2/">MCCF_TAS/RTC
'
recipientProviders: [[ $class:DevelopersRecipientProvider]],
replyTo: null,
to: null

[Pipeline] mail
[Pipeline] }
[Pipeline] // script
[Pipeline] echo
POST success: collecting console log
[Pipeline] echo
getConsoleLog: prepare logfilename to get console log
[Pipeline] echo
getConsoleLog: console log is http://vac20fpctas800.va.gov:8080/job/MCCF_TAS/job/RTC_MCCF_TAS_Core_Branch_Build/ (same as job url)
[Pipeline] echo
getConsoleLog: console log is changed to /home/jenkins/job/MCCF_TAS/job/RTC_MCCF_TAS_Core_Branch_Build/
[Pipeline] echo
getConsoleLog: console log is changed again to /home/jenkins/jobs/MCCF_TAS/jobs/RTC_MCCF_TAS_Core_Branch_Build/
[Pipeline] echo
getConsoleLog: console log is finally /home/jenkins/jobs/MCCF_TAS/jobs/RTC_MCCF_TAS_Core_Branch_Build/builds/2/log
[Pipeline] echo
getConsoleLog: prepare to write to /home/jenkins/workspace/MCCF_TAS/RTC_MCCF_TAS_Core_Branch_Build/RTC_MCCF_TAS_Core_Branch_Build_2_console
[Pipeline] sh
[RTC_MCCF_TAS_Core_Branch_Build] Running shell script

```