

# OFFICE OF INFORMATION SECURITY

PASS: This application has successfully completed the V&V Secure Code Review Validation Process.

## Secure Code Review Validation Report

HAPE MCCF EDI TAS eBusiness v02.00.04

Application-ID: 1705E5A2-9FDC-4b05-B17C-CD9D8949A16C

Filename: VA SwA Code Validation HAPE MCCF EDI TAS  
eBusiness v02.00.04 2019-05-16 PASS.pdf

MAY 16, 2019

**VA**



**U.S. Department  
of Veterans Affairs**

Office of Information  
and Technology

Software Assurance  
Program Office

## Table of Contents

1	Secure Code Review Validation Report Introduction .....	1
1.1	Application Information.....	1
2	Secure Code Review Validation Results.....	2
3	Secure Code Review Validation Process Details .....	3
3.1	Validation Strategy .....	3
3.2	Tools Used for Validation .....	4
3.3	Categorization of Findings .....	4
4	Secure Code Review Validation Findings and Recommendations.....	6
4.1	Residual Critical Findings (0 Total) .....	6
4.2	Residual High Findings (0 Total) .....	6
4.3	Residual Medium Findings (0 Total).....	6
4.4	Residual Low Findings (6 Total).....	6
4.5	Issues with How Scans Were Performed (0 Total).....	7
4.5.1	Unresolved Scan Issues .....	7
4.5.2	Informational Scan Issues .....	7
4.6	Additional Findings (0 Total) .....	9
5	Secure Code Review Validation Report Conclusion .....	10
5.1	Resources that you may find helpful .....	10

# 1 Secure Code Review Validation Report Introduction

This document contains the results of the validation by the VA Software Assurance Program Office of a secure code review of HAPE MCCF EDI TAS eBusiness performed by the developer.

This document contains the following additional sections:

## **Section 2. Secure Code Review Validation Results**

This section summarizes the results of the validation of the developer secure code review.

## **Section 3. Secure Code Review Validation Process Details**

This section describes how the validation of the developer secure code review was performed.

## **Section 4. Secure Code Review Validation Findings and Recommendations**

This section provides residual secure code review validation findings that should have already been fixed prior to the validation. Recommendations are also provided.

## **Section 5. Secure Code Review Validation Report Conclusion**

This section provides additional recommendations to build security in during development.

### 1.1 Application Information

The version of HAPE MCCF EDI TAS eBusiness for which static analysis tool scan results were provided was v02.00.04. The following was provided by the developer for review:

1. Completed V&V Secure Code Review Validation Request Form
2. TASCore\_02.00.04\_fortify\_scan.fpr – Fortify Static Code Analyzer (SCA) static analysis tool scan result file
3. TASCore\_02.00.04\_src.zip - HAPE MCCF EDI TAS eBusiness v02.00.04 source code

## 2 Secure Code Review Validation Results

This document contains the results of a Verification and Validation (V&V) review, conducted by the VA Software Assurance Program Office, of developer-provided Fortify SCA static analysis tool scan result files, and of any provided custom scan tool custom rule files, as well as the HAPE MCCF EDI TAS eBusiness v02.00.04 source code. Goals of performing secure code reviews at the VA include ensuring that risk-based activities in applications are performed in a secure manner. Goals of V&V secure code review validations include ensuring that secure code reviews performed by VA software developers have been done correctly and consistently.


The V&V secure code review validation conducted by the VA Software Assurance Program Office covered provided materials to ensure that:

1. Application information in secure code review validation request packages is accurate and complete, and
2. Application scan results demonstrate that VA standards have been met, and
3. Application scan results demonstrate that mitigations must have been made for issues reported by the Fortify SCA static analysis tool, and
4. There are justifications provided for cases where Fortify SCA static analysis tool rules are disabled, or scan results are marked as false positives.

For more information about the validation process, see [Section 3](#).

The V&V secure code review validation conducted by the VA Software Assurance Program Office identified a total of 0 residual vulnerabilities that were considered Critical in severity. There was a total of 0 residual High severity vulnerabilities. There was a total of 0 residual Medium severity vulnerabilities. There was a total of 6 residual Low severity vulnerabilities. There was a total of 0 unresolved scan issues.

**Figure 1. Summary of Residual Vulnerabilities & Unresolved Scan Issues**



For more information about residual vulnerabilities and unresolved scan issues that were identified during the secure code review validation, see [Section 4](#).

### 3 Secure Code Review Validation Process Details

The secure code review validation was performed overall as follows:

#### Step 1. Perform initial planning

The first step that was performed was to perform initial planning. This included developing a strategy for performing the review and identifying considerations that should be taken into account during the review, such as any Fortify SCA static analysis tool custom rule files provided by the developer.

#### Step 2. Review source code

The next step is to perform the review. A combination of using Fortify SCA to review scan result files and manual analysis was used. The scan results were reviewed to ensure that best practices for performing secure code review have been followed, and that VA standards have been met, as noted in the previous section.

#### Step 3. Write report

The last step in the secure code review validation process is to write up the report, after working with the VA application developer to resolve any issues identified during review.

#### 3.1 Validation Strategy

The secure code review validation was performed by reviewing Fortify SCA static analysis tool scan result files and any provided Fortify SCA static analysis tool custom rule files. The provided source code was reviewed as need to support analysis of the provided scan result and custom rule files. The secure code review validation included at a minimum the following checks:

##### Review developer-provided scan file for matching source code

This validation check consists of ensuring that the source code matches the uploaded static analysis tool scan result files. While during the comparison there may be some differences such as build files, source code files should not contain any differences.

##### Review developer-provided scan file for scanning issues

This validation check consists of reviewing static analysis tool scan result file for any anomalies in the scan. When running the scan there may have been issues reported by the static analysis tool that affected the quality or completeness of the scan that may have been overlooked.

##### Review developer-provided scan file for residual findings

This validation check consists of ensuring that there are no Critical or High findings in the uploaded static analysis tool scan result file (Fortify SCA “.fpr”

extension file) using Fortify Audit Workbench, after first configuring it to use any provided custom rule files.

### **Review developer-provided scan file for suppression of issues**

This validation check consists of reviewing static analysis tool scan result files to ensure that issues reported by Fortify SCA have not been suppressed, as opposed to adding comments and developing custom rules as might be appropriate.

### **Review developer-provided custom rule files, if provided**

This validation check consists of reviewing any provided static analysis tool custom rule files. Analysis includes examining custom rule files e.g. to ensure that there are no rules to disable built-in Fortify rules, unless those custom rules include documentation justifying their use.

### **Perform additional supporting analysis, as needed**

This validation check consists of performing additional supporting analysis for items that may have been identified during the course of the validation for a particular application. For example, findings in the scan result files have been marked as N/A, checks would be performed to ensure there is some documented justification, and to verify the soundness of the justification. Alternately for example, analysis may be performed to determine the appropriateness of exclusions.

## **3.2 Tools Used for Validation**

The VA Software Assurance Program Office uses the same static analysis tool (Fortify SCA) as VA application developers. The same static analysis tool is used in order to promote confidence in the outcome of the secure code review validation if the tool is in fact being used during development. Fortify SCA version 19.1.0 was used to review provided static analysis tool scan result and custom rule files. The Audit Workbench tool which is part of Fortify SCA was used to facilitate examining static analysis tool scan result files. Similarly, the Custom Rules Editor tool which is also part of Fortify SCA was used to facilitate examining custom rule files.

## **3.3 Categorization of Findings**

The findings that resulted from performing the secure code review validation are grouped in [Section 4](#) of this report by severity and type of vulnerability. Findings were rated according to severities reported by the Fortify SCA tool, and/or at the discretion of the VA Software Assurance Program Office as follows:

### **Findings that are Critical in severity**

Vulnerabilities in source code that must be fixed immediately, for example exposed passwords or Personally-Identifiable Information (PII).

**Findings that are High in severity**

Vulnerabilities in source code that allow an attacker immediate access into a machine, allow super user access, or bypass a firewall.

**Findings that are Medium in severity**

Vulnerabilities in source code that provide information that have a high potential of giving access to an intruder.

**Findings that are Low in severity**

Vulnerabilities in source code that provide information that potentially could lead to compromise.

**Findings that are unresolved scan issues**

This finding categorization is reserved for issues having to do with how the scan was conducted, for example, source code not matching the uploaded static analysis tool scan result files.

**Additional findings**

This finding categorization is reserved for any additional concerns identified by the VA Software Assurance Program Office review that do not correspond to the categories above. For example, new issues may be identified during the course of the validation while reviewing supporting documentation.

## 4 Secure Code Review Validation Findings and Recommendations

### 4.1 Residual Critical Findings (0 Total)

Based on the information provided by the developer, it does not appear that vulnerabilities identified by Fortify SCA that were Critical in severity were left unmitigated.

### 4.2 Residual High Findings (0 Total)

Based on the information provided by the developer, it does not appear that vulnerabilities identified by Fortify SCA that were High in severity were left unmitigated.

CWE-ID	CWE-Title	Number of Instances	Notes
CWE-338	Insecure Randomness	0	Accept developer analysis The insecure random number generators are not used for security or cryptography.

### 4.3 Residual Medium Findings (0 Total)

Based on the information provided by the developer, it does not appear that vulnerabilities identified by Fortify SCA that were Medium in severity were left unmitigated.

### 4.4 Residual Low Findings (6 Total)

The vulnerabilities below were identified by Fortify SCA that were Low in severity were left unmitigated and are still being reported by Fortify SCA. It is estimated that it will take approximately 3 hours to address the following issues.

CWE-ID	CWE-Title	Number of Instances	Notes
--------	-----------	---------------------	-------



N/A	HTML5: Overly Permissive Message Posting Policy	6	<p>The developer states, "Tableau-2.2.2.js is a 3rd Party client tool for showing reports. The code for this is located inside the TAS application's Angular code and only originates from inside the TAS application on a secure HTTPS environment. This code is always from a trusted source."</p> <p>Using an HTTPS connection is not a mitigation for this finding. Fortify's recommendation is to provide a specific value for the target origin so that the script cannot send a message to the window regardless of its origin. Please see the Fortify Details and Recommendations tabs for more information.</p>
CWE-615	Password Management: Password in Comment	0	<p><b>Closed</b></p> <p>Agree with developer analysis</p> <p>No password is present in the comment.</p>

## 4.5 Issues with How Scans Were Performed (0 Total)

### 4.5.1 Unresolved Scan Issues

Based on the information provided, it does not appear that there were unresolved issues when the scan of the source code was conducted.

### 4.5.2 Informational Scan Issues

Description of Concern
<p>These are informational issues having to do with how the scan was conducted by the developer. They are not counted against passing and are listed here for reference only. These issues may have impacted the ability of Fortify SCA to identify Critical, High, Medium, or Low in severity findings. Descriptions of the scan issues, and</p>

recommendations for each, are below.

Details		
<i>Issue</i>	<i>Description</i>	<i>Recommendation</i>
1. New version of Fortify available	A new version of Fortify (19.1.0) was released recently. Future code review submissions should utilize the new version of Fortify.	<p>This issue is not included in the count of scan issues. The latest version of Fortify can always be found on the VA Software Assurance FAQ:</p> <p><a href="https://wiki.mobilehealth.va.gov/display/OISSWA/Frequently+Asked+Questions">https://wiki.mobilehealth.va.gov/display/OISSWA/Frequently+Asked+Questions</a></p>
2. Source code not scanned	<p>All source code must be scanned by Fortify and that does not appear to be the case in this validation submission package.</p> <p>The following files were delivered for review but were not scanned by Fortify:</p> <p>src\assets\uswds\js\uswds.min.js</p>	<p>This issue is not included in the count of scan issues. Since the file that was not scanned is the minimized version of a JavaScript file that was scanned, this scan issue is not counted against passing this review. For future submissions, please provide a readme file that explains why it was excluded. It is noted in the code review request form that minimized code was not scanned.</p> <p>Please see the following technical note for reference:</p> <p><a href="https://wiki.mobilehealth.va.gov/display/OISSWA/Fortify+Scan+Issue%3A+Code+not+scanned">https://wiki.mobilehealth.va.gov/display/OISSWA/Fortify+Scan+Issue%3A+Code+not+scanned</a></p>

#### 4.6 Additional Findings (0 Total)

There were no additional findings that were identified during the course of the validation.

## 5 Secure Code Review Validation Report Conclusion

Designing secure applications is every VA application developer's responsibility. Application-level vulnerabilities generally manifest themselves as one of two types: **design flaws** introduced by weaknesses during the requirements, design, or architecture phase; or **implementation bugs** introduced by weaknesses during the actual coding of the application.

Fortify SCA should be used according to the VA Secure Code Review SOP to minimize design flaws during application implementation. Fortify SCA supports a wide range of programming languages and build environments. The VA-licensed Fortify SCA can also be used as a standalone tool by VA developers, or integrated into for example Continuous Integration (CI) build environments.

The VA Software Assurance Program Office uses the same static analysis tool (Fortify SCA) as VA application developers during the secure code review validation process to ensure consistency and completeness of analysis.

Note that remediation estimates provided in this report are provided to assist with planning remediation work, if or as might be appropriate. Note that some bugs are harder to fix than others. Modifying a single line of code in a self-contained method for example is easier than modifying the result of a sequence of calls. Systems development program and project-specific considerations should also be taken into account when planning remediation work. [Read more...](#)

### 5.1 Resources that you may find helpful

The following resources may be helpful to readers of this report:

#### [VA Software Assurance Support Site](#)

This site provides VA Software Assurance Program Office resources to assist VA application developers with performing secure code reviews and secure design reviews during development and also during Assessment and Authorization (A&A) and continuous monitoring.

#### [VA Secure Code Review Standard Operating Procedures \(SOP\)](#)

This document provides establishes policies and procedures for performing secure code review (static analysis) of custom-developed applications at the VA.

#### **Fortify product documentation**

This documentation is included as part of Fortify software distribution. It includes system requirements documentation and user guides.

#### [OWASP Top Ten](#)

This site provides application security industry insight into common web application security flaws that is compiled by the OWASP Foundation.

### **CWE/SANS Top 25**

This site provides application security industry insight into common application security flaws that is compiled by MITRE and SANS.