

SDS Lumber LLC.
Planer Wrap Station Operator Job Analysis (JA)

Job Title: **Planer Wrap Station Operator**
Department: Planer
Shift(s): Day

Date Prepared: 12/07/25
Revision Date: 12/07/25
Name:

GENERAL JOB DESCRIPTION

Operator will compare the printed tag to the handwritten one from the strapper operator and confirm that they are identical. Operator will use a series of buttons/switches to regulate the flow and start/stop different chain sections as needed. Flawed units are marked and need to be passed through the wrap station to be repaired, these units will need to be sorted out and fixed during downtime. Wrap all designated units according to training procedures. All units must be properly labeled, squared up and made presentable for customers. Watch to ensure no hang ups or upsets occur. Refill lumber wrap and operate strapper as needed (See Strapper Operator Job Profile). This is a rotating position, training in other jobs will be required as directed by your supervisor. Operators must make sure that the chain stays moving, and the units are flowing straight. If a plug-up were to occur, the operator must follow the proper procedure to remove the plug-up in a safe and timely manner.

QUALIFICATIONS:

Job Qualifications, Requirements and Individual Must Meet to Be Eligible for This Job

Mandatory:

1. Must be Able to Understand Verbal and Written Instructions
2. Attention to detail
3. Self-motivated and quality driven
4. Able to read calipers, micrometers, tape measures
5. Able to use and maintain portable tools such as pike pole, pry bar, picaroon
6. Self-discipline.
7. Ability to perform minor diagnostics on system to determine assistance needed in event of breakdown.
8. Ability to identify situations where additional assistance is needed and request accordingly

JOB FUNCTIONS

ESSENTIAL: (The fundamental job duties)

- Identify colors of flashing lights to determine machine status.
- Physically capable or working on feet entire work shift.
- Ability to prioritize tasks to maintain smooth flow of product.
- Ability to use pry bars, picaroons and pike poles to manipulate lumber.
- Must follow established safe practices in the execution of duties.
- Must work well as a positive contributor to safety and productivity of the overall organization.

PHYSICAL ACTIVITIES

TYPE OF EQUIPMENT OR TOOLS USED FOR THIS POSITION AND FREQUENCY OF USE:

Check appropriate box for each tool used according to the amount of time tool was used per shift.

Occasionally 0% to 30%
Frequently 30% to 60%
Constantly 60% to 100%

Tool/Equip	Never	Occasionally	Frequently	Constantly
Pry Bar		X		
Picaroon		X		

SDS Lumber LLC.
Planer Wrap Station Operator Job Analysis (JA)

Pike Pole			X	
-----------	--	--	---	--

PERCENTAGE OF TIME DURING NORMAL WORKDAY THE EMPLOYEE IS REQUIRED TO:

<i>Task</i>	<i>%</i>	<i>Task</i>	<i>%</i>
Sit	0-5	Reach above shoulder	20
Stand	95	Crawl	0
Walk	95	Kneel	0
Lift	10	Drive	0
Squat	0-10	Climb-Ladders or Stairs	10
Bend-full spinal range of motion	0-5	Twist-full spinal range of motion	0-5
Pushing	15	Pulling	0

WEIGHT REQUIRED TO BE LIFTED EACH NORMAL WORKDAY:

Occasionally 0% to 30%
Frequently 30% to 60%
Constantly 60% to 100%

<i>Weight</i>	<i>Not Required</i>	<i>Occasionally</i>	<i>Frequently</i>	<i>Constantly</i>
Up to 10#				X
Up to 20#				X
Up to 30#			X	
Up to 35#		X		
Up to 40#		X		
Up to 50#	X			
Greater than 50#	X			

WEIGHT REQUIRED TO BE CARRIED EACH NORMAL WORKDAY:

<i>Weight</i>	<i>Not Required</i>	<i>Occasionally</i>	<i>Frequently</i>	<i>Constantly</i>
Up to 10#				X
Up to 20#				X
Up to 30#			X	
Up to 35#			X	
Up to 40#		X		
Up to 50#	X			
Greater than 50#	X			

DESCRIBE AND EXPLAIN LIFTING AND CARRYING REQUIREMENTS:

- 0-35# Represents weights of tools and pieces of lumber.
- 40# to 50# represents the weight of lumber being handled or force required to manipulate lumber

REPETITIVE USE OF HANDS:

Occasionally 0% to 30%
Frequently 30% to 60%
Constantly 60% to 100%

FINE MANIPULATION

SIMPLE GRASPING

POWER GRIP

<i>Hand</i>	<i>Duration</i>	<i>Hand</i>	<i>Duration</i>	<i>Hand</i>	<i>Duration</i>
RIGHT		RIGHT		RIGHT	
LEFT		LEFT		LEFT	
BOTH	Frequently	BOTH	Frequently	BOTH	Occasionally

SDS Lumber LLC.
Planer Wrap Station Operator Job Analysis (JA)

USE OF FEET:

For operation of machinery control pedals including equipment operation.

Foot	Duration
RIGHT	
LEFT	
BOTH	Occasionally

ENVIRONMENTAL EXPOSURES:

Time Spent:	Inside:	100%	Outside:	0%
Temperature:	Normal:	Ambient		
Humidity:	Low:	Ambient	High:	
Atmosphere:	Fumes:	none		
	Odors:	None		
	Dust:	Minimal dust		
	Gas:	None		
Noise:	85-95dBA			

Special Hazards:

Hazard	Description
Mechanical Hazards	Moving chains and machinery, falling lumber
Electrical	None
Chemical	None
Explosive	None
Radiation	None
Burn	Space heaters
Slip and fall	Slippery work surfaces due to poor housekeeping, tripping hazards due to poor housekeeping
Heat stress	During hot season. Rehydration and climate control rooms provided

DOCTOR'S COMMENTS

The worker may resume regular, unrestricted activity as of (date) _____

Doctor's Signature _____ Date _____

****date of release is same as Physician's signature unless specified as different above**