

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Required fields are marked with an asterisk (*).

Owner *

veronllka

Repository name *

Данилова_2пк1

✓ Your new repository will be created as `-_2-1`.

The repository name can only contain ASCII letters, digits, and the characters `.`, `-`, and `_`.

Great repository names are short and memorable. Need inspiration? How about [laughing-invention](#) ?

Description (optional)

ПЗ_6

☐ Public

Anyone on the internet can see this repository. You choose who can commit.

☒ Private

You choose who can see and commit to this repository.

Initialize this repository with:

☐ Add a README file

This is where you can write a long description for your project. [Learn more about READMEs.](#)

Add .gitignore

.gitignore template: None

Choose which files not to track from a list of templates. [Learn more about ignoring files.](#)

Choose a license

License: None

A license tells others what they can and can't do with your code. [Learn more about licenses.](#)

ⓘ You are creating a private repository in your personal account.



Set up GitHub Copilot

Use GitHub's AI pair programmer to autocomplete suggestions as you code.

[Get started with GitHub Copilot](#)



Add collaborators to this repository

Search for people using their GitHub username or email address.

[Invite collaborators](#)

Quick setup — if you've done this kind of thing before

[Set up in Desktop](#) or [HTTPS](#) [SSH](#) https://github.com/veronllka/_-2-1.git

Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

...or create a new repository on the command line

```
echo "# _-2-1" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/veronllka/_-2-1.git
git push -u origin main
```

...or push an existing repository from the command line

```
git remote add origin https://github.com/veronllka/_-2-1.git
git branch -M main
git push -u origin main
```

```

User@WIN-IT3KG728UQJ MINGW64 ~
$ cd .ssh/

User@WIN-IT3KG728UQJ MINGW64 ~/.ssh
$ ssh-keygen -t ed25519 -C "dveronika682@gmail.com"
Generating public/private ed25519 key pair.
Enter file in which to save the key (/c/Users/User/.ssh/id_ed25519):
Enter passphrase for "/c/Users/User/.ssh/id_ed25519" (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /c/Users/User/.ssh/id_ed25519
Your public key has been saved in /c/Users/User/.ssh/id_ed25519.pub
The key fingerprint is:
SHA256:iqZ0Gn6JuAJDecWfEQOaxEsIX60IvGtK92qN3AGR2PA dveronika682@gmail.com
The key's randomart image is:
+--[ED25519 256]--+
| . * o + o . + o |
| . o o = o . . . . |
| o E * . o + |
| o = . + |
| . . o S |
| o . + o . |
| ooB . O . o |
| o + . Xo + |
| o . = o . |
+-----[SHA256]-----+

User@WIN-IT3KG728UQJ MINGW64 ~/.ssh
$ eval 'ssh-agent.exe'
SSH_AUTH_SOCK=/tmp/ssh-76FksJeNkOtn/agent.593; export SSH_AUTH_SOCK;
SSH_AGENT_PID=594; export SSH_AGENT_PID;
echo Agent pid 594;

User@WIN-IT3KG728UQJ MINGW64 ~/.ssh
$ ssh-add ~/.ssh/id_ed25519
Could not open a connection to your authentication agent.

User@WIN-IT3KG728UQJ MINGW64 ~/.ssh
$ eval $(ssh-agent -s)
Agent pid 603

User@WIN-IT3KG728UQJ MINGW64 ~/.ssh
$ ssh-add ~/.ssh/id_ed25519
Identity added: /c/Users/User/.ssh/id_ed25519 (dveronika682@gmail.com)

User@WIN-IT3KG728UQJ MINGW64 ~/.ssh
$ cat id_ed25519.pub
ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIIntaq3FF4cXR+gkqPjeqUNZMIUKxyMBtTke
FeBCz9M3 dveronika682@gmail.com

User@WIN-IT3KG728UQJ MINGW64 ~/.ssh
$

```

Add new SSH Key

Title

pzSSH

Key type


Authentication Key

Key

ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIntaq3FF4cXR+gkqPjeqUNZMIUKyMBtTkeFeBCz9M3 dveronika682@gmail.com

Add SSH key

Authentication keys



pzSSH

SHA256:iqZ0Gn6JuAJDecWfEQOaxEs1X60IvGtK92qN3AGR2PA

Added on Nov 2, 2024

Never used — Read/write

```
$ git clone git@github.com:veronllka/Danilova_2pk1.git
Cloning into 'Danilova_2pk1'...
The authenticity of host 'github.com (140.82.121.3)' can't be established.
ED25519 key fingerprint is SHA256:+DiY3wvvV6TuJJhbpZisF/zLDA0zPMSvHdkr4UvCOqU.
This key is not known by any other names.
```

| Имя | Дата изменения | Тип | Размер |
|-----------------|------------------|------------------------|--------|
| .vs | 03.11.2024 12:35 | Папка с файлами | |
| ConsoleApp6 | 03.11.2024 13:36 | Папка с файлами | |
| ConsoleApp6.sln | 03.11.2024 12:35 | Visual Studio Solut... | 2 КБ |

```

User@WIN-IT3KG728UQJ MINGW64 ~/source/repos/ConsoleApp6
$ git init
Initialized empty Git repository in C:/Users/User/source/repos/ConsoleApp6/.git/





User@WIN-IT3KG728UQJ MINGW64 ~/source/repos/ConsoleApp6 (master)
$ git add *

User@WIN-IT3KG728UQJ MINGW64 ~/source/repos/ConsoleApp6 (master)
$ git commit -am "Начало написание кода"
[master (root-commit) ffe1032] Начало написание кода
28 files changed, 318 insertions(+)
create mode 100644 ConsoleApp6.sln
create mode 100644 ConsoleApp6/ConsoleApp6.csproj
create mode 100644 ConsoleApp6/Program.cs
create mode 100644 ConsoleApp6/bin/Debug/net8.0/ConsoleApp6.deps.json
create mode 100644 ConsoleApp6/bin/Debug/net8.0/ConsoleApp6.dll
create mode 100644 ConsoleApp6/bin/Debug/net8.0/ConsoleApp6.exe
create mode 100644 ConsoleApp6/bin/Debug/net8.0/ConsoleApp6.pdb
create mode 100644 ConsoleApp6/bin/Debug/net8.0/ConsoleApp6.runtimeconfig.json
create mode 100644 ConsoleApp6/obj/ConsoleApp6.csproj.nuget.dgspec.json
create mode 100644 ConsoleApp6/obj/ConsoleApp6.csproj.nuget.g.props
create mode 100644 ConsoleApp6/obj/ConsoleApp6.csproj.nuget.g.targets
create mode 100644 ConsoleApp6/obj/Debug/net8.0/.NETCoreApp,Version=v8.0.AssemblyAttributes.cs
create mode 100644 ConsoleApp6/obj/Debug/net8.0/ConsoleApp6.AssemblyInfo.cs
create mode 100644 ConsoleApp6/obj/Debug/net8.0/ConsoleApp6.AssemblyInfoInputs.cache
create mode 100644 ConsoleApp6/obj/Debug/net8.0/ConsoleApp6.GeneratedMSBuildEditorConfig.editorconfig
create mode 100644 ConsoleApp6/obj/Debug/net8.0/ConsoleApp6.GlobalUsings.g.cs
create mode 100644 ConsoleApp6/obj/Debug/net8.0/ConsoleApp6.assets.cache
create mode 100644 ConsoleApp6/obj/Debug/net8.0/ConsoleApp6.csproj.BuildWithSkipAnalyzers
create mode 100644 ConsoleApp6/obj/Debug/net8.0/ConsoleApp6.csproj.CoreCompileInputs.cache
create mode 100644 ConsoleApp6/obj/Debug/net8.0/ConsoleApp6.csproj.FileListAbsolute.txt
create mode 100644 ConsoleApp6/obj/Debug/net8.0/ConsoleApp6.dll
create mode 100644 ConsoleApp6/obj/Debug/net8.0/ConsoleApp6.genruntimeconfig.cache
create mode 100644 ConsoleApp6/obj/Debug/net8.0/ConsoleApp6.pdb
create mode 100644 ConsoleApp6/obj/Debug/net8.0/apphost.exe
create mode 100644 ConsoleApp6/obj/Debug/net8.0/ref/ConsoleApp6.dll
create mode 100644 ConsoleApp6/obj/Debug/net8.0/refint/ConsoleApp6.dll
create mode 100644 ConsoleApp6/obj/project.assets.json
create mode 100644 ConsoleApp6/obj/project.nuget.cache

User@WIN-IT3KG728UQJ MINGW64 ~/source/repos/ConsoleApp6 (master)
$ git remote add origin git@github.com:veronllka/Danilova_2pk1.git

User@WIN-IT3KG728UQJ MINGW64 ~/source/repos/ConsoleApp6 (master)
$ git push -u origin master
Enumerating objects: 34, done.
Counting objects: 100% (34/34), done.
Delta compression using up to 16 threads
Compressing objects: 100% (29/29), done.
Writing objects: 100% (34/34), 76.46 KiB | 486.00 KiB/s, done.
Total 34 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), done.
To github.com:veronllka/Danilova_2pk1.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.

```

| | | | |
|---|-----------------------|-------------------------|--|
|  veronllka | Начало написание кода | ffe1032 · 5 minutes ago |  1 Commit |
|  ConsoleApp6 | Начало написание кода | 5 minutes ago | |
|  ConsoleApp6.sln | Начало написание кода | 5 minutes ago | |


```

User@WIN-IT3KG728UQJ MINGW64 ~/source/repos/ConsoleApp6 (master)
$ git checkout -b changes
Switched to a new branch 'changes'

User@WIN-IT3KG728UQJ MINGW64 ~/source/repos/ConsoleApp6 (changes)
$ git push -u origin changes
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'changes' on GitHub by visiting:
remote:   https://github.com/veronllka/Danilova_2pk1/pull/new/changes
remote:
To github.com:veronllka/Danilova_2pk1.git
 * [new branch]      changes -> changes
branch 'changes' set up to track 'origin/changes'.

```

Search branches

Default

| Branch | Updated | Check status | Behind / Ahead | Pull request |
|--------|---------|--------------|----------------|--------------|
| master | now | | Default | ... |

Your branches

| Branch | Updated | Check status | Behind / Ahead | Pull request |
|---------|---------|--------------|----------------|--------------|
| changes | now | | 0 0 | ... |

Active branches

| Branch | Updated | Check status | Behind / Ahead | Pull request |
|---------|---------|--------------|----------------|--------------|
| changes | now | | 0 0 | ... |

```

User@WIN-IT3KG728UQJ MINGW64 ~/source/repos/ConsoleApp6 (changes)
$ git commit -am "Первое изменение в коде"
[changes 32397cd] Первое изменение в коде
13 files changed, 11 insertions(+), 5 deletions(-)
create mode 100644 ConsoleApp6/obj/Debug/net8.0/ConsoleApp6.sourcelink.json

```

```

User@WIN-IT3KG728UQJ MINGW64 ~/source/repos/ConsoleApp6 (changes)
$ git add *

```

```

User@WIN-IT3KG728UQJ MINGW64 ~/source/repos/ConsoleApp6 (changes)
$ git commit -m "Второе изменение в коде"
[changes c94295b] Второе изменение в коде
12 files changed, 11 insertions(+), 4 deletions(-)

```

```

$ git push origin master
Enumerating objects: 54, done.
Counting objects: 100% (54/54), done.
Delta compression using up to 16 threads
Compressing objects: 100% (29/29), done.
Writing objects: 100% (37/37), 6.73 KiB | 2.24 MiB/s, done.
Total 37 (delta 19), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (19/19), completed with 9 local objects.
To github.com:veronllka/Danilova_2pk1.git
 ffe1032..c94295b  master -> master

```

Второе изменение в коде

veronllka committed 4 minutes ago

c94295b <>

Первое изменение в коде

veronllka committed 8 minutes ago

32397cd <>

Начало написание кода

veronllka committed 19 minutes ago

ffe1032 <>