

VerticaPy Machine Learning V1.0.x Cheat Sheet

VerticaPy Machine Learning supports the entire machine learning workflow via a Python interface. For more information about the capabilities of VerticaPy ML, see the [VerticaPy ML documentation](#) or check out the [VerticaPy examples](#).

Legend: Grey text describes the function. Highlighted text represents some (and not all) of the optional parameters. Parameters are in purple. Strings are orange.

Preprocessing data

Load data ([link](#))

=> `import verticapyp as vp`

=> `VDataFrame=vp.read_csv("filename.csv")` – Creates a vDataFrame from a csv file.

Summarize data ([link](#))

=> `VDataFrame.describe()` – Aggregates the vDataFrame using multiple statistical aggregations.

=> `VDataFrame.describe(columns=["column_1", "column_2", "column_3", method="categorical"])` – Aggregates the selected columns using categorical statistical aggregations.

Detect Outliers ([link](#)) and ([link](#))

=> `VDataFrame.outliers_plot(["col1", "col2"])` – A 2D plot to visualize outliers based on the given two columns

=> `VDataFrame.outliers(columns=["col1", "col2"], name="name of the outlier columns")` – Create a new column which indicates whether a datapoint is an outlier.

Measure correlations ([link](#))

=> `VDataFrame.corr(method="pearson")` – Calculates and displays the Pearson correlation matrix.

=> `VDataFrame.corr(["column_1", "column_2"], method="spearman")` – Calculates and displays the Pearson correlation between two columns.

Normalize Data ([link](#))

=> `VDataFrame.scale()` – Normalizes all the columns in the dataset using zscore method as default.

=> `VDataFrame.scale(columns=["col1", "col2"], method="minmax")` – Normalizes selective columns in the dataset using minimax method as default.

Dimensionality Reduction ([link](#))

=> `from verticapyp.learn.decomposition import PCA` – Importing PCA function.

=> `model = PCA("PCA_name")` – Make a PCA object.

=> `model.fit(VDataFrame)` – Apply the PCA on the vDataFrame and display the results of PCA.

=> `model.transform(n_components=2)` – Create a vDataFrame with columns as the principal components.

Encode Categorical features ([link](#))

=> `VDataFrame.label_encode()` – Encodes a categorical column into numerical values.

=> `VDataFrame["column_name"].one_hot_encode()` – One Hot Encoding for the desired column.

=> `VDataFrame["column_name"].mean_encode()` – Mean Encoding for the desired column.

Impute missing values ([link](#))

=> `VDataFrame.count_percent()` – Counts the percentage of missing values for each column.

=> `VDataFrame["col_to_fill"].fillna(method="auto")` – Fills missing values by selecting mean of numeric values and mode for categorical.

=> `VDataFrame["col_to_fill"].fillna(method="avg", by=["columns_used_in_partition"])` – Fills missing values using the columns for prediction. This replaces the original column.

Process imbalanced data ([link](#))

=> `VDataFrame.balance(column="column_to_balance")` – Creates a view with an equal distribution of the input data based on response column. Default method is hybrid.

=> `VDataFrame.balance(column="column_to_balance", method="under", x=0.5)` – Creates a view with a custom distribution of the input data based on response column. Ratio(x) can be changed.

=> `VDataFrame["column_to_balance"].topk(k=3)` – Returns the count for the values in a column.

Sample data ([link](#))

=> `VDataFrame.sample(x=0.2)` – The entire table is randomly sampled using the given ratio(x).

=> `VDataFrame.sample(n=100)` – The entire table is randomly sampled using the number of elements required(n).

=> `VDataFrame.sample(x=0.3, method="stratified")` – The entire table is randomly sampled using the given ratio(x) and method (random, stratified or systematic).

Training and predicting**Regression – Model Building****Linear Regression** ([link](#))

=> `from verticapy.machine_learning.vertica import LinearRegression` – Import the Linear Regression function.

=> `model = LinearRegression(name="public.Name_of_Model")` – Build a Linear Regression model.

Support Vector Machines (SVM) ([link](#))

=> `from verticapy.machine_learning.vertica import LinearSVR`

=> `model = LinearSVR(name="Name_of_Model", acceptable_error_margin=0.5)` – Build a LinearSVR object using the Vertica SVM (Support Vector Machine) algorithm.

Random Forest ([link](#))

=> `from verticapy.machine_learning.vertica import RandomForestRegressor`

=> `model = RandomForestRegressor(name="Name_of_Model", n_estimators=20, max_features="auto", max_leaf_nodes=32, sample=0.7, max_depth=3, min_sample_leaf=5, min_info_gain=0.0, nbins=32)` – Creates a RandomForestRegressor object using the Vertica Random Forest function on the data.

XGBoost ([link](#))

=> `from verticapy.machine_learning.vertica import XGBRegressor`

=> `model = XGBRegressor(name="Name_of_Model", max_ntree=10, max_depth=5, nbins=32, objective="squarederror", split_proposal_method="global", tot=0.001, learning_rate=0.1, min_split_loss=0, weight_reg=0, sample=1)` – Creates a XGBoostRegressor object using the Vertica XGBoost algorithm. From all the available options, only name is mandatory.

Autoregression ([link](#))

=> `from verticapy.machine_learning.vertica import AutoML`

=> `model=AutoML(name="Name_of_Model", estimator_type="regressor", cv=3, stepwise=True)` – Tests multiple models to find which the ones which maximize the input score.

Classification**Logistic Regression** ([link](#))

=> `from verticapy.machine_learning.vertica import LogisiticRegression` – Import the Logistic Regression function.

=> `mode = LogisticRegression(name="Name_of_Model", penalty= "L2", tol=1e-4, C=1, max_iter=100, solver= "CGD")` – Creates a LogisticRegression object using Vertica LOGISTIC_REG function.

Support Vector Machines (SVM) ([link](#))

=> `from verticapy.machine_learning.vertica import LinearSVC`

=> `model = LinearSVC(name="Name_of_Model", tol=1e-4, C=1.0, fit_intercept= True, intercept_model="regularized", max_iter=100)` – Build a LinearSVC object using the Vertica SVM (Support Vector Machine) algorithm.

Random Forest ([link](#))

=> `from verticapy.machine_learning.vertica import RandomForestClassifier`

=> `model = RandomForestClassifier(name="Name_of_Model", n_estimators=20, max_features="auto", max_leaf_nodes=32, sample=0.7, max_depth=3, min_sample_leaf=5, min_info_gain=0.0, nbins=32)` – Creates a RandomForestRegressor object using the Vertica Random Forest function on the data.

XGBoost ([link](#))

=> `from verticapy.machine_learning.vertica import XGBClassifier`

=> `model = XGBClassifier(name="Name_of_Model", max_ntree=10, max_depth=5, nbins=32, objective="squarederror", split_proposal_method="global", tot=0.001, learning_rate=0.1, min_split_loss=0, weight_reg=0, sample=1)` – Creates a XGBoostRegressor object using the Vertica XGBoost algorithm. From all the available options, only name is mandatory.

Autoclassification [\(link\)](#)

=> `from verticapyp.machine_learning.vertica import AutoML`

=> `model=AutoML(name="Name_of_Model", estimator_type="multi", cv=3, stepwise=True)` – Tests multiple models to find which the ones which maximize the input score.

Clustering

K-neighbors [\(link\)](#)

=> `from verticapyp.machine_learning.vertica import KNeighborsClassifier`

=> `model= KNeighborsClassifier(name="Name_of_Model", n_neighbors=5, p=2)` – Creates a KNeighborsClassifier object by using the k-nearest neighbors algorithm.

K-nearest centroid [\(link\)](#)

=> `from verticapyp.machine_learning.vertica import NearestCentroid`

=> `model= NearestCentroid(name="Name_of_Model", p=2)` – Creates a NearestCentroid object by using the k-nearest centroid algorithm.

Fitting, Predicting and Evaluating models

Regression/Classification – Model Prediction

Fitting

=> `model.fit("public.Name_of_Model", ["independent_col_1", "independent_col_2"], "dependent_col")` – Fit the model to the given independent inputs and dependent outputs.

Prediction

=> `model.predict(VDataFrame, X=["independent_col_1", "independent_col_2"], name="name_of_pred_column")` – Predicts and adds those values inside the VDataFrame using the new name of prediction columns.

General Metrics

Link to all [\(link\)](#)

Mean Squared Error	R-squared	aic	bic	Explained Variance
=> <code>model.score("mse")</code>	=> <code>model.score("r2")</code>	=> <code>model.score("aic")</code>	=> <code>model.score("bic")</code>	=> <code>model.score("var")</code>
Max error	R-squared adjusted	RMSE	Median Absolute Error	Mean Absolute Error
=> <code>model.score("max")</code>	=> <code>model.score("r2a")</code>	=> <code>model.score("rmse")</code>	=> <code>model.score("mae")</code>	=> <code>model.score("mae")</code>

Classification-specific Metrics

Confusion Matrix [\(link\)](#)

=> `model.confusion_matrix(pos_label="Label", cutoff=0.33)` – Fit the model to the given independent inputs and dependent outputs.

Lift Chart [\(link\)](#)

=> `from verticapyp.machine_learning.metrics import lift_chart`

=> `lift_chart("Response_Column", "Prediction_Probability", VDataFrame)` – Draws a lift chart.

ROC Curve [\(link\)](#)

=> `model.roc_curve(nbins=12)` – Plots the ROC curve.

Managing models

memModel To build models using their attributes [\(link\)](#)

For Linear Regression

```
=> from verticapy.machine_learning.memmodel linear_model import LinearModel
```

```
=> model=LinearModel (coefficients=[0.5, 1.2], intercept=2) – Builds a Linear Regression model from its attributes.
```

```
=> model.predict_sql(["x1", "x2"]) – Generates the SQL code for deploying the model in Vertica.
```

Generate SQL code [\(link\)](#)

For Linear Regression

```
=> model.to_sql() – Generates the SQL code for deploying the model in Vertica.
```