

# Bayesian Optimization of Multi-Material 3D-Printed Tensegrity Structures for Energy Absorption

BYU Ira A. Fulton College of Engineering  
Mentored Research Grant Proposal

**PI:** Jeffrey R. Hill, Department of Mechanical Engineering  
**Co-PI:** Sterling G. Baird, Department of Mechanical Engineering

**Duration:** 2 Years — **Requested:** \$25,000

## Abstract

We propose a two-year mentored research program in which 2 undergraduate students design and optimize multi-material 3D-printed tensegrity-inspired structures for energy absorption. Tensegrity-inspired structures—assemblies of rigid compression members (PLA) and flexible tension members (TPU)—offer tunable mechanical responses and high strength-to-weight ratios. Using a multi-fidelity Bayesian optimization framework, students will combine finite element simulations (low-fidelity) with physical experiments (high-fidelity) to efficiently navigate the high-dimensional design space. Students will gain hands-on experience in CAD design, multi-material 3D printing, impact testing, computational modeling, and data-driven optimization. Expected outcomes include undergraduate conference presentations (UCUR, ASME IDETC), a peer-reviewed journal submission, and development of marketable technical skills. This project provides a rich mentored learning environment at the intersection of structural mechanics, advanced manufacturing, and machine learning.

**Number of undergraduates:** 2  
**Number of graduate students:** 1 (co-mentor)

## Budget Summary

| Category               | Year 1          | Year 2          | Total           |
|------------------------|-----------------|-----------------|-----------------|
| Undergraduate wages    | \$9,000         | \$9,000         | \$18,000        |
| Graduate student wages | \$1,250         | \$1,250         | \$2,500         |
| Supplies               | \$2,000         | \$500           | \$2,500         |
| Travel                 | \$0             | \$1,500         | \$1,500         |
| Other                  | \$250           | \$250           | \$500           |
| <b>Total</b>           | <b>\$12,500</b> | <b>\$12,500</b> | <b>\$25,000</b> |

## **Relationship to External Funding**

The PIs do not currently hold external funding for tensegrity or architected materials research. This MRG provides the primary support for establishing a mentored undergraduate research program in this area. If the program proves successful, the preliminary data and mentoring framework developed here may inform a future NSF proposal; however, the MRG is self-contained and its outcomes—trained student researchers, conference presentations, and a journal submission—do not depend on external funding.

# 1 Research Motivation and Overview

We propose a two-year mentored research program in which 2 undergraduate students design and optimize **multi-material 3D-printed tensegrity-inspired structures** for energy absorption. Tensegrity (tensional integrity) structures—assemblies of rigid compression members suspended within a continuous network of tension members—exhibit remarkable strength-to-weight ratios and tunable mechanical responses, making them attractive for protective equipment, packaging, and aerospace applications [Skelton and de Oliveira, 2009, Fraternali et al., 2015]. Recent work has shown that *tensegrity-inspired* architectures can be directly 3D-printed and retain desirable load-limiting behavior under impact [Pajunen et al., 2019]. Because multimaterial FDM TPU elements are not ideal cables, we target tensegrity-inspired architectures that reproduce key tensegrity-like mechanical responses while remaining manufacturable; notably, TPU’s rate-dependent damping is an *asset* for energy absorption rather than merely a deviation from idealized behavior.

Recent advances in multi-material 3D printing enable the fabrication of tensegrity-inspired structures on a single print platform, using PLA for rigid struts and TPU for flexible tension elements [Ye et al., 2023, Khatri and Egan, 2024]. This eliminates tedious manual assembly and opens a rich, high-dimensional design space. Navigating this space efficiently requires intelligent experimental design; **multifidelity Bayesian optimization** (BO) provides exactly this capability by combining inexpensive simulations (low-fidelity) with physical experiments (high-fidelity) to guide the search toward optimal configurations [Mo et al., 2023, Perdikaris et al., 2017].

**The primary objective of this project is to provide a rich, interdisciplinary mentored research experience for undergraduates.** Students will gain hands-on skills in CAD, multi-material 3D printing, impact testing, computational modeling, and data-driven optimization. Each student will lead a scoped research project, present at conferences, and co-author a publication.

**Figure placeholder:** Tensegrity unit cell design → multi-material PLA/TPU printing with wrapping strategy → multifidelity BO loop.

Figure 1: Conceptual overview of the proposed research and mentoring framework.

## 2 Background

**Tensegrity structures** consist of isolated compression members (struts) held in equilibrium by a continuous network of tension members [Skelton and de Oliveira, 2009, Sultan, 2009]. Their defining characteristic—no two rigid bars touch—yields lightweight assemblies with surprising load-bearing capacity and tunable nonlinear responses [Amendola et al., 2014, Zhang et al., 2015]. Pajunen et al. [Pajunen et al., 2019] demonstrated that *tensegrity-inspired* unit cells can be directly 3D-printed and exhibit load-limiting plateaus under drop-weight impact. Multi-material rigid–soft printing [Ye et al., 2023, Khatri and Egan, 2024] has shown that PLA–TPU combinations printed on a single FDM platform achieve tunable energy absorption. Ye et al. demonstrated a wrapping-based strategy (rigid cores encapsulated by continuous soft skins) that prevents interface delamination and enables cyclic durability—a critical enabler for our fabrication approach.

**Bayesian optimization** (BO) is a sequential, model-based strategy for optimizing expensive black-

box functions using a Gaussian process surrogate [Shahriari et al., 2016, Frazier, 2018]. BO has been applied to materials discovery [Lookman et al., 2019] and metamaterial design [Wang et al., 2022]. Mo et al. [Mo et al., 2023] demonstrated **multifidelity BO** for architected materials, using simulations as a low-fidelity source and experiments as high-fidelity data. We adopt this framework: FEA simulations serve as the low-fidelity source, and 3D-printed tensegrity impact tests provide high-fidelity validation. Because MFBO effectiveness depends on adequate correlation between fidelity levels, we establish a Year 1 Go/No-Go decision gate: students will validate simulation–experiment correlation on a small calibration set before launching full optimization.

### 3 Student Research Project 1: Simulation and Bayesian Optimization

**Student profile:** One junior or senior undergraduate with coursework in mechanics of materials or computational methods.

#### Scope and Deliverables

This student will develop and run the computational pipeline:

1. **Parameterize a tensegrity unit cell** suitable for simulation and multi-material 3D printing, including strut geometry (PLA), tension element geometry (TPU), topology, and boundary conditions.
2. **Build finite element models** using ABAQUS or open-source FEA tools (e.g., FEniCS) to predict force–displacement response and energy absorption under compaction and drop-test loading. These simulations serve as the *low-fidelity* source in the multifidelity framework.
3. **Validate LF–HF correlation (Go/No-Go gate):** Before launching full optimization, the student will run a small calibration set comparing simulated force–displacement curves against experimental results on single unit cells. If the correlation ( $R^2$ ) between simulated and measured energy absorption is  $< 0.8$ , the team will pivot to single-fidelity experimental BO, ensuring feasibility regardless of model accuracy.
4. **Implement a multifidelity Bayesian optimization loop** (following Mo et al. [Mo et al., 2023]) using Python libraries (BoTorch/Ax) to efficiently explore the design space, fusing simulation predictions with experimental results from Student 2.
5. **Identify optimal designs** and generate predictions for experimental validation.

**Mentoring outcomes:** The student will develop skills in finite element analysis, scientific computing (Python), and data-driven optimization. They will present results at **ASME IDETC** or **UCUR** and contribute as co-author on a journal manuscript.

### 4 Student Research Project 2: Fabrication, CAD, and Experimental Testing

**Student profile:** One junior or senior undergraduate with coursework in machine design, CAD, or compliant mechanisms.

## Scope and Deliverables

This student will lead fabrication and physical testing:

1. **Design tensegrity-inspired structures in CAD** (SolidWorks or Fusion 360) for multi-material 3D printing, with PLA struts and TPU tension elements printed on a single platform. Following Ye et al. [2023], we adopt a core-wrapping strategy where rigid PLA struts are encapsulated by continuous TPU skins, ensuring robust mechanical interlocking and preventing the interface delamination common in simple layered deposition.
2. **Fabricate structures** using the department’s multi-material 3D printer, iterating on print parameters to achieve reliable tensegrity geometries.
3. **Conduct experimental testing:** compaction tests (quasi-static compression) and drop tests (dynamic impact) following the drop-weight protocol of Pajunen et al. [2019]. Primary performance metrics are *specific energy absorption* (SEA) and *compaction efficiency* (ratio of absorbed energy to peak force)—tangible, operationally measurable outcomes suitable for undergraduate research. These experiments serve as the *high-fidelity* source.
4. **Compare experimental results** against simulation predictions from Student 1, quantifying model accuracy and informing surrogate updates.

**Mentoring outcomes:** The student will develop skills in CAD, additive manufacturing, test design, and data analysis. They will present at **UCUR** or **ASME IDETC** and contribute as co-author on a journal manuscript.

## 5 Mentoring Environment

Each student in this program follows a structured path from guided exploration to independent research ownership, supported by layered mentoring at every stage.

### Recruitment

Students will be recruited from courses in mechanics of materials, machine design, kinematics, and compliant mechanisms, targeting juniors and seniors.

### Mentoring Structure

- **Weekly individual meetings** (30 min) with Profs. Hill and Baird for technical guidance and professional development.
- **Weekly lab group meetings** (1 hr): progress updates, student literature presentations, skill-building workshops (scientific writing, presentation skills, research ethics).
- **Graduate co-mentor:** Prof. Baird’s master’s student provides day-to-day guidance in simulation, coding, and experimental technique. This layered model ensures timely support while the graduate student develops mentoring skills.
- **Progressive responsibility:** Students begin with structured tasks and progress to independent design decisions, culminating in ownership of their research project.
- **Peer mentoring:** In Year 2, experienced students mentor newly recruited sophomores, creating a sustainable pipeline of trained researchers.

## Student Development Outcomes

Technical risk-mitigation activities are structured as learning modules that develop transferable skills:

- **Technical:** experimental mechanics (test design, data acquisition, interface characterization), computation (FEA modeling, Python, Bayesian optimization), and design (CAD, multi-material 3D printing with wrapping strategies).
- **Communication:** lab notebooks, group presentations, conference talks, and co-authoring a peer-reviewed manuscript.
- **Professional:** project management, data-driven decision-making (interpreting Go/No-Go correlation results), collaboration with interdisciplinary teams, and preparation for graduate school or industry careers.

## 6 Expected Research Outcomes

1. **Trained undergraduate researchers:** 2 students with hands-on experience in advanced manufacturing, computational modeling, and data-driven optimization, prepared for graduate study or engineering careers.
2. **Conference presentations:** Student-led presentations at **UCUR** (Utah Conference on Undergraduate Research) and **ASME IDETC** (International Design Engineering Technical Conferences).
3. **Journal submission:** One peer-reviewed manuscript submitted to the *ASME Journal of Mechanical Design* or *Smart Materials and Structures*, with undergraduate students as co-authors.
4. **Open-source tools:** Simulation code, optimization scripts, and experimental data published on GitHub for reproducibility.

## 7 Potential Impact of Work

This project advances architected material design for energy absorption with applications in **protective equipment** (helmets, body armor), **packaging** (shock-absorbing inserts), and **aerospace** (lightweight impact-resistant structures). By demonstrating that multifidelity BO can efficiently navigate the tensegrity design space, we establish a generalizable framework for other metamaterial classes. The interdisciplinary training prepares students for graduate study or careers in data-driven design. Open-source dissemination of tools and data extends impact beyond BYU.

## 8 Timeline

## 9 Budget

Total requested: **\$25,000** over 2 years. Per grant guidelines, no funds are allocated to equipment, tuition, or faculty wages.

| Task                                     | Y1 F | Y1 W | Y1 Su | Y2 F | Y2 W | Y2 Su |
|------------------------------------------|------|------|-------|------|------|-------|
| Student recruitment & onboarding         | •    |      |       |      |      |       |
| Literature review                        | •    | •    |       |      |      |       |
| Tensegrity parameterization & CAD        | •    | •    |       |      |      |       |
| Interface testing & print validation     | •    | •    |       |      |      |       |
| FEA simulation development               |      | •    | •     |      |      |       |
| LF–HF correlation gate (Go/No-Go)        |      |      | •     |      |      |       |
| Multifidelity BO implementation          |      |      | •     | •    | •    |       |
| Multi-material 3D printing & fabrication |      | •    | •     | •    | •    |       |
| Impact testing & data collection         |      |      | •     | •    | •    |       |
| Simulation–experiment comparison         |      |      |       |      | •    |       |
| Conference presentations (UCUR/IDETC)    |      |      |       | •    | •    |       |
| Journal manuscript preparation           |      |      |       |      | •    | •     |
| Peer mentoring of new students           |      |      |       | •    | •    |       |

Table 1: Project timeline across two years (F = Fall, W = Winter, Su = Summer). Summer terms support full-time research effort.

| Category               | Description                              | Year 1          | Year 2          |
|------------------------|------------------------------------------|-----------------|-----------------|
| Undergraduate wages    | 2 students, part-time + summer full-time | \$9,000         | \$9,000         |
| Graduate student wages | Partial RA for grad co-mentor            | \$1,250         | \$1,250         |
| Supplies               | Filament, load cells, DAQ, compute       | \$2,000         | \$500           |
| Travel                 | Conference registration & travel         | \$0             | \$1,500         |
| Other                  | Poster printing, consumables             | \$250           | \$250           |
| <b>Annual Total</b>    |                                          | <b>\$12,500</b> | <b>\$12,500</b> |

**Undergraduate wages (\$18,000):** Supports 2 undergraduates working part-time ( $\sim 10$  hrs/week) during fall and winter semesters and full-time ( $\sim 40$  hrs/week) during summer terms for simulation, 3D printing, and testing. **Graduate student wages (\$2,500):** Prof. Baird’s master’s student serves as day-to-day co-mentor. **Supplies (\$2,500):** PLA/TPU filament, load cells, DAQ module, fasteners, and cloud compute credits (Year 1 heavy). **Travel (\$1,500):** Student presentations at ASME IDETC or UCUR (Year 2). **Other (\$500):** Poster printing, consumables, contingency.

## References

- Ada Amendola, Everth Hernandez-Nava, Russell Goodall, Iain Todd, Hugh Shercliff, Hugh Shercliff, and Robert E. Skelton. Experimental investigation of the softening–hardening response of tensegrity prisms under compressive loading. *Composite Structures*, 117:234–243, 2014. doi: 10.1016/j.compstruct.2014.06.025.
- Fernando Fraternali, Gerardo Carpentieri, and Ada Amendola. Tensegrity ring structures for impact protection. *International Journal of Solids and Structures*, 65–66:232–243, 2015. doi: 10.1016/j.ijsolstr.2015.03.024.
- Peter I. Frazier. A tutorial on Bayesian optimization. *arXiv preprint arXiv:1807.02811*, 2018. URL <https://arxiv.org/abs/1807.02811>.

- Nava Raj Khatri and Paul F. Egan. Energy absorption of 3D printed ABS and TPU multimaterial honeycomb structures. *3D Printing and Additive Manufacturing*, 11:e840–e850, 2024. doi: 10.1089/3dp.2022.0196.
- Turab Lookman, Prasanna V. Balachandran, Dezhen Xue, and Ruihao Yuan. Active learning in materials science with emphasis on adaptive sampling using uncertainties for targeted design. *npj Computational Materials*, 5(1):21, 2019. doi: 10.1038/s41524-019-0153-8.
- Changyu Mo, Paris Perdikaris, and Jordan R. Raney. Accelerated design of architected materials with multifidelity Bayesian optimization. *Journal of Engineering Mechanics*, 149(6):04023028, 2023. doi: 10.1061/JENMDT.EMENG-7033.
- Kirsti Pajunen, Paul Johanns, Raj Kumar Pal, Julian J. Rimoli, and Chiara Daraio. Design and impact response of 3D-printable tensegrity-inspired structures. *Materials & Design*, 182:107966, 2019. doi: 10.1016/j.matdes.2019.107966.
- Paris Perdikaris, Maziar Raissi, Andreas Damianou, Neil D. Lawrence, and George Em Karniadakis. Nonlinear information fusion algorithms for data-efficient multi-fidelity modelling. *Proceedings of the Royal Society A*, 473(2198):20160751, 2017. doi: 10.1098/rspa.2016.0751.
- Bobak Shahriari, Kevin Swersky, Ziyu Wang, Ryan P. Adams, and Nando de Freitas. Taking the human out of the loop: A review of Bayesian optimization. *Proceedings of the IEEE*, 104(1):148–175, 2016. doi: 10.1109/JPROC.2015.2494218.
- Robert E. Skelton and Mauricio C. de Oliveira. *Tensegrity Systems*. Springer, New York, 2009. doi: 10.1007/978-0-387-74242-7.
- Cornel Sultan. Tensegrity: 60 years of art, science, and engineering. *Advances in Applied Mechanics*, 43:69–145, 2009. doi: 10.1016/S0065-2156(09)43002-3.
- Yue Wang et al. Bayesian optimization for the design of mechanical metamaterials. *Journal of the Mechanics and Physics of Solids*, 159:104734, 2022. doi: 10.1016/j.jmps.2021.104734.
- Haitao Ye, Qingjiang Liu, Jianxiang Cheng, Honggeng Li, Bingcong Jian, Rong Wang, Zechu Sun, Yang Lu, and Qi Ge. Multimaterial 3D printed self-locking thick-panel origami metamaterials. *Nature Communications*, 14:1607, 2023. doi: 10.1038/s41467-023-37343-w.
- Li-Yuan Zhang, Yue Li, Yan-Ping Cao, and Xi-Qiao Feng. Tensegrity cell mechanical metamaterial with metal rubber. *Applied Physics Letters*, 106(20):201901, 2015. doi: 10.1063/1.4921402.



## Biographical Sketches

### Jeffrey R. Hill — Principal Investigator

#### Professional Preparation

|       |                        |                          |
|-------|------------------------|--------------------------|
| Ph.D. | Mechanical Engineering | University of Utah       |
| M.S.  | Mechanical Engineering | Brigham Young University |
| B.S.  | Mechanical Engineering | Brigham Young University |

#### Appointments

- Associate Professor, Department of Mechanical Engineering, Brigham Young University (current)
- Research Engineer, Sandia National Laboratories (prior)

#### Products Most Closely Related to This Proposal

Publications and products related to smart materials, shape memory alloys, compliant mechanisms, and structural mechanics.

#### Synergistic Activities

- Mentoring of undergraduate and graduate students in experimental mechanics and smart materials research at BYU.
- Teaching courses in mechanics of materials, machine design, and kinematics in the Department of Mechanical Engineering.
- Collaboration with national laboratories on advanced materials characterization and structural design.

### Sterling G. Baird — Co-Principal Investigator

#### Professional Preparation

|       |                                   |                          |
|-------|-----------------------------------|--------------------------|
| Ph.D. | Materials Science and Engineering | University of Utah       |
| B.S.  | Materials Science and Engineering | Brigham Young University |

#### Appointments

- Faculty, Department of Mechanical Engineering, Brigham Young University (current)

## **Products Most Closely Related to This Proposal**

Publications and products related to materials informatics, Bayesian optimization, data-driven materials discovery, and machine learning for materials science.

## **Synergistic Activities**

- Development of open-source tools for Bayesian optimization and materials informatics.
- Mentoring of graduate and undergraduate students in data-driven methods for materials science and engineering.
- Active contributions to the materials informatics community through publications, software, and educational resources.