

Bayesian Optimization of Multi-Material 3D-Printed Tensegrity Structures for Energy Absorption

BYU Ira A. Fulton College of Engineering
Mentored Research Grant Proposal

PI: Jeffrey R. Hill, Department of Mechanical Engineering
Co-PI: Sterling G. Baird, Department of Mechanical Engineering

Duration: 2 Years — **Requested:** \$25,000

Abstract

We propose a two-year mentored research program in which 2 undergraduate students design and optimize multi-material 3D-printed tensegrity-inspired structures for energy absorption. Tensegrity-inspired structures—assemblies of rigid compression members (PLA) and flexible tension members (TPU)—offer tunable mechanical responses and high strength-to-weight ratios. Using a multi-fidelity Bayesian optimization framework, students will combine finite element simulations (low-fidelity) with physical experiments (high-fidelity) to efficiently navigate the high-dimensional design space. Students will gain hands-on experience in CAD design, multi-material 3D printing, impact testing, computational modeling, and data-driven optimization. Expected outcomes include undergraduate conference presentations (UCUR, ASME IDETC), a peer-reviewed journal submission, and development of marketable technical skills. This project provides a rich mentored learning environment at the intersection of structural mechanics, advanced manufacturing, and machine learning.

Number of undergraduates: 2
Number of graduate students: 1 (co-mentor)

Budget Summary

Category	Year 1	Year 2	Total
Undergraduate wages	\$9,000	\$9,000	\$18,000
Graduate student wages	\$1,250	\$1,250	\$2,500
Supplies	\$2,000	\$500	\$2,500
Travel	\$0	\$1,500	\$1,500
Other	\$250	\$250	\$500
Total	\$12,500	\$12,500	\$25,000

Relationship to External Funding

The PIs do not currently hold external funding for tensegrity or architected materials research. This MRG provides the primary support for establishing a mentored undergraduate research program in this area. If the program proves successful, the preliminary data and mentoring framework developed here may inform a future NSF proposal; however, the MRG is self-contained and its outcomes—trained student researchers, conference presentations, and a journal submission—do not depend on external funding.

1 Research Motivation and Overview

We propose a two-year mentored research program in which 2 undergraduate students design and optimize **multi-material 3D-printed tensegrity-inspired structures** for energy absorption. Tensegrity (tensional integrity) structures—assemblies of rigid compression members suspended within a continuous network of tension members—exhibit remarkable strength-to-weight ratios and tunable mechanical responses, making them attractive for protective equipment, packaging, and aerospace applications [Skelton and de Oliveira, 2009, Fraternali et al., 2015]. Recent work has shown that *tensegrity-inspired* architectures can be directly 3D-printed and retain desirable load-limiting behavior under impact [Pajunen et al., 2019]. Because multimaterial FDM TPU elements are not ideal cables, we target tensegrity-inspired architectures that reproduce key tensegrity-like mechanical responses while remaining manufacturable; notably, TPU’s rate-dependent damping is an *asset* for energy absorption rather than merely a deviation from idealized behavior.

Recent advances in multi-material 3D printing enable the fabrication of tensegrity-inspired structures on a single print platform, using PLA for rigid struts and TPU for flexible tension elements [Ye et al., 2023, Khatri and Egan, 2024]. This eliminates tedious manual assembly and opens a rich, high-dimensional design space. Navigating this space efficiently requires intelligent experimental design; **multifidelity Bayesian optimization** (BO) provides exactly this capability by combining inexpensive simulations (low-fidelity) with physical experiments (high-fidelity) to guide the search toward optimal configurations [Mo et al., 2023, Perdikaris et al., 2017].

The primary objective of this project is to provide a rich, interdisciplinary mentored research experience for undergraduates. Students will gain hands-on skills in CAD, multi-material 3D printing, impact testing, computational modeling, and data-driven optimization. Each student will lead a scoped research project, present at conferences, and co-author a publication.

Figure placeholder: Tensegrity unit cell design → multi-material PLA/TPU printing with wrapping strategy → multifidelity BO loop.

Figure 1: Conceptual overview of the proposed research and mentoring framework.

2 Background

Tensegrity structures consist of isolated compression members (struts) held in equilibrium by a continuous network of tension members [Skelton and de Oliveira, 2009, Sultan, 2009]. Their defining characteristic—no two rigid bars touch—yields lightweight assemblies with surprising load-bearing capacity and tunable nonlinear responses [Amendola et al., 2014, Zhang et al., 2015]. Pajunen et al. [Pajunen et al., 2019] demonstrated that *tensegrity-inspired* unit cells can be directly 3D-printed and exhibit load-limiting plateaus under drop-weight impact. Multi-material rigid–soft printing [Ye et al., 2023, Khatri and Egan, 2024] has shown that PLA–TPU combinations printed on a single FDM platform achieve tunable energy absorption. Ye et al. demonstrated a wrapping-based strategy (rigid cores encapsulated by continuous soft skins) that prevents interface delamination and enables cyclic durability—a critical enabler for our fabrication approach.

Bayesian optimization (BO) is a sequential, model-based strategy for optimizing expensive black-

box functions using a Gaussian process surrogate [Shahriari et al., 2016, Frazier, 2018]. BO has been applied to materials discovery [Lookman et al., 2019] and metamaterial design [Wang et al., 2022]. Mo et al. [Mo et al., 2023] demonstrated **multifidelity BO** for architected materials, using simulations as a low-fidelity source and experiments as high-fidelity data. We adopt this framework: FEA simulations serve as the low-fidelity source, and 3D-printed tensegrity impact tests provide high-fidelity validation. Because MFBO effectiveness depends on adequate correlation between fidelity levels, we establish a Year 1 Go/No-Go decision gate: students will validate simulation-experiment correlation on a small calibration set before launching full optimization.

3 Student Research Project 1: Simulation and Bayesian Optimization

Student profile: One junior or senior undergraduate with coursework in mechanics of materials or computational methods.

Scope and Deliverables

This student will develop and run the computational pipeline:-

~~The work begins with~~ **Parameterize** ~~parameterizing~~ a tensegrity unit cell ~~suitable for simulation and multi-material 3D printing, including strut-strut geometry (PLA), tension element geometry (TPU), topology, and boundary conditions. conditions suitable for both simulation and multi-material 3D printing. The student will then~~ **Build** ~~build~~ finite element models ~~using ABAQUS or open-source FEA tools (e.g., (ABAQUS or FEniCS) to predict force-displacement response and energy absorption under compaction and drop-test loading. These; these simulations serve as the low-fidelity source in the multifidelity framework. Validate LF-HF correlation (Go/No-Go gate):~~

Before launching full optimization, the student will ~~run~~ **validate LF-HF correlation (Go/No-Go gate)** ~~by running~~ a small calibration set comparing simulated ~~force-displacement~~ curves against experimental results on single unit cells. If the correlation (R^2) between simulated and measured energy absorption ~~is < 0.8 falls below 0.8~~, the team will pivot to single-fidelity experimental BO, ensuring feasibility regardless of model accuracy. ~~With correlation established, the student will~~ **Implement** ~~implement~~ a multifidelity **Bayesian optimization BO** loop (following Mo et al. [Mo et al., 2023]) using ~~Python libraries (BoTorch/Ax) to efficiently explore the design space, fusing simulation predictions with experimental results from Student 2. Identify optimal designs and generate predictions for experimental validation. 2 to identify optimal designs.~~

Mentoring outcomes: The student will develop skills in finite element analysis, scientific computing (Python), and data-driven optimization. They will present results at **ASME IDETC** or **UCUR** and contribute as co-author on a journal manuscript.

4 Student Research Project 2: Fabrication, CAD, and Experimental Testing

Student profile: One junior or senior undergraduate with coursework in machine design, CAD, or compliant mechanisms.

Scope and Deliverables

This student will lead fabrication and physical testing:

The work begins with ~~Design-designing~~ **tensegrity-inspired structures in CAD** (SolidWorks or Fusion 360) for multi-material ~~3D~~-printing, with PLA struts and TPU tension elements ~~printed~~ on a single platform. Following Ye et al. [2023], we adopt a core-wrapping strategy where rigid PLA struts are encapsulated by continuous TPU skins, ensuring robust mechanical interlocking and preventing the interface delamination common in simple layered deposition.

The student will ~~Fabricate-fabricate~~ **structures** using the department's multi-material 3D printer, iterating on print parameters to achieve reliable ~~tensegrity geometries~~. ~~geometries, and then~~ ~~Conduct-conduct~~ **experimental testing**: ~~compaction~~ ~~compaction~~ tests (quasi-static compression) and drop tests (dynamic impact) following the ~~drop-weight~~ protocol of Pajunen et al. [2019]. Primary ~~performance~~-metrics are *specific energy absorption* (SEA) and *compaction efficiency* (~~ratio of absorbed energy to peak force~~)—tangible, operationally measurable outcomes suitable for undergraduate research. These experiments serve as the *high-fidelity* source. ~~Compare-experimental results~~ ~~Results are compared~~ against simulation predictions from Student 1, ~~quantifying-to quantify~~ model accuracy and ~~informing-inform~~ surrogate updates.

Mentoring outcomes: The student will develop skills in CAD, additive manufacturing, test design, and data analysis. They will present at **UCUR** or **ASME IDETC** and contribute as co-author on a journal manuscript.

5 Mentoring Environment

Each student in this program follows a structured path from guided exploration to independent research ownership, supported by layered mentoring at every stage.

Recruitment

Students will be recruited from courses in mechanics of materials, machine design, kinematics, and compliant mechanisms, targeting juniors and seniors.

Mentoring Structure

~~Weekly individual meetings (30 min)~~ Students meet individually with Profs. Hill and Baird each week (30 min) for technical guidance and professional development. ~~Weekly lab group meetings~~ and participate in weekly lab group meetings (1 hr): ~~hr~~ that include progress updates, student literature presentations, and skill-building workshops (~~covering~~ scientific writing, presentation skills,

research ethics). ~~Graduate co-mentor:~~ and research ethics. Prof. Baird’s master’s student ~~provides~~ serves as a graduate co-mentor, providing day-to-day guidance in simulation, coding, and experimental technique. ~~This;~~ this layered model ensures timely support while the graduate student develops their own mentoring skills. **Progressive responsibility:** Students begin with structured tasks and progress to independent design decisions, culminating in ownership of their research project. **Peer mentoring:** In Year 2, experienced students mentor newly recruited sophomores, creating a sustainable pipeline of trained researchers.

Student Development Outcomes

Technical risk-mitigation activities are structured as learning modules that develop transferable skills: **Technical:** On the technical side, students gain experience in experimental mechanics (test design, data acquisition, interface characterization), computation (FEA modeling, Python, Bayesian optimization), and design (CAD, multi-material 3D printing with wrapping strategies). **Communication:** Communication skills develop through lab notebooks, group presentations, conference talks, and co-authoring a peer-reviewed manuscript. **Professional:** Professional development includes project management, data-driven decision-making (interpreting Go/No-Go correlation results), ~~collaboration with interdisciplinary teams~~ interdisciplinary collaboration, and preparation for graduate school or industry careers.

6 Expected Research Outcomes

The primary outcome is ~~Trained 2 trained~~ undergraduate researchers: ~~2 students~~ with hands-on experience in advanced manufacturing, computational modeling, and data-driven optimization, prepared for graduate study or engineering careers. Students will deliver **Conference conference** ~~presentations:~~ Student-led presentations at UCUR (Utah Conference on Undergraduate Research) and at UCUR and ASME IDETC, and contribute as co-authors on a ~~ASME IDETC (International Design Engineering Technical Conferences).~~ **Journal submission:** ~~One~~ peer-reviewed manuscript submitted to the *ASME Journal of Mechanical Design* or *Smart Materials and Structures*, ~~with undergraduate students as co-authors.~~ **Open-source tools:** ~~Simulation.~~ All simulation code, optimization scripts, and experimental data will be published on GitHub for reproducibility.

7 Potential Impact of Work

This project advances architected material design for energy absorption with applications in **protective equipment** (helmets, body armor), **packaging** (shock-absorbing inserts), and **aerospace** (lightweight impact-resistant structures). By demonstrating that multifidelity BO can efficiently navigate the tensegrity design space, we establish a generalizable framework for other metamaterial classes. The interdisciplinary training prepares students for graduate study or careers in data-driven design. Open-source dissemination of tools and data extends impact beyond BYU.

Task	Y1 F	Y1 W	Y1 Su	Y2 F	Y2 W	Y2 Su
Student recruitment & onboarding	•					
Literature review	•	•				
Tensegrity parameterization & CAD	•	•				
Interface testing & print validation	•	•				
FEA simulation development		•	•			
LF–HF correlation gate (Go/No-Go)			•			
Multifidelity BO implementation			•	•	•	
Multi-material 3D printing & fabrication		•	•	•	•	
Impact testing & data collection			•	•	•	
Simulation–experiment comparison					•	
Conference presentations (UCUR/IDETC)				•	•	
Journal manuscript preparation					•	•
Peer mentoring of new students				•	•	

Table 1: Project timeline across two years (F = Fall, W = Winter, Su = Summer). Summer terms support full-time research effort.

8 Timeline

9 Budget

Total requested: **\$25,000** over 2 years. Per grant guidelines, no funds are allocated to equipment, tuition, or faculty wages.

Category	Description	Year 1	Year 2
Undergraduate wages	2 students, part-time + summer full-time	\$9,000	\$9,000
Graduate student wages	Partial RA for grad co-mentor	\$1,250	\$1,250
Supplies	Filament, load cells, DAQ, compute	\$2,000	\$500
Travel	Conference registration & travel	\$0	\$1,500
Other	Poster printing, consumables	\$250	\$250
Annual Total		\$12,500	\$12,500

Undergraduate wages (\$18,000): Supports 2 undergraduates working part-time (~10 hrs/week) during fall and winter semesters and full-time (~40 hrs/week) during summer terms for simulation, 3D printing, and testing. **Graduate student wages (\$2,500):** Prof. Baird’s master’s student serves as day-to-day co-mentor. **Supplies (\$2,500):** PLA/TPU filament, load cells, DAQ module, fasteners, and cloud compute credits (Year 1 heavy). **Travel (\$1,500):** Student presentations at ASME IDETC or UCUR (Year 2). **Other (\$500):** Poster printing, consumables, contingency.

References

Ada Amendola, Everth Hernandez-Nava, Russell Goodall, Iain Todd, Hugh Shercliff, Hugh Shercliff, and Robert E. Skelton. Experimental investigation of the softening–hardening response of tensegrity prisms under compressive loading. *Composite Structures*, 117:234–243, 2014. doi: 10.1016/j.compstruct.2014.06.025.

- Fernando Fraternali, Gerardo Carpentieri, and Ada Amendola. Tensegrity ring structures for impact protection. *International Journal of Solids and Structures*, 65–66:232–243, 2015. doi: 10.1016/j.ijsolstr.2015.03.024.
- Peter I. Frazier. A tutorial on Bayesian optimization. *arXiv preprint arXiv:1807.02811*, 2018. URL <https://arxiv.org/abs/1807.02811>.
- Nava Raj Khatri and Paul F. Egan. Energy absorption of 3D printed ABS and TPU multimaterial honeycomb structures. *3D Printing and Additive Manufacturing*, 11:e840–e850, 2024. doi: 10.1089/3dp.2022.0196.
- Turab Lookman, Prasanna V. Balachandran, Dezhen Xue, and Ruihao Yuan. Active learning in materials science with emphasis on adaptive sampling using uncertainties for targeted design. *npj Computational Materials*, 5(1):21, 2019. doi: 10.1038/s41524-019-0153-8.
- Changyu Mo, Paris Perdikaris, and Jordan R. Raney. Accelerated design of architected materials with multifidelity Bayesian optimization. *Journal of Engineering Mechanics*, 149(6):04023028, 2023. doi: 10.1061/JENMDT.EMENG-7033.
- Kirsti Pajunen, Paul Johanns, Raj Kumar Pal, Julian J. Rimoli, and Chiara Daraio. Design and impact response of 3D-printable tensegrity-inspired structures. *Materials & Design*, 182:107966, 2019. doi: 10.1016/j.matdes.2019.107966.
- Paris Perdikaris, Maziar Raissi, Andreas Damianou, Neil D. Lawrence, and George Em Karniadakis. Nonlinear information fusion algorithms for data-efficient multi-fidelity modelling. *Proceedings of the Royal Society A*, 473(2198):20160751, 2017. doi: 10.1098/rspa.2016.0751.
- Bobak Shahriari, Kevin Swersky, Ziyu Wang, Ryan P. Adams, and Nando de Freitas. Taking the human out of the loop: A review of Bayesian optimization. *Proceedings of the IEEE*, 104(1):148–175, 2016. doi: 10.1109/JPROC.2015.2494218.
- Robert E. Skelton and Mauricio C. de Oliveira. *Tensegrity Systems*. Springer, New York, 2009. doi: 10.1007/978-0-387-74242-7.
- Cornel Sultan. Tensegrity: 60 years of art, science, and engineering. *Advances in Applied Mechanics*, 43:69–145, 2009. doi: 10.1016/S0065-2156(09)43002-3.
- Yue Wang et al. Bayesian optimization for the design of mechanical metamaterials. *Journal of the Mechanics and Physics of Solids*, 159:104734, 2022. doi: 10.1016/j.jmps.2021.104734.
- Haitao Ye, Qingjiang Liu, Jianxiang Cheng, Honggeng Li, Bingcong Jian, Rong Wang, Zechu Sun, Yang Lu, and Qi Ge. Multimaterial 3D printed self-locking thick-panel origami metamaterials. *Nature Communications*, 14:1607, 2023. doi: 10.1038/s41467-023-37343-w.
- Li-Yuan Zhang, Yue Li, Yan-Ping Cao, and Xi-Qiao Feng. Tensegrity cell mechanical metamaterial with metal rubber. *Applied Physics Letters*, 106(20):201901, 2015. doi: 10.1063/1.4921402.

Biographical Sketches

Jeffrey R. Hill — Principal Investigator

Professional Preparation

Ph.D.	Mechanical Engineering	University of Utah
M.S.	Mechanical Engineering	Brigham Young University
B.S.	Mechanical Engineering	Brigham Young University

Appointments

- Associate Professor, Department of Mechanical Engineering, Brigham Young University (current)
- Research Engineer, Sandia National Laboratories (prior)

Products Most Closely Related to This Proposal

Publications and products related to smart materials, shape memory alloys, compliant mechanisms, and structural mechanics.

Synergistic Activities

- Mentoring of undergraduate and graduate students in experimental mechanics and smart materials research at BYU.
- Teaching courses in mechanics of materials, machine design, and kinematics in the Department of Mechanical Engineering.
- Collaboration with national laboratories on advanced materials characterization and structural design.

Sterling G. Baird — Co-Principal Investigator

Professional Preparation

Ph.D.	Materials Science and Engineering	University of Utah
B.S.	Materials Science and Engineering	Brigham Young University

Appointments

- Faculty, Department of Mechanical Engineering, Brigham Young University (current)

Products Most Closely Related to This Proposal

Publications and products related to materials informatics, Bayesian optimization, data-driven materials discovery, and machine learning for materials science.

Synergistic Activities

- Development of open-source tools for Bayesian optimization and materials informatics.
- Mentoring of graduate and undergraduate students in data-driven methods for materials science and engineering.
- Active contributions to the materials informatics community through publications, software, and educational resources.