



Maintenance Due List

N530BD

Make & Model (Serial)
BOMBARDIER CL 604 (5352)

Operator
Jet Linx Aviation

Reported Date
21-Apr-2026

Hours
8686.90

Landings
3999

- Major Components

Component	Model (Serial)	Hours	Cycles
Engine 1	CF34-3B (872215)	8686.90	4000.00
Engine 2	CF34-3B (872216)	8686.90	4000.00
APU 0	GTCP36-100(E) (P-223C)	10291.00	0.00

ATA / Type / Group	Description	Compliance	Intervals	Tolerance	TSN/TSO	Next Due	Remaining
10 00-00 Airframe INSPECTION #3736	Airframe Storage Requirements	10-APR-2026	D: 7			17-APR-2026 Max Next Due	M: 0 D: -19 Max Remaining
100 JLA-PF-0020 (- JLCD) Airframe INSPECTION #3325	PERFORM PREFLIGHT INSPECTION Notes (ZONE: --) (AVG MAN HRS: 3) (UPDATE NOTE: COMPLIED WITH PREFLIGHT CHECKLIST)	10-APR-2026 H: 8670.40 L: 3995	D: 10			20-APR-2026	M: 0 D: -16
49 00-90-011 APU INSPECTION #5	VERIFY APU HOURS & CYCLES (ADD 6739 HOURS TO HOBBS) Notes (AVG MAN HRS: 0.5) (UPDATE NOTE: UPDATED APU HOURS IN COMPLIANCE DATA. CURRENT: 10,289 HRS.)	30-MAR-2026 H: 10290.00	D: 30			29-APR-2026	M: 0 D: -7
00 JLA-Aircraft Records (-JLCD) Airframe INSPECTION #1083	(NON-GROUNDING, LOG ENTRY/MTR NOT REQUIRED TO COMPLETE THIS TASK) COLLECT/FILE RTS DOCUMENTATION FOR ALL MAINTENANCE PERFORMED IN THE LAST 30 DAYS. REVIEW COMPLIANCE HISTORY IN THE MAINTENANCE TRACKING SYSTEM TO CONFIRM ALL MAINTENANCE THAT WAS PERFORMED DURING THAT TIME. Notes (AVG MAN HRS: 1) (UPDATE NOTE: VERIFIED LOG ENTRIES AGAINST COMPLIANCE HISTORY.)	03-APR-2026 H: 8670.40 L: 3995	D: 30			03-MAY-2026	M: 0 D: -3
72 00-CUS-9020 Airframe INSPECTION #2884	PERFORMANCE CHECK ENGINE TREND MONITORING DATA (NON GROUNDING) Notes (AVG MAN HRS: 1) (UPDATE NOTE: COMPLIED WITH ECTM DATA DOWNLOAD AND SENT TO CAMP FOR TRACKING.)	03-APR-2026 H: 8670.40 L: 3995	M: 1			03-MAY-2026	M: 0 D: -3



Maintenance Due List

N530BD

ATA / Type / Group	Description	Compliance	Intervals	Tolerance	TSN/TSO	Next Due	Remaining
100 AFM0000 Airframe INSPECTION #1296	VERIFY REVISION STATUS OF AFM Notes (ZONE: --) (AVG MAN HRS: 1) (UPDATE NOTE: UPDATED AFM ON IPAD)	03-APR-2026 H: 8670.40 L: 3995	D: 30			03-MAY-2026	M: 0 D: -3
05 PKG 12 Month Airframe INSPECTION #3714	12 MONTHLY TASKS Notes (AVG MAN HRS: 48) (APX COST: 3,288.94) (TOL. ADJUSTMENT: -37D) (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025) (NOTE: SDL MX CAPABLE)	31-MAY-2025 H: 8649.70 L: 3986	M: 12	M: 1		23-APR-2026 Max Next Due M(+1): 23-MAY -2026	M: 0 D: -13 Max Remaining M(+1): 1
25 29-00-601 Airframe INSPECTION #1588	INSPECT INTERIOR DRAWERS, DOORS, AND CABINETS Notes (TOL. ADJUSTMENT: -37D) (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)	31-MAY-2025 H: 8649.70 L: 3986	M: 12	M: 1		23-APR-2026 Max Next Due M(+1): 23-MAY -2026	M: 0 D: -13 Max Remaining M(+1): 1
25 30-00-001 Airframe INSPECTION #2259	GALLEY - VISUALLY INSPECT GENERAL CONDITION AND SECURITY. Notes (TOL. ADJUSTMENT: -37D) (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)	31-MAY-2025 H: 8649.70 L: 3986	M: 12	M: 1		23-APR-2026 Max Next Due M(+1): 23-MAY -2026	M: 0 D: -13 Max Remaining M(+1): 1
33 51-51-711 Airframe INSPECTION #2308	EMERGENCY LIGHTING SYSTEM - OPERATIONAL TEST Notes (TOL. ADJUSTMENT: -37D) (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)	31-MAY-2025 H: 8649.70 L: 3986	M: 12	M: 1		23-APR-2026 Max Next Due M(+1): 23-MAY -2026	M: 0 D: -13 Max Remaining M(+1): 1



Maintenance Due List

06-May-2026 12:25 Z

N530BD

ATA / Type / Group	Description	Compliance	Intervals	Tolerance	TSN/TSO	Next Due	Remaining
00 JLA-Monthly0021(-JLCD) Airframe INSPECTION #1768	MONTHLY MAINTENANCE ITEMS CHECK Notes (AVG MAN HRS: 2) (UPDATE NOTE: COMPLIED WITH MONTHLY CHECKLIST)	03-APR-2026 H: 8670.40 L: 3995	D: 30	D: 7		03-MAY-2026 Max Next Due D(+7): 10-MAY-2026	M: 0 D: -3 Max Remaining D(+7): 4
72 00-00 Engine 1 INSPECTION #952	Engine Run - Prevent Storage Program Requirements (for each engine)	10-APR-2026 H: 8670.40 C: 3996	D: 30			10-MAY-2026 Max Next Due	M: 0 D: 4 Max Remaining
72 00-00 Engine 2 INSPECTION #955	Engine Run - Prevent Storage Program Requirements (for each engine)	10-APR-2026 H: 8670.40 C: 3996	D: 30			10-MAY-2026 Max Next Due	M: 0 D: 4 Max Remaining
05 M006 Airframe INSPECTION #2648	6 MONTH CHECK Notes (AVG MAN HRS: 16) (TOL. ADJUSTMENT: -17D) (UPDATE NOTE: COMPLIED WITH 6 MONTH CHECK TASKS IAW CL604 MPD REV 35 SECTION 2.4)	17-DEC-2025 H: 8670.40 L: 3995	M: 6	M: 1		31-MAY-2026 Max Next Due M(+1): 30-JUN-2026	M: 0 D: 25 Max Remaining M(+1): 1
25 00-ICA-9001 Airframe INSPECTION #1821	INSPECT RIGHT HAND GALLEY - 12 MONTH PER GULFSTREAM AEROSPACE ICA DOCUMENT CBB2801A002 Notes (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)	31-MAY-2025 H: 8649.70 L: 3986	M: 12			31-MAY-2026	M: 0 D: 25
25 00-ICA-9001A Airframe INSPECTION #2385	RIGHT HAND GALLEY WATER FILTER - 12 MONTH PER GULFSTREAM AEROSPACE ICA DOCUMENT CBB2801A002 Notes (AVG MAN HRS: 1.5) (APX COST: 210.45) (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)	31-MAY-2025 H: 8649.70 L: 3986	M: 12			31-MAY-2026	M: 0 D: 25



Maintenance Due List

N530BD

ATA / Type / Group	Description	Compliance	Intervals	Tolerance	TSN/TSO	Next Due	Remaining
25 00-ICA-9003 Airframe INSPECTION #2277	INSPECT (GENERAL VISUAL) CABIN INTERIOR - 12 MONTH/400 HOUR PER GULFSTREAM DOC. NO. CBD4468A002	31-MAY-2025 H: 8649.70 L: 3986	M: 12 H: 400.00	M: 1 H: 30.00		31-MAY-2026 H: 9049.70	M: 0 D: 25 H: 362.80 Max Next Due M(+1): 30-JUN-2026 H(+30.00): 9079.70 Max Remaining M(+1): 1 H(+30.00): 392.80
Notes (AVG MAN HRS: 2) (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)							
25 00-ICA-9008 Airframe INSPECTION #3226	INSPECTION CABIN INTERIOR - 12 MONTH PER GULFSTREAM DOC. NO. CBD4468A002	31-MAY-2025 H: 8649.70 L: 3986	M: 12			31-MAY-2026	M: 0 D: 25
Notes (AVG MAN HRS: 1) (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)							
25 60-00-201 Airframe INSPECTION #331	OPERATIONAL TEST OF THE EMERGENCY LOCATOR TRANSMITTER (ELT) SYSTEM	31-MAY-2025 H: 8649.70 L: 3986	M: 12			31-MAY-2026	M: 0 D: 25
Notes (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)							
25 60-00-203 Airframe INSPECTION #2920	DETAILED INSPECTION OF THE EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY	31-MAY-2025 H: 8649.70 L: 3986	M: 12			31-MAY-2026	M: 0 D: 25
Notes (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)							
25 60-00-603 Airframe INSPECTION #262	INSPECT DETAILED OF LIFE RAFTS EXPIRATION DATE	31-MAY-2025 H: 8649.70 L: 3986	M: 12			31-MAY-2026	M: 0 D: 25
Notes (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)							



Maintenance Due List

N530BD

ATA / Type / Group	Description	Compliance	Intervals	Tolerance	TSN/TSO	Next Due	Remaining
25 62.00.1 Airframe INSPECTION #2093	EMERGENCY LOCATOR TRANSMITTER (ELT) GENERAL VISUAL INSPECTION. REF. BOMBARDIER DOC. NO. BAS63017002-SM-1	31-MAY-2025 H: 8649.70 L: 3986	M: 12			31-MAY-2026	M: 0 D: 25
	Notes (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)						
25 62-00.2 Airframe INSPECTION #415	EMERGENCY LOCATOR TRANSMITTER (ELT) ANTENNA GENERAL VISUAL INSPECTION. REF. BOMBARDIER DOC. NO. BAS63017002-SM-1	31-MAY-2025 H: 8649.70 L: 3986	M: 12			31-MAY-2026	M: 0 D: 25
	Notes (AVG MAN HRS: 1) (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)						
25 6201-001C Airframe INSPECTION #2417	ELT INSPECT	31-MAY-2025 H: 8649.70 L: 3986	M: 12			31-MAY-2026	M: 0 D: 25
	Notes (AVG MAN HRS: 0.5) (APX COST: 987.69) (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)						
25 9320 Airframe INSPECTION #737	FIRST AID KIT INSPECTION	31-MAY-2025 H: 8649.70 L: 3986	M: 12			31-MAY-2026	M: 0 D: 25
	Notes (AVG MAN HRS: 1) (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)						
25 9990 Airframe INSPECTION #2084	DEFIBRILLATOR VISUAL INSPECTION	31-MAY-2025 H: 8649.70 L: 3986	M: 12			31-MAY-2026	M: 0 D: 25
	Notes (ZONE: --) (AVG MAN HRS: 2) (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)						
25 FAR 91.207 Airframe INSPECTION FAA #1777	EMERGENCY LOCATOR TRANSMITTER (ELT) INSPECTION AND TEST PER FAR 91.207 (D)	31-MAY-2025 H: 8649.70 L: 3986	M: 12			31-MAY-2026	M: 0 D: 25
	Notes (AVG MAN HRS: 0.5) (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025) (ISSUING AUTHORITY: FAA)						



Maintenance Due List

N530BD

ATA / Type / Group	Description	Compliance	Intervals	Tolerance	TSN/TSO	Next Due	Remaining
26 JLA-FIREEXTMTLY26-(-JLCD) Airframe INSPECTION #241	CABIN & COCKPIT FIRE EXTINGUISHER VISUAL INSPECTION	03-APR-2026 H: 8670.40 L: 3995	D: 30			31-MAY-2026	M: 0 D: 25
Notes (ZONE: --) (AVG MAN HRS: 0.5) (UPDATE NOTE: COMPLIED WITH COCKPIT AND CABIN FIRE EXTINGUISHER VISUAL CHECKS.)							
31 2101-002A Airframe INSPECTION #1683	RIGHT REPLACE NO. 2 DIGITAL CLOCK BATTERIES (AA)	31-MAY-2025 H: 8649.70 L: 3986	M: 12			31-MAY-2026	M: 0 D: 25
Notes (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)							
34 9000 Airframe INSPECTION #2883	JLAC AVIONICS INSPECTION #1	31-MAY-2025 H: 8649.70 L: 3986	M: 12			31-MAY-2026	M: 0 D: 25
Notes (ZONE: --) (AVG MAN HRS: 3) (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)							
35 T.M5352-0256 Oxygen 1 Airframe INSPECTION #1738	OXYGEN SYSTEM OPERATIONAL & MASK DROP TEST. REFERENCE BOMBARDIER COMPLETION CENTRE REPORT NO. T.M5352-0256	31-MAY-2025 H: 8649.70 L: 3986	M: 12			31-MAY-2026	M: 0 D: 25
Notes (AVG MAN HRS: 2) (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)							
35 T.M5352-0256 Oxygen 2 Airframe INSPECTION #84	OXYGEN SYSTEM MASK INSPECTION. REFERENCE BOMBARDIER COMPLETION CENTRE REPORT NO. T.M5352-0256	31-MAY-2025 H: 8649.70 L: 3986	M: 12			31-MAY-2026	M: 0 D: 25
Notes (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)							



Maintenance Due List

06-May-2026 12:25 Z

N530BD

ATA / Type / Group	Description	Compliance	Intervals	Tolerance	TSN/TSO	Next Due	Remaining
35 T.M5352-0256 Oxygen 3 Airframe INSPECTION #2088	OXYGEN SYSTEM LINES, FITTINGS AND HARDWARE INSPECTION. REFERENCE BOMBARDIER COMPLETION CENTRE REPORT NO. T.M5352-0256	31-MAY-2025 H: 8649.70 L: 3986	M: 12			31-MAY-2026	M: 0 D: 25
Notes (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)							
35 T.M5352-0256 Oxygen 4 Airframe INSPECTION #1542	OXYGEN SYSTEM FLEXIBLE LINE INSPECTION. REFERENCE BOMBARDIER COMPLETION CENTRE REPORT NO. T.M5352-0256	31-MAY-2025 H: 8649.70 L: 3986	M: 12			31-MAY-2026	M: 0 D: 25
Notes (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)							
35 T.M5352-0256 Oxygen 6 Airframe INSPECTION #3285	PORTABLE OXYGEN BOTTLE ANNUAL INSPECTION. REFERENCE BOMBARDIER COMPLETION CENTRE REPORT NO. T.M5352-0256	31-MAY-2025 H: 8649.70 L: 3986	M: 12			31-MAY-2026	M: 0 D: 25
Notes (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)							
35 T.M5352-0256 Oxygen 7 Airframe INSPECTION #2424	PORTABLE OXYGEN BOTTLE MASK ANNUAL INSPECTION. REFERENCE BOMBARDIER COMPLETION CENTRE REPORT NO. T.M5352-0256	31-MAY-2025 H: 8649.70 L: 3986	M: 12			31-MAY-2026	M: 0 D: 25
Notes (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)							
38 T.M5352-0256 OVBD SVC Airframe INSPECTION #270	INSPECT OVERBOARD SERVICING FOR LEAKAGE, SPILLAGE, CORROSION. DOOR HINGES & LATCHES FOR WEAR AND SECURITY. REFERENCE BOMBARDIER COMPLETION CENTRE REPORT NO. T.M5352-0256	31-MAY-2025 H: 8649.70 L: 3986	M: 12			31-MAY-2026	M: 0 D: 25
Notes (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)							



Maintenance Due List

N530BD

ATA / Type / Group	Description	Compliance	Intervals	Tolerance	TSN/TSO	Next Due	Remaining
38 T.M5352-0256 Toilet 1 Airframe INSPECTION #1461	INSPECT TOILET ENCLOSURE AREA FOR SPILLAGE AND CORROSION. REFERENCE BOMBARDIER COMPLETION CENTRE REPORT NO. T.M5352-0256 Notes (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)	31-MAY-2025 H: 8649.70 L: 3986	M: 12			31-MAY-2026	M: 0 D: 25
26 Airframe PART - Life Limited #745	APU CARTRIDGE, FIREX Part Number M897776-01 Serial Number 12807 Notes (AVG MAN HRS: 2) (NOTE: * (ONE STAR) SHOWS THAT THE TASK IS MANDATORY AND CANNOT BE CHANGED, ESCALATED (INCREASED) OR DELETED WITHOUT THE APPROVAL OF THE CERTIFICATION AIRWORTHINESS AUTHORITY.)	26-JUL-2019 H: 8476.10 L: 2770	M: 120		M: 0	01-JUN-2026	M: 0 D: 26
111 JLA-Planning-MX Projection Airframe INSPECTION #467	MX PROJECTION REVIEW/UPDATE (NONGROUNDING) Notes (AVG MAN HRS: 4)	10-MAR-2026 H: 8670.40 L: 3995	M: 4			10-JUL-2026	M: 2 D: 4
25 60-00-007 Airframe INSPECTION #1531	COPILOT CREW LIFE VEST COPILOT - RETURN TO AUTHORIZED SERVICE CENTER FOR MAINTENANCE INSPECTION Notes (UPDATE NOTE: REMOVED COPILOT LIFE VEST, P/N P01074-101C S/N 20011360020 AND REPLACED WITH NEW LIFE VEST, P/N P0174-101C S/N 2107110041, IAW GULFSTREAM ICA REPORT CBD 4468A002 CHAPTER 25-60-00. INSPECTION OF LIFE VEST DUE 01/2026 DOM JUL/2021)	22-JAN-2025 H: 8628.90 L: 3975	M: 60			31-AUG-2026	M: 3 D: 25
25 60-00-007 Airframe INSPECTION #429	JUMPSEAT CREW LIFE VEST JUMPSEAT - RETURN TO AUTHORIZED SERVICE CENTER FOR MAINTENANCE INSPECTION Notes (UPDATE NOTE: REMOVED JUMP SEAT LIFE VEST, P/N P01074-101C S/N 20011360109 AND REPLACED WITH NEW LIFE VEST, P/N P0174-101C S/N 2107110058, IAW GULFSTREAM ICA REPORT CBD 4468A002 CHAPTER 25-60-00. INSPECTION OF LIFE VEST DUE 01/2026 DOM JUL/2021)	22-JAN-2025 H: 8628.90 L: 3975	M: 60			31-AUG-2026	M: 3 D: 25



Maintenance Due List

06-May-2026 12:25 Z

N530BD

ATA / Type / Group	Description	Compliance	Intervals	Tolerance	TSN/TSO	Next Due	Remaining
25 60-00-007 Airframe INSPECTION #441	PILOT CREW LIFE VEST PILOT - RETURN TO AUTHORIZED SERVICE CENTER FOR MAINTENANCE INSPECTION	22-JAN-2025 H: 8628.90 L: 3975	M: 60			31-AUG-2026	M: 3 D: 25
Notes (UPDATE NOTE: REMOVED PILOT SEAT LIFE VEST, P/N P01074-101C S/N 20011360203 AND REPLACED WITH NEW LIFE VEST, P/N P0174-101C S/N 2107110042, IAW GULFSTREAM ICA REPORT CBD 4468A002 CHAPTER 25-60-00. INSPECTION OF LIFE VEST DUE 01/2026 DOM JUL/2021)							
34 9999.1 Airframe INSPECTION #1263	EGPWS DATABASE UPDATE	29-OCT-2025 H: 8656.00 L: 3990	M: 12			31-OCT-2026	M: 5 D: 25
Notes (ZONE: --) (UPDATE NOTE: WORK ACCOMPLISHED BY DIRECT MX CRS # FMSR378E DATED 10/29/2025 SEE WORK ORDER # CRS250482.)							
SB 604-35-007 R1 Part B Airframe SB - Open #930	SPECIAL CHECK/MODIFICATION - PASSENGER OXYGEN SUPPLY SYSTEM - VALIDATION AND MODIFICATION FOR INCORRECT LANYARD LENGTH OF THE PASSENGER OXYGEN MASK - MODIFICATION - REPLACEMENT OF OXYGEN MASK		M: 60			13-DEC-2026	M: 7 D: 7
Notes (AVG MAN HRS: 1) (NOTE: COMPLIANCE: RECOMMENDED WITHIN 5 YEARS FROM THIS SB RELEASE (BASIC ISSUE))							
31 2101-001A Airframe INSPECTION #2334	LEFT REPLACE NO. 1 DIGITAL CLOCK BATTERIES (AA)	17-DEC-2025 H: 8670.40 L: 3995	M: 12			17-DEC-2026	M: 7 D: 11
Notes (AVG MAN HRS: 1.5) (UPDATE NOTE: COMPLIED WITH REPLACEMENT OF NO.1 DAVTRON DIGITAL CLOCK BATTERY IAW CL604 AMM CH 31-21-01. OPS CHECK GOOD.)							
25 60-00-007 Airframe INSPECTION #209	NO.2 PASSENGER LIFE VEST - RETURN TO AUTHORIZED SERVICE CENTER FOR MAINTENANCE INSPECTION	25-APR-2022 H: 7477.20 L: 3329	M: 60			31-JAN-2027	M: 8 D: 25
Notes (UPDATE NOTE: WORK PERFORMED BY JET EAST CRS VYQR491Y ON WO DALM-21906)							
25 60-00-007 Airframe INSPECTION #3143	NO.3 PASSENGER LIFE VEST - RETURN TO AUTHORIZED SERVICE CENTER FOR MAINTENANCE INSPECTION	25-APR-2022 H: 7477.20 L: 3329	M: 60			31-JAN-2027	M: 8 D: 25
Notes (UPDATE NOTE: WORK PERFORMED BY JET EAST CRS VYQR491Y ON WO DALM-21906)							



Maintenance Due List

N530BD

ATA / Type / Group	Description	Compliance	Intervals	Tolerance	TSN/TSO	Next Due	Remaining
25 60-00-007 Airframe INSPECTION #2841	NO.4 PASSENGER LIFE VEST - RETURN TO AUTHORIZED SERVICE CENTER FOR MAINTENANCE INSPECTION	25-APR-2022 H: 7477.20 L: 3329	M: 60			31-JAN-2027	M: 8 D: 25
Notes (UPDATE NOTE: WORK PERFORMED BY JET EAST CRS VYQR491Y ON WO DALM-21906)							
25 60-00-007 Airframe INSPECTION #1512	NO.5 PASSENGER LIFE VEST - RETURN TO AUTHORIZED SERVICE CENTER FOR MAINTENANCE INSPECTION	25-APR-2022 H: 7477.20 L: 3329	M: 60			31-JAN-2027	M: 8 D: 25
Notes (UPDATE NOTE: WORK PERFORMED BY JET EAST CRS VYQR491Y ON WO DALM-21906)							
25 60-00-007 Airframe INSPECTION #615	NO.6 PASSENGER LIFE VEST - RETURN TO AUTHORIZED SERVICE CENTER FOR MAINTENANCE INSPECTION	12-JUL-2022 H: 7626.60 L: 3406	M: 60			31-JAN-2027	M: 8 D: 25
Notes (UPDATE NOTE: COMPLIED WITH INSPECTION 25-60-00-007, NO.6 PASSENGER LIFE VEST - RETURN TO AUTHORIZED SERVICE CENTER FOR MAINTENANCE INSPECTION, BY INSTALLATION OF NEW LIFE VEST. REMOVED NO. 6 LIFE VEST, P/N P01074-101W S/N 17101310046 AND INSTALLED NEW LIFE VEST, P/N P01074-101W S/N 22010750027 IAW GULFSTREAM INSTRUCTIONS FOR CONTINUED AIRWORTHINESS REPORT NO. CBD4468A002 CHAPTER 25-60-00. DOM 26-JAN-2022, NEXT INSPECTION DUE 31-JAN-2027.)							
25 60-00-007 Airframe INSPECTION #2191	NO.7 PASSENGER LIFE VEST - RETURN TO AUTHORIZED SERVICE CENTER FOR MAINTENANCE INSPECTION	25-APR-2022 H: 7477.20 L: 3329	M: 60			31-JAN-2027	M: 8 D: 25
Notes (UPDATE NOTE: WORK PERFORMED BY JET EAST CRS VYQR491Y ON WO DALM-21906)							
26 2303 Airframe INSPECTION #763	COCKPIT WEIGHT CHECK COCKPIT (HALON) FIRE EXTINGUISHER PORTABLE	01-FEB-2026 H: 8670.40 L: 3995	M: 12			01-FEB-2027	M: 8 D: 26
Notes (AVG MAN HRS: 0.5) (UPDATE NOTE: COMPLIED WITH INSPECTION 262303 COCKPIT WEIGHT CHECK COCKPIT (HALON) BOTTLE WEIGHT 3.16 OZ 29-JAN-2025.)							



Maintenance Due List

N530BD

ATA / Type / Group	Description	Compliance	Intervals	Tolerance	TSN/TSO	Next Due	Remaining
AD 2025-22-04 Airframe AD - Open FAA #2987	FLIGHT CONTROLS - FLAP SYSTEM ON-BOARD RECORDER (FSOBR) EFFECTS ON FLAP CONTROL UNIT - DISCONNECTION AND INSTALLATION PROHIBITION OF THE FSOBR Notes (ISSUING AUTHORITY: FAA) (NOTE: APPLICABILITY: THIS AD APPLIES TO ALL BOMBARDIER, INC., MODEL CL-600-2B16 (604 VARIANT) AIRPLANES, CERTIFICATED IN ANY CATEGORY. COMPLIANCE: FOR AIRPLANES THAT HAVE INCORPORATED BOMBARDIER SERVICE BULLETIN 604-27-035, BOMBARDIER SERVICE BULLETIN 605-27-006, OR BOMBARDIER SERVICE BULLETIN 650-27-001 AS OF THE EFFECTIVE DATE OF THIS AD: WITHIN 1,000 FLIGHT HOURS OR 14 MONTHS, WHICHEVER OCCURS FIRST, AFTER THE EFFECTIVE DATE OF THIS AD, DISCONNECT THE FSOBR IN ACCORDANCE WITH SECTION 2.B OF THE ACCOMPLISHMENT INSTRUCTIONS OF THE APPLICABLE SERVICE BULLETIN LISTED IN TABLE 1 TO PARAGRAPH (G) OF THIS AD.)		M: 14 H: 1000.00			23-FEB-2027 H: 9671.70	M: 9 D: 17 H: 984.80
26 2505-701B Airframe INSPECTION #1341	CABIN WEIGHT CHECK FIRE EXTINGUISHER PORTABLE BOTTLE 26-25-00-9002 - FIRE EXT HALON TYPE Notes (AVG MAN HRS: 0.5) (UPDATE NOTE: COMPLIED WITH 262505-701B, WEIGHT CHECK OF CABIN FIRE EXTINGUISHER, IAW PLACARDED INSTRUCTIONS. WEIGHT FOUND WITHIN LIMITS. WEIGHT 5 LBS. 5 OZ. REMOVED CABIN FIRE EXTINGUISHER P/N 30H673 S/N F-68184866 AND INSTALLED NEW PORTABLE FIRE EXTINGUISHER P/N 30H673 S/N I-48489258 IAW BOMBARDIER CL 604 AMM 26-26-01. DOM 20/DEC/2024)	01-FEB-2026 H: 8670.40 L: 3995	M: 12			28-FEB-2027	M: 9 D: 22
27 42-01-110 Airframe INSPECTION #3353	SPECIAL DETAILED INSPECTION OF THE HORIZONTAL STABILIZER TRIM ACTUATOR (HSTA), PART NO. 604-92305-7 AND SUBS (VENDOR PART NO. 8454-3 AND SUBS) Notes (AVG MAN HRS: 31) (NOTE: ** (TWO STARS) SHOWS THAT THE TASK INTERVAL CAN BE ADJUSTED TO AGREE WITH AN OPERATOR'S APPROVED ESCALATION PRACTICES OR AN APPROVED RELIABILITY PROGRAM, BUT THE TASK CAN NOT BE CHANGED OR DELETED WITHOUT PRIOR APPROVAL OF THE AIRWORTHINESS AUTHORITY.)	23-MAR-2017 H: 5979.10 L: 2576	M: 120			23-MAR-2027	M: 10 D: 17
25 00-KCA-9174 Airframe INSPECTION #2810	NO.2 LIFE RAFT - RECERTIFICATION Notes (AVG MAN HRS: 3) (UPDATE NOTE: INSTALLED OVERHAULED NO. 2 LIFE RAFT P/N RAF1210-305T1 S/N 1054KO ON AIRCRAFT AFTER OVERHAUL. LIFE RAFT OVERHAULED BY SAFETECH FORM TRACKING NUMBER WSM2400108 WORK ORDER WSM2400108 RO-6340-N530BD CRS# WV1R599K DATED 29-MAR-2024)	10-APR-2024 H: 8348.50 L: 3805	M: 36			29-MAR-2027	M: 10 D: 23



Maintenance Due List

N530BD

ATA / Type / Group	Description	Compliance	Intervals	Tolerance	TSN/TSO	Next Due	Remaining
AD 2025-0088 Airframe AD - Open EASA #1535	NAVIGATION - SATELLITE BASED AUGMENTATION SYSTEMS / GLOBAL POSITIONING SYSTEM RECEIVER - REPLACEMENT Notes (ISSUING AUTHORITY: EASA) (NOTE: APPLICABILITY: ROCKWELL COLLINS GPS-4000S, GLU-2100, GLUS-2100 AND GLUS-2100A RECEIVERS, HAVING A PART NUMBER (P/N) AS LISTED IN APPENDIX 1 OF THIS AD, ALL SERIAL NUMBERS. AFFECTED PART: ANY ROCKWELL COLLINS (COLLINS) SATELLITE BASED AUGMENTATION SYSTEMS (SBAS) RECEIVER GPS-4000S, GLU-2100, GLUS-2100 AND GLUS-2100A, HAVING HARDWARE AND OPERATIONAL PROGRAM SOFTWARE (OPS) P/N AS IDENTIFIED IN APPENDIX 1 OF THIS AD. COMPLIANCE: FOR AFFECTED AEROPLANES HAVING AIRWORTHINESS APPROVAL FOR LPV-200 OPERATIONS: WITHIN 2 YEARS AFTER THE EFFECTIVE DATE OF THIS AD, OR BEFORE NEXT FLIGHT AFTER HAVING OBTAINED THE AIRWORTHINESS APPROVAL FOR LPV-200 OPERATIONS, WHICHEVER OCC		M: 24			30-APR-2027	M: 11 D: 24
05 PKG 24 Month Airframe INSPECTION #2311	24 MONTHLY TASKS Notes (AVG MAN HRS: 3.5) (TOL. ADJUSTMENT: -1D) (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)	31-MAY-2025 H: 8649.70 L: 3986	M: 24	M: 1		29-MAY-2027 Max Next Due M(+1): 29-JUN-2027	M: 12 D: 23 Max Remaining M(+1): 13
23 71-00-203 Airframe INSPECTION #1261	OPERATIONAL TEST OF THE COCKPIT VOICE RECORDER (CVR) UNDERWATER LOCATING DEVICE (ULD) Notes (MANUAL ADJUSTMENT: 0D) (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025) (NOTE: NOTE 3: TASK AND INTERVAL MAY BE PART OF THE OPERATOR'S NATIONAL REGULATIONS. WHENEVER A TASK HAS TWO INTERVALS, ONE BEING NOTE 3", THE GREATER INTERVAL IS RECOMMENDED. WHEN A NATIONAL REGULATION DOES NOT EXIST, THE MRB REPORT INTERVAL SHALL BE FOLLOWED.)	31-MAY-2025 H: 8649.70 L: 3986	M: 24			31-MAY-2027	M: 12 D: 25
25 00-ICA-9002 Airframe INSPECTION #1193	INSPECTION RIGHT HAND GALLEY 24 MONTH PER GULFSTREAM DOC. NO. CBB2801A002 Notes (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)	31-MAY-2025 H: 8649.70 L: 3986	M: 24	M: 2		31-MAY-2027 Max Next Due M(+2): 31-JUL-2027	M: 12 D: 25 Max Remaining M(+2): 14
25 21-00-602 Airframe INSPECTION #1769	DETAILED INSPECTION PASSENGER SEATS RESTRAINTS Notes (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)	31-MAY-2025 H: 8649.70 L: 3986	M: 24	M: 1		31-MAY-2027 Max Next Due M(+1): 30-JUN-2027	M: 12 D: 25 Max Remaining M(+1): 13



Maintenance Due List

N530BD

ATA / Type / Group	Description	Compliance	Intervals	Tolerance	TSN/TSO	Next Due	Remaining
31 31-00-202 Airframe INSPECTION #3443	OPERATIONAL TEST OF THE DIGITAL FLIGHT DATA RECORDER (FDR) UNDERWATER LOCATING DEVICE (ULD)	31-MAY-2025 H: 8649.70 L: 3986	M: 24			31-MAY-2027	M: 12 D: 25
Notes (MANUAL ADJUSTMENT: 0D) (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025) (NOTE: NOTE 3: TASK AND INTERVAL MAY BE PART OF THE OPERATOR'S NATIONAL REGULATIONS. WHENEVER A TASK HAS TWO INTERVALS, ONE BEING NOTE 3", THE GREATER INTERVAL IS RECOMMENDED. WHEN A NATIONAL REGULATION DOES NOT EXIST, THE MRB REPORT INTERVAL SHALL BE FOLLOWED.)							
34 9001 Airframe INSPECTION #2160	JLAC AVIONICS INSPECTION #2	31-MAY-2025 H: 8649.70 L: 3986	M: 24			31-MAY-2027	M: 12 D: 25
Notes (ZONE: --) (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)							
34 9002 Airframe INSPECTION #466	JLAC AVIONICS INSPECTION #3	31-MAY-2025 H: 8649.70 L: 3986	M: 24			31-MAY-2027	M: 12 D: 25
Notes (ZONE: --) (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)							
34 FAR 91.411 Airframe INSPECTION FAA #1808	ALTIMETER STANDBY INDICATOR TESTS AND INSPECTIONS PER FAR 91.411	31-MAY-2025 H: 8649.70 L: 3986	M: 24			31-MAY-2027	M: 12 D: 25
Notes (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025) (ISSUING AUTHORITY: FAA)							
34 FAR 91.411 Airframe INSPECTION FAA #1028	NO.1 AIR DATA COMPUTER TESTS AND INSPECTIONS PER FAR 91.411 APPENDIX E OF PART 43	31-MAY-2025 H: 8649.70 L: 3986	M: 24			31-MAY-2027	M: 12 D: 25
Notes (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025) (ISSUING AUTHORITY: FAA)							



Maintenance Due List

N530BD

ATA / Type / Group	Description	Compliance	Intervals	Tolerance	TSN/TSO	Next Due	Remaining
34 FAR 91.411 Airframe INSPECTION FAA #1220	NO.2 AIR DATA COMPUTER TESTS AND INSPECTIONS PER FAR 91.411 APPENDIX E OF PART 43 Notes (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025) (ISSUING AUTHORITY: FAA)	31-MAY-2025 H: 8649.70 L: 3986	M: 24			31-MAY-2027	M: 12 D: 25
34 FAR 91.413 Airframe INSPECTION FAA #510	LEFT ATC TRANSPONDER TEST AND INSPECTIONS PER FAR 91.413 APPENDIX F OF PART 43. Notes (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025) (ISSUING AUTHORITY: FAA)	31-MAY-2025 H: 8649.70 L: 3986	M: 24			31-MAY-2027	M: 12 D: 25
34 FAR 91.413 Airframe INSPECTION FAA #2207	RIGHT ATC TRANSPONDER TEST AND INSPECTIONS PER FAR 91.413 APPENDIX F OF PART 43 Notes (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025) (ISSUING AUTHORITY: FAA)	31-MAY-2025 H: 8649.70 L: 3986	M: 24			31-MAY-2027	M: 12 D: 25
102 JLA-Programs- REG-NOAA-Life Raft-1 Airframe INSPECTION #999	#1 LIFE RAFT 406 MHZ ELT-NOAA REGISTRATION RENEWAL (25-NOAA) Notes (UPDATE NOTE: ELT HEX ADCC408DE8001BD)	02-JUL-2025	M: 24			02-JUL-2027	M: 13 D: 26
38 T.M5352-0256 Toilet 2 Airframe INSPECTION #1804	INSPECT TOILET FOR SECURITY OF ATTACHMENT TO FLOOR AND FRAME STRUCTURE. REFERENCE BOMBARDIER COMPLETION CENTRE REPORT NO. T.M5352-0256 Notes (UPDATE NOTE: WORK PERFORMED BY WEST STAR AVIATION CRS 3WTR399B ON WO CL5851)	11-JUL-2023 H: 8075.40 L: 3647	M: 48 H: 1600.00			11-JUL-2027 H: 9675.40	M: 14 D: 5 H: 988.50
08 0005 Airframe INSPECTION #1663	36 MONTH AIRCRAFT WEIGH Notes (UPDATE NOTE: WORK PERFORMED BY STANDARD AERO CRS UO2R221L ON WO 377320)	05-JUL-2024 H: 8455.80 L: 3862	M: 36			31-JUL-2027	M: 14 D: 25



Maintenance Due List

N530BD

ATA / Type / Group	Description	Compliance	Intervals	Tolerance	TSN/TSO	Next Due	Remaining
25 1897-701A Airframe INSPECTION #2468	NO.1 RECERTIFY LIFE RAFT	28-AUG-2024 H: 8524.50 L: 3908	M: 36			31-JUL-2027	M: 14 D: 25
Notes (UPDATE NOTE: INSTALLED OVERHAULED #1 LIFE RAFT P/N: RAF1210-311T1, S/N: 1121062491H, SAFETECH USA INC. TRACKING #WSM2411359, WORK ORDER #WSM241135924294, CRS #WV1R599K, DATED 29-JUL-2024. HYDRO DATE: 07/2024, NEXT HYDRO DUE: 07/2029. ELT S/N: 24321, ELT BEACON ID: 09082. ELT BATTERY EXP: 03/2029. HEX ID: ADCC408DE8001BD. NEXT LIFE RAFT SERVICE DATE 07/2027.)							
25 9991 Airframe PART - Life Limited #3396	DEFIBRILLATOR SMART PADS Part Number 989803139261 Serial Number 241022-0952	19-SEP-2025 H: 8650.80 L: 3987	M: 24		M: 0	19-SEP-2027	M: 16 D: 13
Notes (UPDATE NOTE: REMOVED OLD DEFIBRILLATOR PADS P/N 989803139261 S/N 230517-0957 AND INSTALLED NEW DEFIBRILLATOR PADS P/N 989803139261 S/N 241022-0952 EXPIRES 22/APR/2027 IAW BOMBARDIER CL 604 AMM 24-32-01.)							
102 JLA-Programs- REG-NOAA-Aircraft Airframe INSPECTION #2659	406 MHZ ELT-NOAA REGISTRATION RENEWAL (25-NOAA)	24-SEP-2025	M: 24			24-SEP-2027	M: 16 D: 18
Notes (UPDATE NOTE: ELT HEX 2DC843BB5EFFBFF)							
102 JLA-Programs- REG-NOAA-Life Raft-2 Airframe INSPECTION #2390	#2 LIFE RAFT 406 MHZ ELT-NOAA REGISTRATION RENEWAL (25-NOAA)	24-SEP-2025	M: 24			24-SEP-2027	M: 16 D: 18
Notes (UPDATE NOTE: ELT HEX ADCC08883700401)							
25 60-00-007 Airframe INSPECTION #3052	NO.9 PASSENGER LIFE VEST - RETURN TO AUTHORIZED SERVICE CENTER FOR MAINTENANCE INSPECTION	05-JUL-2024 H: 8455.80 L: 3862	M: 60	M: 1		01-NOV-2027 Max Next Due M(+1): 01-DEC -2027	M: 17 D: 26 Max Remaining M(+1): 18
Notes (UPDATE NOTE: WORK PERFORMED BY STANDARD AERO CRS UO2R221L ON WO 377320)							



Maintenance Due List

N530BD

ATA / Type / Group	Description	Compliance	Intervals	Tolerance	TSN/TSO	Next Due	Remaining
34 JLA-RVSM34-(-JLCD) Airframe INSPECTION #1267	REDUCED VERTICAL SEPARATION MINIMUM (RVSM) MONITORING REQUIREMENTS	01-NOV-2025 H: 8661.90	M: 24 H: 1000.00			01-NOV-2027 H: 9661.90	M: 17 D: 26 H: 975.00
Notes (AVG MAN HRS: 0.5) (UPDATE NOTE: VERIFIED RVSM HEIGHT MONITORING ACCURACY. LAST ADS-B APPROVAL RESULT TRUE 12/26/2022.)							
25 60-00-007 Airframe INSPECTION #2829	NO.10 PASSENGER LIFE VEST - RETURN TO AUTHORIZED SERVICE CENTER FOR MAINTENANCE INSPECTION	05-JUL-2024 H: 8455.80 L: 3862	M: 60			30-NOV-2027	M: 18 D: 24
Notes (UPDATE NOTE: WORK PERFORMED BY STANDARD AERO CRS UO2R221L ON WO 377320)							
25 60-00-007 Airframe INSPECTION #1359	NO.8 PASSENGER LIFE VEST - RETURN TO AUTHORIZED SERVICE CENTER FOR MAINTENANCE INSPECTION	05-JUL-2024 H: 8455.80 L: 3862	M: 60			30-NOV-2027	M: 18 D: 24
Notes (UPDATE NOTE: WORK PERFORMED BY STANDARD AERO CRS UO2R221L ON WO 377320)							
AD 2023-24-05 Airframe AD - Open FAA #1407	OXYGEN SYSTEM - OXYGEN MASK LANYARDS		M: 48			22-JAN-2028	M: 20 D: 16
Notes (ISSUING AUTHORITY: FAA) (NOTE: APPLICABILITY: THIS AD APPLIES TO BOMBARDIER, INC., MODEL CL-600-2B16 (604 VARIANT) AIRPLANES, CERTIFICATED IN ANY CATEGORY, SERIAL NUMBERS IDENTIFIED IN BOMBARDIER SERVICE BULLETIN 605-35-008, DATED OCTOBER 28, 2022. COMPLIANCE: WITHIN 48 MONTHS FROM THE EFFECTIVE DATE OF THIS AD, VISUALLY INSPECT THE PASSENGER OXYGEN MASK LANYARDS IN THE CABIN OR LAVATORY OXYGEN BOX ASSEMBLIES AS APPLICABLE FOR CRIMPED LANYARDS AND SEALED ENDS, IN ACCORDANCE WITH PARAGRAPH 2.C. OF THE ACCOMPLISHMENT INSTRUCTIONS OF BOMBARDIER SERVICE BULLETIN 605-35-008, DATED OCTOBER 28, 2022.)							
26 20-00-207 Airframe INSPECTION #3654	LEFT DETAILED INSPECTION OF THE ENGINE FIRE-EXTINGUISHER CONTAINER	24-FEB-2023 H: 7944.00 L: 3577	M: 60	M: 1		24-FEB-2028 Max Next Due M(+1): 24-MAR -2028	M: 21 D: 18 Max Remaining M(+1): 22
Notes (AVG MAN HRS: 1) (UPDATE NOTE: REMOVED AFT L/H FIRE CONTAINER P/N 899074-1 S/N 18263EL. INSTALLED NEW AFT L/H FIRE CONTAINER P/N 601-65910-13 S/N AGI2345.DATE OF MANUFACTURE 08/2022 HYDROSTATIC TEST DATE 08/2022. SEE 8130 BOMBARDIER INC CRS B0573123/12-58 UNDER W/O 5035379539 DATE 21/SEP/2022.INSTALLED ORIGINAL FIREX CARTRIDGE ON TO NEW BOTTLE INTO ORIGINAL POSITION L/H NO 1 P/N 897776-01 S/N 41913 L/H NO 2 P/N 897776-01 S/N 41906. ALL WORK PERFORMED IAW BOMBARDIER CHALLENGER 604 AMM 26-21-04 AND 26-21-07.)							



Maintenance Due List

N530BD

ATA / Type / Group	Description	Compliance	Intervals	Tolerance	TSN/TSO	Next Due	Remaining
26 20-00-207 Airframe INSPECTION #2394	RIGHT DETAILED INSPECTION OF THE ENGINE FIRE-EXTINGUISHER CONTAINER	24-FEB-2023 H: 7944.00 L: 3577	M: 60	M: 1		24-FEB-2028 Max Next Due M(+1): 24-MAR -2028	M: 21 D: 18 Max Remaining M(+1): 22
Notes (AVG MAN HRS: 1) (UPDATE NOTE: REMOVED FWD R/H FIRE CONTAINER P/N 899074-1 S/N 18260EL.INSTALLED NEW FWD R/H FIRE CONTAINER P/N 601-65910-13 S/N AGI2357. DATE OF MANUFACTURE 09/2022 HYDROSTATIC TEST DATE 09/2022. SEE 8130 BOMBARDIER INC CRS B0573121/12-58 W/O 5035646325 DATE 18/NOV/2022.INSTALLED ORIGINAL FIREX CARTRIDGE ON TO NEW BOTTLE INTO ORIGINAL POSITION R/H NO 1 P/N 897776-01 S/N 41904 R/H NO 2 P/N 897776-01 S/N 41866. ALL WORK PERFORMED IAW BOMBARDIER CHALLENGER 604 AMM 26-21-04 AND 26-21-07.)							
05 PKG 36 Month Airframe INSPECTION #1964	36 MONTHLY TASKS	31-MAY-2025 H: 8649.70 L: 3986	M: 36	M: 1		24-APR-2028 Max Next Due M(+1): 24-MAY -2028	M: 23 D: 18 Max Remaining M(+1): 24
Notes (TOL. ADJUSTMENT: -36D) (UPDATE NOTE: WORK COMPLIED WITH BY DUNCAN AVIATION CRS# JGVR194F DATED MAY 31, 2025)							
24 23-25-101 Airframe INSPECTION #2399	ADG DISCARD OF THE ACTUATOR, ELECTRICAL UPLOCK (SQUIB) - 42 MONTHS FROM INSTALLATION	21-OCT-2024 H: 8557.60 L: 3931	M: 42			30-APR-2028	M: 23 D: 24
Notes (UPDATE NOTE: COMPLIED WITH BY BOMBARDIER TUCSON SERVICE CENTER, CRS # KW3R646L , WORK ORDER 1899605.) (NOTE: * (ONE STAR) SHOWS THAT THE TASK IS MANDATORY AND CANNOT BE CHANGED, ESCALATED (INCREASED) OR DELETED WITHOUT THE APPROVAL OF THE CERTIFICATION AIRWORTHINESS AUTHORITY. PHASE-IN: FOR AIRCRAFT WITH ADG PART NO. 756652 INSTALLED, ON WHICH THIS TASK WAS NOT PERFORMED, THE SQUIB MUST BE DISCARDED NO LATER THAN OCT 31/2017. NOTE 2: NOT TO EXCEED VENDOR RECOMMENDATION. NOTE 16: THE INTENT OF THIS MRBR TASK IS ALSO COVERED UNDER A CMR OR A LIFE LIMIT. REFER TO TLMC SECTION 5-10-11 OR 5-10-40. AN OPERATOR WILL HAVE COMPLIED WITH THE CMR OR LIFE LIMIT AND MRBR REQUIREMENT BY COMPLETING THE TA							
35 1130-701A Airframe INSPECTION #1750	PORTABLE OXYGEN BOTTLE/REGULATOR HYDROSTATIC CHECK	28-APR-2023 H: 8029.90 L: 3621	M: 60			30-APR-2028	M: 23 D: 24
Notes (UPDATE NOTE: COMPLIED WITH INSPECTION 351130-701A HYDROSTATIC CHECK BY INSTALLATION OF OVERHAULED OXYGEN BOTTLE P/N 5600-9C1A-Y0N S/N P06060057 IAW BOMBARDIER CL 604 AMM. OVERHAULED BY COMPRESSED GAS SYSTEM FORM TRACKING NUMBER A49753 WORK ORDER NUMBER C41393 CRS# 20XR229C DATED 26-APR-2023.)							
35 00-00-201 Airframe INSPECTION #2185	NO.1 FUNCTIONAL (HYDROSTATIC) TEST UPPER OXYGEN CYLINDER/REGULATOR ASSEMBLY BOTTLE CYLINDER		M: 60			01-MAY-2028	M: 23 D: 25



Maintenance Due List

06-May-2026 12:25 Z

N530BD

ATA / Type / Group	Description	Compliance	Intervals	Tolerance	TSN/TSO	Next Due	Remaining
35 00-00-201 Airframe INSPECTION #2475	NO.2 FUNCTIONAL (HYDROSTATIC) TEST LOWER OXYGEN CYLINDER/REGULATOR ASSEMBLY BOTTLE CYLINDER		M: 60			01-MAY-2028	M: 23 D: 25

