OWNER:	RKE LOG, LLC	OPERATOR:	RKE LOG, LLC
ADDRESS:	4701 EAST FREEWAY BAYTOWN TX 77521	ADDRESS:	4701 EAST FREEWAY BAYTOWN TX 77521
OFFICE:		OFFICE:	
FAX:		FAX:	

ANALYST:	JOSE BRITO	1-631-619-4578 (DIRECT)	800-787-9749 (EFAX-CARDS)	PLEASE REACH OUT TO YOUR ANALYST TO RECORD CHANGES TO ADDRESS, LAST ACTUALS (IF ANY).
EMAIL:	JBRITO@CAMPSYSTEMS.COM	+1-631-588-3200 (MAIN)	631-980-4222 (FAX)	
		WWW.CAMPSYSTEMS.COM		

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT

SERIAL/REGNO: 675/N675CF MODEL: PC-12/45 MANUFACTURER: PILATUS AIRCRAFT LTDX

CERTIFICATION DATE: 24-NOV-2005

LAST ACTUALS:

7370.6	A/C HRS	as of 21-SEP-2026
5044	AFL	as of 21-SEP-2026
800	ACH	as of 01-JUN-2023

ENGINE NO. 1

SERIAL/PART: PCE-PR0554/3042200 MODEL: PT6A-67B MANUFACTURER: PRATT & WHITNEY CANADA CORP.

INSTALLED ON: 24-NOV-2005

0 ENG. HRS 0 A/C HRS
0 ENC

LAST ACTUALS:

7370.6	ENG. HRS	as of 21-SEP-2026
5044	ENC	as of 21-SEP-2026

PROPELLER NO. 1

SERIAL/PART: 100251/MTV-27-1-N-C-F-R(P) /CFR260-65A MODEL: MTV-27-1-N-C-F-R(P)/CFR260-65A MANUFACTURER: MT-PROPELLER

INSTALLED ON: 07-SEP-2018

1313.7 PROP HRS 0 A/C HRS
0 PRC

LAST ACTUALS:

2776.1	PROP HRS	as of 21-SEP-2026

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
00-00/121 S	CHECK AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS REVIEWED AND COMPLIED WITH AS REQUIRED							Service ATA:00
	MOS/MSC	21-Sep-26	A/R					
	HRS	7370.6						
	AFL	5044						
								PKG:15 ,16,17,18,19,20,21
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
00-00/122 S	CHECK CHAPTER 4 AND CHAPTER 5 - OVERHAUL AND REPLACEMENT SCHEDULE AND TIME LIMITED INSPECTION REQUIREMENTS DMS REVIEWED AND ANY ADDITIONAL REQUIREMENTS ARE COMPLIED WITH							Service ATA:00
	MOS/MSC	21-Sep-26	A/R					
	HRS	7370.6						
	AFL	5044						
								PKG:15 ,16,17,18,19,20,21
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
00-00/481 S	CHECK AIRCRAFT FLIGHT MANUAL IS AT THE LATEST REVISION							Service ATA:00
	MOS/MSC	21-Sep-26	A/R					
	HRS	7370.6						
	AFL	5044						
								PKG:15 ,16,17,18,19,20,21
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
E072-160317	NO. 1 ENGINE - REVIEW PT6A-67B/-67P SB PT6A-72-14603 REV 25							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								
E072-160919	NO. 1 ENGINE - REVIEW PT6A-67B/-67P SB PT6A-72-14603 REV 26							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072PROC. REF: RCF E072								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E072-170113	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 44.1							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072	PROC. REF: RCF E072							
E072-180821	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 47.2							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072	PROC. REF: RCF E072							
E072-230410	NO. 1 ENGINE - REVIEW PT6A-67B/-67P EMM REV 57.0							Service ATA:00
	DAYS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
PROC. REF: RCF E072	PROC. REF: RCF E072							
P605-160208	NO. 1 PROPELLER - REVIEW MT PROPELLER, MTV-27-1-N-C-F-R /CFR260-65A (P/N E-1083), OPERATION AND INSTALLATION MANUAL, REVISION NO. 24, DATED FEBRUARY 08' 2016							Service ATA:00
	MOS/MSC	09-May-16	-					REQUIREMENT CHANGE FORMS
	HRS	839.6						
PROC. REF: RCF P605-160208	PROC. REF: RCF P605-160208							
P605-160812	NO. 1 PROPELLER - REVIEW MT-PROPELLER MTV-27-1-N-C-F-R(P)/CFR260-65A OPERATION AND INSTALLATION MANUAL (E-1083) REVISION 25							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
PROC. REF: RCF P605	PROC. REF: RCF P605							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PC12-160717	REVIEW PILATUS PC12 AMM REV 32							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PC12PROC. REF: RCF PC12								
PC12-180524	REVIEW PC-12, PC-12/45, PC-12/47, AIRCRAFT MAINTENANCE MANUAL- CHAPTER 4 AND CHAPTER 5 REVISION 36							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PC12PROC. REF: RCF PC12								
PC12-181129	REVIEW PC-12, PC-12/45, PC-12/47, AIRCRAFT MAINTENANCE MANUAL- CHAPTER 4 AND CHAPTER 5 REVISION 37							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PC12PROC. REF: RCF PC12								
PC12-190517	REVIEW PC-12, PC-12/45, PC-12/47, AIRCRAFT MAINTENANCE MANUAL- CHAPTER 4 AND 5 REVISION 38							Service ATA:00
	MOS/MSC	24-Nov-05	-					REQUIREMENT CHANGE FORMS
	HRS	0						
	AFL	0						
PROC. REF: RCF PC12PROC. REF: RCF PC12								
PC12-200515	REVIEW PC-12, PC-12/45, PC-12/47, AIRCRAFT MAINTENANCE MANUAL- CHAPTER 4 AND 5 REVISION 39							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PC12PROC. REF: RCF PC12								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
PC12-201130	REVIEW PC-12, PC-12/45, PC-12/47 AIRCRAFT MAINTENANCE MANUAL REVISION 40							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PC12PROC. REF: RCF PC12								
PC12-210716	REVIEW PC-12, PC-12/45, PC-12/47 AIRCRAFT MAINTENANCE MANUAL REVISION 41							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PC12PROC. REF: RCF PC12								
PC12-220829	REVIEW PC-12, PC-12/45, PC-12/47 AIRCRAFT MAINTENANCE MANUAL REVISION 44							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PC12PROC. REF: RCF PC12								
PC12-230116	REVIEW PC-12, PC-12/45, PC-12/47 AIRCRAFT MAINTENANCE MANUAL REVISION 45							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: RCF PC12PROC. REF: RCF PC12								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 04 - LIMITATIONS								
040001	AIRCRAFT LIMIT OF VALIDITY							Component ATA:04
PN:PN	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	50000	TSN 0	50000		42629.4	
	AFL	0	60000	TSN 0	60000		54956	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
040005	AIRCRAFT LEFT WING STRUCTURE LIMIT OF VALIDITY							Component ATA:04
PN:PN	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	35000	TSN 0	35000		27629.4	
	AFL	0	43000	TSN 0	43000		37956	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
040005	AIRCRAFT RIGHT WING STRUCTURE LIMIT OF VALIDITY							Component ATA:04
PN:PN	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	35000	TSN 0	35000		27629.4	
	AFL	0	43000	TSN 0	43000		37956	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05-50-13	UNSCHEDULED INSPECTION - CHECK AFTER A JET BLAST							Service ATA:05
	MOS/MSC	24-Nov-05	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 12-A-05-50-16-00A-282A-APROC. REF: AMM 12-A-05-50-16-00A-282A-A								
050001	SUPPLEMENTAL STRUCTURAL INSPECTION DOCUMENT (SSID)							Service ATA:05
	MOS	24-Nov-05						
	HRS	0	25000		25000		17629.4	
	AFL	0	30000		30000		24956	
PROC. REF: AMM 12-A-05-10-30-00A-280A-APROC. REF: AMM 12-A-05-10-30-00A-280A-A								
050010	SUPPLEMENTAL CORROSION PREVENTION AND CONTROL PROGRAM (CPCP) INSPECTION							Service ATA:05
	MOS	24-Nov-05						
	HRS	0	25000		25000		17629.4	
	AFL	0	30000		30000		24956	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
051015 U	DEICE BRUSH BLOCK							Component ATA:05
PN:3E2042-4	MOS/MSC	26-Jul-24	O/C					
SN:3000187	HRS							
	AFL							
05200A	JOB SET UP / CLOSE UP PACKAGE							Package ATA:05
	MOS/MSC	21-Sep-26	A/R					
	HRS	7370.6						
	AFL	5044						
								PKG:15
PROC. REF: AMM 12-A-05-20-00-00A-913A-APROC. REF: AMM 12-A-05-20-00-00A-913A-A								
052105 U S	ANNUAL INSPECTION							Package ATA:05
	MOS	21-Sep-26	12					
	HRS	7370.6						
WC#: 05.020	AFL	5044						
								PKG:2
05401A	300 HOUR INSPECTION							Package ATA:05
	MOS	18-Sep-25						
	HRS	7302	300 (+30/-30)		7602	7632	231.4 (+30)	
	AFL	5011						
								PKG:16
PROC. REF: AMM 12-A-05-40-01-01A-000B-APROC. REF: AMM 12-A-05-40-01-01A-000B-A								
05402A	300 HOUR OR 12 MONTHS INSPECTION							Package ATA:05
	MOS	21-Sep-26	12		21-Sep-27		326 d	
	HRS	7370.6	300 (+30/-30)		7670.6	7700.6	300 (+30)	
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-05-40-01-02A-000B-APROC. REF: AMM 12-A-05-40-01-02A-000B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
05403A	600 HOUR INSPECTION							Package ATA:05
	MOS	18-Sep-25						
	HRS	7302	600 (+60/-60)		7902	7962	531.4 (+60)	
	AFL	5011						
								PKG:18
PROC. REF: AMM 12-A-05-40-01-03A-000B-APROC. REF: AMM 12-A-05-40-01-03A-000B-A								
05404A	600 HOUR OR 12 MONTHS INSPECTION							Package ATA:05
	MOS	21-Sep-26	12		21-Sep-27		326 d	
	HRS	7370.6	600 (+30/-30)		7970.6	8000.6	600 (+30)	
	AFL	5044						
								PKG:19
PROC. REF: AMM 12-A-05-40-01-04A-000B-APROC. REF: AMM 12-A-05-40-01-04A-000B-A								
05405A	1200 HOUR OR 12 MONTHS INSPECTION							Package ATA:05
	MOS	21-Sep-26	12		21-Sep-27		326 d	
	HRS	7370.6	1200 (+120/-120)		8570.6	8690.6	1200 (+120)	
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-05-40-01-05A-000B-APROC. REF: AMM 12-A-05-40-01-05A-000B-A								
05406A	2400 HOUR OR 24 MONTHS INSPECTION							Package ATA:05
	MOS	18-Sep-25	24 (+1m/-1m)		18-Sep-27	18-Oct-27	323 d (+30)	
	HRS	7302	2400 (+30/-30)		9702	9732	2331.4 (+30)	
	AFL	5011						
								PKG:21
PROC. REF: AMM 12-A-05-40-01-06A-000B-APROC. REF: AMM 12-A-05-40-01-06A-000B-A								
057010	NO. 1 ENGINE - MINOR INSPECTION							Package ATA:05
	MOS	21-Sep-26						
	HRS	7370.6	300 (+10%/-10%)		(7670.6) 7670.6	7700.6	300 (+30)	
	ENC	5044						
PROC. REF: EMM 72-00-00, EMM 72-00-00PROC. REF: EMM 72-00-00, EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/582 S	ACCESS PANEL, ENGINE: 41AT, 42AB, 42AT - REMOVE AND EXAMINE							Service ATA:06
	MOS	21-Sep-26	12					
	HRS	7370.6	600					
	AFL	5044						
								PKG:19
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								
06-00/583 S	ACCESS PANEL, ENGINE: 41AT, 42AB, 42AT - INSTALL							Service ATA:06
	MOS	21-Sep-26	12					
	HRS	7370.6	600					
	AFL	5044						
								PKG:19
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								
06-00/592 S	ACCESS PANEL, ENGINE: 42AT - REMOVE AND EXAMINE							Service ATA:06
	MOS	18-Sep-25						
	HRS	7302	300					
	AFL	5011						
								PKG:16
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								
06-00/593 S	ACCESS PANEL, ENGINE: 42AT - INSTALL							Service ATA:06
	MOS	18-Sep-25						
	HRS	7302	300					
	AFL	5011						
								PKG:16
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								
06-00/594 S	ACCESS PANEL, FUSELAGE: 11BL, 21PZ - REMOVE AND EXAMINE							Service ATA:06
	MOS	21-Sep-26	12					
	HRS	7370.6	300					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/595 S	ACCESS PANEL, FUSELAGE: 11BL, 21PZ - INSTALL							Service ATA:06
	MOS	21-Sep-26	12					
	HRS	7370.6	300					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								
06-00/596 S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB, 33ET - OPEN OR REMOVE AND EXAMINE							Service ATA:06
	MOS	21-Sep-26	12					
	HRS	7370.6	300					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								
06-00/597 S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB, 33ET - CLOSE OR INSTALL							Service ATA:06
	MOS	21-Sep-26	12					
	HRS	7370.6	300					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								
06-00/598 S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service ATA:06
	MOS	21-Sep-26	12					
	HRS	7370.6	300					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								
06-00/599 S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service ATA:06
	MOS	21-Sep-26	12					
	HRS	7370.6	300					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/602 S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service ATA:06
	MOS	18-Sep-25						
	HRS	7302	600					
	AFL	5011						
								PKG:18
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								
06-00/603 S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service ATA:06
	MOS	18-Sep-25						
	HRS	7302	600					
	AFL	5011						
								PKG:18
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								
06-00/610 S	ACCESS PANEL, EMPENNAGE: 31AB, 31AL, 31AR, 32AB, 32BL, 32BR, 32AL, 32CL, 32CT,32DL, 32DR, 32BT, 33DT, 33ET, 34DT - OPEN OR REMOVE AND EXAMINE							Service ATA:06
	MOS	21-Sep-26	12					
	HRS	7370.6	1200					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								
06-00/611 S	ACCESS PANEL, EMPENNAGE: 31AB, 31AL, 31AR, 32AB, 32BL, 32BR, 32AL, 32CL, 32CT,32DL, 32DR, 32BT, 33DT, 33ET, 34DT - CLOSE OR INSTALL							Service ATA:06
	MOS	21-Sep-26	12					
	HRS	7370.6	1200					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								
06-00/612 S	ACCESS PANEL, ENGINE: 42AT, 42AB - REMOVE AND EXAMINE							Service ATA:06
	MOS	21-Sep-26	12					
	HRS	7370.6	1200					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/613 S	ACCESS PANEL, ENGINE: 42AT, 42AB - INSTALL							Service ATA:06
	MOS	21-Sep-26	12					
	HRS	7370.6	1200					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								
06-00/620 S	ACCESS PANEL, WING: 51AB, 51BB, 61AB, 61BB - REMOVE AND EXAMINE							Service ATA:06
	MOS	18-Sep-25	24					
	HRS	7302	2400					
	AFL	5011						
								PKG:21
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								
06-00/621 S	ACCESS PANEL, WING: 51AB, 51BB, 61AB, 61BB - INSTALL							Service ATA:06
	MOS	18-Sep-25	24 (+1m/-1m)					
	HRS	7302	2400 (+30/-30)					
	AFL	5011						
								PKG:21
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								
06-00/622 S	ACCESS PANELS, FUSELAGE: 11BR, 12BZ, 12EZ, 12HZ, 21QZ - REMOVE AND EXAMINE							Service ATA:06
	MOS	18-Sep-25						
	HRS	7302	300					
	AFL	5011						
								PKG:16
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								
06-00/623 S	ACCESS PANELS, FUSELAGE: 11BR, 12BZ, 12EZ, 12HZ, 21QZ - INSTALL							Service ATA:06
	MOS	18-Sep-25						
	HRS	7302	300					
	AFL	5011						
								PKG:16
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/624 S		ACCESS PANEL, FUSELAGE: 11AL, 12EL, 21PZ - REMOVE AND EXAMINE						Service ATA:06
	MOS	21-Sep-26	12					
	HRS	7370.6	600					
	AFL	5044						
								PKG:19
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								
06-00/625 S		ACCESS PANEL, FUSELAGE: 11AL, 12EL, 21PZ - INSTALL						Service ATA:06
	MOS	21-Sep-26	12					
	HRS	7370.6	600					
	AFL	5044						
								PKG:19
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								
06-00/626 S		ACCESS PANEL, WING: 52NB - REMOVE AND EXAMINE						Service ATA:06
	MOS	21-Sep-26	12					
	HRS	7370.6	600					
	AFL	5044						
								PKG:19
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								
06-00/627 S		ACCESS PANEL, WING: 52NB - INSTALL						Service ATA:06
	MOS	21-Sep-26	12					
	HRS	7370.6	600					
	AFL	5044						
								PKG:19
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								
06-00/628 S		ACCESS PANEL,FUSELAGE: 11AR, 11BR, 11BL, 12AL, 12AR, 12AB, 12EL, 12HZ, 12JZ, 12MZ, 11BZ, 12AZ, 12BZ, 12DZ, 12GZ,12BL, 12BR, 12EZ, 12ER, 12KZ, 12CZ, 12FZ, 12IZ, 12LZ, 21JZ, 21QZ, 21GZ, 21HZ, 22TZ, 22PZ, 22UZ - OPEN OR REMOVE. EXAMINE AND MAKE SURE THAT ACCESS PANEL DRAIN HOLES ARE CLEAR						Service ATA:06
	MOS	21-Sep-26	12					
	HRS	7370.6	1200					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 06 - DIMENSIONS AND AREAS									
06-00/629 S		ACCESS PANEL,FUSELAGE: 11AR, 11BR, 11BL, 12AL, 12AR, 12AB, 12EL, 12HZ, 12JZ, 12MZ, 11BZ, 12AZ, 12BZ, 12DZ, 12GZ,12BL, 12BR, 12EZ, 12ER, 12KZ, 12CZ, 12FZ, 12IZ, 12LZ, 21JZ, 21QZ, 21GZ, 21HZ, 22TZ, 22PZ, 22UZ - CLOSE OR INSTALL						Service	ATA:06
	MOS	21-Sep-26	12						
	HRS	7370.6	1200						
	AFL	5044							
									PKG:20
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A									
06-00/630 S		ACCESS PANEL, WING: 51AB, 51BB, 51JB, 51LB, 52MB, 52NB, 52OB, 52KB, 51MB, 51NB, 52TB, 52SB, 52RB, 52PB, 51KB, 61AB, 61BB, 62KB, 62MB, 62NB, 62OB, 62SB, 62RB, 62PB, 61KB, 61MB, 61NB, 62TB - REMOVE AND EXAMINE						Service	ATA:06
	MOS	21-Sep-26	12						
	HRS	7370.6	1200						
	AFL	5044							
									PKG:20
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A									
06-00/631 S		ACCESS PANEL, WING: 51AB, 51BB, 51JB, 51LB, 52MB, 52NB, 52OB, 52KB, 51MB, 51NB, 52TB, 52SB, 52RB, 52PB, 51KB, 61AB, 61BB, 62KB, 62MB, 62NB, 62OB, 62SB, 62RB, 62PB, 61KB, 61MB, 61NB, 62TB - INSTALL						Service	ATA:06
	MOS	21-Sep-26	12						
	HRS	7370.6	1200						
	AFL	5044							
									PKG:20
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A									
06-00/632 S		ACCESS PANEL,FUSELAGE: 11AL, 11AZ, 11BL, 11CZ, 12EL, 12ER, 12EZ, 21JZ - OPEN OR REMOVE. EXAMINE AND MAKE SURE THAT ACCESS PANEL DRAIN HOLES ARE CLEAR						Service	ATA:06
	MOS	18-Sep-25	24 (+1m/-1m)						
	HRS	7302	2400 (+30/-30)						
	AFL	5011							
									PKG:21
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A									
06-00/633 S		ACCESS PANEL,FUSELAGE: 11AL, 11AZ, 11BL, 11CZ, 12EL, 12ER, 12EZ, 21JZ - CLOSE OR INSTALL						Service	ATA:06
	MOS	18-Sep-25	24 (+1m/-1m)						
	HRS	7302	2400 (+30/-30)						
	AFL	5011							
									PKG:21
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 06 - DIMENSIONS AND AREAS								
06-00/634 S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB,32CT, 33ET - OPEN OR REMOVE AND EXAMINE							Service ATA:06
	MOS	18-Sep-25	24 (+1m/-1m)					
	HRS	7302	2400 (+30/-30)					
	AFL	5011						
								PKG:21
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								
06-00/635 S	ACCESS PANEL, EMPENNAGE: 31AB, 32AB,32CT, 33ET - INSTALL							Service ATA:06
	MOS	18-Sep-25	24 (+1m/-1m)					
	HRS	7302	2400 (+30/-30)					
	AFL	5011						
								PKG:21
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								
06-00/636 S	ACCESS PANEL, ENGINE: 42AT - REMOVE AND EXAMINE							Service ATA:06
	MOS	18-Sep-25	24 (+1m/-1m)					
	HRS	7302	2400 (+30/-30)					
	AFL	5011						
								PKG:21
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								
06-00/637 S	ACCESS PANEL, ENGINE: 42AT - INSTALL							Service ATA:06
	MOS	18-Sep-25	24					
	HRS	7302	2400					
	AFL	5011						
								PKG:21
PROC. REF: AMM 12-A-06-20-00-00A-040A-APROC. REF: AMM 12-A-06-20-00-00A-040A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 07 - LIFTING AND SHORING								
07-10/160 S	LOWER AIRCRAFT TO THE GROUND, REMOVE JACKS AND DISCONNECT FROM GROUND AS NECESSARY TO CLOSE UP THE INSPECTION							Service ATA:07
	MOS/MSC	21-Sep-26	A/R					
	HRS	7370.6						
	AFL	5044						
								PKG:15 ,16,17,18,19,20,21
PROC. REF: AMM 12-A-07-10-00-00A-901A-APROC. REF: AMM 12-A-07-10-00-00A-901A-A								
07-10/161 S	LIFT AIRCRAFT ON JACKS AND CONNECT THE AIRCRAFT TO GROUND							Service ATA:07
	MOS/MSC	21-Sep-26	A/R					
	HRS	7370.6						
	AFL	5044						
								PKG:15 ,16,17,18,19,20,21
PROC. REF: AMM 12-A-07-10-00-00A-901A-APROC. REF: AMM 12-A-07-10-00-00A-901A-A								
ATA 10 - PARKING, MOORING, STORE AND RET TO SERV								
10-10/428 S	EXAMINE EXTERNAL PROTECTIVE COVERS REPLACE IF ANY PART OF THE COVER IS MISSING, DAMAGED, TORN OR DOES NOT INSTALL PROPERLY.							Service ATA:10
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 11 - PLACARDS AND MARKINGS								
11-00/220 S	EXAMINE PLACARDS AND MARKINGS AND ATTACH NEW PLACARDS IF NECESSARY							Service ATA:11
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-11-00-00-00A-040A-A, AMM 12-A-11-00-00-00A-901A-A, AMM 12-A-11-20-00-00A-040A-A, AMM 12-A-11-20-00-00A-901A-A, AMM 12-A-11-30-00-00A-040A-APROC. REF: AMM 12-A-11-00-00-00A-040A-A, AMM 12-A-11-00-00-00A-901A-A, AMM 12-A-11-20-00-00A-040A-A, AMM 12-A-11-20-00-00A-901A-A, AMM 12-A-11-30-00-00A-040A-A								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 12 - SERVICING								
12-20/124 S	WASH AIRCRAFT EXTERIOR, INCLUDING THE LANDING GEAR AND FLAP COMPARTMENTS							Service ATA:12
	MOS/MSC	21-Sep-26	A/R					
	HRS	7370.6						
	AFL	5044						
								PKG:15 ,16,17,18,19,20,21
PROC. REF: AMM 12-A-12-20-01-00A-902A-A, AMM 12-A-12-20-01-01A-902A-APROC. REF: AMM 12-A-12-20-01-00A-902A-A, AMM 12-A-12-20-01-01A-902A-A								
12-20/125 S	CLEAN WINDSHIELDS AND WINDOWS							Service ATA:12
	MOS/MSC	21-Sep-26	A/R					
	HRS	7370.6						
	AFL	5044						
								PKG:15 ,16,17,18,19,20,21
PROC. REF: AMM 12-A-12-20-02-00A-902A-APROC. REF: AMM 12-A-12-20-02-00A-902A-A								
12-20/126 S	CLEAN COCKPIT AND CABIN							Service ATA:12
	MOS/MSC	21-Sep-26	A/R					
	HRS	7370.6						
	AFL	5044						
								PKG:15 ,16,17,18,19,20,21
PROC. REF: AMM 12-A-12-20-03-00A-902A-APROC. REF: AMM 12-A-12-20-03-00A-902A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 20 - STANDARD PRACTICES - AIRFRAME								
00-00/45A	PERFORM CORROSION INSPECTION (INTERNAL)							Service ATA:20
	MOS	21-Sep-26	12 (+1m/-1m)		30-Sep-27	21-Oct-27	335 d (+21)	
	HRS	7370.6						
WC#: 20.010	AFL	5044						
PROC. REF: AMM 12-A-20-40-00-00A-901A-APROC. REF: AMM 12-A-20-40-00-00A-901A-A								
00-00/45B	PERFORM CORROSION INSPECTION (EXTERNAL)							Service ATA:20
	MOS	21-Sep-26	12 (+1m/-1m)		30-Sep-27	21-Oct-27	335 d (+21)	
	HRS	7370.6						
WC#: 20.011	AFL	5044						
PROC. REF: AMM 12-A-20-40-00-00A-901A-APROC. REF: AMM 12-A-20-40-00-00A-901A-A								
00-00/45C	CORROSION INSPECT (AND ONLY APPLICABLE IF IN SEVERE CLIMATIC CONDITION)							Service ATA:20
	DAYS/MSC	24-Nov-05	A/R					
	HRS	0						
WC#: 20.015	AFL	0						
PROC. REF: AMM 12-A-20-40-00-00A-901A-APROC. REF: AMM 12-A-20-40-00-00A-901A-A								
ATA 21 - AIR CONDITIONING								
21-20/127 S	OPERATIONAL TEST ECS EMERGENCY SHUT-OFF SYSTEM ECS EMER SHUT-OFF VALVE - OPERATIONAL TEST; MAX PULL FORCE 22.5 LBF (100N) AND MAKE SURE RAM AIR SCOOP IS COMPLETELY OPEN							Service ATA:21
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
21-20/221 S	EXAMINE ECS AND BLEED AIR DUCTS, PIPELINES, EQUIPMENT AND ASSOCIATED CLAMPS IN THE ENGINE COMPARTMENT							Service ATA:21
	MOS	18-Sep-25	24 (+10%/-10%)					
	HRS	7302	2400 (+10%/-10%)					
	AFL	5011						
								PKG:21
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-30/46		FUNCTIONAL TEST CABIN POSITIVE PRESSURIZATION SYSTEM						Service ATA:21
	MOS	26-Jul-24	48 (+10%/-10%)		31-Jul-28	20-Dec-28	640 d (+142)	
	HRS	7207	4800 (+10%/-10%)		12007	12487	4636.4 (+480)	
WC#: 21.040	AFL	4952						
PROC. REF: AMM 12-A-21-30-00-00A-903A-APROC. REF: AMM 12-A-21-30-00-00A-903A-A								
21-30/47 S		CABIN PRESSURIZATION POSITIVE PRESSURE RELIEF VALVE AND OUTFLOW VALVE. CHECK FOR CONTAMINATION OF THE VALVE POPPET AND PROPER SEAT. IF CONTAMINATION IS FOUND REMOVE AND CLEAN						Service ATA:21
	MOS	18-Sep-25	24 (+10%/-10%)					
	HRS	7302	2400 (+10%/-10%)					
WC#: 21.030	AFL	5011						
								PKG:21
PROC. REF: AMM 12-A-21-30-01-00A-250A-APROC. REF: AMM 12-A-21-30-01-00A-250A-A								
21-30/48		FUNCTIONAL TEST CABIN ALTITUDE SWITCH						Service ATA:21
	MOS	01-Jun-23	60 (+10%/-10%)		30-Jun-28	01-Dec-28	609 d (+154)	
	HRS	6991.7						
WC#: 21.010	AFL	4860						
PROC. REF: AMM 12-A-21-30-07-00A-903A-APROC. REF: AMM 12-A-21-30-07-00A-903A-A								
21-30/49		FUNCTIONAL TEST CABIN DIFFERENTIAL PRESSURE SWITCH						Service ATA:21
	MOS	01-Jun-23	60 (+10%/-10%)		30-Jun-28	01-Dec-28	609 d (+154)	
	HRS	6991.7						
WC#: 21.020	AFL	4860						
PROC. REF: AMM 12-A-21-30-08-00A-903A-APROC. REF: AMM 12-A-21-30-08-00A-903A-A								
21-40/128 S		OPERATIONAL TEST FLIGHT COMPARTMENT FOOT HEATER (IF INSTALLED) THERMAL PROTECTION SWITCH						Service ATA:21
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-21-40-11-00A-903A-APROC. REF: AMM 12-A-21-40-11-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-40/50 S	CLEAN WATER SEPARATOR CONDENSER							Service ATA:21
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
WC#: 21.080	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-21-40-02-00A-250A-APROC. REF: AMM 12-A-21-40-02-00A-250A-A								
21-40/51	FUNCTIONAL TEST OVERTEMPERATURE SWITCH							Service ATA:21
	MOS	18-Sep-25	60 (+10%/-10%)		30-Sep-30	18-Mar-31	1431 d (+169)	
	HRS	7302	4800 (+10%/-10%)		12102	12582	4731.4 (+480)	
WC#: 21.130	AFL	5011						
PROC. REF: AMM 12-A-21-40-06-00A-903A-APROC. REF: AMM 12-A-21-40-06-00A-903A-A								
21-40/52	FUNCTIONAL TEST DUCT OVERTEMPERATURE SWITCH							Service ATA:21
	MOS	18-Sep-25	60 (+10%/-10%)		30-Sep-30	18-Mar-31	1431 d (+169)	
	HRS	7302	4800 (+10%/-10%)		12102	12582	4731.4 (+480)	
WC#: 21.120	AFL	5011						
PROC. REF: AMM 12-A-21-60-05-00A-903A-APROC. REF: AMM 12-A-21-60-05-00A-903A-A								
21-40/53 S	OPERATIONAL TEST SECONDARY HEATERS THERMAL PROTECTION SWITCHES (MSN 101-320 WITHOUT A MODIFIED AUXILIARY HEATING SYSTEM)							Service ATA:21
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-21-40-09-00A-903A-APROC. REF: AMM 12-A-21-40-09-00A-903A-A								
21-40/54 S	OPERATIONAL TEST SECONDARY HEATERS THERMAL PROTECTION SWITCHES (MSN 321-999 AND AIRCRAFT WITH A MODIFIED AUXILIARY HEATING SYSTEM)							Service ATA:21
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-21-40-00-00A-903A-APROC. REF: AMM 12-A-21-40-00-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-40/55		RE-OIL AIR CONDITIONING COLD AIR UNIT						Service ATA:21
	MOS	18-Sep-25						
	HRS	7302	600 (+10%/-10%)		7902	7962	531.4 (+60)	
WC#: 21.060	AFL	5011						
								PKG:18
PROC. REF: AMM 12-A-21-40-01-00A-902A-APROC. REF: AMM 12-A-21-40-01-00A-902A-A								
21-40/56		INSPECT/CHECK HEAT EXCHANGER MATRIX						Service ATA:21
	MOS	18-Sep-25						
	HRS	7302	600 (+10%/-10%)		7902	7962	531.4 (+60)	
WC#: 21.070	AFL	5011						
								PKG:18
PROC. REF: AMM 12-A-21-40-01-00A-313A-APROC. REF: AMM 12-A-21-40-01-00A-313A-A								
21-50/223 S		EXAMINE VAPOR CYCLE COOLING SYSTEM (IF INSTALLED) COOLING UNIT						Service ATA:21
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
21-50/433		CLEAN AIR-CONDITIONING - COMPRESSOR / CONDENSER MODULE VAPOR CYCLE COMPRESSOR CONDENSER MODULE (INCLUDING MOTOR) (IF INSTALLED)						Service ATA:21
PN:959.90.22.102	MOS	21-Sep-26	12 (+1m/-1m)		30-Sep-27	21-Oct-27	335 d (+21)	
SN:653	HRS	7370.6	300 (+10%/-10%)		7670.6	7700.6	300 (+30)	
	AFL	5044						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
21-50/461		INSPECTION/CHECK AIR-CONDITIONING - COMPRESSOR / CONDENSER MODULE (CCM P/N 959.90.22.140) (IF INSTALLED)						Service ATA:21
PN:959.90.22.102	MOS/MSC	24-Nov-05	N/A					
SN:653	HRS	0						
	AFL	0						
	ACH							
PROC. REF: AMM 12-A-21-50-03-00A-313A-APROC. REF: AMM 12-A-21-50-03-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-50/462	CHECK AIR-CONDITIONING - COMPRESSOR / CONDENSER MODULE BELT TENSION (CCM P/N 959.90.22.140) (IF INSTALLED)							Service ATA:21
PN:959.90.22.102	MOS/MSC	24-Nov-05	N/A					
SN:653	HRS	0						
	AFL	0						
	ACH							
PROC. REF: AMM 12-A-21-50-00-00A-903A-A, AMM 12-A-21-50-00-00A-903B-APROC. REF: AMM 12-A-21-50-00-00A-903A-A, AMM 12-A-21-50-00-00A-903B-A								
21-50/58	INSPECTION/CHECK AIR-CONDITIONING - COMPRESSOR / CONDENSER MODULE (CMM P/N 959.90.22.102, 959.90.22.106) (IF INSTALLED)							Service ATA:21
PN:959.90.22.102	MOS	01-Jun-23						
SN:653	HRS	6991.7						
WC#: 21.110	AFL	4860						
	ACH	800	500 (+10%/-10%)		1300	1350	500 (+50)	
PROC. REF: AMM 12-A-21-50-03-00A-313A-APROC. REF: AMM 12-A-21-50-03-00A-313A-A								
21-50/59	CHECK AIR-CONDITIONING - COMPRESSOR / CONDENSER MODULE BELT TENSION (CMM P/N 959.90.22.102, 959.90.22.106) (IF INSTALLED)							Service ATA:21
PN:959.90.22.102	MOS	25-May-21						
SN:653	HRS	6401.3						
WC#: 21.100	AFL	4628						
	ACH	725.5	500 (+10%/-10%)		1225.5	1275.5	425.5 (+50)	
PROC. REF: AMM 12-A-21-50-00-00A-903A-A, AMM 12-A-21-50-00-00A-903B-APROC. REF: AMM 12-A-21-50-00-00A-903A-A, AMM 12-A-21-50-00-00A-903B-A								
210005	OVERPRESSURE SWITCH							Component ATA:21
PN:973.81.15.105	MOS/MSC	07-Jun-12	O/C					
SN:0465	HRS	3913.4						
WC#: 21.340	AFL	3062						
PROC. REF: AMM 12-A-21-40-08-00A-920A-A, AMM 12-A-21-40-08-00A-920B-APROC. REF: AMM 12-A-21-40-08-00A-920A-A, AMM 12-A-21-40-08-00A-920B-A								
210010	REFRIGERATION PACK							Component ATA:21
PN:959.90.20.111	MOS/MSC	28-Feb-14	O/C	TSN 0				
SN:1241	HRS	4733.8		TSN 0				
WC#: 21.255	AFL	3698		TSN 0				
PROC. REF: AMM 12-A-21-40-01-00A-920A-A, AMM 12-A-21-40-01-00A-920B-A, AMM 12-A-21-40-01-00A-920C-APROC. REF: AMM 12-A-21-40-01-00A-920A-A, AMM 12-A-21-40-01-00A-920B-A, AMM 12-A-21-40-01-00A-920C-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210015	WATER INJECTOR							Component ATA:21
PN:959.90.20.141	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1212	HRS	0		TSN 0				
WC#: 21.370	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210020	DUCT TEMP SENSOR							Component ATA:21
PN:959.90.20.121	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1294	HRS	0		TSN 0				
WC#: 21.320	AFL	0		TSN 0				
PROC. REF: AMM 12-A-21-60-03-00A-920A-APROC. REF: AMM 12-A-21-60-03-00A-920A-A								
210025	PRIM SHUT OFF VALVE							Component ATA:21
PN:959.90.20.132	MOS/MSC	08-Jun-12	O/C					
SN:1202	HRS	3913.4						
WC#: 21.290	AFL	3062						
PROC. REF: AMM 12-A-21-40-04-00A-920A-APROC. REF: AMM 12-A-21-40-04-00A-920A-A								
210030	HP SHUT OFF VALVE							Component ATA:21
PN:959.90.20.131	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1202	HRS	0		TSN 0				
WC#: 21.280	AFL	0		TSN 0				
PROC. REF: AMM 12-A-21-40-03-00A-920A-APROC. REF: AMM 12-A-21-40-03-00A-920A-A								
210035	WATER SEPARATOR ASSY							Component ATA:21
PN:521.41.12.060	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:2349	HRS	0		TSN 0				
WC#: 21.220	AFL	0		TSN 0				
PROC. REF: AMM 12-A-21-40-02-00A-920A-APROC. REF: AMM 12-A-21-40-02-00A-920A-A								
210040	TEMPCONTROL VALVE							Component ATA:21
PN:959.90.20.136	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1188	HRS	0		TSN 0				
WC#: 21.310	AFL	0		TSN 0				
PROC. REF: AMM 12-A-21-60-01-00A-920A-A, AMM 12-A-21-60-01-00A-920B-APROC. REF: AMM 12-A-21-60-01-00A-920A-A, AMM 12-A-21-60-01-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210045	AIR-CONDITIONING - COMPRESSOR / CONDENSER MODULE							Component ATA:21
PN:959.90.22.102	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:653	HRS	0		TSN 0				
WC#: 21.380	AFL	0		TSN 0				
PROC. REF: AMM 12-A-21-50-01-00A-920A-A, AMM 12-A-21-50-01-00A-920B-APROC. REF: AMM 12-A-21-50-01-00A-920A-A, AMM 12-A-21-50-01-00A-920B-A								
210046	VAPOR CYCLE COMPRESSOR MOTOR							Component ATA:21
PN:1134104-9	MOS/MSC	25-May-21	O/C	TSN 0				
SN:0167	HRS	6401.3		TSN 0				
	AFL	4628		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210050	CENTER EVAPORATOR MODULE ASSY							Component ATA:21
PN:959.90.22.116	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1097	HRS	0		TSN 0				
WC#: 21.200	AFL	0		TSN 0				
PROC. REF: AMM 12-A-21-50-02-00A-920A-A, AMM 12-A-21-50-02-00A-920B-APROC. REF: AMM 12-A-21-50-02-00A-920A-A, AMM 12-A-21-50-02-00A-920B-A								
210053	LEFT SIDE EVAPORATOR MODULE ASSY							Component ATA:21
PN:959.90.22.118	MOS/MSC	28-Jul-17	O/C	TSR 0				
SN:973	HRS	5895.4		TSR 0				
WC#: 21.200	AFL	4370		TSR 0				
PROC. REF: AMM 12-A-21-50-02-00A-920A-A, AMM 12-A-21-50-02-00A-920B-APROC. REF: AMM 12-A-21-50-02-00A-920A-A, AMM 12-A-21-50-02-00A-920B-A								
210055	RIGHT SIDE EVAPORATOR MODULE ASSY							Component ATA:21
PN:959.90.22.119	MOS/MSC	28-Jul-17	O/C	TSN 0				
SN:1193	HRS	5895.4		TSN 0				
WC#: 21.210	AFL	4370		TSN 0				
PROC. REF: AMM 12-A-21-50-02-00A-920A-A, AMM 12-A-21-50-02-00A-920B-APROC. REF: AMM 12-A-21-50-02-00A-920A-A, AMM 12-A-21-50-02-00A-920B-A								
210060	CABIN PRESSURE OUTFLOW VALVE							Component ATA:21
PN:103784-3	MOS/MSC	02-Feb-18	O/C	TSO 0				
SN:104-A0036	HRS	5922.2		TSO 0				
WC#: 21.250	AFL	4391		TSO 0				
PROC. REF: AMM 12-A-21-30-03-00A-920A-APROC. REF: AMM 12-A-21-30-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210065	CABIN PRESSURE RELIEVE VALVE							Component ATA:21
PN:959.90.91.131	MOS/MSC	13-Nov-13	O/C					
SN:52-B0407	HRS	4616.5						
WC#: 21.270	AFL	3616						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210070	AUXILIARY VOLUME TANK							Component ATA:21
PN:959.90.91.111	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:65-7874	HRS	0		TSN 0				
WC#: 21.390	AFL	0		TSN 0				
PROC. REF: AMM 12-A-21-30-09-00A-920A-APROC. REF: AMM 12-A-21-30-09-00A-920A-A								
210075	CHECK VALVE							Component ATA:21
PN:959.90.91.151	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:75-A0883	HRS	0		TSN 0				
WC#: 21.400	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210080	JET PUMP							Component ATA:21
PN:959.90.91.161	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:75-2078	HRS	0		TSN 0				
WC#: 21.410	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210085	MANUAL CONTROLLER							Component ATA:21
PN:959.90.91.101	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:75-A0600	HRS	0		TSN 0				
WC#: 21.420	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210090	OUTFLOW VALVE CONTROLLER							Component ATA:21
PN:130374-36	MOS/MSC	17-Aug-15	O/C					
SN:10-G0253	HRS	5241.5						
WC#: 21.430	AFL	4006						
PROC. REF: AMM 12-A-21-30-01-00A-920A-APROC. REF: AMM 12-A-21-30-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210095	CABIN DIFFERENTIAL PRESSURE (ALT/PX) INDICATOR							Component ATA:21
PN:965.23.23.203	MOS/MSC	26-Jul-24	O/C	TSR 0				
SN:10077063	HRS	7207		TSR 0				
WC#: 21.245	AFL	4952		TSR 0				
PROC. REF: AMM 12-A-21-30-06-00A-920A-APROC. REF: AMM 12-A-21-30-06-00A-920A-A								
210100	CAB RATE INDICATOR							Component ATA:21
PN:965.16.21.002	MOS/MSC	26-Jul-24	O/C	TSO 0				
SN:1036932	HRS	7207		TSO 0				
WC#: 21.440	AFL	4952		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210105	CABIN DIFFERENTIAL PRESSURE SWITCH							Component ATA:21
PN:965.23.21.534	MOS/MSC	03-Mar-16	O/C	TSR 0				
SN:791222	HRS	5373.7		TSR 0				
WC#: 21.330	AFL	4084		TSR 0				
PROC. REF: AMM 12-A-21-30-08-00A-920A-APROC. REF: AMM 12-A-21-30-08-00A-920A-A								
210110	CABIN PX SWITCH							Component ATA:21
PN:965.23.21.533	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:799397	HRS	0		TSN 0				
WC#: 21.360	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210115	UNDERFLOOR (FRONT) ELECTRIC HEATER							Component ATA:21
PN:969.67.81.507	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:518265	HRS	0		TSN 0				
WC#: 21.240	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210120	BAY TEMP SENSOR							Component ATA:21
PN:959.90.20.122	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1205	HRS	0		TSN 0				
WC#: 21.450	AFL	0		TSN 0				
PROC. REF: AMM 12-A-21-60-02-00A-920A-APROC. REF: AMM 12-A-21-60-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210125	OUTSIDE CABIN TEMPERATURE AIR TEMPERATURE INDICATOR							Component ATA:21
PN:975.15.16.101	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:A6552	HRS	0		TSN 0				
WC#: 21.460	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210130	TEMP CONTROLLER							Component ATA:21
PN:959.90.20.123	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1185	HRS	0		TSN 0				
WC#: 21.235	AFL	0		TSN 0				
PROC. REF: AMM 12-A-21-60-04-00A-920A-APROC. REF: AMM 12-A-21-60-04-00A-920A-A								
210140	SOLENOID VALVE							Component ATA:21
PN:963.14.11.001	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:05-0525194	HRS	0		TSN 0				
WC#: 21.300	AFL	0		TSN 0				
PROC. REF: AMM 12-A-21-30-04-00A-920A-A, AMM 12-A-21-30-05-00A-920A-APROC. REF: AMM 12-A-21-30-04-00A-920A-A, AMM 12-A-21-30-05-00A-920A-A								
210145	CABIN (REAR) ELECTRIC HEATER							Component ATA:21
PN:969.67.81.507	MOS/MSC	07-Jan-09	O/C					
SN:528960	HRS	2102.7						
WC#: 21.230	AFL	1585						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210150	DUAL FLAPPER 25 IN CHECK VALVE							Component ATA:21
PN:963.30.11.106	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:0428B	HRS	0		TSN 0				
WC#: 21.470	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210155	MANUALLY OPR SHUTOFF VALVE							Component ATA:21
PN:963.30.11.002	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:0452	HRS	0		TSN 0				
WC#: 21.480	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
210160	CABIN HEATER TEMPERATURE TRANSMITTER							Component ATA:21
PN:975.15.16.104	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:377	HRS	0		TSN 0				
WC#: 21.350	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
210165	UNDERFLOOR HEATER TEMPERATURE TRANSMITTER							Component ATA:21
PN:975.15.16.103	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:382	HRS	0		TSN 0				
WC#: 21.260	AFL	0		TSN 0				
PROC. REF: AMM 12-A-21-40-13-00A-920A-APROC. REF: AMM 12-A-21-40-13-00A-920A-A								
210170	OVERPRESSURE SWITCH							Component ATA:21
PN:973.81.15.106	MOS/MSC	07-Jun-12	O/C					
SN:0460	HRS	3913.4						
WC#: 21.340	AFL	3062						
PROC. REF: AMM 12-A-21-40-08-00A-920A-A, AMM 12-A-21-40-08-00A-920B-APROC. REF: AMM 12-A-21-40-08-00A-920A-A, AMM 12-A-21-40-08-00A-920B-A								
ATA 22 - AUTO FLIGHT								
22-10/233 S	EXAMINE PITCH, ROLL, AND YAW ACTUATORS AND CAPSTAN CONTROL CABLES							Service ATA:22
	MOS	18-Sep-25	24 (+10%/-10%)					
	HRS	7302	2400 (+10%/-10%)					
	AFL	5011						
								PKG:21
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
22-10/60 S	SERVO MOUNT (PITCH) - REMOVE FOR CLUTCH CHECK							Service ATA:22
	MOS	21-Sep-26	12 (+1m/-1m)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-22-10-00-00A-313A-APROC. REF: AMM 12-A-22-10-00-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
22-10/60 S	SERVO MOUNT (ROLL) - REMOVE FOR CLUTCH CHECK							Service ATA:22
	MOS	21-Sep-26	12 (+1m/-1m)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-22-10-00-00A-313A-APROC. REF: AMM 12-A-22-10-00-00A-313A-A								
22-10/60 S	SERVO MOUNT (YAW) - REMOVE FOR CLUTCH CHECK							Service ATA:22
	MOS	21-Sep-26	12 (+1m/-1m)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-22-10-00-00A-313A-APROC. REF: AMM 12-A-22-10-00-00A-313A-A								
22-10/60 S	SERVO MOUNT - (PITCH, ROLL AND YAW) REMOVE FOR CLUTCH CHECK							Service ATA:22
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
WC#: 22.010	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-22-10-00-00A-313A-APROC. REF: AMM 12-A-22-10-00-00A-313A-A								
22-20/129 S	EXAMINE ANGLE OF ATTACK (AOA) TRANSMITTERS							Service ATA:22
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-22-20-02-00A-313A-APROC. REF: AMM 12-A-22-20-02-00A-313A-A								
22-20/130 S	CHECK STICK PUSHER SYSTEM							Service ATA:22
	MOS	18-Sep-25						
	HRS	7302	300 (+10%/-10%)					
	AFL	5011						
								PKG:16
PROC. REF: AMM 12-A-22-20-00-00A-903A-APROC. REF: AMM 12-A-22-20-00-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
22-20/226 S	FUNCTIONAL TEST STICK PUSHER SYSTEM							Service ATA:22
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-22-20-00-00A-903A-APROC. REF: AMM 12-A-22-20-00-00A-903A-A								
220005	AUTOPILOT MODE CONTROL							Component ATA:22
PN:985.92.03.121	MOS/MSC	08-Apr-11	O/C					
SN:1589	HRS	3216.8						
WC#: 22.160	AFL	2481						
PROC. REF: AMM 12-A-22-10-05-00A-920A-APROC. REF: AMM 12-A-22-10-05-00A-920A-A								
220010	ALTITUDE PRESELECTOR							Component ATA:22
PN:065-0089-16	MOS/MSC	01-Jun-23	O/C	TSO 0				
SN:U1532	HRS	6991.7		TSO 0				
WC#: 22.180	AFL	4860		TSO 0				
PROC. REF: AMM 12-A-22-10-06-00A-920A-APROC. REF: AMM 12-A-22-10-06-00A-920A-A								
220015	AILERON KSA372,065-00056-0056 ACTUATOR							Component ATA:22
PN:985.92.03.161	MOS/MSC	24-Mar-11	O/C					
SN:3630	HRS	3197.2						
WC#: 22.100	AFL	2468						
PROC. REF: AMM 12-A-22-10-03-00A-920A-APROC. REF: AMM 12-A-22-10-03-00A-920A-A								
220020	PITCH KSM375,065-00015-0000 MOUNT							Component ATA:22
PN:985.92.03.173	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:9807	HRS	0		TSN 0				
WC#: 22.190	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220025	ELEVATOR KSA372,065-00056-0059 ACTUATOR							Component ATA:22
PN:985.92.03.164	MOS/MSC	20-Nov-06	O/C					
SN:4032	HRS	715.5						
WC#: 22.110	AFL	589						
PROC. REF: AMM 12-A-22-10-02-00A-920A-APROC. REF: AMM 12-A-22-10-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
220030	RUDDER KSM375,065-00015-0001 MOUNT							Component ATA:22
PN:985.92.03.171	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:9839	HRS	0		TSN 0				
WC#: 22.200	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220035	RUDDER (KSA372) TRIM ACTUATOR							Component ATA:22
PN:985.92.03.163	MOS/MSC	21-Aug-12	O/C					
SN:5551	HRS	4023.6						
WC#: 22.120	AFL	3152						
PROC. REF: AMM 12-A-22-10-04-00A-920A-APROC. REF: AMM 12-A-22-10-04-00A-920A-A								
220040	AILERON KSM375,065-00015-0001 MOUNT							Component ATA:22
PN:985.92.03.171	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:9831	HRS	0		TSN 0				
WC#: 22.210	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
220045	STICK PUSHER SERVO							Component ATA:22
PN:978.61.11.103	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:80067	HRS	0		TSN 0				
WC#: 22.220	AFL	0		TSN 0				
PROC. REF: AMM 12-A-22-20-04-00A-920A-APROC. REF: AMM 12-A-22-20-04-00A-920A-A								
220050	PITCH TRIM ADAPTER							Component ATA:22
PN:985.92.03.181	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1581	HRS	0		TSN 0				
WC#: 22.130	AFL	0		TSN 0				
PROC. REF: AMM 12-A-22-10-07-00A-920A-APROC. REF: AMM 12-A-22-10-07-00A-920A-A								
220055	STICK PUSHER CAPSTAN							Component ATA:22
PN:978.61.11.124	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:80075	HRS	0		TSN 0				
WC#: 22.140	AFL	0		TSN 0				
PROC. REF: AMM 12-A-22-20-06-00A-920A-APROC. REF: AMM 12-A-22-20-06-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
220060	STICK SHAKER							Component ATA:22
PN:978.61.11.143	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:0579	HRS	0		TSN 0				
WC#: 22.230	AFL	0		TSN 0				
PROC. REF: AMM 12-A-22-20-03-00A-920A-A, AMM 12-A-22-20-03-00A-920B-APROC. REF: AMM 12-A-22-20-03-00A-920A-A, AMM 12-A-22-20-03-00A-920B-A								
220065	AUTOPILOT COMPUTER							Component ATA:22
PN:522.10.12.055	MOS/MSC	08-May-12	O/C					
SN:2237	HRS	3874.7						
WC#: 22.150	AFL	3026						
PROC. REF: AMM 12-A-22-10-01-00A-920A-APROC. REF: AMM 12-A-22-10-01-00A-920A-A								
220070	STICK PUSHER COMPUTER							Component ATA:22
PN:975.44.23.104	MOS/MSC	18-May-12	O/C					
SN:10328	HRS	3883.9						
WC#: 22.170	AFL	3035						
PROC. REF: AMM 12-A-22-20-01-00A-920A-APROC. REF: AMM 12-A-22-20-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
230005	VHF/NAV SYSTEM I VHF COMM ANTENNA							Component ATA:23
PN:984.81.10.203	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:310-13824	HRS	0		TSN 0				
WC#: 23.020	AFL	0		TSN 0				
PROC. REF: AMM 12-A-23-12-02-00A-920A-APROC. REF: AMM 12-A-23-12-02-00A-920A-A								
230010	VHF/NAV SYSTEM II VHF COMM ANTENNA							Component ATA:23
PN:984.81.10.203	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:310-13825	HRS	0		TSN 0				
WC#: 23.030	AFL	0		TSN 0				
PROC. REF: AMM 12-A-23-12-03-00A-920A-APROC. REF: AMM 12-A-23-12-03-00A-920A-A								
230015	COMM/NAV 25 KHZ SYSTEM							Component ATA:23
PN:985.99.11.366	MOS/MSC	31-Jul-09	O/C					
SN:3008	HRS	2366.7						
WC#: 23.050	AFL	1805						
PROC. REF: AMM 12-A-23-12-01-00A-920A-APROC. REF: AMM 12-A-23-12-01-00A-920A-A								
230020	COMM/NAV 25 KHZ SYSTEM							Component ATA:23
PN:069-01032-0101	MOS/MSC	02-Feb-18	O/C					
SN:25202	HRS	5922.2						
WC#: 23.050	AFL	4391						
PROC. REF: AMM 12-A-23-12-01-00A-920A-APROC. REF: AMM 12-A-23-12-01-00A-920A-A								
230025	AUDIO SUMMING AMPLIFIER							Component ATA:23
PN:987.81.33.108	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:302	HRS	0		TSN 0				
WC#: 23.010	AFL	0		TSN 0				
PROC. REF: AMM 12-A-23-50-13-00A-920A-APROC. REF: AMM 12-A-23-50-13-00A-920A-A								
230030	AUDIO SELECTOR							Component ATA:23
PN:066-01176-0101	MOS/MSC		O/C					
SN:A03946	HRS	3938.7						
WC#: 23.040	AFL	3095						
PROC. REF: AMM 12-A-23-50-01-00A-920A-APROC. REF: AMM 12-A-23-50-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-20/227 S		OPERATIONAL TEST AC ELECTRICAL SYSTEM						Service ATA:24
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-24-20-00-00A-903A-APROC. REF: AMM 12-A-24-20-00-00A-903A-A								
24-30/131 S		EXAMINE AND ADJUSTMENT/TEST GENERATOR 2 DRIVE BELT						Service ATA:24
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-24-30-03-00A-903A-A, AMM 12-A-24-30-03-00A-903B-APROC. REF: AMM 12-A-24-30-03-00A-903A-A, AMM 12-A-24-30-03-00A-903B-A								
24-30/132 S		EXAMINE AND OPERATIONAL TEST BATTERY (BATTERIES - IF 2ND BATTERY INSTALLED)						Service ATA:24
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-24-30-00-00A-903A-A, AMM 12-A-24-30-00-00A-903B-APROC. REF: AMM 12-A-24-30-00-00A-903A-A, AMM 12-A-24-30-00-00A-903B-A								
24-30/19		STARTER GENERATOR						Component ATA:24
PN:23085-030	MOS	18-Sep-25		TSO 0				OVERHAUL
SN:Y0239	HRS	7302	1000 (+10%/-10%)	TSO 0	8302	8402	931.4 (+100)	
WC#: 24.020	AFL	5011		TSO 0				
PROC. REF: AMM 12-A-24-30-01-00A-920A-APROC. REF: AMM 12-A-24-30-01-00A-920A-A								
24-30/21		GENERATOR 2 DRIVE ASSEMBLY AFT BEARING						Component ATA:24
PN:940.83.08.902	MOS	18-Sep-25		TSN 0				DISCARD
SN:UNKNOWN	HRS	7302	3000 (+10%/-10%)	TSN 0	10302	10602	2931.4 (+300)	
	AFL	5011		TSN 0				
PROC. REF: AMM 12-A-24-30-04-00A-920A-APROC. REF: AMM 12-A-24-30-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-30/228 S	OPERATIONAL TEST EXTERNAL POWER							Service ATA:24
	MOS	18-Sep-25	24 (+10%/-10%)					
	HRS	7302	2400 (+10%/-10%)					
	AFL	5011						
								PKG:21
PROC. REF: AMM 12-A-24-30-00-00A-903A-A, AMM 12-A-24-30-00-00A-903B-APROC. REF: AMM 12-A-24-30-00-00A-903A-A, AMM 12-A-24-30-00-00A-903B-A								
24-30/482 S	BRUSH CHECK STARTER GENERATOR BRUSHES (P/N 978.91.23.407, 978.91.23.408 AND 978.91.23.409)							Service ATA:24
PN:23085-030	MOS/MSC		N/A					
SN:Y0239	HRS							
	AFL							
								PKG:18
PROC. REF: AMM 12-A-24-30-01-00A-313A-APROC. REF: AMM 12-A-24-30-01-00A-313A-A								
24-30/61 S	BRUSH CHECK STARTER GENERATOR BRUSHES (ALL P/N'S EXCEPT 978.91.23.407, 978.91.23.408 AND 978.91.23.409)							Service ATA:24
PN:23085-030	MOS	18-Sep-25						
SN:Y0239	HRS	7302	300 (+10%/-10%)					
WC#: 24.020	AFL	5011						
								PKG:16
PROC. REF: AMM 12-A-24-30-01-00A-313A-APROC. REF: AMM 12-A-24-30-01-00A-313A-A								
24-30/62	EXAMINE THE CORROSION PROTECTIVE LAYER GENERATOR 1 AND 2, BATTERY 1 AND 2 (IF INSTALLED) GROUND POINTS							Service ATA:24
	MOS	18-Sep-25	24 (+10%/-10%)		30-Sep-27	30-Nov-27	335 d (+61)	
	HRS	7302						
WC#: 24.210	AFL	5011						
PROC. REF: AMM 12-A-24-30-00-00A-901A-APROC. REF: AMM 12-A-24-30-00-00A-901A-A								
24-30/64 S	INSPECTION / CHECK GENERATOR 2 GENERATOR BRUSHES							Service ATA:24
PN:524.32.12.158	MOS	18-Sep-25						
SN:100699	HRS	7302	600 (+10%/-10%)					
	AFL	5011						
								PKG:18
PROC. REF: AMM 12-A-24-30-02-00A-313A-APROC. REF: AMM 12-A-24-30-02-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-30/66		INSPECT/CHECK GENERATOR # 2 DRIVE ASSEMBLY HOUSING						Service ATA:24
	MOS	01-Jun-23						
	HRS	6991.7	1800 (+10%/-10%)		8791.7	8971.7	1421.1 (+180)	
	AFL	4860						
PROC. REF: AMM 12-A-24-30-04-00A-313A-APROC. REF: AMM 12-A-24-30-04-00A-313A-A								
24-30/69		REMOVE/CAPACITY CHECK NO. 1 LEAD ACID BATTERY						Service ATA:24
PN:RG380E/44	MOS	21-Sep-26	6 (+10%/-10%)		31-Mar-27	08-Apr-27	152 d (+8)	
SN:41445332	HRS	7370.6	600 (+10%/-10%)		7970.6	8030.6	600 (+60)	
WC#: 24.010	AFL	5044						
PROC. REF: AMM 12-A-24-30-07-00A-920A-APROC. REF: AMM 12-A-24-30-07-00A-920A-A								
24-30/69		REMOVE/CAPACITY CHECK NO. 2 LEAD ACID BATTERY						Service ATA:24
PN:RG-380E/44	MOS	21-Sep-26	3 (+10%/-10%)		31-Dec-26	31-Dec-26	62 d	
SN:41092298	HRS	7370.6	300 (+10%/-10%)		7670.6	7700.6	300 (+30)	
WC#: 24.010	AFL	5044						
PROC. REF: AMM 12-A-24-30-07-00A-920A-APROC. REF: AMM 12-A-24-30-07-00A-920A-A								
24-40/229 S		EXAMINE EXTERNAL POWER UNIT (EPU) RECEPTACLE						Service ATA:24
	MOS	18-Sep-25	24 (+10%/-10%)					
	HRS	7302	2400 (+10%/-10%)					
	AFL	5011						
								PKG:21
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
24-50/70		REMOVE/CAPACITY CHECK EMERGENCY POWER SUPPLY						Service ATA:24
PN:501-1712-02	MOS	21-Sep-26	12 (+1m/-1m)		30-Sep-27	21-Oct-27	335 d (+21)	
SN:80235	HRS	7370.6						
WC#: 24.050	AFL	5044						
PROC. REF: AMM 12-A-24-52-51-00A-920A-A, AMM 12-A-24-52-51-00A-903A-APROC. REF: AMM 12-A-24-52-51-00A-920A-A, AMM 12-A-24-52-51-00A-903A-A								
24-60/133 S		EXAMINE COCKPIT CIRCUIT BREAKER PANELS AND SWITCH PANELS						Service ATA:24
	MOS	18-Sep-25	24 (+10%/-10%)					
	HRS	7302	2400 (+10%/-10%)					
	AFL	5011						
								PKG:21

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
240005	STARTER/GENERATOR 1 VOLTAGE REGULATOR							Component ATA:24
PN:988.21.14.111	MOS/MSC	01-Jun-23	O/C	TSR 0				
SN:Y0353	HRS	6991.7		TSR 0				
WC#: 24.120	AFL	4860		TSR 0				
PROC. REF: AMM 12-A-24-30-05-00A-920A-APROC. REF: AMM 12-A-24-30-05-00A-920A-A								
240015	GENERATOR 2 300A CONTACTOR							Component ATA:24
PN:974.03.38.113	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:N244	HRS	0		TSN 0				
WC#: 24.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
240020	GENERATOR 1 300A CONTACTOR							Component ATA:24
PN:974.03.38.113	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:N241	HRS	0		TSN 0				
WC#: 24.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
240025	NO. 2 GENERATOR CONTROL UNIT							Component ATA:24
PN:988.21.15.103	MOS/MSC	28-Feb-14	O/C					
SN:10501	HRS	4733.8						
WC#: 24.140	AFL	3698						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
240035	BUSBAR,CROSS TIE RCCB							Component ATA:24
PN:972.55.37.003	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1261	HRS	0		TSN 0				
WC#: 24.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
240040	BUSBAR,CROSS,TIE RCCB							Component ATA:24
PN:972.55.37.005	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:637	HRS	0		TSN 0				
WC#: 24.150	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
240045	STARTER RELAY							Component ATA:24
PN:974.09.26.133	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:P683	HRS	0		TSN 0				
WC#: 24.160	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
240050	BATTERY RELAY							Component ATA:24
PN:974.09.26.126	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:R354	HRS	0		TSN 0				
WC#: 24.170	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
240055	EPU RELAY							Component ATA:24
PN:974.09.26.126	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:R257	HRS	0		TSN 0				
WC#: 24.180	AFL	0		TSN 0				
PROC. REF: AMM 12-A-24-40-00-00A-920A-APROC. REF: AMM 12-A-24-40-00-00A-920A-A								
240060	CONTROL,EXTERNAL POWER UNIT							Component ATA:24
PN:972.81.32.301	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:541	HRS	0		TSN 0				
WC#: 24.110	AFL	0		TSN 0				
PROC. REF: AMM 12-A-24-40-00-00A-920A-APROC. REF: AMM 12-A-24-40-00-00A-920A-A								
240065	OVERHEAD PANEL							Component ATA:24
PN:972.81.32.109	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:JWPIL2002144	HRS	0		TSN 0				
WC#: 24.190	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
240075	HEATING,ELECTRICAL CONTROLLER							Component ATA:24
PN:959.90.20.124	MOS/MSC	07-Jan-09	O/C					
SN:487	HRS	2102.7						
WC#: 24.200	AFL	1585						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
240080	A241 26 VAC,SC3(A) INVERTER							Component ATA:24
PN:975.04.21.112	MOS/MSC	19-Nov-14	O/C	TSN 0				
SN:833	HRS	4992.4		TSN 0				
WC#: 24.070	AFL	3854		TSN 0				
PROC. REF: AMM 12-A-24-20-03-00A-920A-APROC. REF: AMM 12-A-24-20-03-00A-920A-A								
240085	A242 26 VAC,SC3(A) INVERTER							Component ATA:24
PN:975.04.21.112	MOS/MSC	19-Nov-14	O/C	TSN 0				
SN:861	HRS	4992.4		TSN 0				
WC#: 24.070	AFL	3854		TSN 0				
PROC. REF: AMM 12-A-24-20-03-00A-920A-APROC. REF: AMM 12-A-24-20-03-00A-920A-A								
240090	S102 DC CURRENT SENSOR							Component ATA:24
PN:974.29.00.201	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:3312	HRS	0		TSN 0				
WC#: 24.080	AFL	0		TSN 0				
PROC. REF: AMM 12-A-24-30-08-00A-920A-APROC. REF: AMM 12-A-24-30-08-00A-920A-A								
240095	S105 DC CURRENT SENSOR							Component ATA:24
PN:974.29.00.205	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:2140	HRS	0		TSN 0				
WC#: 24.090	AFL	0		TSN 0				
PROC. REF: AMM 12-A-24-30-08-00A-920A-APROC. REF: AMM 12-A-24-30-08-00A-920A-A								
240100	S108 DC CURRENT SENSOR							Component ATA:24
PN:974.29.00.205	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:2167	HRS	0		TSN 0				
WC#: 24.100	AFL	0		TSN 0				
PROC. REF: AMM 12-A-24-30-08-00A-920A-APROC. REF: AMM 12-A-24-30-08-00A-920A-A								
240105	S103 DC CURRENT SENSOR							Component ATA:24
PN:974.29.00.201	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:3397	HRS	0		TSN 0				
WC#: 24.080	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: AMM 12-A-24-30-08-00A-920A-APROC. REF: AMM 12-A-24-30-08-00A-920A-A								
240110	S104 DC CURRENT SENSOR							Component ATA:24
PN:974.29.00.201	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:3325	HRS	0		TSN 0				
WC#: 24.090	AFL	0		TSN 0				
PROC. REF: AMM 12-A-24-30-08-00A-920A-APROC. REF: AMM 12-A-24-30-08-00A-920A-A								
240115	S106 DC CURRENT SENSOR							Component ATA:24
PN:974.29.00.201	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:3341	HRS	0		TSN 0				
WC#: 24.100	AFL	0		TSN 0				
PROC. REF: AMM 12-A-24-30-08-00A-920A-APROC. REF: AMM 12-A-24-30-08-00A-920A-A								
240135	NO. 1 LEAD ACID BATTERY							Component ATA:24
PN:RG380E/44	MOS/MSC	21-Sep-26	O/C					
SN:41445332	HRS	7370.6						
WC#: 24.010	AFL	5044						
PROC. REF: AMM 12-A-24-30-07-00A-920A-APROC. REF: AMM 12-A-24-30-07-00A-920A-A								
240140	NO. 2 LEAD ACID BATTERY							Component ATA:24
PN:RG-380E/44	MOS/MSC	21-Sep-26	O/C					
SN:41092298	HRS	7370.6						
WC#: 24.010	AFL	5044						
PROC. REF: AMM 12-A-24-30-07-00A-920A-APROC. REF: AMM 12-A-24-30-07-00A-920A-A								
243045	GENERATOR 2							Component ATA:24
PN:524.32.12.158	MOS/MSC	28-Jul-17	O/C					
SN:100699	HRS	5895.4						
WC#: 24.030	AFL	4370						
PROC. REF: AMM 12-A-24-30-02-00A-920A-A, AMM 12-A-24-30-02-00A-920B-APROC. REF: AMM 12-A-24-30-02-00A-920A-A, AMM 12-A-24-30-02-00A-920B-A								
243080	EMERGENCY POWER SUPPLY							Component ATA:24
PN:501-1712-02	MOS/MSC	21-Sep-26	O/C	TSN 102, TSO 12				
SN:80235	HRS	7370.6		TSN 1448.4, TSO 68.6				
WC#: 24.050	AFL	5044		TSN 653, TSO 33				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: AMM 12-A-24-52-51-00A-920A-APROC. REF: AMM 12-A-24-52-51-00A-920A-A								
243100 S	NO. 1 NICAD BATTERY							Component ATA:24
PN:PN	MOS/MSC	24-Jan-17	O/C	TSN 0, TSO 0, TSR 0				
SN:NOT INSTALLED	HRS	5689		TSN 0, TSO 0, TSR 0				
WC#: 24.060	AFL	4260		TSN 0, TSO 0, TSR 0				
PROC. REF: AMM 12-A-24-30-07-00A-920A-APROC. REF: AMM 12-A-24-30-07-00A-920A-A								
243105 S	NO. 2 NICAD BATTERY							Component ATA:24
PN:PN	MOS/MSC	24-Jan-17	O/C	TSN 0, TSO 0, TSR 0				
SN:NOT INSTALLED	HRS	5689		TSN 0, TSO 0, TSR 0				
WC#: 24.060	AFL	4260		TSN 0, TSO 0, TSR 0				
PROC. REF: AMM 12-A-24-30-07-00A-920A-APROC. REF: AMM 12-A-24-30-07-00A-920A-A								
ATA 25 - EQUIPMENT/FURNISHINGS								
25-10/134 S	EXAMINE CREW SEAT BELTS							Service ATA:25
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-10/135 S	EXAMINE CREW SEATS AS FAR AS POSSIBLE WITH SEATS INSTALLED							Service ATA:25
	MOS	18-Sep-25						
	HRS	7302	300 (+10%/-10%)					
	AFL	5011						
								PKG:16
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-10/293	PILOT SEAT CUSHION							Component ATA:25
PN:0A318-0569	MOS/MSC	24-Aug-16	O/C	TSN 0				
SN:UNKNOWN	HRS	5554.9		TSN 0				
WC#: 25.080	AFL	4175		TSN 0				
PROC. REF: AMM 12-A-25-21-02-00A-920A-APROC. REF: AMM 12-A-25-21-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-10/293A U S	CO-PILOT SEAT CUSHION - 3 YEAR (ELAPSED FOR FACTORY NEW OR SPARE PART NEW FROM EASA FORM 1 DATE) CUSHION							Component ATA:25
PN:0A318-0569	MOS	27-Jul-17	36 (+10%/-10%)	TSN 0				
SN:53545	HRS	5895.4						
	AFL	4370						
25-10/296 S	REMOVE CREW SEATS AS NECESSARY TO DO THE INSPECTION							Service ATA:25
	MOS/MSC	21-Sep-26	A/R					
	HRS	7370.6						
	AFL	5044						
								PKG:15 ,16,17,18,19,20,21
PROC. REF: AMM 12-A-25-10-05-00A-920A-A, AMM 12-A-25-10-01-00A-920A-APROC. REF: AMM 12-A-25-10-05-00A-920A-A, AMM 12-A-25-10-01-00A-920A-A								
25-10/297 S	INSTALL CREW SEATS AS NECESSARY TO CLOSE THE INSPECTION							Service ATA:25
	MOS/MSC	21-Sep-26	A/R					
	HRS	7370.6						
	AFL	5044						
								PKG:15 ,16,17,18,19,20,21
PROC. REF: AMM 12-A-25-10-05-00A-920A-A, AMM 12-A-25-10-01-00A-920A-APROC. REF: AMM 12-A-25-10-05-00A-920A-A, AMM 12-A-25-10-01-00A-920A-A								
25-10/300 S	REMOVE CREW SEAT CUSHIONS, COVERS AND SHELLS (REF. CMM) AND EXAMINE SEAT. INSTALL CUSHIONS, COVERS AND SHELLS.							Service ATA:25
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-25-10-05-00A-920A-A, AMM 12-A-25-10-01-00A-920A-APROC. REF: AMM 12-A-25-10-05-00A-920A-A, AMM 12-A-25-10-01-00A-920A-A								
25-20/136 S	EXAMINE PASSENGER SEAT BELTS AND EXTENSIONS							Service ATA:25
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-20/137 S	EXAMINE PASSENGER SEATS - FOR EXECUTIVE SEATS ONLY, CHECK THE HYDROLOCK REAR ATTACHMENT BOLT FOR SECURITY OF ATTACHMENT							Service ATA:25
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-20/295	PASSENGER SEAT BELTS							Component ATA:25
PN:407003-53	MOS/MSC	24-Jan-17	O/C	TSN 142, TSO 0				
SN:UNKNOWN	HRS	5689		TSN 5689, TSO 0				
WC#: 25.010	AFL	4260		TSN 4260, TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-20/298 S	REMOVE PASSENGER SEATS AS NECESSARY TO DO THE INSPECTION							Service ATA:25
	MOS/MSC	21-Sep-26	A/R					
	HRS	7370.6						
	AFL	5044						
								PKG:15 ,16,17,18,19,20,21
PROC. REF: AMM 12-A-25-22-01-00A-920A-A, AMM 12-A-25-20-01-00A-920A-A, AMM 12-A-25-21-01-00A-920A-APROC. REF: AMM 12-A-25-22-01-00A-920A-A, AMM 12-A-25-20-01-00A-920A-A, AMM 12-A-25-21-01-00A-920A-A								
25-20/299 S	INSTALL PASSENGER SEATS AS NECESSARY TO CLOSE THE INSPECTION							Service ATA:25
	MOS/MSC	21-Sep-26	A/R					
	HRS	7370.6						
	AFL	5044						
								PKG:15 ,16,17,18,19,20,21
PROC. REF: AMM 12-A-25-22-01-00A-920A-A, AMM 12-A-25-20-01-00A-920A-A, AMM 12-A-25-21-01-00A-920A-APROC. REF: AMM 12-A-25-22-01-00A-920A-A, AMM 12-A-25-20-01-00A-920A-A, AMM 12-A-25-21-01-00A-920A-A								
25-20/302 S	EXAMINE PASSENGER SEATS AS FAR AS POSSIBLE WITH SEATS INSTALLED. MOVE THE RECLINE MECHANISM AND SWIVEL FUNCTION (EXECUTIVE SEAT ONLY) THROUGH ITS FULL MOTION AND CHECK FOR CORRECT OPERATION. IF NECESSARY, REFER TO THE APPLICABLE SUPPLIER CMM (CMM 25-20-07 FOR EXECUTIVE SEATS AND CMM 25-20-99 FOR STANDARD SEATS).							Service ATA:25
	MOS	18-Sep-25						
	HRS	7302	300 (+10%/-10%)					
	AFL	5011						
								PKG:16
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
25-60/231 S	OPERATIONAL TEST ELT							Service ATA:25
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-25-63-00-00A-903A-A, AMM 12-A-25-63-20-00A-903A-A, AMM 12-A-25-63-30-00A-903A-A, AMM 12-A-25-63-10-00A-903A-APROC. REF: AMM 12-A-25-63-00-00A-903A-A, AMM 12-A-25-63-20-00A-903A-A, AMM 12-A-25-63-30-00A-903A-A, AMM 12-A-25-63-10-00A-903A-A								
25-60/232 S	EXAMINE ELT INSTALLATION							Service ATA:25
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
25-60/483	PERFORM PERIODIC INSPECTION ON KANNAD 406 AF ELT. IF INSTALLED							Service ATA:25
PN:S1821502-02	MOS/MSC	11-Jun-20	A/R					
SN:2620552-0010	HRS	6237.3						
	AFL	4506						
PROC. REF: AMM 12-A-25-63-10-00A-903A-APROC. REF: AMM 12-A-25-63-10-00A-903A-A								
25-63/23	EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY							Component ATA:25
PN:S1820506-01	MOS/MSC	27-May-22	DUE		01-Jan-29 (M)		794 d	DISCARD
SN:22060361	HRS	6688.5						
WC#: 25.020	AFL	4720						
			Expiry Date: : 01-Jan-29					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
250005	REMOTE CONTROL PANEL							Component ATA:25
PN:985.13.80.817	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:501091-0014	HRS	0		TSN 0				
WC#: 25.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
250010	EMERGENCY LOCATOR TRANSMITTER							Component ATA:25
PN:S1821502-02	MOS/MSC	19-Sep-18	O/C					
SN:2620552-0010	HRS	5925.7						
WC#: 25.050	AFL	4393						
PROC. REF: AMM 12-A-25-63-01-00A-920A-APROC. REF: AMM 12-A-25-63-01-00A-920A-A								
250015	IPECO PILOT SEAT							Component ATA:25
PN:959.30.01.135	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:43330	HRS	0		TSN 0				
WC#: 25.040	AFL	0		TSN 0				
PROC. REF: AMM 12-A-25-10-05-00A-920A-APROC. REF: AMM 12-A-25-10-05-00A-920A-A								
250020	IPECO CO-PILOT SEAT							Component ATA:25
PN:959.30.01.136	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:43426	HRS	0		TSN 0				
WC#: 25.040	AFL	0		TSN 0				
PROC. REF: AMM 12-A-25-10-05-00A-920A-APROC. REF: AMM 12-A-25-10-05-00A-920A-A								
251010	PILOT SEAT BACKREST TUBES							Component ATA:25
PN:959.30.01.135	MOS/MSC	24-Nov-05	N/A	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 25.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
251015	COPILOT SEAT BACKREST TUBES							Component ATA:25
PN:959.30.01.136	MOS/MSC	24-Nov-05	N/A	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
258010	PERFORM EMERGENCY LOCATOR TRANSMITTER (ELT) 12-MONTHS INSPECTION							Service ATA:25
	MOS	21-Sep-26	12		21-Sep-27		326 d	
	HRS	7370.6						
WC#: 25.085	AFL	5044						
PROC. REF: GENERIC NO REF, FAR 91.207PROC. REF: GENERIC NO REF, FAR 91.207								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
26-20/2	COCKPIT FIRE EXTINGUISHER							Component ATA:26
PN:C352TS	MOS	25-May-21	120	TSN 3	01-Feb-31		1555 d	LIFE LIMIT
SN:G-40531010	HRS	6401.3		TSN 0				
WC#: 26.010	AFL	4628		TSN 0				
			Manufacture Date:: 01-Feb-21					
PROC. REF: AMM 12-A-26-20-01-00A-920A-APROC. REF: AMM 12-A-26-20-01-00A-920A-A								
26-20/24	CONTENTS CHECK COCKPIT FIRE EXTINGUISHER							Service ATA:26
PN:C352TS	MOS	21-Sep-26	12 (+1m/-1m)		30-Sep-27	21-Oct-27	335 d (+21)	
SN:G-40531010	HRS	7370.6						
WC#: 26.010	AFL	5044						
PROC. REF: AMM 12-A-26-20-00-01A-289A-APROC. REF: AMM 12-A-26-20-00-01A-289A-A								
260005	FIRE/OVERHEAT DETECTOR							Component ATA:26
PN:975.12.10.012	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:206016	HRS	0		TSN 0				
WC#: 26.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 27 - FLIGHT CONTROLS								
27-00/138 S	OPERATE AILERON, ELEVATOR AND RUDDER CONTROLS MAKE SURE FULL AND FREE TRAVEL							Service ATA:27
	MOS	18-Sep-25						
	HRS	7302	300 (+10%/-10%)					
	AFL	5011						
								PKG:16
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-00/402	EXAMINE BONDING LEADS TO ALL FLIGHT CONTROL SURFACES							Service ATA:27
	MOS	24-Nov-05						
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-00/71		EXAMINE FLIGHT CONTROL CABLES INCLUDING AUTO PILOT AND STICK PUSHER CABLES						Service ATA:27
	MOS	21-Sep-26	60 (+10%/-10%)		30-Sep-31	21-Mar-32	1796 d (+173)	
	HRS	7370.6	4800 (+10%/-10%)		12170.6	12650.6	4800 (+480)	
WC#: 27.010	AFL	5044						
PROC. REF: AMM 12-A-27-00-00-00A-313A-APROC. REF: AMM 12-A-27-00-00-00A-313A-A								
27-10/139 S		EXAMINE AILERON LH AND RH AND LUBRICATE THE TRIM HINGES WITH MINIMUM QUANTITY OF CPC TEMPORARY (MAT. NO. P10-001)						Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-10/234 S		EXAMINE AILERON LH AND RH RODS AND LEVERS						Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-10/235 S		EXAMINE AILERON ELECTRICAL BONDING STRAPS						Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-10/236 S		AILERON CONTROL SYSTEM - INSPECTION/ CHECK						Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-27-10-00-00A-313A-APROC. REF: AMM 12-A-27-10-00-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-10/237 S	CHECK AILERON CABLE TENSION MSN 101-683, MSN 684-999							Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-27-10-00-00A-903A-A, AMM 12-A-27-10-00-00A-903B-APROC. REF: AMM 12-A-27-10-00-00A-903A-A, AMM 12-A-27-10-00-00A-903B-A								
27-10/238 S	FUNCTIONAL TEST AILERONS MSN 101-683, MSN 684-999							Service ATA:27
	MOS	18-Sep-25	24 (+10%/-10%)					
	HRS	7302	2400 (+10%/-10%)					
	AFL	5011						
								PKG:21
PROC. REF: AMM 12-A-27-10-00-00A-903A-A, AMM 12-A-27-10-00-00A-903B-APROC. REF: AMM 12-A-27-10-00-00A-903A-A, AMM 12-A-27-10-00-00A-903B-A								
27-10/394	EXAMINE - AILERON CONTROL SYSTEM							Service ATA:27
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-27-10-00-00A-310A-APROC. REF: AMM 12-A-27-10-00-00A-310A-A								
27-10/395	EDDY CURRENT INSPECTION AILERON CABLE SEGMENT							Service ATA:27
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-27-10-09-00A-353A-APROC. REF: AMM 12-A-27-10-09-00A-353A-A								
27-10/396	EDDY CURRENT INSPECTION - AILERON CONTROL RODS							Service ATA:27
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-27-00-01-00A-353A-APROC. REF: AMM 12-A-27-00-01-00A-353A-A								
27-10/397	MAGNETIC PARTICLE INSPECT - AILERON CONTROL RODS							Service ATA:27
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-A-27-00-01-00A-352A-APROC. REF: AMM 12-A-27-00-01-00A-352A-A								
27-10/398	EDDY CURRENT INSPECTION AND MAGNETIC PARTICLE INSPECTIONS - AILERON BELLCRANKS							Service ATA:27
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-27-10-08-00A-352B-A, AMM 12-A-27-10-08-00A-353A-A, AMM 12-A-27-10-08-00A-353B-APROC. REF: AMM 12-A-27-10-08-00A-352B-A, AMM 12-A-27-10-08-00A-353A-A, AMM 12-A-27-10-08-00A-353B-A								
27-10/400	EDDY CURRENT INSPECTION - RIGHT WING AILERON HINGE POINTS							Service ATA:27
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-57-60-06-00A-353A-APROC. REF: AMM 12-A-57-60-06-00A-353A-A								
27-10/400	EDDY CURRENT INSPECTION LEFT WING - AILERON HINGE POINTS							Service ATA:27
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-57-60-06-00A-353A-APROC. REF: AMM 12-A-57-60-06-00A-353A-A								
27-10/444	AILERON FLIGHT CONTROL CABLES							Component ATA:27
PN:PN	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		12629.4	
	AFL	0	27000	TSN 0	27000		21956	
PROC. REF: AMM 12-A-27-10-01-00A-920A-APROC. REF: AMM 12-A-27-10-01-00A-920A-A								
27-10/445	AUTOPILOT CONTROL CABLE							Component ATA:27
PN:PN	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		12629.4	
	AFL	0	27000	TSN 0	27000		21956	
PROC. REF: AMM 12-A-27-10-02-00A-920A-APROC. REF: AMM 12-A-27-10-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-10/470 S	LUBRICATE AILERON CONTROL SYSTEM BEARING							Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-27-10-00-00A-901A-APROC. REF: AMM 12-A-27-10-00-00A-901A-A								
27-15/239 S	FUNCTIONAL TEST AILERON TRIM MSN 101-683, MSN 684-999							Service ATA:27
	MOS	18-Sep-25	24 (+10%/-10%)					
	HRS	7302	2400 (+10%/-10%)					
	AFL	5011						
								PKG:21
PROC. REF: AMM 12-A-27-15-00-00A-903A-A, AMM 12-A-27-15-00-00A-903B-APROC. REF: AMM 12-A-27-15-00-00A-903A-A, AMM 12-A-27-15-00-00A-903B-A								
27-20/140 S	INSPECT/CHECK RUDDER							Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-55-40-00-00A-313A-APROC. REF: AMM 12-A-55-40-00-00A-313A-A								
27-20/240 S	EXAMINE RUDDER STATIC DISCHARGERS							Service ATA:27
	MOS	18-Sep-25	24 (+10%/-10%)					
	HRS	7302	2400 (+10%/-10%)					
	AFL	5011						
								PKG:21
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-20/241 S	RUDDER CONTROL SYSTEM - INSPECTION/ CHECK							Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-27-20-00-00A-313A-A, AMM 12-A-27-20-04-00A-353A-APROC. REF: AMM 12-A-27-20-00-00A-313A-A, AMM 12-A-27-20-04-00A-353A-A								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition

ATA 27 - FLIGHT CONTROLS

27-20/242 S	EXAMINE AILERON/RUDDER INTERCONNECT SYSTEM, MSN 101-683 MAKE SURE THE LOCKING MECHANISM IS FULLY ENGAGED WITH THE FLAPS AT 40° AND THE MOVING PARTS (PISTON AND HOUSING) ARE LUBRICATED. IF NECESSARY APPLY GREASE P04-002 WITH A BRUSH							Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						

PKG:20

PROC. REF: AMM 12-A-27-10-00-00A-040A-A, AMM 12-A-27-10-00-00A-040A-A, AMM 12-A-27-10-00-00A-040B-A, AMM 12-A-27-10-00-00A-040B-APROC. REF: AMM 12-A-27-10-00-00A-040A-A, AMM 12-A-27-10-00-00A-040A-A, AMM 12-A-27-10-00-00A-040B-A, AMM 12-A-27-10-00-00A-040B-A

27-20/243 S	CHECK RUDDER CABLE TENSION							Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						

PKG:20

PROC. REF: AMM 12-A-27-20-00-00A-903A-A, AMM 12-A-27-20-00-00A-903B-APROC. REF: AMM 12-A-27-20-00-00A-903A-A, AMM 12-A-27-20-00-00A-903B-A

27-20/244 S	FUNCTIONAL TEST RUDDER							Service ATA:27
	MOS	18-Sep-25	24 (+10%/-10%)					
	HRS	7302	2400 (+10%/-10%)					
	AFL	5011						

PKG:21

PROC. REF: AMM 12-A-27-20-00-00A-903A-A, AMM 12-A-27-20-00-00A-903B-APROC. REF: AMM 12-A-27-20-00-00A-903A-A, AMM 12-A-27-20-00-00A-903B-A

27-20/245 S	FUNCTIONAL TEST RUDDER TRIM							Service ATA:27
	MOS	18-Sep-25	24 (+10%/-10%)					
	HRS	7302	2400 (+10%/-10%)					
	AFL	5011						

PKG:21

PROC. REF: AMM 12-A-27-25-00-00A-903A-APROC. REF: AMM 12-A-27-25-00-00A-903A-A

27-20/246 S	EXAMINE RUDDER ELECTRICAL BONDING STRAPS							Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						

PKG:20

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-20/374	EXAMINE - RUDDER CONTROL SYSTEM							Service ATA:27
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-27-20-00-00A-310A-APROC. REF: AMM 12-A-27-20-00-00A-310A-A								
27-20/376	EXAMINE RUDDER CABLE QUADRANT SHEAR SPIGOT							Service ATA:27
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-27-20-05-00A-310A-APROC. REF: AMM 12-A-27-20-05-00A-310A-A								
27-20/431	CHECK L/H RUDDER CONTROL CABLE TENSION AFTER REPLACEMENT OF ANY RUDDER CONTROL SYSTEM CABLES (AUTOPILOT AND/OR RUDDER)							Service ATA:27
PN:PN	MOS/MSC	24-Nov-05	A/R					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 12-A-27-20-00-00A-903A-APROC. REF: AMM 12-A-27-20-00-00A-903A-A								
27-20/431	CHECK R/H RUDDER CONTROL CABLE TENSION AFTER REPLACEMENT OF ANY RUDDER CONTROL SYSTEM CABLES (AUTOPILOT AND/OR RUDDER)							Service ATA:27
PN:PN	MOS/MSC	24-Nov-05	A/R					
SN:UNKNOWN	HRS	0						
	AFL	0						
PROC. REF: AMM 12-A-27-20-00-00A-903A-APROC. REF: AMM 12-A-27-20-00-00A-903A-A								
27-20/446	RUDDER FLIGHT CONTROL CABLES							Component ATA:27
PN:PN	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		12629.4	
	AFL	0	27000	TSN 0	27000		21956	
PROC. REF: AMM 12-A-27-20-01-00A-920A-APROC. REF: AMM 12-A-27-20-01-00A-920A-A								
27-20/447	RUDDER AUTOPILOT CONTROL CABLES							Component ATA:27
PN:PN	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		12629.4	
	AFL	0	27000	TSN 0	27000		21956	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-A-27-20-02-00A-920A-APROC. REF: AMM 12-A-27-20-02-00A-920A-A								
27-20/575		REPLACE RUDDER BELLCRANK						Service ATA:27
PN:PN	MOS	24-Nov-05						LIFE LIMIT
SN:UNKNOWN	HRS	0	20000		20000		12629.4	
	AFL	0	27000		27000		21956	
PROC. REF: AMM 12-A-27-20-04-00A-920A-APROC. REF: AMM 12-A-27-20-04-00A-920A-A								
27-30/141 S		EXAMINE ELEVATORS						Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-30/247 S		EXAMINE ELEVATOR ELECTRICAL BONDING STRAPS						Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-30/248 S		EXAMINE ELEVATOR STATIC DISCHARGERS						Service ATA:27
	MOS	18-Sep-25	24 (+10%/-10%)					
	HRS	7302	2400 (+10%/-10%)					
	AFL	5011						
								PKG:21
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-30/249 S		ELEVATOR CONTROL SYSTEM - INSPECTION/ CHECK						Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-27-30-00-00A-313A-APROC. REF: AMM 12-A-27-30-00-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-30/250 S	CHECK ELEVATOR CABLE TENSION							Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-27-30-00-00A-903A-APROC. REF: AMM 12-A-27-30-00-00A-903A-A								
27-30/251 S	FUNCTIONAL TEST ELEVATOR							Service ATA:27
	MOS	18-Sep-25	24 (+10%/-10%)					
	HRS	7302	2400 (+10%/-10%)					
	AFL	5011						
								PKG:21
PROC. REF: AMM 12-A-27-30-00-00A-903A-APROC. REF: AMM 12-A-27-30-00-00A-903A-A								
27-30/333 U	CHECK RUDDER TENSION AFTER MAINTENANCE WORK IS DONE ON THE STICK PUSHER OR RUDDER							Service ATA:27
	MOS/MSC		A/R					
	HRS							
	AFL							
27-30/334	CHECK ELEVATOR CONTROL CABLE TENSION AFTER REPLACEMENT OF ANY ELEVATOR CONTROL SYSTEM CABLES (AUTOPILOT, STICK PUSHER AND/OR ELEVATOR)							Service ATA:27
PN:PN	MOS/MSC	24-Nov-05	A/R					
SN:UNKNOWN	HRS	0						
WC#: 27.150	AFL	0						
PROC. REF: AMM 12-A-27-30-00-00A-903A-APROC. REF: AMM 12-A-27-30-00-00A-903A-A								
27-30/363	EXAMINE - ELEVATOR CONTROL SYSTEM							Service ATA:27
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-27-30-00-00A-310A-APROC. REF: AMM 12-A-27-30-00-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-30/364	EDDY CURRENT INSPECTION - ELEVATOR CONTROL RODS							Service ATA:27
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-27-00-01-00A-353A-APROC. REF: AMM 12-A-27-00-01-00A-353A-A								
27-30/365	MAGNETIC PARTICLE INSPECT - ELEVATOR CONTROL RODS							Service ATA:27
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-27-00-01-00A-352A-APROC. REF: AMM 12-A-27-00-01-00A-352A-A								
27-30/366	EDDY CURRENT INSPECTION - ELEVATOR CONTROL LEVER							Service ATA:27
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-27-30-05-00A-353A-APROC. REF: AMM 12-A-27-30-05-00A-353A-A								
27-30/448	ELEVATOR FLIGHT CONTROL CABLES							Component ATA:27
PN:PN	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		12629.4	
	AFL	0	27000	TSN 0	27000		21956	
PROC. REF: AMM 12-A-27-30-01-00A-920A-APROC. REF: AMM 12-A-27-30-01-00A-920A-A								
27-30/449	ELEVATOR AUTOPILOT CONTROL CABLES							Component ATA:27
PN:PN	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		12629.4	
	AFL	0	27000	TSN 0	27000		21956	
PROC. REF: AMM 12-A-27-30-02-00A-920A-APROC. REF: AMM 12-A-27-30-02-00A-920A-A								
27-30/450	STICK PUSHER CABLES							Component ATA:27
PN:PN	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		12629.4	
	AFL	0	27000	TSN 0	27000		21956	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-30/514 S	EXAMINE ELEVATOR STOPS							Service ATA:27
	MOS	21-Sep-26	12					
	HRS	7370.6	1200					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-55-20-01-00A-904B-APROC. REF: AMM 12-A-55-20-01-00A-904B-A								
27-40/1	FUNCTIONAL TEST HORIZONTAL STABILIZER TRIM RUNAWAY AURAL WARNING SYSTEM							Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)		21-Sep-27	27-Oct-27	326 d (+36)	AIRWORTHINESS
	HRS	7370.6	3000		10370.6		3000	
WC#: 27.021	AFL	5044						
PROC. REF: AMM 12-A-27-40-00-00A-903A-APROC. REF: AMM 12-A-27-40-00-00A-903A-A								
27-40/142 S	OPERATIONAL TEST HORIZONTAL STABILIZER TRIM INTERRUPT AND ALTERNATE TRIM SWITCHES							Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-27-40-00-00A-903A-APROC. REF: AMM 12-A-27-40-00-00A-903A-A								
27-40/252 S	INSPECTION/CHECK PITCH TRIM ACTUATOR AND ATTACHMENTS							Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-27-40-01-00A-313A-APROC. REF: AMM 12-A-27-40-01-00A-313A-A								
27-40/26	OVERHAUL PITCH TRIM ACTUATOR							Service ATA:27
PN:978.73.14.203	MOS	29-Oct-20	84		31-Oct-27		366 d	OVERHAUL
SN:2314	HRS	6301.5	3400		9701.5		2330.9	
	AFL	4544						
PROC. REF: AMM 12-A-27-40-01-00A-920A-APROC. REF: AMM 12-A-27-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-40/291 S	OPERATIONAL TEST HORIZONTAL STABILIZER TRIM SYSTEM							Service ATA:27
	MOS	18-Sep-25						
	HRS	7302	300 (+10%/-10%)					
	AFL	5011						
								PKG:16
PROC. REF: AMM 12-A-27-40-00-00A-903A-APROC. REF: AMM 12-A-27-40-00-00A-903A-A								
27-40/292 S	FUNCTIONAL TEST HORIZONTAL STABILIZER TRIM SYSTEM							Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-27-40-00-00A-903A-APROC. REF: AMM 12-A-27-40-00-00A-903A-A								
27-40/3	PITCH TRIM ACTUATOR							Component ATA:27
PN:978.73.14.203	MOS	29-Oct-20		TSN 0				AIRWORTHINESS
SN:2314	HRS	6301.5	20000	TSN 0	26301.5		18930.9	
WC#: 27.011	AFL	4544	27000	TSN 0	31544		26500	
PROC. REF: AMM 12-A-27-40-01-00A-920A-APROC. REF: AMM 12-A-27-40-01-00A-920A-A								
27-40/307	PITCH TRIM ACTUATOR ATTACHMENT PARTS, FAIL SAFE PLATES AND THEIR ATTACHMENT (IPC 12-20-00-7) PARTS							Component ATA:27
PN:PN-UNKNOWN	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	10000	TSN 0	10000		2629.4	
WC#: 27.036	AFL	0		TSN 0				
	ACH							
PROC. REF: AMM 12-A-27-40-02-00A-920A-APROC. REF: AMM 12-A-27-40-02-00A-920A-A								
27-50/143 S	LOWER FLAPS TO 40° AS NECESSARY TO DO INSPECTION							Service ATA:27
	MOS/MSC	21-Sep-26	A/R					
	HRS	7370.6						
	AFL	5044						
								PKG:15 ,16,17,18,19,20,21
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/144 S	EXAMINE FLAPS AND FLAP SUPPORT MECHANISM							Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/253 S	EXAMINE FLAPS ELECTRICAL BONDING STRAPS							Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/254 S	EXAMINE FLAP MOTOR, ACTUATORS AND FLEXIBLE DRIVE SHAFTS							Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/255 S	FUNCTIONAL TEST FLAPS AND ASYMMETRY MONITOR TEST. PRE SB 27-013, POST SB 27-013 AND MSN 401-999							Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-27-50-00-00A-903A-A, AMM 12-A-27-50-00-00A-903B-APROC. REF: AMM 12-A-27-50-00-00A-903A-A, AMM 12-A-27-50-00-00A-903B-A								
27-50/28	FLAP POWER DRIVE UNIT							Component ATA:27
PN:978.73.20.003	MOS	14-Dec-10		TSN 0				OVERHAUL
SN:0122	HRS	3051.7	10000	TSN 0	13051.7		5681.1	
	AFL	2353	13500	TSN 0	15853		10809	
PROC. REF: AMM 12-A-27-50-01-00A-920A-A, AMM 12-A-27-50-01-00A-920B-A, AMM 12-A-27-50-01-00A-920C-APROC. REF: AMM 12-A-27-50-01-00A-920A-A, AMM 12-A-27-50-01-00A-920B-A, AMM 12-A-27-50-01-00A-920C-A								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/30		OVERHAUL LEFT INBOARD FLAP ACTUATOR (BLACK ANODIZED)						Service ATA:27
PN:978.73.20.309	MOS	07-Nov-14						OVERHAUL
SN:1008	HRS	4988.8	5000 (+10%/-10%)		9988.8	10488.8	2618.2 (+500)	
WC#: 27.040	AFL	3850	7000 (+500/-500)		10850	11350	5806 (+500)	
PROC. REF: AMM 12-A-27-50-03-00A-920A-APROC. REF: AMM 12-A-27-50-03-00A-920A-A								
27-50/30		OVERHAUL LEFT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED)						Service ATA:27
PN:978.73.20.309	MOS	07-Nov-14						OVERHAUL
SN:2757	HRS	4988.8	5000 (+10%/-10%)		9988.8	10488.8	2618.2 (+500)	
WC#: 27.040	AFL	3850	7000 (+500/-500)		10850	11350	5806 (+500)	
PROC. REF: AMM 12-A-27-50-03-00A-920A-APROC. REF: AMM 12-A-27-50-03-00A-920A-A								
27-50/30		OVERHAUL RIGHT INBOARD FLAP ACTUATOR (BLACK ANODIZED)						Service ATA:27
PN:978.73.20.309	MOS	07-Nov-14						OVERHAUL
SN:1710	HRS	4988.8	5000 (+10%/-10%)		9988.8	10488.8	2618.2 (+500)	
WC#: 27.050	AFL	3850	7000 (+500/-500)		10850	11350	5806 (+500)	
PROC. REF: AMM 12-A-27-50-03-00A-920A-APROC. REF: AMM 12-A-27-50-03-00A-920A-A								
27-50/30		OVERHAUL RIGHT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED)						Service ATA:27
PN:978.73.20.309	MOS	07-Nov-14						OVERHAUL
SN:2769	HRS	4988.8	5000 (+10%/-10%)		9988.8	10488.8	2618.2 (+500)	
WC#: 27.050	AFL	3850	7000 (+500/-500)		10850	11350	5806 (+500)	
PROC. REF: AMM 12-A-27-50-03-00A-920A-APROC. REF: AMM 12-A-27-50-03-00A-920A-A								
27-50/31		LEFT INBOARD FLAP FLEXIBLE DRIVE SHAFT						Component ATA:27
PN:945.02.02.205	MOS	24-Nov-05		TSN 0				DISCARD
SN:S5736	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	2629.4 (+500)	
WC#: 27.060	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	8456 (+500)	
PROC. REF: AMM 12-A-27-50-02-00A-920A-A, AMM 12-A-27-50-02-00A-920B-APROC. REF: AMM 12-A-27-50-02-00A-920A-A, AMM 12-A-27-50-02-00A-920B-A								
27-50/31		LEFT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT						Component ATA:27
PN:945.02.02.205	MOS	24-Nov-05		TSN 0				DISCARD
SN:S5710	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	2629.4 (+500)	
WC#: 27.060	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	8456 (+500)	
PROC. REF: AMM 12-A-27-50-02-00A-920A-A, AMM 12-A-27-50-02-00A-920B-APROC. REF: AMM 12-A-27-50-02-00A-920A-A, AMM 12-A-27-50-02-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/31	RIGHT INBOARD FLAP FLEXIBLE DRIVE SHAFT							Component ATA:27
PN:945.02.02.205	MOS	24-Nov-05		TSN 0				DISCARD
SN:S5735	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	2629.4 (+500)	
WC#: 27.070	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	8456 (+500)	
PROC. REF: AMM 12-A-27-50-02-00A-920A-A, AMM 12-A-27-50-02-00A-920B-APROC. REF: AMM 12-A-27-50-02-00A-920A-A, AMM 12-A-27-50-02-00A-920B-A								
27-50/31	RIGHT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT							Component ATA:27
PN:945.02.02.205	MOS	24-Nov-05		TSN 0				DISCARD
SN:S5706	HRS	0	10000 (+500/-500)	TSN 0	10000	10500	2629.4 (+500)	
WC#: 27.070	AFL	0	13500 (+500/-500)	TSN 0	13500	14000	8456 (+500)	
PROC. REF: AMM 12-A-27-50-02-00A-920A-A, AMM 12-A-27-50-02-00A-920B-APROC. REF: AMM 12-A-27-50-02-00A-920A-A, AMM 12-A-27-50-02-00A-920B-A								
27-50/386	EXAMINE - FLAP MECHANISM							Service ATA:27
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:30000		30000		22629.4	
	AFL	0	T:39000		39000		33956	
PROC. REF: AMM 12-A-27-51-00-00A-310A-APROC. REF: AMM 12-A-27-51-00-00A-310A-A								
27-50/387	EDDY CURRENT INSPECTION - FLAP DRIVE ARM (NOT REMOVED)							Service ATA:27
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:25000		25000		17629.4	
	AFL	0	T:30000		30000		24956	
PROC. REF: AMM 12-A-27-51-00-00A-353A-APROC. REF: AMM 12-A-27-51-00-00A-353A-A								
27-50/388	EDDY CURRENT INSPECTION FLAP DRIVE ARM (REMOVED)							Service ATA:27
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:30000		30000		22629.4	
	AFL	0	T:39000		39000		33956	
PROC. REF: AMM 12-A-27-51-01-00A-353A-A, AMM 12-A-27-51-02-00A-353A-A, AMM 12-A-27-51-03-00A-353A-APROC. REF: AMM 12-A-27-51-01-00A-353A-A, AMM 12-A-27-51-02-00A-353A-A, AMM 12-A-27-51-03-00A-353A-A								
27-50/389	EDDY CURRENT INSPECTION - LEFT WING FLAP SUPPORT ARM							Service ATA:27
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:30000		30000		22629.4	
	AFL	0	T:39000		39000		33956	
PROC. REF: AMM 12-A-27-51-01-00A-353A-A, AMM 12-A-27-51-02-00A-353A-A, AMM 12-A-27-51-03-00A-353A-APROC. REF: AMM 12-A-27-51-01-00A-353A-A, AMM 12-A-27-51-02-00A-353A-A, AMM 12-A-27-51-03-00A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/389	EDDY CURRENT INSPECTION - RIGHT WING FLAP SUPPORT ARM							Service ATA:27
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:30000		30000		22629.4	
	AFL	0	T:39000		39000		33956	
PROC. REF: AMM 12-A-27-51-01-00A-353A-A, AMM 12-A-27-51-02-00A-353A-A, AMM 12-A-27-51-03-00A-353A-APROC. REF: AMM 12-A-27-51-01-00A-353A-A, AMM 12-A-27-51-02-00A-353A-A, AMM 12-A-27-51-03-00A-353A-A								
27-50/390	EDDY CURRENT INSPECTION - LEFT WING FLAP COVE RIB FLTTINGS							Service ATA:27
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:30000		30000		22629.4	
	AFL	0	T:39000		39000		33956	
PROC. REF: AMM 12-A-27-51-01-00A-353A-A, AMM 12-A-27-51-02-00A-353A-A, AMM 12-A-27-51-03-00A-353A-APROC. REF: AMM 12-A-27-51-01-00A-353A-A, AMM 12-A-27-51-02-00A-353A-A, AMM 12-A-27-51-03-00A-353A-A								
27-50/390	EDDY CURRENT INSPECTION - RIGHT WING FLAP COVE RIB FLTTINGS							Service ATA:27
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:30000		30000		22629.4	
	AFL	0	T:39000		39000		33956	
PROC. REF: AMM 12-A-27-51-01-00A-353A-A, AMM 12-A-27-51-02-00A-353A-A, AMM 12-A-27-51-03-00A-353A-APROC. REF: AMM 12-A-27-51-01-00A-353A-A, AMM 12-A-27-51-02-00A-353A-A, AMM 12-A-27-51-03-00A-353A-A								
27-50/391	EDDY CURRENT INSPECTION - FLAP AFT LINKS							Service ATA:27
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:30000		30000		22629.4	
	AFL	0	T:39000		39000		33956	
PROC. REF: AMM 12-A-27-51-01-00A-353A-A, AMM 12-A-27-51-02-00A-353A-A, AMM 12-A-27-51-03-00A-353A-APROC. REF: AMM 12-A-27-51-01-00A-353A-A, AMM 12-A-27-51-02-00A-353A-A, AMM 12-A-27-51-03-00A-353A-A								
27-50/392	EDDY CURRENT INSPECTION - FLAP BELLCRANKS							Service ATA:27
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:30000		30000		22629.4	
	AFL	0	T:39000		39000		33956	
PROC. REF: AMM 12-A-27-51-01-00A-353A-A, AMM 12-A-27-51-02-00A-353A-A, AMM 12-A-27-51-03-00A-353A-APROC. REF: AMM 12-A-27-51-01-00A-353A-A, AMM 12-A-27-51-02-00A-353A-A, AMM 12-A-27-51-03-00A-353A-A								
27-50/4	LEFT INBOARD FLAP ACTUATOR							Component ATA:27
PN:978.73.20.309	MOS	07-Nov-14						AIRWORTHINESS
SN:1008	HRS	4988.8	20000	TSN 9930.3	15058.5		7687.9	
WC#: 27.040	AFL	3850	27000	TSN 6977	23873		18829	
PROC. REF: AMM 12-A-27-50-03-00A-920A-APROC. REF: AMM 12-A-27-50-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/4	LEFT OUTBOARD FLAP ACTUATOR							Component ATA:27
PN:978.73.20.309	MOS	07-Nov-14						AIRWORTHINESS
SN:2757	HRS	4988.8	20000	TSN 4998.9	19989.9		12619.3	
WC#: 27.040	AFL	3850	27000	TSN 4856	25994		20950	
PROC. REF: AMM 12-A-27-50-03-00A-920A-APROC. REF: AMM 12-A-27-50-03-00A-920A-A								
27-50/4	RIGHT INBOARD FLAP ACTUATOR							Component ATA:27
PN:978.73.20.309	MOS	07-Nov-14						AIRWORTHINESS
SN:1710	HRS	4988.8	20000	TSN 7415	17573.8		10203.2	
WC#: 27.050	AFL	3850	27000	TSN 5614	25236		20192	
PROC. REF: AMM 12-A-27-50-03-00A-920A-APROC. REF: AMM 12-A-27-50-03-00A-920A-A								
27-50/4	RIGHT OUTBOARD FLAP ACTUATOR							Component ATA:27
PN:978.73.20.309	MOS	07-Nov-14						AIRWORTHINESS
SN:2769	HRS	4988.8	20000	TSN 4998.9	19989.9		12619.3	
WC#: 27.050	AFL	3850	27000	TSN 4856	25994		20950	
PROC. REF: AMM 12-A-27-50-03-00A-920A-APROC. REF: AMM 12-A-27-50-03-00A-920A-A								
27-50/414	LEFT HAND FLAP							Component ATA:27
PN:557.50.12.003	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:582	HRS	0	25000	TSN 0	25000		17629.4	
WC#: 57.060	AFL	0	30000	TSN 0	30000		24956	
PROC. REF: AMM 12-A-27-50-00-00A-901B-A, AMM 12-A-27-50-00-00A-901A-A, AMM 12-A-57-50-01-00A-920A-APROC. REF: AMM 12-A-27-50-00-00A-901B-A, AMM 12-A-27-50-00-00A-901A-A, AMM 12-A-57-50-01-00A-920A-A								
27-50/414	RIGHT HAND FLAP							Component ATA:27
PN:557.50.12.004	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:579	HRS	0	25000	TSN 0	25000		17629.4	
WC#: 57.060	AFL	0	30000	TSN 0	30000		24956	
PROC. REF: AMM 12-A-27-50-00-00A-901B-A, AMM 12-A-27-50-00-00A-901A-A, AMM 12-A-57-50-01-00A-920A-APROC. REF: AMM 12-A-27-50-00-00A-901B-A, AMM 12-A-27-50-00-00A-901A-A, AMM 12-A-57-50-01-00A-920A-A								
27-50/437	PERFORM IN-SITU INSPECTION/CHECK INBOARD FLAP DRIVE ARMS							Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)		21-Sep-27	27-Oct-27	326 d (+36)	AIRWORTHINESS
	HRS	7370.6	600 (+10%/-10%)		7970.6	8030.6	600 (+60)	
	AFL	5044						
PROC. REF: AMM 12-A-27-51-00-00A-313A-APROC. REF: AMM 12-A-27-51-00-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/443 S	SERVICE FLAP UP AND DOWN LIMIT SWITCHES							Service ATA:27
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-12-20-07-00A-902A-APROC. REF: AMM 12-A-12-20-07-00A-902A-A								
27-50/451	FLAP TENSION RODS							Component ATA:27
PN:PN	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	20000	TSN 0	20000		12629.4	
	AFL	0	27000	TSN 0	27000		21956	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/475 S	RETRACT FLAPS TO 0 DEGREES TO CLOSE THE INSPECTION							Service ATA:27
	MOS/MSC	21-Sep-26	A/R					
	HRS	7370.6						
	AFL	5044						
								PKG:15 ,16,17,18,19,20,21
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
27-50/72	REMOVE/CLEAN/INSPECT/LUBRICATE LEFT INBOARD FLAP FLEXIBLE DRIVE SHAFT INNER CORE							Service ATA:27
PN:945.02.02.205	MOS/MSC	24-Nov-05	O/C					
SN:S5736	HRS	0						
WC#: 27.060	AFL	0						
PROC. REF: AMM 12-A-27-50-00-00A-902A-APROC. REF: AMM 12-A-27-50-00-00A-902A-A								
27-50/72	REMOVE/CLEAN/INSPECT/LUBRICATE LEFT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT INNER CORE							Service ATA:27
PN:945.02.02.205	MOS/MSC	24-Nov-05	O/C					
SN:S5710	HRS	0						
WC#: 27.060	AFL	0						
PROC. REF: AMM 12-A-27-50-00-00A-902A-APROC. REF: AMM 12-A-27-50-00-00A-902A-A								
27-50/72	REMOVE/CLEAN/INSPECT/LUBRICATE RIGHT INBOARD FLAP FLEXIBLE DRIVE SHAFT INNER CORE							Service ATA:27
PN:945.02.02.205	MOS/MSC	24-Nov-05	O/C					
SN:S5735	HRS	0						
WC#: 27.070	AFL	0						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-A-27-50-00-00A-902A-APROC. REF: AMM 12-A-27-50-00-00A-902A-A								
27-50/72		REMOVE/CLEAN/INSPECT/LUBRICATE RIGHT OUTBOARD FLAP FLEXIBLE DRIVE SHAFT INNER CORE						Service ATA:27
PN:945.02.02.205	MOS/MSC	24-Nov-05	O/C					
SN:S5706	HRS	0						
WC#: 27.070	AFL	0						
PROC. REF: AMM 12-A-27-50-00-00A-902A-APROC. REF: AMM 12-A-27-50-00-00A-902A-A								
27-50/74 S		LUBRICATE LEFT INBOARD FLAP ACTUATOR (BLACK ANODIZED)						Service ATA:27
PN:978.73.20.309	MOS	21-Sep-26	12 (+10%/-10%)					
SN:1008	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-27-50-00-00A-902A-APROC. REF: AMM 12-A-27-50-00-00A-902A-A								
27-50/74 S		LUBRICATE LEFT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED)						Service ATA:27
PN:978.73.20.309	MOS	21-Sep-26	12 (+10%/-10%)					
SN:2757	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-27-50-00-00A-902A-APROC. REF: AMM 12-A-27-50-00-00A-902A-A								
27-50/74 S		LUBRICATE RIGHT INBOARD FLAP ACTUATOR (BLACK ANODIZED)						Service ATA:27
PN:978.73.20.309	MOS	21-Sep-26	12 (+10%/-10%)					
SN:1710	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-27-50-00-00A-902A-APROC. REF: AMM 12-A-27-50-00-00A-902A-A								
27-50/74 S		LUBRICATE RIGHT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED)						Service ATA:27
PN:978.73.20.309	MOS	21-Sep-26	12 (+10%/-10%)					
SN:2769	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-27-50-00-00A-902A-APROC. REF: AMM 12-A-27-50-00-00A-902A-A								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
27-50/76	BACKLASH CHECK LEFT INBOARD FLAP ACTUATOR (BLACK ANODIZED)							Service ATA:27
PN:978.73.20.309	MOS	18-Sep-25	24 (+10%/-10%)		30-Sep-27	30-Nov-27	335 d (+61)	
SN:1008	HRS	7302	2400 (+10%/-10%)		9702	9942	2331.4 (+240)	
	AFL	5011	3200 (+10%/-10%)		8211	8531	3167 (+320)	
PROC. REF: AMM 12-A-27-50-03-00A-313B-APROC. REF: AMM 12-A-27-50-03-00A-313B-A								
27-50/76	BACKLASH CHECK LEFT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED)							Service ATA:27
PN:978.73.20.309	MOS	18-Sep-25	24 (+10%/-10%)		30-Sep-27	30-Nov-27	335 d (+61)	
SN:2757	HRS	7302	2400 (+10%/-10%)		9702	9942	2331.4 (+240)	
	AFL	5011	3200 (+10%/-10%)		8211	8531	3167 (+320)	
PROC. REF: AMM 12-A-27-50-03-00A-313B-APROC. REF: AMM 12-A-27-50-03-00A-313B-A								
27-50/76	BACKLASH CHECK RIGHT INBOARD FLAP ACTUATOR (BLACK ANODIZED)							Service ATA:27
PN:978.73.20.309	MOS	18-Sep-25	24 (+10%/-10%)		30-Sep-27	30-Nov-27	335 d (+61)	
SN:1710	HRS	7302	2400 (+10%/-10%)		9702	9942	2331.4 (+240)	
	AFL	5011	3200 (+10%/-10%)		8211	8531	3167 (+320)	
PROC. REF: AMM 12-A-27-50-03-00A-313B-APROC. REF: AMM 12-A-27-50-03-00A-313B-A								
27-50/76	BACKLASH CHECK RIGHT OUTBOARD FLAP ACTUATOR (BLACK ANODIZED)							Service ATA:27
PN:978.73.20.309	MOS	18-Sep-25	24 (+10%/-10%)		30-Sep-27	30-Nov-27	335 d (+61)	
SN:2769	HRS	7302	2400 (+10%/-10%)		9702	9942	2331.4 (+240)	
	AFL	5011	3200 (+10%/-10%)		8211	8531	3167 (+320)	
PROC. REF: AMM 12-A-27-50-03-00A-313B-APROC. REF: AMM 12-A-27-50-03-00A-313B-A								
27-50/77	PERFORM FLAP ELECTRICAL SYSTEM MAINTENANCE PRACTICES TESTS (MSN101 - 400 PRE SB27-013)							Service ATA:27
	MOS	18-Sep-25						
	HRS	7302	300 (+10%/-10%)		7602	7632	231.4 (+30)	
WC#: 27.080	AFL	5011						
								PKG:16
PROC. REF: AMM 12-A-27-50-00-00A-901A-APROC. REF: AMM 12-A-27-50-00-00A-901A-A								
270003	HORIZONTAL TAIL ASSY							Component ATA:27
PN:555.10.12.037	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:585	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-A-55-10-01-00A-920A-APROC. REF: AMM 12-A-55-10-01-00A-920A-A								
270015	ELEVATOR LH ASSY							Component ATA:27
PN:555.20.12.039	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:591	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-A-55-20-01-00A-920A-APROC. REF: AMM 12-A-55-20-01-00A-920A-A								
270023	ELEVATOR RH ASSY							Component ATA:27
PN:555.20.12.040	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:591	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-A-55-20-01-00A-920A-APROC. REF: AMM 12-A-55-20-01-00A-920A-A								
270025	RUDDER TRIM LINEAR ACTUATOR							Component ATA:27
PN:978.73.18.138	MOS/MSC	27-May-22	O/C	TSR 0				
SN:2342B	HRS	6688.5		TSR 0				
WC#: 27.090	AFL	4720		TSR 0				
PROC. REF: AMM 12-A-27-25-01-00A-920A-APROC. REF: AMM 12-A-27-25-01-00A-920A-A								
270033	RUDDER ASSY							Component ATA:27
PN:555.40.12.038	MOS/MSC	03-Mar-16	O/C	TSN 123, TSR 0				
SN:579	HRS	5373.7		TSN 5373.7, TSR 0				
	AFL	4084		TSN 4084, TSR 0				
PROC. REF: AMM 12-A-55-40-01-00A-920A-APROC. REF: AMM 12-A-55-40-01-00A-920A-A								
270035	FLAP CONTROL AND WARNING (FCWU) UNIT							Component ATA:27
PN:978.73.20.016	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:117464	HRS	0		TSN 0				
WC#: 27.130	AFL	0		TSN 0				
PROC. REF: AMM 12-A-27-50-05-00A-920A-APROC. REF: AMM 12-A-27-50-05-00A-920A-A								
270040	RUDDER BELLCRANK							Component ATA:27
PN:PN	MOS/MSC	24-Nov-05	H/T	TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: AMM 12-A-27-20-04-00A-920A-APROC. REF: AMM 12-A-27-20-04-00A-920A-A								
270045	LH INBOARD TRANSMITTER							Component ATA:27
PN:978.73.20.021	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:058010DX	HRS	0		TSN 0				
WC#: 27.100	AFL	0		TSN 0				
PROC. REF: AMM 12-A-27-50-06-00A-920A-APROC. REF: AMM 12-A-27-50-06-00A-920A-A								
270050	LH ROTATION TRANSMITTER							Component ATA:27
PN:978.73.20.602	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:0659	HRS	0		TSN 0				
WC#: 27.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
270060	LH OUTBOARD TRANSMITTER							Component ATA:27
PN:978.73.20.021	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:058018DW	HRS	0		TSN 0				
WC#: 27.110	AFL	0		TSN 0				
PROC. REF: AMM 12-A-27-50-06-00A-920A-APROC. REF: AMM 12-A-27-50-06-00A-920A-A								
270070	RH INBOARD TRANSMITTER							Component ATA:27
PN:978.73.20.021	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:058017DY	HRS	0		TSN 0				
WC#: 27.100	AFL	0		TSN 0				
PROC. REF: AMM 12-A-27-50-06-00A-920A-APROC. REF: AMM 12-A-27-50-06-00A-920A-A								
270075	RH ROTATION,C70016705 TRANSMITTER							Component ATA:27
PN:978.73.20.602	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:0660	HRS	0		TSN 0				
WC#: 27.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
270090	AILERON TRIM LINEAR ACTUATOR							Component ATA:27
PN:978.73.18.132	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1097	HRS	0		TSN 0				
WC#: 27.140	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
270095	RH OUTBOARD TRANSMITTER							Component ATA:27
PN:978.73.20.021	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:058014DZ	HRS	0		TSN 0				
WC#: 27.110	AFL	0		TSN 0				
PROC. REF: AMM 12-A-27-50-06-00A-920A-APROC. REF: AMM 12-A-27-50-06-00A-920A-A								
270120	R/H RUDDER CONTROL CABLE							Component ATA:27
PN:PN	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-A-27-20-01-00A-920A-APROC. REF: AMM 12-A-27-20-01-00A-920A-A								
270121	L/H RUDDER CONTROL CABLE							Component ATA:27
PN:PN	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-A-27-20-01-00A-920A-APROC. REF: AMM 12-A-27-20-01-00A-920A-A								
270130	ELEVATOR CONTROL CABLE							Component ATA:27
PN:PN	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-A-27-30-01-00A-920A-APROC. REF: AMM 12-A-27-30-01-00A-920A-A								
ATA 28 - FUEL								
28-10/145 S	EXAMINE FUEL TANK FILLER CAPS							Service ATA:28
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-10/146 S		EXAMINE FUEL REMOVE A SAMPLE FROM EACH DRAIN VALVE AND EXAMINE FOR WATER						Service ATA:28
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-28-10-02-00A-901A-APROC. REF: AMM 12-A-28-10-02-00A-901A-A								
28-10/306		OPERATIONAL TEST FUEL CROSS VENT AND OUTWARD CHECK VALVE						Service ATA:28
	MOS	17-Feb-17						
	HRS	5727.2	2400 (+10%/-10%)		8127.2	8367.2	756.6 (+240)	
WC#: 28.029	AFL	4279						
PROC. REF: AMM 12-A-28-10-01-00A-903A-APROC. REF: AMM 12-A-28-10-01-00A-903A-A								
28-20/147 S		OPERATIONAL TEST FUEL TANK VENT VALVE AND FLAME ARRESTOR						Service ATA:28
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-28-20-07-00A-903A-APROC. REF: AMM 12-A-28-20-07-00A-903A-A								
28-20/148 S		REMOVE/CLEAN FUEL FILTER ELEMENT						Service ATA:28
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-28-20-01-00A-250A-A, AMM 12-A-28-20-01-00A-920A-APROC. REF: AMM 12-A-28-20-01-00A-250A-A, AMM 12-A-28-20-01-00A-920A-A								
28-20/149 S		OPERATE FIREWALL SHUTOFF VALVE OPERATE FUEL EMERG SHUTOFF LEVER AND MAKE SURE FIREWALL SHUTOFF VALVE OPENS AND CLOSES FULLY TO EACH DEAD STOP. MAKE SURE MOVEMENT IS FREE AND CHECK IF INITIAL PULL OUT FORCE AT LEVER OUTER END IS BELOW 10 LBF (44.5 N)						Service ATA:28
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						
								PKG:19
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
28-20/150 S		EXAMINE ENGINE DRIVEN PUMP						Service ATA:28
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-20/256 S		EXAMINE FUEL SYSTEM COMPONENTS AS FAR AS POSSIBLE WITH THOSE ACCESS PANELS OPEN / REMOVED IN THIS INSPECTION PACKAGE						Service ATA:28
	MOS	18-Sep-25	24 (+10%/-10%)					
	HRS	7302	2400 (+10%/-10%)					
	AFL	5011						
								PKG:21
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
28-20/32		ACCESSORY GEARBOX FUEL PUMP						Component ATA:28
PN:RG9570R1/M	MOS	18-Sep-25		TSO 0				OVERHAUL
SN:B4612	HRS	7302	3500 (+10%/-10%)	TSO 0	10802	11152	3431.4 (+350)	
WC#: 28.010	AFL	5011		TSO 0				
PROC. REF: AMM 12-A-28-20-03-00A-920A-APROC. REF: AMM 12-A-28-20-03-00A-920A-A								
28-40/78		OPERATIONAL TEST FUEL LOW LEVEL WARNING SYSTEM						Service ATA:28
	MOS	21-Sep-26	48 (+10%/-10%)		30-Sep-30	14-Feb-31	1431 d (+137)	
	HRS	7370.6	1200 (+10%/-10%)		8570.6	8690.6	1200 (+120)	
WC#: 28.020	AFL	5044						
PROC. REF: AMM 12-A-28-40-00-00A-903A-A, AMM 12-A-28-40-00-00A-903B-APROC. REF: AMM 12-A-28-40-00-00A-903A-A, AMM 12-A-28-40-00-00A-903B-A								
280010		FUEL FLOW TRANSMITTER						Component ATA:28
PN:975.35.12.602	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:2643	HRS	0		TSN 0				
WC#: 28.130	AFL	0		TSN 0				
PROC. REF: AMM 12-A-73-30-01-00A-920A-APROC. REF: AMM 12-A-73-30-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280015	FIREWALL FUEL,SHUT-OFF VALVE							Component ATA:28
PN:963.87.22.301	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1607	HRS	0		TSN 0				
WC#: 28.110	AFL	0		TSN 0				
PROC. REF: AMM 12-A-28-20-08-00A-920A-APROC. REF: AMM 12-A-28-20-08-00A-920A-A								
280020	MAINTENANCE FUEL SHUT-OFF VALVE							Component ATA:28
PN:963.87.22.301	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1643	HRS	0		TSN 0				
WC#: 28.110	AFL	0		TSN 0				
PROC. REF: AMM 12-A-28-20-08-00A-920A-APROC. REF: AMM 12-A-28-20-08-00A-920A-A								
280025	FUEL FILTER ASSY							Component ATA:28
PN:968.35.21.001	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:0616	HRS	0		TSN 0				
WC#: 28.025	AFL	0		TSN 0				
PROC. REF: AMM 12-A-28-20-01-00A-920A-APROC. REF: AMM 12-A-28-20-01-00A-920A-A								
280030	FUEL LOW PRESSURE SWITCH							Component ATA:28
PN:973.81.14.102	MOS/MSC	07-Nov-14	O/C	TSN 0				
SN:2424	HRS	4988.8		TSN 0				
WC#: 28.100	AFL	3850		TSN 0				
PROC. REF: AMM 12-A-28-20-02-00A-920A-APROC. REF: AMM 12-A-28-20-02-00A-920A-A								
280035	LEFT WING EJECTOR,TRANSFER PUMP							Component ATA:28
PN:968.84.71.104	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:B3348	HRS	0		TSN 0				
WC#: 28.040	AFL	0		TSN 0				
PROC. REF: AMM 12-A-28-20-05-00A-920A-APROC. REF: AMM 12-A-28-20-05-00A-920A-A								
280040	LEFT WING EJECTOR,DELIVERY PUMP							Component ATA:28
PN:968.84.71.105	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:B3671	HRS	0		TSN 0				
WC#: 28.030	AFL	0		TSN 0				
PROC. REF: AMM 12-A-28-20-06-00A-920A-A, AMM 12-A-28-20-06-00A-920B-APROC. REF: AMM 12-A-28-20-06-00A-920A-A, AMM 12-A-28-20-06-00A-920B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280045	FUEL QUANTITY OUTER SENSOR							Component ATA:28
PN:975.37.31.231	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1161	HRS	0		TSN 0				
WC#: 28.060	AFL	0		TSN 0				
PROC. REF: AMM 12-A-28-40-01-00A-920A-A, AMM 12-A-28-40-01-00A-920B-APROC. REF: AMM 12-A-28-40-01-00A-920A-A, AMM 12-A-28-40-01-00A-920B-A								
280050	FUEL QUANTITY,CENTRAL SENSOR							Component ATA:28
PN:975.37.31.232	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1176	HRS	0		TSN 0				
WC#: 28.070	AFL	0		TSN 0				
PROC. REF: AMM 12-A-28-40-01-00A-920A-A, AMM 12-A-28-40-01-00A-920B-APROC. REF: AMM 12-A-28-40-01-00A-920A-A, AMM 12-A-28-40-01-00A-920B-A								
280055	FUEL QUANTITY,INNER SENSOR							Component ATA:28
PN:975.37.31.233	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1165	HRS	0		TSN 0				
WC#: 28.090	AFL	0		TSN 0				
PROC. REF: AMM 12-A-28-40-01-00A-920A-A, AMM 12-A-28-40-01-00A-920B-APROC. REF: AMM 12-A-28-40-01-00A-920A-A, AMM 12-A-28-40-01-00A-920B-A								
280060	FUEL QUANTITY,COLLECTOR SENSOR							Component ATA:28
PN:975.37.31.234	MOS/MSC	25-Sep-08	O/C					
SN:684	HRS	1966.6						
WC#: 28.080	AFL	1493						
PROC. REF: AMM 12-A-28-40-01-00A-920A-A, AMM 12-A-28-40-01-00A-920B-APROC. REF: AMM 12-A-28-40-01-00A-920A-A, AMM 12-A-28-40-01-00A-920B-A								
280065	LEFT WING FUEL,BOOSTER PUMP							Component ATA:28
PN:968.84.11.405	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:B6200	HRS	0		TSN 0				
WC#: 28.050	AFL	0		TSN 0				
PROC. REF: AMM 12-A-28-20-04-00A-920A-APROC. REF: AMM 12-A-28-20-04-00A-920A-A								
280070	RIGHT WING EJECTOR,TRANSFER PUMP							Component ATA:28
PN:968.84.71.104	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:B3314	HRS	0		TSN 0				
WC#: 28.040	AFL	0		TSN 0				
PROC. REF: AMM 12-A-28-20-05-00A-920A-APROC. REF: AMM 12-A-28-20-05-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
280075	RIGHT WING EJECTOR,DELIVERY PUMP							Component ATA:28
PN:968.84.71.105	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:B3680	HRS	0		TSN 0				
WC#: 28.030	AFL	0		TSN 0				
PROC. REF: AMM 12-A-28-20-06-00A-920A-A, AMM 12-A-28-20-06-00A-920B-A				PROC. REF: AMM 12-A-28-20-06-00A-920A-A, AMM 12-A-28-20-06-00A-920B-A				
280080	FUEL QUANTITY,COLLECTOR SENSOR							Component ATA:28
PN:975.37.31.234	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1182	HRS	0		TSN 0				
WC#: 28.080	AFL	0		TSN 0				
PROC. REF: AMM 12-A-28-40-01-00A-920A-A, AMM 12-A-28-40-01-00A-920B-A				PROC. REF: AMM 12-A-28-40-01-00A-920A-A, AMM 12-A-28-40-01-00A-920B-A				
280085	FUEL QUANTITY,INNER SENSOR							Component ATA:28
PN:975.37.31.233	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1174	HRS	0		TSN 0				
WC#: 28.090	AFL	0		TSN 0				
PROC. REF: AMM 12-A-28-40-01-00A-920A-A, AMM 12-A-28-40-01-00A-920B-A				PROC. REF: AMM 12-A-28-40-01-00A-920A-A, AMM 12-A-28-40-01-00A-920B-A				
280090	FUEL QUANTITY,CENTRAL SENSOR							Component ATA:28
PN:975.37.31.232	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1169	HRS	0		TSN 0				
WC#: 28.070	AFL	0		TSN 0				
PROC. REF: AMM 12-A-28-40-01-00A-920A-A, AMM 12-A-28-40-01-00A-920B-A				PROC. REF: AMM 12-A-28-40-01-00A-920A-A, AMM 12-A-28-40-01-00A-920B-A				
280095	FUEL QUANTITY,OUTER SENSOR							Component ATA:28
PN:975.37.31.231	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1174	HRS	0		TSN 0				
WC#: 28.060	AFL	0		TSN 0				
PROC. REF: AMM 12-A-28-40-01-00A-920A-A, AMM 12-A-28-40-01-00A-920B-A				PROC. REF: AMM 12-A-28-40-01-00A-920A-A, AMM 12-A-28-40-01-00A-920B-A				
280100	RIGHT WING FUEL,BOOSTER PUMP							Component ATA:28
PN:968.84.11.405	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:B6164	HRS	0		TSN 0				
WC#: 28.050	AFL	0		TSN 0				
PROC. REF: AMM 12-A-28-20-04-00A-920A-A		PROC. REF: AMM 12-A-28-20-04-00A-920A-A						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29-10/151 S		RETURN LINE FILTER DIIERENTIAL PRESSURE INDICATOR MAKE SURE THAT IT HAS NOT COME OUT. IF INDICATOR FOUND OUT, DO THE INSPECTION/CHECK PROCEDURE						Service	ATA:29
	MOS	21-Sep-26	12 (+10%/-10%)						
	HRS	7370.6	600 (+10%/-10%)						
	AFL	5044							
									PKG:19
PROC. REF: AMM 12-A-29-10-04-00A-313A-APROC. REF: AMM 12-A-29-10-04-00A-313A-A									
29-10/152 S		CHECK HYDRAULIC SYSTEM MSN 101-230 - CHECK FLUID SENSOR AND LEVEL USING MAINTENANCE SWITCH BOX. FILL AS NECESSARY MSN 231-999 - MAKE SURE FLUID LEVEL INDICATOR ON THE RESERVOIR TANK SHOWS FULL. FILL AS NECESSARY						Service	ATA:29
	MOS	21-Sep-26	12 (+10%/-10%)						
	HRS	7370.6	300 (+10%/-10%)						
	AFL	5044							
									PKG:17
PROC. REF: AMM 12-A-29-00-00-00A-902A-A, AMM 12-A-29-00-00-00A-902B-APROC. REF: AMM 12-A-29-00-00-00A-902A-A, AMM 12-A-29-00-00-00A-902B-A									
29-10/153 S		CHECK RESERVOIR TANK MAKE SURE NITROGEN PRESSURE IS CORRECT. PRESSURIZE AS NECESSARY.						Service	ATA:29
	MOS	21-Sep-26	12 (+10%/-10%)						
	HRS	7370.6	300 (+10%/-10%)						
	AFL	5044							
									PKG:17
PROC. REF: AMM 12-A-29-00-00-00A-902A-A, AMM 12-A-29-00-00-00A-902B-APROC. REF: AMM 12-A-29-00-00-00A-902A-A, AMM 12-A-29-00-00-00A-902B-A									
29-10/257 S		EXAMINE POWER PACK ESPECIALLY FOR LEAKS AND CRACKS ON THE END PLATES AND WHERE MOTOR IS ATTACHED						Service	ATA:29
	MOS	21-Sep-26	12 (+10%/-10%)						
	HRS	7370.6	1200 (+10%/-10%)						
	AFL	5044							
									PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
29-10/258 S		CHECK NITROGEN ACCUMULATOR PRESSURE AND FILL AS NECESSARY (P/N 960.30.01.291)						Service	ATA:29
	MOS	21-Sep-26	12 (+10%/-10%)						
	HRS	7370.6	1200 (+10%/-10%)						
	AFL	5044							
									PKG:20
PROC. REF: AMM 12-A-29-10-02-00A-901A-APROC. REF: AMM 12-A-29-10-02-00A-901A-A									

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
29-10/259 S	REMOVE POWER PACK ELECTRIC MOTOR SHAFT SEAL DRAIN FLUID COLLECTOR BOTTLE (POST SB 29-002 AND MSN 181-999) CLEAN AND RE-INSTALL							Service ATA:29
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
29-10/418	NITROGEN ACCUMULATOR							Component ATA:29
PN:960.30.01.291	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:604	HRS	0	25000	TSN 0	25000		17629.4	
WC#: 29.020	AFL	0	30000	TSN 0	30000		24956	
PROC. REF: AMM 12-A-29-10-02-00A-920A-APROC. REF: AMM 12-A-29-10-02-00A-920A-A								
29-10/471 S	CHECK NITROGEN ACCUMULATOR PRESSURE AND FILL AS NECESSARY (P/N 960.30.01.292)							Service ATA:29
	MOS	18-Sep-25	24 (+10%/-10%)					
	HRS	7302	2400 (+10%/-10%)					
	AFL	5011						
								PKG:21
PROC. REF: AMM 12-A-29-10-02-00A-901A-APROC. REF: AMM 12-A-29-10-02-00A-901A-A								
290005	LANDING GEAR STEER SELECTOR VALVE							Component ATA:29
PN:960.30.01.271	MOS/MSC	07-Dec-12	O/C					
SN:0126AB	HRS	4204.8						
WC#: 29.040	AFL	3295						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
290015	PRESSURE GAGE SWITCH							Component ATA:29
PN:973.81.14.304	MOS/MSC	23-Apr-07	O/C					
SN:1223T	HRS	1023.2						
WC#: 29.050	AFL	841						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
290025	SERVICE SELECTOR VALVE							Component ATA:29
PN:960.30.01.261	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:G0521894A	HRS	0		TSN 0				
WC#: 29.070	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
PROC. REF: AMM 12-A-29-10-05-00A-920A-APROC. REF: AMM 12-A-29-10-05-00A-920A-A								
290030	PRESSURE GAUGE							Component ATA:29
PN:965.61.88.101	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:05-0415205	HRS	0		TSN 0				
WC#: 29.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
290035	(K 601) RELAY							Component ATA:29
PN:974.09.26.112	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:R251	HRS	0		TSN 0				
WC#: 29.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
290040	HAND PUMP							Component ATA:29
PN:968.85.82.111	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:595	HRS	0		TSN 0				
WC#: 29.030	AFL	0		TSN 0				
PROC. REF: AMM 12-A-29-20-01-00A-920A-APROC. REF: AMM 12-A-29-20-01-00A-920A-A								
290050	PRESSURE NITROGEN SWITCH							Component ATA:29
PN:973.81.14.306	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:702	HRS	0		TSN 0				
WC#: 29.100	AFL	0		TSN 0				
PROC. REF: AMM 12-A-29-10-02-00A-920A-APROC. REF: AMM 12-A-29-10-02-00A-920A-A								
291010	HYDRAULIC POWER PACK							Component ATA:29
PN:960.30.01.154	MOS/MSC	02-May-08	O/C					
SN:F9513809	HRS	1748.9						
WC#: 29.010	AFL	1340						
PROC. REF: AMM 12-A-29-10-01-00A-920A-APROC. REF: AMM 12-A-29-10-01-00A-920A-A								
ATA 30 - ICE AND RAIN PROTECTION								
30-10/154 S	INSPECTION/CHECK WING AND HORIZONTAL STABILIZER AIRFOIL DE-ICE BOOTS							Service ATA:30
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-30-10-00-00A-313A-APROC. REF: AMM 12-A-30-10-00-00A-313A-A								
30-10/155 S		OPERATIONAL TEST INERTIAL SEPARATION SYSTEM MSN 101-320 AND 322-400. MSN 321 AND 401-999						Service ATA:30
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						
								PKG:19
PROC. REF: AMM 12-A-30-20-00-00A-903A-A, AMM 12-A-30-20-00-00A-903B-APROC. REF: AMM 12-A-30-20-00-00A-903A-A, AMM 12-A-30-20-00-00A-903B-A								
30-10/260 S		FUNCTIONAL TEST AIRFOIL DE-ICE SYSTEM						Service ATA:30
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-30-10-00-00A-903A-APROC. REF: AMM 12-A-30-10-00-00A-903A-A								
30-10/79		APPLY TO AIRFOIL DE-ICERS A SURFACE COATING OF AGE MASTER NO.1						Service ATA:30
	MOS	21-Sep-26	6 (+10%/-10%)		31-Mar-27	08-Apr-27	152 d (+8)	
	HRS	7370.6						
WC#: 30.010	AFL	5044						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
30-20/156 S		EXAMINE ENGINE AIR INTAKE DE-ICE LIP AND LOOK FOR SIGNS OF GAS LEAKS						Service ATA:30
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
30-20/261 S		EXAMINE AIR BY-PASS DOOR AND OPERATING MECHANISM AND LUBRICATE WITH MINIMUM QUANTITY OF P10-001						Service ATA:30
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
30-30/157 S		OPERATIONAL TEST PROBES DE-ICE SYSTEM						Service ATA:30
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						
								PKG:19
PROC. REF: AMM 12-A-30-30-10-00A-903A-A, AMM 12-A-30-30-20-00A-903A-A, AMM 12-A-30-30-20-00A-903B-APROC. REF: AMM 12-A-30-30-10-00A-903A-A, AMM 12-A-30-30-20-00A-903A-A, AMM 12-A-30-30-20-00A-903B-A								
30-40/262 S		OPERATIONAL TEST WINDSHIELD DE-ICE SYSTEM						Service ATA:30
	MOS	18-Sep-25	24 (+10%/-10%)					
	HRS	7302	2400 (+10%/-10%)					
	AFL	5011						
								PKG:21
PROC. REF: AMM 12-A-30-40-00-00A-903A-A, AMM 12-A-30-40-00-00A-903B-APROC. REF: AMM 12-A-30-40-00-00A-903A-A, AMM 12-A-30-40-00-00A-903B-A								
30-60/158 S		INSPECTION/CHECK PROPELLER DE-ICE SYSTEM						Service ATA:30
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						
								PKG:19
PROC. REF: AMM 12-A-30-60-00-00A-313A-APROC. REF: AMM 12-A-30-60-00-00A-313A-A								
30-60/159 S		OPERATIONAL TEST PROPELLER DE-ICE SYSTEM						Service ATA:30
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						
								PKG:19
PROC. REF: AMM 12-A-30-60-00-00A-903A-A, AMM 12-A-30-60-00-00A-903B-APROC. REF: AMM 12-A-30-60-00-00A-903A-A, AMM 12-A-30-60-00-00A-903B-A								
300005		PROP DE-ICE TIMER/ CONTROLLER						Component ATA:30
PN:968.29.13.227	MOS/MSC	04-Mar-13	O/C					
SN:U136	HRS	4287.1						
WC#: 30.140	AFL	3353						
PROC. REF: AMM 12-A-30-60-01-00A-920A-APROC. REF: AMM 12-A-30-60-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300010	LPMI LINEAR ACTUATOR							Component ATA:30
PN:978.73.15.302	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:B01912	HRS	0		TSN 0				
WC#: 30.150	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300015	REGULATOR-RELIEVER ASSY							Component ATA:30
PN:959.89.01.012	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:N051759	HRS	0		TSN 0				
WC#: 30.160	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300020	L132 LOWER SURFACE INBOARD WING EJECTOR FLOW CONTROL VALVE							Component ATA:30
PN:959.89.01.008	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:N051406	HRS	0		TSN 0				
WC#: 30.110	AFL	0		TSN 0				
PROC. REF: AMM 12-A-30-10-02-00A-920A-APROC. REF: AMM 12-A-30-10-02-00A-920A-A								
300025	L133 UPPER SURFACE INBOARD WING EJECTOR FLOW CONTROL VALVE							Component ATA:30
PN:959.89.01.008	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:N051407	HRS	0		TSN 0				
WC#: 30.120	AFL	0		TSN 0				
PROC. REF: AMM 12-A-30-10-02-00A-920A-APROC. REF: AMM 12-A-30-10-02-00A-920A-A								
300030	L131 EMPENAGE EJECTOR FLOW CONTROL VALVE							Component ATA:30
PN:959.89.01.008	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:N051398	HRS	0		TSN 0				
WC#: 30.110	AFL	0		TSN 0				
PROC. REF: AMM 12-A-30-10-02-00A-920A-APROC. REF: AMM 12-A-30-10-02-00A-920A-A								
300035	L134 LOWER SURFACE OUTBOARD WING EJECTOR FLOW CONTROL VALVE							Component ATA:30
PN:959.89.01.008	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:N051395	HRS	0		TSN 0				
WC#: 30.120	AFL	0		TSN 0				
PROC. REF: AMM 12-A-30-10-02-00A-920A-APROC. REF: AMM 12-A-30-10-02-00A-920A-A								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300040	L135 UPPER SURFACE OUTBOARD WING EJECTOR FLOW CONTROL VALVE							Component ATA:30
PN:959.89.01.008	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:N051396	HRS	0		TSN 0				
WC#: 30.130	AFL	0		TSN 0				
PROC. REF: AMM 12-A-30-10-02-00A-920A-APROC. REF: AMM 12-A-30-10-02-00A-920A-A								
300045	EMPENAGE PRESSURE GAGE SWITCH							Component ATA:30
PN:973.81.14.312	MOS/MSC	03-Oct-12	O/C					
SN:6037	HRS	4100.8						
WC#: 30.070	AFL	3219						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300050	WATER SEPARATOR							Component ATA:30
PN:959.89.01.010	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:N052727	HRS	0		TSN 0				
WC#: 30.060	AFL	0		TSN 0				
PROC. REF: AMM 12-A-21-40-02-00A-920A-APROC. REF: AMM 12-A-21-40-02-00A-920A-A								
300055	AEROFOIL DE-ICING SYSTEM TIMER							Component ATA:30
PN:959.89.01.014	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:U1260	HRS	0		TSN 0				
WC#: 30.100	AFL	0		TSN 0				
PROC. REF: AMM 12-A-30-10-03-00A-920A-APROC. REF: AMM 12-A-30-10-03-00A-920A-A								
300060	LEFT WINDSHIELD DE ICE CONTROLLER							Component ATA:30
PN:972.81.32.202	MOS/MSC	27-May-22	O/C	TSN 0				
SN:144161	HRS	6688.5		TSN 0				
WC#: 30.020	AFL	4720		TSN 0				
PROC. REF: AMM 12-A-30-40-01-00A-920A-APROC. REF: AMM 12-A-30-40-01-00A-920A-A								
300065	RIGHT WINDSHIELD DE ICE CONTROLLER							Component ATA:30
PN:972.81.32.202	MOS/MSC	24-Jan-17	O/C	TSN 0, TSO 0, TSR 0				
SN:117520	HRS	5689		TSN 0, TSO 0, TSR 0				
WC#: 30.020	AFL	4260		TSN 0, TSO 0, TSR 0				
PROC. REF: AMM 12-A-30-40-01-00A-920A-APROC. REF: AMM 12-A-30-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300070	S133 LOWER SURF INBD WING PRESSURE GAGE SWITCH							Component ATA:30
PN:973.81.14.312	MOS/MSC	06-Oct-08	O/C					
SN:1916	HRS	1983.8						
WC#: 30.080	AFL	1510						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300075	S134 UPPER SURF INBD WING PRESSURE GAGE SWITCH							Component ATA:30
PN:973.81.14.312	MOS/MSC	03-Oct-12	O/C					
SN:5904	HRS	4100.8						
WC#: 30.080	AFL	3219						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300080	S135 LOWER SURF OUTBD WING PRESSURE GAGE SWITCH							Component ATA:30
PN:973.81.14.312	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:2723	HRS	0		TSN 0				
WC#: 30.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300085	S136 UPPER SURF OUTBD WING PRESSURE GAGE SWITCH							Component ATA:30
PN:973.81.14.312	MOS/MSC	16-Nov-10	O/C					
SN:5557	HRS	3035						
WC#: 30.090	AFL	2336						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
300090	LH HORIZ STAB DE-ICER BOOT							Component ATA:30
PN:P27S7D5221-25	MOS/MSC	01-Jun-23	O/C	TSN 0				
SN:NGG5300	HRS	6991.7		TSN 0				
WC#: 30.030	AFL	4860		TSN 0				
PROC. REF: AMM 12-A-30-16-01-00A-920A-APROC. REF: AMM 12-A-30-16-01-00A-920A-A								
300095	RH HORIZ STAB DE-ICER BOOT							Component ATA:30
PN:P27S7D5221-26	MOS/MSC	01-Jun-23	O/C	TSN 0				
SN:UNKNOWN	HRS	6991.7		TSN 0				
WC#: 30.030	AFL	4860		TSN 0				
PROC. REF: AMM 12-A-30-16-01-00A-920A-APROC. REF: AMM 12-A-30-16-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
300100	RH INBD-WING DE-ICER BOOT							Component ATA:30
PN:P27-7D5221-22	MOS/MSC	01-Jun-23	O/C	TSN 0				
SN:NGQ3840	HRS	6991.7		TSN 0				
WC#: 30.040	AFL	4860		TSN 0				
PROC. REF: AMM 12-A-30-14-01-00A-920A-APROC. REF: AMM 12-A-30-14-01-00A-920A-A								
300105	RH OUTBD-WING DE-ICER BOOT							Component ATA:30
PN:P27-7D5221	MOS/MSC	01-Jun-23	O/C	TSN 0				
SN:NGN5290	HRS	6991.7		TSN 0				
WC#: 30.050	AFL	4860		TSN 0				
PROC. REF: AMM 12-A-30-14-01-00A-920A-APROC. REF: AMM 12-A-30-14-01-00A-920A-A								
300115	LH INBD-WING DE-ICER BOOT							Component ATA:30
PN:P27-7D5221-21	MOS/MSC	01-Jun-23	O/C	TSN 0				
SN:NGL4070	HRS	6991.7		TSN 0				
WC#: 30.040	AFL	4860		TSN 0				
PROC. REF: AMM 12-A-30-14-01-00A-920A-APROC. REF: AMM 12-A-30-14-01-00A-920A-A								
300120	LH OUTBD-WING DE-ICER BOOT							Component ATA:30
PN:959.89.01.033	MOS/MSC	06-Mar-14	O/C					
SN:0114336097	HRS	4747.4						
WC#: 30.050	AFL	3705						
PROC. REF: AMM 12-A-30-14-01-00A-920A-APROC. REF: AMM 12-A-30-14-01-00A-920A-A								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
31-50/34	CAWS & CACU CLOCK BATTERY							Component ATA:31
PN:TL-5903/S	MOS	21-Sep-26	24 (+10%/-10%)		25-Aug-28 (M)	06-Nov-28	665 d (+73)	DISCARD
SN:UNKNOWN	HRS	7370.6						
WC#: 31.010	AFL	5044						
PROC. REF: AMM 12-A-31-50-03-00A-920A-APROC. REF: AMM 12-A-31-50-03-00A-920A-A								
310020	FLAP POSITION INDICATOR							Component ATA:31
PN:975.44.16.203	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:00551	HRS	0		TSN 0				
WC#: 31.090	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
310035	CAWS COMPUTER							Component ATA:31
PN:972.81.32.030	MOS/MSC	15-Oct-09	O/C	TSN 0				
SN:053	HRS	2453.2		TSN 0				
WC#: 31.050	AFL	1860		TSN 0				
PROC. REF: AMM 12-A-31-50-01-00A-920A-A, AMM 12-A-31-50-01-00A-920B-APROC. REF: AMM 12-A-31-50-01-00A-920A-A, AMM 12-A-31-50-01-00A-920B-A								
310040	CAWS DISPLAY							Component ATA:31
PN:972.81.32.031	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:297	HRS	0		TSN 0				
WC#: 31.060	AFL	0		TSN 0				
PROC. REF: AMM 12-A-31-50-02-00A-920A-APROC. REF: AMM 12-A-31-50-02-00A-920A-A								
310050	DIGITAL CLOCK							Component ATA:31
PN:999.61.11.212	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1031171	HRS	0		TSN 0				
WC#: 31.040	AFL	0		TSN 0				
PROC. REF: AMM 12-A-31-20-12-00A-920A-A, AMM 12-A-31-20-14-00A-920A-APROC. REF: AMM 12-A-31-20-12-00A-920A-A, AMM 12-A-31-20-14-00A-920A-A								
ATA 32 - LANDING GEAR								
32-10/162 S	LUBRICATE MAIN LANDING GEAR							Service ATA:32
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						

PKG:19

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition

ATA 32 - LANDING GEAR

PROC. REF: AMM 12-A-12-20-04-00A-902A-APROC. REF: AMM 12-A-12-20-04-00A-902A-A

32-10/163 S		EXAMINE MAIN LANDING GEAR LEGS						Service ATA:32
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						

PKG:19

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

32-10/164 S		EXAMINE MAIN LANDING GEAR COMPARTMENTS						Service ATA:32
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						

PKG:19

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

32-10/165 S		CHECK MAIN LANDING GEAR SHOCK STRUTS NITROGEN PRESSURE						Service ATA:32
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						

PKG:19

PROC. REF: AMM 12-A-32-10-00-00A-902A-APROC. REF: AMM 12-A-32-10-00-00A-902A-A

32-10/263 S		EXAMINE MAIN LANDING GEAR ELECTRICAL BONDING STRAPS						Service ATA:32
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						

PKG:20

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

32-10/264 S		REMOVE MAIN LANDING GEAR LEFT AND RIGHT AXLE BOLT (PRE SB 32-006) AND EXAMINE. REPLACE IF DAMAGED. INSTALL A SERVICEABLE BOLT.						Service ATA:32
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						

PKG:19

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10/347		OVERHAUL AND EDDY CURRENT INSPECTION OF LEFT MLG TRAILING LINK						Service ATA:32
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:25000		25000		17629.4	
	AFL	0	T:30000		30000		24956	
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
32-10/347		OVERHAUL AND EDDY CURRENT INSPECTION OF RIGHT MLG TRAILING LINK						Service ATA:32
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:25000		25000		17629.4	
	AFL	0	T:30000		30000		24956	
PROC. REF: GENERIC NO REF, AMM GENERICPROC. REF: GENERIC NO REF, AMM GENERIC								
32-10/436		EXAMINE MAIN LANDING GEAR SHOCK ABSORBER TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS.						Service ATA:32
	MOS	21-Sep-26	12 (+10%/-10%)		30-Sep-27	27-Oct-27	335 d (+27)	
	HRS	7370.6						
	AFL	5044						
PROC. REF: AMM 12-A-32-10-00-00A-310A-APROC. REF: AMM 12-A-32-10-00-00A-310A-A								
32-10/438		EXAMINE LEFT MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT						Service ATA:32
	MOS	27-May-22	72		31-May-28		579 d	
	HRS	6688.5						
	AFL	4720						
PROC. REF: AMM 12-A-32-10-00-00A-310A-APROC. REF: AMM 12-A-32-10-00-00A-310A-A								
32-10/438		EXAMINE RIGHT MAIN LANDING GEAR LEG FORWARD ATTACHMENT BOLT AND BUSH AND REAR ATTACHMENT BOLT AND NUT						Service ATA:32
	MOS	27-May-22	72		31-May-28		579 d	
	HRS	6688.5						
	AFL	4720						
PROC. REF: AMM 12-A-32-10-00-00A-310A-APROC. REF: AMM 12-A-32-10-00-00A-310A-A								
32-10/644		OVERHAUL AND EDDY CURRENT INSPECTION OF LEFT MLG YOKE FITTING (HYDRAULIC LANDING GEAR)						Service ATA:32
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:20000		20000		12629.4	
	AFL	0	T:27000		27000		21956	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-10/644	OVERHAUL AND EDDY CURRENT INSPECTION OF RIGHT MLG YOKE FITTING (HYDRAULIC LANDING GEAR)							Service ATA:32
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:20000		20000		12629.4	
	AFL	0	T:27000		27000		21956	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-10/80	LUBRICATE LEFT MAIN LANDING GEAR WHEEL BEARINGS							Service ATA:32
PN:3-1543-1	MOS/MSC	21-Sep-26	12 (+1m/-1m) / T/C		30-Sep-27	21-Oct-27	335 d (+21)	
SN:1136	HRS	7370.6						
	AFL	5044						
PROC. REF: AMM 12-A-12-20-06-00A-902A-APROC. REF: AMM 12-A-12-20-06-00A-902A-A								
32-10/80	LUBRICATE MAIN AND NOSE WHEEL BEARINGS							Service ATA:32
	MOS/MSC	21-Sep-26	12 (+10%/-10%) / T/C		30-Sep-27	27-Oct-27	335 d (+27)	
	HRS	7370.6						
WC#: 32.030	AFL	5044						
PROC. REF: AMM 12-A-12-20-06-00A-902A-APROC. REF: AMM 12-A-12-20-06-00A-902A-A								
32-10/80	LUBRICATE NOSE WHEEL BEARINGS							Service ATA:32
PN:3-1501	MOS/MSC	21-Sep-26	12 (+1m/-1m) / T/C		30-Sep-27	21-Oct-27	335 d (+21)	
SN:0364	HRS	7370.6						
	AFL	5044						
PROC. REF: AMM 12-A-12-20-06-00A-902A-APROC. REF: AMM 12-A-12-20-06-00A-902A-A								
32-10/80	LUBRICATE RIGHT MAIN LANDING GEAR WHEEL BEARINGS							Service ATA:32
PN:3-1543-1	MOS/MSC	21-Sep-26	12 (+1m/-1m) / T/C		30-Sep-27	21-Oct-27	335 d (+21)	
SN:0913/0913	HRS	7370.6						
	AFL	5044						
PROC. REF: AMM 12-A-12-20-06-00A-902A-APROC. REF: AMM 12-A-12-20-06-00A-902A-A								
32-10/81	INSPECTION/CHECK MAIN LANDING GEAR HINGE PIN AND BUSHES							Service ATA:32
	MOS	21-Sep-26	12 (+1m/-1m)		30-Sep-27	21-Oct-27	335 d (+21)	
	HRS	7370.6	2400 (+10%/-10%)		9770.6	10010.6	2400 (+240)	
WC#: 32.010	AFL	5044						
PROC. REF: AMM 12-A-32-10-00-00A-313A-APROC. REF: AMM 12-A-32-10-00-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-20/166 S		CHECK NOSE LANDING GEAR LEG SHOCK STRUT NITROGEN PRESSURE						Service ATA:32
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						
								PKG:19
PROC. REF: AMM 12-A-32-20-00-00A-902A-APROC. REF: AMM 12-A-32-20-00-00A-902A-A								
32-20/167 S		LUBRICATE NOSE LANDING GEAR						Service ATA:32
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						
								PKG:19
PROC. REF: AMM 12-A-12-20-04-00A-902A-APROC. REF: AMM 12-A-12-20-04-00A-902A-A								
32-20/168 S		EXAMINE NOSE LANDING GEAR LEG AND STEERING MECHANISM IN PARTICULAR THE STEERING ROD END (PART NO. 532.20.12.134) FOR THE COMPLETE RETENTION OF BEARING INTO THE STEERING ROD END HOUSING.						Service ATA:32
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						
								PKG:19
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-20/169 S		EXAMINE NOSE LANDING GEAR COMPARTMENT						Service ATA:32
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						
								PKG:19
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-20/265 S		EXAMINE NOSE LANDING GEAR ELECTRICAL BONDING STRAPS						Service ATA:32
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-20/266 S	REMOVE NOSE LANDING GEAR SPRING STRUT PART NO. 532.20.12.250 CLEAN AND LUBRICATE							Service ATA:32
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-32-20-03-00A-250A-A, AMM 12-A-32-20-03-00A-920A-APROC. REF: AMM 12-A-32-20-03-00A-250A-A, AMM 12-A-32-20-03-00A-920A-A								
32-20/305 S	EXAMINE NOSE LANDING GEAR ACTUATOR FUSELAGE ATTACHMENT FITTING (PART NO. 553.10.12.326) IF CRACKS ARE FOUND REPLACE ATTACHMENT FITTING							Service ATA:32
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
32-20/335	NOSE LANDING GEAR TORQUE TUBE							Component ATA:32
PN:532.50.12.064	MOS/MSC	03-Nov-15	O/C	TSN 0				
SN:UNKNOWN	HRS	5324.4		TSN 0				
WC#: 32.175	AFL	4054		TSN 0				
PROC. REF: AMM 12-A-32-50-03-00A-920A-APROC. REF: AMM 12-A-32-50-03-00A-920A-A								
32-20/336	INSPECTION/CHECK NOSE LANDING GEAR UPPER RIGHT DRAG LINK							Service ATA:32
	MOS	18-Sep-25						AIRWORTHINESS
	HRS	7302	300		7602		231.4	
WC#: 32.180	AFL	5011	400		5411		367	
PROC. REF: AMM 12-A-32-20-06-00A-313A-APROC. REF: AMM 12-A-32-20-06-00A-313A-A								
32-20/403	NOSE LANDING GEAR							Component ATA:32
PN:PN	MOS	24-Nov-05		TSN 0				OVERHAUL
SN:UNKNOWN	HRS	0	T:25000	TSN 0	25000		17629.4	
	AFL	0	T:30000	TSN 0	30000		24956	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-20/410	NOSE LANDING GEAR UPPER RIGHT HAND DRAG LINK							Component ATA:32
PN:532.20.12.289	MOS/MSC	24-Nov-05	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 12-A-32-20-05-00A-920A-A, AMM 12-A-32-20-06-00A-920A-APROC. REF: AMM 12-A-32-20-05-00A-920A-A, AMM 12-A-32-20-06-00A-920A-A								
32-20/416	NOSE LANDING GEAR UPPER RIGHT HAND DRAG LINK (EXCEPT FOR P/N 532.2012.140) - REPLACE							Service ATA:32
PN:532.20.12.289	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		17629.4	
	AFL	0	30000	TSN 0	30000		24956	
PROC. REF: AMM 12-A-32-20-05-00A-920A-A, AMM 12-A-32-20-06-00A-920A-APROC. REF: AMM 12-A-32-20-05-00A-920A-A, AMM 12-A-32-20-06-00A-920A-A								
32-20/532	NOSE LANDING GEAR UPPER RIGHT HAND DRAG LINK (P/N 532.20.12.140, PRE SB 32-014) - REPLACE							Service ATA:32
PN:532.20.12.289	MOS/MSC	24-Nov-05	N/A	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.020	AFL	0		TSN 0				
PROC. REF: AMM 12-A-32-20-05-00A-920A-APROC. REF: AMM 12-A-32-20-05-00A-920A-A								
32-30/170 S	FUNCTIONAL TEST EXTENSION AND RETRACTION SYSTEM AND EMERGENCY EXTENSION SYSTEM							Service ATA:32
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-32-30-00-00A-903A-APROC. REF: AMM 12-A-32-30-00-00A-903A-A								
32-30/417	LEFT HAND MAIN LANDING GEAR ACTUATOR							Component ATA:32
PN:960.30.01.104	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:1231G	HRS	0	25000	TSN 0	25000		17629.4	
WC#: 32.040	AFL	0	30000	TSN 0	30000		24956	
PROC. REF: AMM 12-A-32-30-01-00A-920A-APROC. REF: AMM 12-A-32-30-01-00A-920A-A								
32-30/417	RIGHT HAND MAIN LANDING GEAR ACTUATOR							Component ATA:32
PN:960.30.01.104	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:1230G	HRS	0	25000	TSN 0	25000		17629.4	
WC#: 32.040	AFL	0	30000	TSN 0	30000		24956	
PROC. REF: AMM 12-A-32-30-01-00A-920A-APROC. REF: AMM 12-A-32-30-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-30/442	EXAMINE LEFT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service ATA:32
	MOS	27-May-22	72		31-May-28		579 d	
	HRS	6688.5						
	AFL	4720						
PROC. REF: AMM 12-A-32-10-00-00A-310A-APROC. REF: AMM 12-A-32-10-00-00A-310A-A								
32-30/442	EXAMINE RIGHT MAIN LANDING GEAR ACTUATOR TOP AND BOTTOM ATTACHMENT BOLTS AND NUTS							Service ATA:32
	MOS	27-May-22	72		31-May-28		579 d	
	HRS	6688.5						
	AFL	4720						
PROC. REF: AMM 12-A-32-10-00-00A-310A-APROC. REF: AMM 12-A-32-10-00-00A-310A-A								
32-30/518	LEFT MAIN LANDING GEAR ACTUATOR BOTTOM ATTACH BOLTS P/N 532.10.12.218 - REPLACE							Service ATA:32
	MOS	21-Sep-26	60		21-Sep-31		1787 d	REPLACE
	HRS	7370.6						
	AFL	5044						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-30/518	RIGHT MAIN LANDING GEAR ACTUATOR BOTTOM ATTACH BOLTS P/N 532.10.12.218 - REPLACE							Service ATA:32
	MOS	21-Sep-26	60		21-Sep-31		1787 d	REPLACE
	HRS	7370.6						
	AFL	5044						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-40/171 S	EXAMINE MAINWHEELS ROTATE WHEELS, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS							Service ATA:32
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						
								PKG:19
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-40/172 S	EXAMINE MAINWHEEL TIRES AND CHECK TIRE PRESSURE							Service ATA:32
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 12-A-12-10-04-00A-902A-APROC. REF: AMM 12-A-12-10-04-00A-902A-A								
32-40/173 S		EXAMINE NOSEWHEEL ROTATE WHEEL, MAKE SURE BEARING MOVEMENT IS SMOOTH AND FREE AND NO EXCESSIVE PLAY EXISTS						Service ATA:32
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						
								PKG:19
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-40/174 S		EXAMINE NOSEWHEEL TIRE AND CHECK TIRE PRESSURE						Service ATA:32
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-12-10-04-00A-902A-APROC. REF: AMM 12-A-12-10-04-00A-902A-A								
32-40/175 S		EXAMINE BRAKE SYSTEM APPLY THE PARKING BRAKE. EXAMINE THE BRAKE UNITS. MAKE SURE THAT PAD WEAR INDICATORS PROTRUDE FROM HOUSING.						Service ATA:32
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
32-40/176 S		CHECK FLUID RESERVOIR AND REPLENISH IF NECESSARY						Service ATA:32
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-12-10-02-00A-902A-APROC. REF: AMM 12-A-12-10-02-00A-902A-A								
32-50/404		EXAMINE NOSE LANDING GEAR STEERING MECHANISM						Service ATA:32
	MOS	24-Nov-05						
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-32-50-00-00A-310A-APROC. REF: AMM 12-A-32-50-00-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320005	PILOT LH BRAKE MASTER CYLINDER							Component ATA:32
PN:959.47.51.131	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:4261	HRS	0		TSN 0				
WC#: 32.130	AFL	0		TSN 0				
PROC. REF: AMM 12-A-32-40-04-00A-920A-APROC. REF: AMM 12-A-32-40-04-00A-920A-A								
320010	PILOT RH BRAKE MASTER CYLINDER							Component ATA:32
PN:959.47.51.131	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:4254	HRS	0		TSN 0				
WC#: 32.130	AFL	0		TSN 0				
PROC. REF: AMM 12-A-32-40-04-00A-920A-APROC. REF: AMM 12-A-32-40-04-00A-920A-A								
320015	PARK BRAKE VALVE							Component ATA:32
PN:959.47.51.121	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:2319	HRS	0		TSN 0				
WC#: 32.140	AFL	0		TSN 0				
PROC. REF: AMM 12-A-32-40-05-00A-920A-APROC. REF: AMM 12-A-32-40-05-00A-920A-A								
320020	NOSE WHEEL							Component ATA:32
PN:3-1501	MOS/MSC	25-Jan-17	O/C					
SN:0364	HRS	5689						
WC#: 32.150	AFL	4260						
PROC. REF: AMM 12-A-32-40-02-00A-920A-APROC. REF: AMM 12-A-32-40-02-00A-920A-A								
320021	NOSE LANDING GEAR TIRE							Component ATA:32
PN:025-327-0	MOS/MSC	27-May-22	O/C	TSN 0				
SN:1348T00173	HRS	6688.5		TSN 0				
WC#: 32.155	AFL	4720		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
320022	LEFT MAIN LANDING GEAR WHEEL							Component ATA:32
PN:3-1543-1	MOS/MSC	09-Apr-18	O/C					
SN:1136	HRS	5922.2						
WC#: 32.160	AFL	4391						
PROC. REF: AMM 12-A-32-40-01-00A-920A-APROC. REF: AMM 12-A-32-40-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320023	LEFT MAIN LANDING GEAR TIRE							Component ATA:32
PN:025-350-0	MOS/MSC	18-Sep-25	O/C	TSN 0				
SN:5050T00287	HRS	7302		TSN 0				
WC#: 32.160	AFL	5011		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
320024	RIGHT MAIN LANDING GEAR WHEEL							Component ATA:32
PN:3-1543-1	MOS/MSC	02-Feb-18	O/C					
SN:0913/0913	HRS	5922.2						
WC#: 32.165	AFL	4391						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
320025	SHIMMY DAMPER ASSY							Component ATA:32
PN:532.20.12.243	MOS/MSC	26-Jul-24	O/C	TSR 0				
SN:SI-0016	HRS	7207		TSR 0				
WC#: 32.100	AFL	4952		TSR 0				
PROC. REF: AMM 12-A-32-50-01-00A-920A-APROC. REF: AMM 12-A-32-50-01-00A-920A-A								
320026	RIGHT MAIN LANDING GEAR TIRE							Component ATA:32
PN:025-350-0	MOS/MSC	18-Sep-25	O/C	TSN 0				
SN:5050T00269	HRS	7302		TSN 0				
WC#: 32.165	AFL	5011		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
320030	COPILOT LH BRAKE MASTER CYLINDER							Component ATA:32
PN:959.47.51.131	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:4273	HRS	0		TSN 0				
WC#: 32.120	AFL	0		TSN 0				
PROC. REF: AMM 12-A-32-40-04-00A-920A-APROC. REF: AMM 12-A-32-40-04-00A-920A-A								
320035	COPILOT RH BRAKE MASTER CYLINDER							Component ATA:32
PN:959.47.51.131	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:4285	HRS	0		TSN 0				
WC#: 32.120	AFL	0		TSN 0				
PROC. REF: AMM 12-A-32-40-04-00A-920A-APROC. REF: AMM 12-A-32-40-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320040	NOSE FOLDING STRUT SPRING PACK ASSY							Component ATA:32
PN:532.20.12.249	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:VLG179	HRS	0		TSN 0				
WC#: 32.080	AFL	0		TSN 0				
PROC. REF: AMM 12-A-32-20-03-00A-920A-APROC. REF: AMM 12-A-32-20-03-00A-920A-A								
320045	NOSE LANDING GEAR STRUT ASSY							Component ATA:32
PN:532.20.12.038	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:VLG179	HRS	0		TSN 0				
WC#: 32.090	AFL	0		TSN 0				
PROC. REF: AMM 12-A-32-20-01-00A-920A-APROC. REF: AMM 12-A-32-20-01-00A-920A-A								
320050	LEFT SHOCK ABSORBER ASSY							Component ATA:32
PN:532.10.12.175	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:VLG358	HRS	0		TSN 0				
WC#: 32.060	AFL	0		TSN 0				
PROC. REF: AMM 12-A-32-10-03-00A-920A-APROC. REF: AMM 12-A-32-10-03-00A-920A-A								
320055	RIGHT SHOCK ABSORBER ASSY							Component ATA:32
PN:532.10.12.175	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:VLG367	HRS	0		TSN 0				
WC#: 32.060	AFL	0		TSN 0				
PROC. REF: AMM 12-A-32-10-03-00A-920A-APROC. REF: AMM 12-A-32-10-03-00A-920A-A								
320065	LEFT MAIN LANDING GEAR ASSEMBLY							Component ATA:32
PN:532.10.12.049	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:VLG179	HRS	0		TSN 0				
WC#: 32.070	AFL	0		TSN 0				
PROC. REF: AMM 12-A-32-40-01-00A-920A-APROC. REF: AMM 12-A-32-40-01-00A-920A-A								
320070	RIGHT MAIN LANDING GEAR ASSEMBLY							Component ATA:32
PN:532.10.12.050	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:VLG179	HRS	0		TSN 0				
WC#: 32.070	AFL	0		TSN 0				
PROC. REF: AMM 12-A-32-30-01-00A-920A-APROC. REF: AMM 12-A-32-30-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
320074	NOSE LANDING GEAR ACTUATOR							Component ATA:32
PN:960.30.01.111	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:0633A	HRS	0		TSN 0				
WC#: 29.060	AFL	0		TSN 0				
PROC. REF: AMM 12-A-32-30-02-00A-920A-APROC. REF: AMM 12-A-32-30-02-00A-920A-A								
320075	LH BRAKE ASSY							Component ATA:32
PN:959.56.01.512	MOS/MSC	01-Jun-23	O/C	TSO 0				
SN:0108	HRS	6991.7		TSO 0				
WC#: 32.050	AFL	4860		TSO 0				
PROC. REF: AMM 12-A-32-40-03-00A-920A-A, AMM 12-A-32-40-03-00A-920B-APROC. REF: AMM 12-A-32-40-03-00A-920A-A, AMM 12-A-32-40-03-00A-920B-A								
320080	RH BRAKE ASSY							Component ATA:32
PN:959.56.01.512	MOS/MSC	01-Jun-23	O/C	TSO 0				
SN:0883	HRS	6991.7		TSO 0				
WC#: 32.050	AFL	4860		TSO 0				
PROC. REF: AMM 12-A-32-40-03-00A-920A-A, AMM 12-A-32-40-03-00A-920B-APROC. REF: AMM 12-A-32-40-03-00A-920A-A, AMM 12-A-32-40-03-00A-920B-A								
320090	LH WHEEL & COVER ASSY							Component ATA:32
PN:959.56.01.502	MOS/MSC	21-Aug-12	O/C	TSN 0				
SN:1259	HRS	4023.6		TSN 0				
WC#: 32.110	AFL	3152		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
320095	RH WHEEL & COVER ASSY							Component ATA:32
PN:959.56.01.502	MOS/MSC	20-Dec-13	O/C	TSN 0				
SN:0913	HRS	4639.7		TSN 0				
WC#: 32.110	AFL	3636		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 33 - LIGHTS								
33-40/177 S	OPERATIONAL TEST EXTERIOR LIGHTING							Service ATA:33
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						

PKG:17

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition

ATA 33 - LIGHTS

PROC. REF: AMM 12-A-33-40-00-00A-903A-A, AMM 12-A-33-40-00-00A-903B-APROC. REF: AMM 12-A-33-40-00-00A-903A-A, AMM 12-A-33-40-00-00A-903B-A

33-41/178 S		EXAMINE LANDING LIGHTS						Service ATA:33
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17

PROC. REF: AMM 12-A-33-41-01-00A-200B-APROC. REF: AMM 12-A-33-41-01-00A-200B-A

33-42/179 S		EXAMINE TAXI LIGHTS						Service ATA:33
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17

PROC. REF: AMM 12-A-33-42-01-00A-200B-APROC. REF: AMM 12-A-33-42-01-00A-200B-A

33-43/180 S		EXAMINE NAVIGATION AND STROBE LIGHTS						Service ATA:33
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

33-44/181 S		EXAMINE RECOGNITION LIGHTS (IF INSTALLED)						Service ATA:33
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

33-46/182 S		EXAMINE BEACON LIGHTS (IF INSTALLED)						Service ATA:33
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17

PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
330005	DIM UNIT							Component ATA:33
PN:975.02.15.205	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:117286	HRS	0		TSN 0				
WC#: 33.080	AFL	0		TSN 0				
PROC. REF: AMM 12-A-33-10-04-00A-920A-APROC. REF: AMM 12-A-33-10-04-00A-920A-A								
330010	DE-ICE LIGHT ASSY							Component ATA:33
PN:972.87.67.111	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1078934	HRS	0		TSN 0				
WC#: 33.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
330015	LEFT WING POWER SUPPLY, HIDL UNIT							Component ATA:33
PN:972.87.69.413	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1051814	HRS	0		TSN 0				
WC#: 33.020	AFL	0		TSN 0				
PROC. REF: AMM 12-A-33-40-11-00A-920A-APROC. REF: AMM 12-A-33-40-11-00A-920A-A								
330020	RIGHT WING POWER SUPPLY, HIDL UNIT							Component ATA:33
PN:972.87.69.413	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1051816	HRS	0		TSN 0				
WC#: 33.020	AFL	0		TSN 0				
PROC. REF: AMM 12-A-33-40-11-00A-920A-APROC. REF: AMM 12-A-33-40-11-00A-920A-A								
330025	TOP SIDE ANTI COLLISION RED LIGHT ASSY							Component ATA:33
PN:972.87.87.331	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:16075	HRS	0		TSN 0				
WC#: 33.040	AFL	0		TSN 0				
PROC. REF: AMM 12-A-33-46-01-00A-920A-APROC. REF: AMM 12-A-33-46-01-00A-920A-A								
330030	BOTTOM SIDE ANTI COLLISION RED LIGHT ASSY							Component ATA:33
PN:972.87.87.332	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:15980	HRS	0		TSN 0				
WC#: 33.040	AFL	0		TSN 0				
PROC. REF: AMM 12-A-33-46-01-00A-920A-APROC. REF: AMM 12-A-33-46-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
330035	LH WING POWER SUPPLY UNIT							Component ATA:33
PN:972.87.87.164	MOS/MSC	08-Feb-06	O/C					
SN:23362	HRS	82						
WC#: 33.070	AFL	64						
PROC. REF: AMM 12-A-33-43-03-00A-920A-APROC. REF: AMM 12-A-33-43-03-00A-920A-A								
330040	LEFT WING TIP WARNING LIGHT ASSEMBLY							Component ATA:33
PN:972.87.87.322	MOS/MSC	27-May-22	O/C	TSN 0				
SN:231226-7-4	HRS	6688.5		TSN 0				
WC#: 33.030	AFL	4720		TSN 0				
PROC. REF: AMM 12-A-33-44-01-00A-920A-APROC. REF: AMM 12-A-33-44-01-00A-920A-A								
330045	RH WING POWER SUPPLY UNIT							Component ATA:33
PN:972.87.87.164	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:24738	HRS	0		TSN 0				
WC#: 33.070	AFL	0		TSN 0				
PROC. REF: AMM 12-A-33-43-03-00A-920A-APROC. REF: AMM 12-A-33-43-03-00A-920A-A								
330050	RIGHT WING TIP WARNING LIGHT ASSEMBLY							Component ATA:33
PN:972.87.87.322	MOS/MSC	11-Jun-20	O/C	TSN 0				
SN:207950-1-11	HRS	6237.3		TSN 0				
WC#: 33.030	AFL	4506		TSN 0				
PROC. REF: AMM 12-A-33-44-01-00A-920B-APROC. REF: AMM 12-A-33-44-01-00A-920B-A								
330070	NOSE LANDING GEAR TAXI LIGHT,1X0005287-10							Component ATA:33
PN:GE4596	MOS/MSC	27-May-22	O/C	TSN 0				
SN:UNKNOWN	HRS	6688.5		TSN 0				
WC#: 33.085	AFL	4720		TSN 0				
PROC. REF: AMM 12-A-33-42-01-00A-920A-APROC. REF: AMM 12-A-33-42-01-00A-920A-A								
330075	L/H LANDING LIGHT, LANDING,1X0005287-10							Component ATA:33
PN:Q5596	MOS/MSC	21-Sep-26	O/C	TSN 0				
SN:UNKNOWN	HRS	7370.6		TSN 0				
WC#: 33.090	AFL	5044		TSN 0				
PROC. REF: AMM 12-A-33-41-01-00A-920A-APROC. REF: AMM 12-A-33-41-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
330076	R/H LANDING LIGHT, LANDING, 1X0005287-10							Component ATA:33
PN:Q5596	MOS/MSC	18-Sep-25	O/C	TSN 0				
SN:UNKNOWN	HRS	7302		TSN 0				
WC#: 33.095	AFL	5011		TSN 0				
PROC. REF: AMM 12-A-33-41-01-00A-920A-APROC. REF: AMM 12-A-33-41-01-00A-920A-A								
ATA 34 - NAVIGATION								
34-00/183 S	EXAMINE COMMUNICATIONS AND NAVIGATION ANTENNAS							Service ATA:34
	MOS	18-Sep-25	24 (+10%/-10%)					
	HRS	7302	2400 (+10%/-10%)					
	AFL	5011						
								PKG:21
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
34-00/184 S	EXAMINE COCKPIT INSTRUMENTS AND AVIONIC EQUIPMENT							Service ATA:34
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
34-11/185 S	EXAMINE PITOT TUBE							Service ATA:34
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
34-11/186 S	EXAMINE STATIC PORTS							Service ATA:34
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
34-11/268 S	DRAIN PITOT AND STATIC SYSTEM SINGLE SYSTEM, DUAL SYSTEM							Service ATA:34
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-34-11-00-00A-040A-A, AMM 12-A-34-11-10-00A-901A-A, AMM 12-A-34-11-20-00A-901A-APROC. REF: AMM 12-A-34-11-00-00A-040A-A, AMM 12-A-34-11-10-00A-901A-A, AMM 12-A-34-11-20-00A-901A-A								
34-11/82	LEAK CHECK STATIC SYSTEM							Service ATA:34
	MOS	21-Sep-26	24		30-Sep-28		701 d	
	HRS	7370.6						
WC#: 34.010	AFL	5044						
PROC. REF: AMM 12-A-30-30-21-00A-920A-A, AMM 12-A-34-11-10-00A-903A-A, AMM 12-A-34-11-20-00A-903A-APROC. REF: AMM 12-A-30-30-21-00A-920A-A, AMM 12-A-34-11-10-00A-903A-A, AMM 12-A-34-11-20-00A-903A-A								
34-14/83	CALIBRATION CHECK ALTIMETER							Service ATA:34
	MOS	18-Sep-25	24		30-Sep-27		335 d	
	HRS	7302						
WC#: 34.020	AFL	5011						
PROC. REF: AMM 12-A-34-14-00-00A-903A-A, AMM 12-A-34-14-10-00A-903A-A, AMM 12-A-34-14-20-00A-903A-APROC. REF: AMM 12-A-34-14-00-00A-903A-A, AMM 12-A-34-14-10-00A-903A-A, AMM 12-A-34-14-20-00A-903A-A								
34-21/84	SWING CHECK STANDBY MAGNETIC COMPASS							Service ATA:34
	MOS	18-Sep-25	24 (+10%/-10%)		30-Sep-27	30-Nov-27	335 d (+61)	
	HRS	7302						
WC#: 34.030	AFL	5011						
PROC. REF: AMM 12-A-34-21-00-00A-903A-APROC. REF: AMM 12-A-34-21-00-00A-903A-A								
34-25/85	CHECK SWING ATTITUDE HEADING REFERENCE SYSTEM (AHRS)							Service ATA:34
	MOS	21-Sep-26	24 (+10%/-10%)		30-Sep-28	03-Dec-28	701 d (+64)	
	HRS	7370.6						
WC#: 34.040	AFL	5044						
PROC. REF: AMM 12-A-34-25-00-00A-903A-APROC. REF: AMM 12-A-34-25-00-00A-903A-A								
34-54/86	FUNCTIONAL TEST NO. 1 NO. 1 TRANSPONDER SYSTEM (SINGLE AND DUAL SYSTEMS)							Service ATA:34
	MOS	18-Sep-25	24		30-Sep-27		335 d	
	HRS	7302						
WC#: 34.050	AFL	5011						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition

ATA 34 - NAVIGATION

PROC. REF: AMM 12-A-34-54-00-00A-903A-A, AMM 12-A-34-54-00-00A-903B-A, AMM 12-A-34-54-10-00A-903A-A, AMM 12-A-34-54-10-00A-903B-APROC. REF: AMM 12-A-34-54-00-00A-903A-A, AMM 12-A-34-54-00-00A-903B-A, AMM 12-A-34-54-10-00A-903A-A, AMM 12-A-34-54-10-00A-903B-A

340005	PILOT ALTIMETER						Component	ATA:34
PN:70256N02D02	MOS/MSC	07-Sep-18	O/C					
SN:05020466D	HRS	5925.7						
WC#: 31.020	AFL	4393						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340006	COPILOT ALTIMETER						Component	ATA:34
PN:5934PAD-34.260	MOS/MSC	07-Sep-18	O/C	TSO 0				
SN:408500	HRS	5925.7		TSO 0				
WC#: 31.120	AFL	4393		TSO 0				
PROC. REF: AMM 12-A-34-14-12-00A-920A-APROC. REF: AMM 12-A-34-14-12-00A-920A-A								
340007	NO. 1 TRANSPONDER						Component	ATA:34
PN:011-03300-00	MOS/MSC	26-Jul-24	O/C					
SN:3EE020604	HRS	7207						
WC#: 34.140	AFL	4952						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340009	NO. 1 DME/IFF ANTENNA						Component	ATA:34
PN:984.81.10.240	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:261.69008	HRS	0		TSN 0				
WC#: 34.080	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-52-02-00A-920A-APROC. REF: AMM 12-A-34-52-02-00A-920A-A								
340010	PILOT VERTICAL SPEED INDICATOR						Component	ATA:34
PN:965.16.15.101	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:310803	HRS	0		TSN 0				
WC#: 31.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340014	MARKER,KR21 RECEIVER							Component ATA:34
PN:985.99.11.001	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:23714	HRS	0		TSN 0				
WC#: 34.290	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-32-02-00A-920A-APROC. REF: AMM 12-A-34-32-02-00A-920A-A								
340015	PILOT ATTITUDE INDICATOR							Component ATA:34
PN:975.96.11.241	MOS/MSC	21-Feb-13	O/C	TSN 0				
SN:504003592225774	HRS	4266.9		TSN 0				
WC#: 31.080	AFL	3344		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340020	MARKER ANTENNA							Component ATA:34
PN:984.81.10.260	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:101-6021	HRS	0		TSN 0				
WC#: 34.100	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-32-01-00A-920A-APROC. REF: AMM 12-A-34-32-01-00A-920A-A								
340025	EFIS 1 SG465 SYMBOL GENERATOR							Component ATA:34
PN:066-04021-1116	MOS/MSC	10-Feb-15	O/C					
SN:4537	HRS	5022.9						
WC#: 34.300	AFL	3867						
PROC. REF: AMM 12-A-34-26-01-00A-920A-APROC. REF: AMM 12-A-34-26-01-00A-920A-A								
340026	STAND-BY ALTIMETER							Component ATA:34
PN:965.23.22.101	MOS/MSC	13-Nov-13	O/C	TSN 0				
SN:450672	HRS	4616.5		TSN 0				
WC#: 31.020	AFL	3616		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340030	COPILOT VERTICAL SPEED INDICATOR							Component ATA:34
PN:965.16.15.101	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:310802	HRS	0		TSN 0				
WC#: 31.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340034	EFIS 1 CONTROL,CP467 PANEL							Component ATA:34
PN:975.96.32.441	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:3641	HRS	0		TSN 0				
WC#: 34.230	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-26-04-00A-920A-APROC. REF: AMM 12-A-34-26-04-00A-920A-A								
340035	PILOT UPPER EADI/EHSI ED551A DISPLAY							Component ATA:34
PN:066-03137-3100	MOS/MSC	06-Jun-13	O/C					
SN:5114	HRS	4373.9						
WC#: 34.170	AFL	3415						
PROC. REF: AMM 12-A-34-26-03-00A-920A-APROC. REF: AMM 12-A-34-26-03-00A-920A-A								
340040	PILOT LOWER EADI/EHSI ED551A DISPLAY							Component ATA:34
PN:066-03137-3100	MOS/MSC	05-Mar-15	O/C					
SN:5253	HRS	5039.6						
WC#: 34.170	AFL	3875						
PROC. REF: AMM 12-A-34-26-03-00A-920A-APROC. REF: AMM 12-A-34-26-03-00A-920A-A								
340044	TRIM TRIPLE INDICATOR							Component ATA:34
PN:975.44.16.204	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:00592	HRS	0		TSN 0				
WC#: 31.100	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340045	CO-PILOT UPPER EADI/EHSI DISPLAY							Component ATA:34
PN:066-03137-3100	MOS/MSC	02-Feb-18	O/C	TSR 0				
SN:ED551A-A6147	HRS	5922.2		TSR 0				
WC#: 34.180	AFL	4391		TSR 0				
PROC. REF: AMM 12-A-34-26-03-00A-920A-APROC. REF: AMM 12-A-34-26-03-00A-920A-A								
340050	CO-PILOT LOWER EADI/EHSI DISPLAY							Component ATA:34
PN:066-03137-3100	MOS/MSC	09-Mar-15	O/C					
SN:3642	HRS	5045.5						
WC#: 34.180	AFL	3879						
PROC. REF: AMM 12-A-34-26-03-00A-920A-APROC. REF: AMM 12-A-34-26-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340055	PILOT AIRSPEED INDICATOR							Component ATA:34
PN:965.12.13.334	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1033731	HRS	0		TSN 0				
WC#: 31.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340059	WITH HARM FILTER,KN63 DME							Component ATA:34
PN:985.99.11.101	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:28627	HRS	0		TSN 0				
WC#: 34.200	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-52-01-00A-920A-APROC. REF: AMM 12-A-34-52-01-00A-920A-A								
340060	COPILOT AIRSPEED INDICATOR							Component ATA:34
PN:965.12.13.335	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:1033608	HRS	0		TSN 0				
WC#: 31.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340065	WX-RADAR RT UNIT							Component ATA:34
PN:985.99.11.503	MOS/MSC	18-Jun-08	O/C					
SN:5654	HRS	1819.5						
WC#: 34.360	AFL	1392						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340070	RADAR CONTROL PANEL							Component ATA:34
PN:985.99.11.518	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:2708	HRS	0		TSN 0				
WC#: 34.240	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-41-01-00A-920A-APROC. REF: AMM 12-A-34-41-01-00A-920A-A								
340075	WX,VERTICAL ANTENNA							Component ATA:34
PN:985.99.11.504	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:4157	HRS	0		TSN 0				
WC#: 34.370	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340080	NO. 2 TRANSPONDER							Component ATA:34
PN:984.81.10.240	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:261-68974	HRS	0		TSN 0				
WC#: 34.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340085	ADF,KA44B ANTENNA							Component ATA:34
PN:985.99.11.167	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:82367	HRS	0		TSN 0				
WC#: 34.070	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-53-02-00A-920A-APROC. REF: AMM 12-A-34-53-02-00A-920A-A								
340090	GPS BRNAV,KLN90B UNIT							Component ATA:34
PN:010-00811-80	MOS/MSC	07-Nov-14	O/C	TSN 0				
SN:1Z6010368	HRS	4988.8		TSN 0				
WC#: 34.340	AFL	3850		TSN 0				
PROC. REF: AMM 12-A-34-57-01-00A-920A-APROC. REF: AMM 12-A-34-57-01-00A-920A-A								
340095	VHF/NAV SYSTEM II NAV,DUAL,KN40 CONVERTER							Component ATA:34
PN:975.96.32.482	MOS/MSC	22-Jun-07	O/C					
SN:11548	HRS	1168.2						
WC#: 34.150	AFL	953						
PROC. REF: AMM 12-A-34-51-02-00A-920A-APROC. REF: AMM 12-A-34-51-02-00A-920A-A								
340100	FRONT KA92 GPS ANTENNA							Component ATA:34
PN:013-00235-00	MOS/MSC	07-Nov-14	O/C	TSN 0				
SN:110505	HRS	4988.8		TSN 0				
WC#: 34.090	AFL	3850		TSN 0				
PROC. REF: AMM 12-A-34-57-04-00A-920A-APROC. REF: AMM 12-A-34-57-04-00A-920A-A								
340101	REAR KA92 GPS ANTENNA							Component ATA:34
PN:985.99.11.193	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:331488	HRS	0		TSN 0				
WC#: 34.090	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-57-04-00A-920A-APROC. REF: AMM 12-A-34-57-04-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340105	LH NAV/GS ANTENNA							Component ATA:34
PN:984.81.10.280	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:5778	HRS	0		TSN 0				
WC#: 34.380	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-51-03-00A-920A-APROC. REF: AMM 12-A-34-51-03-00A-920A-A								
340110	NO. 1 CAL PROM AHRS,LCR-92 UNIT							Component ATA:34
PN:985.99.11.823	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:5425	HRS	0		TSN 0				
WC#: 34.390	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-25-01-00A-920A-APROC. REF: AMM 12-A-34-25-01-00A-920A-A								
340111	AHRS NO 1 LCR-92,WSYNCHR,124210-2022 AHRU							Component ATA:34
PN:985.99.11.878	MOS/MSC	17-May-11	O/C					
SN:1448	HRS	3300.9						
WC#: 34.060	AFL	2559						
PROC. REF: AMM 12-A-34-25-01-00A-920A-APROC. REF: AMM 12-A-34-25-01-00A-920A-A								
340115	VR/LC/GS/CV,KI204 INDICATOR							Component ATA:34
PN:985.99.11.302	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:56310	HRS	0		TSN 0				
WC#: 34.220	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-51-05-00A-920A-APROC. REF: AMM 12-A-34-51-05-00A-920A-A								
340120	PILOT SIDE RMI,KNI582-1 INDICATOR							Component ATA:34
PN:985.99.11.771	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:11494	HRS	0		TSN 0				
WC#: 34.210	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-22-01-00A-920A-APROC. REF: AMM 12-A-34-22-01-00A-920A-A								
340125	COPILOT SIDE RMI,KNI582-1 INDICATOR							Component ATA:34
PN:066-3060-01	MOS/MSC	01-Jun-23	O/C	TSO 0				
SN:10729	HRS	6991.7		TSO 0				
WC#: 34.210	AFL	4860		TSO 0				
PROC. REF: AMM 12-A-34-22-01-00A-920A-APROC. REF: AMM 12-A-34-22-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340130	AIR DATA COMPUTER							Component ATA:34
PN:985.92.03.111	MOS/MSC	24-Jun-11	O/C					
SN:V2026	HRS	3380						
WC#: 34.400	AFL	2627						
PROC. REF: AMM 12-A-34-13-11-00A-920A-APROC. REF: AMM 12-A-34-13-11-00A-920A-A								
340131	KCM 805 CONFIGURATION MODULE							Component ATA:34
PN:985.99.11.865	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:12616	HRS	0		TSN 0				
WC#: 34.410	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340135	MAGNETIC,STANDBY COMPASS							Component ATA:34
PN:999.98.80.103	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:AT628	HRS	0		TSN 0				
WC#: 34.130	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-21-01-00A-920A-APROC. REF: AMM 12-A-34-21-01-00A-920A-A								
340140	4206-100-V2 RADOME							Component ATA:34
PN:PM-190	MOS/MSC	11-Jun-20	O/C					
SN:UNKNOWN	HRS	6237.3						
WC#: 34.420	AFL	4506						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340145	ANTENNA,VHF NAV COUPLER							Component ATA:34
PN:984.81.10.412	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:4068	HRS	0		TSN 0				
WC#: 34.160	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-51-04-00A-920A-APROC. REF: AMM 12-A-34-51-04-00A-920A-A								
340150	EFIS 2 SG465 SYMBOL GENERATOR							Component ATA:34
PN:066-04021-1116	MOS/MSC	10-Feb-15	O/C					
SN:5674	HRS	5022.9						
WC#: 34.300	AFL	3867						
PROC. REF: AMM 12-A-34-26-01-00A-920A-APROC. REF: AMM 12-A-34-26-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340155	LEFT SIDE RAD ALT,S67-2002 ANTENNA							Component ATA:34
PN:984.81.29.101	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:543-33201	HRS	0		TSN 0				
WC#: 34.110	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-42-02-00A-920A-APROC. REF: AMM 12-A-34-42-02-00A-920A-A								
340160	RIGHT SIDE RAD ALT,S67-2002 ANTENNA							Component ATA:34
PN:984.81.29.101	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:543-33197	HRS	0		TSN 0				
WC#: 34.110	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-42-02-00A-920A-APROC. REF: AMM 12-A-34-42-02-00A-920A-A								
340161	BOTTOM DIRECTIONAL KA815 - IHAS ANTENNA							Component ATA:34
PN:985.99.11.869	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:16168	HRS	0		TSN 0				
WC#: 34.430	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340162	TOP DIRECTIONAL KA815 - IHAS ANTENNA							Component ATA:34
PN:985.99.11.869	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:15833	HRS	0		TSN 0				
WC#: 34.430	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340165	DATA BASE,ATLANTIC,KLN90 UNIT							Component ATA:34
PN:985.99.11.224	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:43152	HRS	0		TSN 0				
WC#: 34.440	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340170	ALTIMETER,RADAR,KRA405B TRANSMITTER							Component ATA:34
PN:985.99.11.570	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:4805	HRS	0		TSN 0				
WC#: 34.310	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-42-01-00A-920A-APROC. REF: AMM 12-A-34-42-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340175	EFIS 2 CONTROL,CP467 PANEL							Component ATA:34
PN:975.96.32.441	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:3642	HRS	0		TSN 0				
WC#: 34.230	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-26-04-00A-920A-APROC. REF: AMM 12-A-34-26-04-00A-920A-A								
340180	NO. 2 CAL PROM AHRS,LCR-92 UNIT							Component ATA:34
PN:985.99.11.823	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:5413	HRS	0		TSN 0				
WC#: 34.390	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-25-01-00A-920A-APROC. REF: AMM 12-A-34-25-01-00A-920A-A								
340185	KA138 RELAY							Component ATA:34
PN:985.99.11.350	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:5853	HRS	0		TSN 0				
WC#: 34.450	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340190	ADF,W/SUPERFLAG,KR87SC+ RECEIVER							Component ATA:34
PN:985.99.11.360	MOS/MSC	18-Dec-12	O/C					
SN:81700	HRS	3579.5						
WC#: 34.280	AFL	2799						
PROC. REF: AMM 12-A-34-53-01-00A-920A-APROC. REF: AMM 12-A-34-53-01-00A-920A-A								
340195	MULTI FUNCTION DISPLAY							Component ATA:34
PN:985.99.11.863	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:7441	HRS	0		TSN 0				
WC#: 34.190	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-26-30-00A-903A-APROC. REF: AMM 12-A-34-26-30-00A-903A-A								
340200	PCB MODULE,KAC501 WX RADAR UNIT							Component ATA:34
PN:985.90.03.045	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:4952	HRS	0		TSN 0				
WC#: 34.460	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340205	PCB MODULE,KAC502 EGPWS UNIT							Component ATA:34
PN:985.90.03.044	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:4521	HRS	0		TSN 0				
WC#: 34.470	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340210	PCB MODULE,KAC504 TCAS UNIT							Component ATA:34
PN:985.90.03.046	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:4668	HRS	0		TSN 0				
WC#: 34.480	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340215	AHRS NO2 AHRU,LCR-92,WSYNCHR,124210-2022 UNIT							Component ATA:34
PN:124210-2022	MOS/MSC	21-Sep-26	O/C					
SN:1434	HRS	7370.6						
WC#: 34.320	AFL	5044						
PROC. REF: AMM 12-A-34-25-01-00A-920A-APROC. REF: AMM 12-A-34-25-01-00A-920A-A								
340220	STORMSCOPE WX-500 PROCESSOR							Component ATA:34
PN:985.99.18.006	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:87578	HRS	0		TSN 0				
WC#: 34.270	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-41-31-00A-920A-A, AMM 12-A-34-41-31-00A-920B-APROC. REF: AMM 12-A-34-41-31-00A-920A-A, AMM 12-A-34-41-31-00A-920B-A								
340223	KMH820 TAWS/TAS PROCESSOR							Component ATA:34
PN:985.99.11.872	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:2610	HRS	0		TSN 0				
WC#: 34.260	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-45-11-00A-920A-APROC. REF: AMM 12-A-34-45-11-00A-920A-A								
340225	STORMSCOPE WX-500 ANTENNA							Component ATA:34
PN:985.99.18.009	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:88688	HRS	0		TSN 0				
WC#: 34.120	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-41-32-00A-920A-APROC. REF: AMM 12-A-34-41-32-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340230	RH NAV/GS ANTENNA							Component ATA:34
PN:984.81.10.280	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:5779	HRS	0		TSN 0				
WC#: 34.380	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-51-03-00A-920A-APROC. REF: AMM 12-A-34-51-03-00A-920A-A								
340235	AOA SENSOR RH UNIT							Component ATA:34
PN:975.44.21.424	MOS/MSC	01-May-19	O/C	TSR 0				
SN:0816	HRS	5944.7		TSR 0				
WC#: 34.330	AFL	4412		TSR 0				
PROC. REF: AMM 12-A-22-20-02-00A-920A-APROC. REF: AMM 12-A-22-20-02-00A-920A-A								
340240	NO. 1 FLUX,KMT112 VALVE							Component ATA:34
PN:985.99.11.064	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:71044	HRS	0		TSN 0				
WC#: 34.350	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-25-02-00A-920A-APROC. REF: AMM 12-A-34-25-02-00A-920A-A								
340245	CONFIGURATION MODULE INSTLN,ART2000 KIT							Component ATA:34
PN:071-01519-0101	MOS/MSC	18-Sep-25	O/C	TSR 0				
SN:5654	HRS	7302		TSR 0				
WC#: 34.490	AFL	5011		TSR 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
340250	OUTSIDE AIR TEMPERATURE PROBE							Component ATA:34
PN:534.13.12.053	MOS/MSC	16-Jan-26	O/C	TSN 0				
SN:UNKNOWN	HRS			TSN 0				
WC#: 34.250	AFL	5025		TSN 0				
PROC. REF: AMM 12-A-34-13-12-00A-920A-APROC. REF: AMM 12-A-34-13-12-00A-920A-A								
340255	AOA SENSOR LH UNIT							Component ATA:34
PN:0021AC11	MOS/MSC	25-May-21	O/C	TSR 0				
SN:1252	HRS	6401.3		TSR 0				
WC#: 34.330	AFL	4628		TSR 0				
PROC. REF: AMM 12-A-22-20-02-00A-920A-APROC. REF: AMM 12-A-22-20-02-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
340260	NO. 2 FLUX,KMT112 VALVE							Component ATA:34
PN:985.99.11.064	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:71032	HRS	0		TSN 0				
WC#: 34.350	AFL	0		TSN 0				
PROC. REF: AMM 12-A-34-25-02-00A-920A-APROC. REF: AMM 12-A-34-25-02-00A-920A-A								
341005	LH AOA PLATE TEMP CONTROLLER							Component ATA:34
PN:975.44.21.417	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:U1316	HRS	0		TSN 0				
WC#: 30.170	AFL	0		TSN 0				
PROC. REF: AMM 12-A-30-30-21-00A-920A-APROC. REF: AMM 12-A-30-30-21-00A-920A-A								
341010	RH AOA PLATE TEMP CONTROLLER							Component ATA:34
PN:975.44.21.417	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:U1324	HRS	0		TSN 0				
WC#: 30.170	AFL	0		TSN 0				
PROC. REF: AMM 12-A-30-30-21-00A-920A-APROC. REF: AMM 12-A-30-30-21-00A-920A-A								
ATA 35 - OXYGEN								
35-10/187 S	CHECK HIGH PRESSURE RELIEF INDICATOR (GREEN DISK) MAKE SURE THAT IT IS NOT DAMAGED							Service ATA:35
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
35-10/188 S	CHECK OXYGEN SYSTEM CONTENTS							Service ATA:35
	MOS	18-Sep-25						
	HRS	7302	300 (+10%/-10%)					
	AFL	5011						
								PKG:16
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
35-10/269 S		EXAMINE OXYGEN PIPELINES AND EQUIPMENT						Service ATA:35
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
35-10/270 S		OPERATIONAL TEST OXYGEN SYSTEM						Service ATA:35
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-35-00-00-00A-903A-APROC. REF: AMM 12-A-35-00-00-00A-903A-A								
35-10/6		OXYGEN BOTTLE						Component ATA:35
PN:895-05077	MOS	21-Sep-26	180	TSN 54	01-Mar-37		3775 d	DISCARD
SN:ALT281-53730	HRS	7370.6		TSN 682.1				
WC#: 35.010	AFL	5044		TSN 324				
			Manufacture Date:: 01-Mar-22					
PROC. REF: AMM 12-A-35-10-01-00A-920A-APROC. REF: AMM 12-A-35-10-01-00A-920A-A								
35-10/7		HYDROSTATIC TEST OXYGEN BOTTLE						Service ATA:35
PN:895-05077	MOS	21-Sep-26	60		01-Aug-31 (M)		1736 d	
SN:ALT281-53730	HRS	7370.6						
WC#: 35.010	AFL	5044						
			HydroCheck Date: : 21-Sep-26					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
35-20/87		INSPECTION/CHECK PASSENGER OXYGEN MASKS						Service ATA:35
	MOS	26-Jul-24	36 (+10%/-10%)		31-Jul-27	13-Nov-27	274 d (+105)	
	HRS	7207						
WC#: 35.010	AFL	4952						
PROC. REF: AMM 12-A-35-20-00-00A-313A-APROC. REF: AMM 12-A-35-20-00-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
350020	PILOT QUICK DONNING MASK-REGULATOR ASSY							Component ATA:35
PN:MC10-06-125	MOS/MSC	25-May-21	O/C	TSO 0				
SN:SE-69272	HRS	6401.3		TSO 0				
WC#: 35.040	AFL	4628		TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
350025	COPILOT QUICK DONNING MASK-REGULATOR ASSY							Component ATA:35
PN:MC10-06-125	MOS/MSC	25-May-21	O/C	TSN 186, TSO 0				
SN:SE07091	HRS	6401.3		TSN 6401.3, TSO 0				
WC#: 35.040	AFL	4628		TSN 4628, TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
350030	PRESSURE,GAGE,OXYGEN SWITCH							Component ATA:35
PN:973.81.14.401	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:0591	HRS	0		TSN 0				
WC#: 35.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
350035	3-POSITION CONTROL VALVE							Component ATA:35
PN:963.32.11.101	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:2124	HRS	0		TSN 0				
WC#: 35.030	AFL	0		TSN 0				
PROC. REF: AMM 12-A-35-20-04-00A-920A-APROC. REF: AMM 12-A-35-20-04-00A-920A-A								
350040	ALTITUDE SENSING SWITCH							Component ATA:35
PN:973.81.52.102	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:751	HRS	0		TSN 0				
WC#: 35.020	AFL	0		TSN 0				
PROC. REF: AMM 12-A-35-20-02-00A-920A-APROC. REF: AMM 12-A-35-20-02-00A-920A-A								
ATA 52 - DOORS								
52-10/189 S	CLEAN PASSENGER/CREW DOOR SEAL WITH A DRY CLOTH, EXAMINE AND APPLY P09-002 FRENCH CHALK							Service ATA:52
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						

PKG:19

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-10/190 S	EXAMINE PASSENGER/CREW DOOR SHOOT BOLTS AND DOOR FRAME FITTINGS							Service ATA:52
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						
								PKG:19
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-10/191 S	MAKE SURE PASSENGER/CREW DOOR HANDLE LOCK PIN MOVEMENT IS FREE							Service ATA:52
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						
								PKG:19
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-10/192 S	EXAMINE PASSENGER/CREW DOOR HINGES AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF P10-001 LUBRICANT							Service ATA:52
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						
								PKG:19
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-10/271 S	EXAMINE PASSENGER/CREW DOOR, COUNTERBALANCE AND CABLE SUPPORT BRACKETS							Service ATA:52
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-10/348	EXAMINE ALL STRUCTURAL ELEMENTS - PASSENGER/CREW DOOR							Service ATA:52
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-52-10-00-00A-310A-APROC. REF: AMM 12-A-52-10-00-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-10/405	EDDY CURRENT INSPECTION PASSENGER/CREW DOOR PIANO HINGE							Service ATA:52
	MOS	24-Nov-05						
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-52-00-01-00A-353A-APROC. REF: AMM 12-A-52-00-01-00A-353A-A								
52-10/406	EDDY CURRENT INSPECTION PASSENGER/CREW DOOR SKIN							Service ATA:52
	MOS	24-Nov-05						
	HRS	0	T:25000		25000		17629.4	
	AFL	0	T:30000		30000		24956	
PROC. REF: AMM 12-A-52-10-01-00A-353A-APROC. REF: AMM 12-A-52-10-01-00A-353A-A								
52-10/88	EXAMINE PASSENGER/CREW DOOR WITH TRIM REMOVED							Service ATA:52
	MOS	21-Sep-26	72 (+6m/-6m)		30-Sep-32	21-Mar-33	2162 d (+172)	
	HRS	7370.6	6000 (+500/-500)		13370.6	13870.6	6000 (+500)	
WC#: 52.010	AFL	5044						
PROC. REF: AMM 12-A-25-21-03-00A-920A-A, AMM 12-A-25-22-03-00A-920A-A, AMM 12-A-52-10-00-00A-313A-APROC. REF: AMM 12-A-25-21-03-00A-920A-A, AMM 12-A-25-22-03-00A-920A-A, AMM 12-A-52-10-00-00A-313A-A								
52-20/272 S	EXAMINE EMERGENCY DOOR (DOOR REMOVED)							Service ATA:52
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-20/273 S	CLEAN EMERGENCY DOOR SEAL WITH A WET CLOTH, DRY AND EXAMINE AND APPLY P09-002 FRENCH CHALK							Service ATA:52
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-20/349	EXAMINE ALL STRUCTURAL ELEMENTS - EMERGENCY DOOR							Service ATA:52
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
PROC. REF: AMM 12-A-52-20-00-00A-310A-APROC. REF: AMM 12-A-52-20-00-00A-310A-A								
52-30/193 S	CLEAN CARGO DOOR SEAL WITH A DRY CLOTH, EXAMINE AND APPLY P09-002 FRENCH CHALK							Service ATA:52
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						
								PKG:19
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-30/194 S	EXAMINE CARGO DOOR SHOOT BOLTS, DOOR FRAME FITTINGS AND HOOKS MAKE SURE THE HOOK ROLLER BUSHES ARE FREE TO ROTATE. FOR ROLLER BUSH WEAR LIMITS							Service ATA:52
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						
								PKG:19
PROC. REF: AMM 12-A-52-30-00-00A-313A-APROC. REF: AMM 12-A-52-30-00-00A-313A-A								
52-30/195 S	EXAMINE CARGO DOOR HINGES AND LUBRICATE AS NECESSARY WITH MINIMUM QUANTITY OF P10-001 LUBRICANT							Service ATA:52
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						
								PKG:19
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-30/274 S	EXAMINE CARGO DOOR							Service ATA:52
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
52-30/350	EXAMINE ALL STRUCTURAL ELEMENTS - CARGO DOOR							Service ATA:52
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-52-30-00-00A-310A-APROC. REF: AMM 12-A-52-30-00-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
52-30/407	EDDY CURRENT INSPECTION CARGO DOOR PIANO HINGE							Service ATA:52
	MOS	24-Nov-05						
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-52-30-00-01A-353A-APROC. REF: AMM 12-A-52-30-00-01A-353A-A								
52-30/408	EDDY CURRENT INSPECTION CARGO DOOR SKIN							Service ATA:52
	MOS	24-Nov-05						
	HRS	0	T:25000		25000		17629.4	
	AFL	0	T:30000		30000		24956	
PROC. REF: AMM 12-A-52-30-01-00A-353A-APROC. REF: AMM 12-A-52-30-01-00A-353A-A								
52-30/8	CARGO DOOR LOWER LUG (QTY 3) FITTINGS							Component ATA:52
PN:PN	MOS	24-Nov-05		TSN 0				AIRWORTHINESS
SN:UNKNOWN	HRS	0	13000	TSN 0	13000		5629.4	
WC#: 52.020	AFL	0	17000	TSN 0	17000		11956	
PROC. REF: AMM 12-A-52-30-07-00A-920A-APROC. REF: AMM 12-A-52-30-07-00A-920A-A								
52-30/89	EXAMINE CARGO DOOR WITH TRIM REMOVED.EXAMINE DOOR HINGE PIN, HINGES AND THE LOCK MECHANISM							Service ATA:52
	MOS	21-Sep-26	72 (+6m/-6m)		30-Sep-32	21-Mar-33	2162 d (+172)	
	HRS	7370.6	6000 (+500/-500)		13370.6	13870.6	6000 (+500)	
WC#: 52.030	AFL	5044						
PROC. REF: AMM 12-A-52-30-00-00A-313A-A, AMM 12-A-25-21-03-00A-920A-A, AMM 12-A-25-22-03-00A-920A-APROC. REF: AMM 12-A-52-30-00-00A-313A-A, AMM 12-A-25-21-03-00A-920A-A, AMM 12-A-25-22-03-00A-920A-A								
52-70/275 S	OPERATIONAL TEST DOOR WARNING SYSTEM							Service ATA:52
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-52-70-00-00A-903A-APROC. REF: AMM 12-A-52-70-00-00A-903A-A								
520005	PASSENGER DOOR							Component ATA:52
PN:552.05.12.007	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:580	HRS	0		TSN 0				
WC#: 52.050	AFL	0		TSN 0				
PROC. REF: AMM 12-A-52-10-01-00A-920A-APROC. REF: AMM 12-A-52-10-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition

ATA 52 - DOORS

520010		FREIGHT OF 10SERIE DOOR ASSY						Component ATA:52
PN:552.05.12.010	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:580	HRS	0		TSN 0				
WC#: 52.040	AFL	0		TSN 0				
PROC. REF: AMM 12-A-52-30-01-00A-920A-APROC. REF: AMM 12-A-52-30-01-00A-920A-A								
520015		EMERGENGY 6 SERIE EXIT						Component ATA:52
PN:552.05.12.009	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:579	HRS	0		TSN 0				
WC#: 52.060	AFL	0		TSN 0				
PROC. REF: AMM 12-A-52-20-00-00A-920A-APROC. REF: AMM 12-A-52-20-00-00A-920A-A								

ATA 53 - FUSELAGE

53-00/196 S		EXAMINE FUSELAGE EXTERNAL SURFACE FOR AIRCRAFT THAT EXPERIENCE STONE DAMAGE TO THE BELLY SKIN, VISUALLY EXAMINE AFFECTED AREAS FOR CRACKS.						Service ATA:53
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/276 S		EXAMINE REAR PRESSURE BULKHEAD						Service ATA:53
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/277 S		EXAMINE FLOOR PANELS TOP AND BOTTOM SURFACE AND SEAT RAILS AS FAR AS POSSIBLE WITH FLOOR PANELS REMOVED						Service ATA:53
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00/278 S	EXAMINE BAGGAGE/FREIGHT NET MOUNTING PLATES ATTACHMENT BOLTS AND SURROUNDING STRUCTURE FOR CORROSION							Service ATA:53
	MOS	18-Sep-25	24 (+10%/-10%)					
	HRS	7302	2400 (+10%/-10%)					
	AFL	5011						
								PKG:21
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/279 S	EXAMINE BAGGAGE COMPARTMENT							Service ATA:53
	MOS	18-Sep-25	24 (+10%/-10%)					
	HRS	7302	2400 (+10%/-10%)					
	AFL	5011						
								PKG:21
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/280 S	EXAMINE REAR FUSELAGE INTERNAL STRUCTURE AS FAR AS POSSIBLE, IN PARTICULAR EXAMINE BATTERY MOUNTING TRAY FOR CORROSION							Service ATA:53
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/324 S	STRUCTURAL LIMITATION FUSELAGE AND ASSOCIATED STRUCTURE (POST SB 04-009)							Service ATA:53
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	25000					
	AFL	0	30000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/337 S	INSPECTION/CHECK CARRY THROUGH FRAMES 21 AND 24							Service ATA:53
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-53-20-02-00A-313A-APROC. REF: AMM 12-A-53-20-02-00A-313A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00/351	EDDY CURRENT INSPECTION UPPER LONGERONS FRAME 10							Service ATA:53
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-53-10-06-01A-353A-APROC. REF: AMM 12-A-53-10-06-01A-353A-A								
53-00/352	EXAMINE ALL STRUCTURAL ELEMENTS - FUSELAGE FRAMES 10 TO 16							Service ATA:53
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-53-10-00-00A-310A-APROC. REF: AMM 12-A-53-10-00-00A-310A-A								
53-00/353	EXAMINE ALL STRUCTURAL ELEMENTS - FUSELAGE FRAMES 16 TO 36							Service ATA:53
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-53-20-00-00A-310A-APROC. REF: AMM 12-A-53-20-00-00A-310A-A								
53-00/354	EXAMINE ALL STRUCTURAL ELEMENTS - FUSELAGE FRAMES 36 TO 43							Service ATA:53
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-53-30-00-00A-310A-APROC. REF: AMM 12-A-53-30-00-00A-310A-A								
53-00/355	EXAMINE - ANTENNA STRUCTURE							Service ATA:53
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-53-00-00-00A-310A-APROC. REF: AMM 12-A-53-00-00-00A-310A-A								
53-00/356	EDDY CURRENT INSPECTION - ANTENNA - BOTTOM FUSELAGE SKIN							Service ATA:53
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:28300		28300		20929.4	
	AFL	0	T:37000		37000		31956	
PROC. REF: AMM 12-A-53-00-00-00A-353A-APROC. REF: AMM 12-A-53-00-00-00A-353A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00/357	EDDY CURRENT INSPECTION - ANTENNA - UPPER FUSELAGE SKIN							Service ATA:53
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-53-00-00-00A-353A-APROC. REF: AMM 12-A-53-00-00-00A-353A-A								
53-00/359	EDDY CURRENT INSPECTION - FRAMES 21 AND 24 WING ATTACHMENTS							Service ATA:53
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:30000		30000		22629.4	
	AFL	0	T:39000		39000		33956	
PROC. REF: AMM 12-A-57-00-03-00A-353A-APROC. REF: AMM 12-A-57-00-03-00A-353A-A								
53-00/360	EDDY CURRENT INSPECTION - FRAMES 21 AND 24 SIDE FRAME ATTACHMENTS							Service ATA:53
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:30000		30000		22629.4	
	AFL	0	T:39000		39000		33956	
PROC. REF: AMM 12-A-53-20-02-00A-353A-APROC. REF: AMM 12-A-53-20-02-00A-353A-A								
53-00/361	EDDY CURRENT INSPECTION FRAMES 41 AND 43 STABILIZER ATTACHMENT							Service ATA:53
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-55-30-03-00A-353A-A, AMM 12-A-53-30-02-00A-353A-APROC. REF: AMM 12-A-55-30-03-00A-353A-A, AMM 12-A-53-30-02-00A-353A-A								
53-00/419	EDDY CURRENT INSPECTION FRAME 40							Service ATA:53
	MOS	24-Nov-05						
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-55-30-03-00A-353A-A, AMM 12-A-53-30-02-00A-353A-APROC. REF: AMM 12-A-55-30-03-00A-353A-A, AMM 12-A-53-30-02-00A-353A-A								
53-00/9	STRUCTURAL LIMITATION FUSELAGE AND ASSOCIATED STRUCTURE (PRE SB 04-009)							Service ATA:53
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	20000		20000		12629.4	
WC#: 53.010	AFL	0	27000		27000		21956	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
53-00/90		FRONT PRESSURE BULKHEAD - EXAMINE WITH INSULATION ON ENGINE SIDE REMOVED ONLY IF INSULATION ON COCKPIT SIDE IS WET, REMOVE THE INSULATION DRY AND EXAMINE THE STRUCTURE AND REINSTALL INSULATION						Service ATA:53
	MOS	26-Jul-24	72 (+6m/-6m)		31-Jul-30	26-Jan-31	1370 d (+179)	
	HRS	7207	6000 (+500/-500)		13207	13707	5836.4 (+500)	
WC#: 53.030	AFL	4952						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/91		EXAMINE FUSELAGE INTERNAL BOTTOM SURFACE (FRAMES 10,21,24,36 AND FRAMES ADJACENT TO DOORS AND TO EMERGENCY EXIT,WITH INSULATION REMOVED)						Service ATA:53
	MOS	21-Sep-26	72 (+6m/-6m)		30-Sep-32	21-Mar-33	2162 d (+172)	
	HRS	7370.6	6000 (+500/-500)		13370.6	13870.6	6000 (+500)	
WC#: 53.040	AFL	5044						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/92		EXAMINE REAR PRESSURE BULKHEAD WITH TRIM REMOVED						Service ATA:53
	MOS	26-Jul-24	72 (+6m/-6m)		31-Jul-30	26-Jan-31	1370 d (+179)	
	HRS	7207	6000 (+500/-500)		13207	13707	5836.4 (+500)	
WC#: 53.070	AFL	4952						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/93		EXAMINE STRUCTURE AROUND WINDOWS						Service ATA:53
	MOS	26-Jul-24	72 (+6m/-6m)		31-Jul-30	26-Jan-31	1370 d (+179)	
	HRS	7207	6000 (+500/-500)		13207	13707	5836.4 (+500)	
WC#: 53.050	AFL	4952						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
53-00/94		EXAMINE DOOR FRAMES AND EMERGENCY EXIT FRAMES						Service ATA:53
	MOS	26-Jul-24	72 (+6m/-6m)		31-Jul-30	26-Jan-31	1370 d (+179)	
	HRS	7207	6000 (+500/-500)		13207	13707	5836.4 (+500)	
WC#: 53.060	AFL	4952						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 55 - STABILIZERS								
270030		FIN ASSY						Component ATA:55
PN:555.30.12.037	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:579	HRS	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
	AFL	0		TSN 0				
PROC. REF: AMM 12-A-55-30-01-00A-920A-APROC. REF: AMM 12-A-55-30-01-00A-920A-A								
55-00/10	STRUCTURAL LIMITATION TAIL STRUCTURE (PRE SB 04-009)							Service ATA:55
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	20000		20000		12629.4	
	AFL	0	27000		27000		21956	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
55-00/325	STRUCTURAL LIMITATION TAIL STRUCTURE (POST SB 04-009)							Service ATA:55
	MOS/MSC	24-Nov-05	N/A					AIRWORTHINESS
	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
55-10/197 S	EXAMINE HORIZONTAL STABILIZER EXTERNAL SURFACE							Service ATA:55
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
55-10/319 S	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT							Service ATA:55
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-55-00-00-00A-313A-APROC. REF: AMM 12-A-55-00-00-00A-313A-A								
55-10/415	HORIZONTAL STABILIZER							Component ATA:55
PN:PN	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0	25000	TSN 0	25000		17629.4	
	AFL	0	30000	TSN 0	30000		24956	
PROC. REF: AMM 12-A-55-10-01-00A-920A-APROC. REF: AMM 12-A-55-10-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-10/638	HORIZONTAL STABBILIZER - EXAMINE WITH BOROSCOPE							Service ATA:55
	MOS	18-Sep-25	120		18-Sep-35		3245 d	
	HRS	7302	10000		17302		9931.4	
	AFL	5011						
PROC. REF: AMM 12-A-55-10-01-00A-312A-APROC. REF: AMM 12-A-55-10-01-00A-312A-A								
55-10/640	INSPECTION/CHECK HORIZONTAL/VERTICAL STABLIZER ATTACHMENT BOLTS (P/N 555.10.12.139)							Service ATA:55
	MOS	01-Jun-23	72		01-Jun-29		945 d	
	HRS	6991.7						
	AFL	4860						
PROC. REF: AMM 12-A-55-00-00-01A-313A-APROC. REF: AMM 12-A-55-00-00-01A-313A-A								
55-10/641	INSPECTION/CHECK HORIZONTAL/VERTICAL STABILIZER ATTACHMENT BOLTS (P/N 555.10.12.158 AND 555.10.12.178)							Service ATA:55
	MOS	26-Jul-24	120		26-Jul-33 (M)		2461 d	
	HRS	7207						
	AFL	4952						
PROC. REF: AMM 12-A-55-00-00-01A-313A-APROC. REF: AMM 12-A-55-00-00-01A-313A-A								
55-10/96	EXAMINE VERTICAL STABILIZER INTERNAL SURFACES (AS FAR AS POSSIBLE WITH PANELS REMOVED)							Service ATA:55
	MOS	26-Jul-24	72 (+6m/-6m)		31-Jul-30	26-Jan-31	1370 d (+179)	
	HRS	7207	6000 (+500/-500)		13207	13707	5836.4 (+500)	
	AFL	4952						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
55-20/362	EXAMINE LEFT ELEVATOR							Service ATA:55
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-55-20-00-00A-310A-APROC. REF: AMM 12-A-55-20-00-00A-310A-A								
55-20/362	EXAMINE RIGHT ELEVATOR							Service ATA:55
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-55-20-00-00A-310A-APROC. REF: AMM 12-A-55-20-00-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-20/367		EDDY CURRENT INSPECTION - ELEVATOR DRIVE LEVER						Service ATA:55
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-55-20-01-00A-353A-APROC. REF: AMM 12-A-55-20-01-00A-353A-A								
55-20/368		EDDY CURRENT INSPECTION - LEFT ELEVATOR HINGES						Service ATA:55
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-55-20-01-00A-353A-APROC. REF: AMM 12-A-55-20-01-00A-353A-A								
55-20/368		EDDY CURRENT INSPECTION - RIGHT ELEVATOR HINGES						Service ATA:55
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-55-20-01-00A-353A-APROC. REF: AMM 12-A-55-20-01-00A-353A-A								
55-30/198 S		EXAMINE VERTICAL STABILIZER EXTERNAL SURFACE SPECIALLY AROUND REAR SPAR TOP RIVETS. IF CRACKS ARE FOUND FOR REPAIR PROCEDURE						Service ATA:55
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-55-00-01-00A-664A-APROC. REF: AMM 12-A-55-00-01-00A-664A-A								
55-30/199 S		EXAMINE VERTICAL STABILIZER REAR SPAR STRAP AND LOWER AFT FAIRING SHEAR PLATE (PRE SB 55-002) IF WEAR IS FOUND REFER TO SB 55-002.						Service ATA:55
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-30/281 S	EXAMINE VERTICAL STABILIZER ELECTRICAL BONDING STRAPS							Service ATA:55
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
55-30/369	EXAMINE - VERTICAL STABILIZER							Service ATA:55
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-55-30-00-00A-310A-APROC. REF: AMM 12-A-55-30-00-00A-310A-A								
55-30/370	EDDY CURRENT INSPECTION - VERTICAL STABILIZER MAIN AND REAR SPAR ATTACHMENT TO FUSELAGE							Service ATA:55
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-55-30-03-00A-353A-A, AMM 12-A-53-30-02-00A-353A-APROC. REF: AMM 12-A-55-30-03-00A-353A-A, AMM 12-A-53-30-02-00A-353A-A								
55-30/371	EDDY CURRENT INSPECTION VERTICAL STABILIZER MAIN ATTACHMENT TO HORIZONTAL STABILIZER							Service ATA:55
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-55-00-00-00A-353A-APROC. REF: AMM 12-A-55-00-00-00A-353A-A								
55-30/372	EDDY CURRENT INSPECTION VERTICAL STABILIZER PITCH TRIM ACTUATOR FITTING AND ATTACHMENT							Service ATA:55
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-55-30-02-00A-353A-APROC. REF: AMM 12-A-55-30-02-00A-353A-A								
55-30/420	EDDY CURRENT INSPECTION VERTICAL STABILIZER FORWARD ATTACHMENT TO FRAME 40							Service ATA:55
	MOS	24-Nov-05						
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
PROC. REF: AMM 12-A-55-30-03-00A-353A-APROC. REF: AMM 12-A-55-30-03-00A-353A-A								
55-40/373	EXAMINE - RUDDER							Service ATA:55
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-55-40-00-00A-310A-APROC. REF: AMM 12-A-55-40-00-00A-310A-A								
55-40/377	EDDY CURRENT INSPECTION - RUDDER HINGES							Service ATA:55
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-55-40-05-00A-353A-APROC. REF: AMM 12-A-55-40-05-00A-353A-A								
55-40/410	EXAMINE RUDDER TRIM TAB							Service ATA:55
	MOS	24-Nov-05						
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-55-40-04-00A-310A-APROC. REF: AMM 12-A-55-40-04-00A-310A-A								
ATA 56 - WINDOWS								
56-11/14	REPLACE LEFT HAND WINDSHIELD ASSEMBLY (INNER LAMINATION CRACKED)							Service ATA:56
PN:959.81.18.109	MOS/MSC	27-May-22	A/R					
SN:22041H7374	HRS	6688.5						
	AFL	4720						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
56-11/14	REPLACE RIGHT HAND WINDSHIELD ASSEMBLY (INNER LAMINATION CRACKED)							Service ATA:56
PN:959.81.10.108	MOS/MSC	24-Nov-05	A/R					
SN:05011H6469	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-11/15		LEFT HAND WINDSHIELD ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEMS (IF CRACKED IN OUTER LAMINATION)						Service ATA:56
PN:959.81.18.109	MOS/MSC	27-May-22	A/R					
SN:22041H7374	HRS	6688.5						
	AFL	4720						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
56-11/15		RIGHT HAND WINDSHIELD ONLY UNPRESSURIZED FLIGHT IS PERMITTED UP TO THE NEXT SCHEDULED INSPECTION PROVIDING IT DOES NOT CAUSE VISUAL PROBLEMS (IF CRACKED IN OUTER LAMINATION)						Service ATA:56
PN:959.81.10.108	MOS/MSC	24-Nov-05	A/R					
SN:05011H6469	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
56-11/200 S		EXAMINE WINDSHIELD LH AND RH						Service ATA:56
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-56-00-00-00A-313A-APROC. REF: AMM 12-A-56-00-00-00A-313A-A								
56-11/332		INSPECTION/CHECK COCKPIT SIDE WINDOWS						Service ATA:56
	MOS	07-Sep-18	120 (+6m/-6m)		30-Sep-28	07-Mar-29	701 d (+158)	
	HRS	5925.7	11000 (+500/-500)		16925.7	17425.7	9555.1 (+500)	
WC#: 56.100	AFL	4393						
PROC. REF: AMM 12-A-56-11-02-00A-313A-APROC. REF: AMM 12-A-56-11-02-00A-313A-A								
56-11/378		EXAMINE WITH WINDSHIELD AND SIDE WINDOWS REMOVED - WINDSHIELD LH AND RH AND COCKPIT SIDE WINDOWS						Service ATA:56
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-53-10-16-00A-310A-A, AMM 12-A-56-11-01-00A-310A-A, AMM 12-A-56-11-02-00A-310A-APROC. REF: AMM 12-A-53-10-16-00A-310A-A, AMM 12-A-56-11-01-00A-310A-A, AMM 12-A-56-11-02-00A-310A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
56-11/517 S	COCKPIT DV WINDOW - MAKE SURE THAT YOU CAN OPEN AND CLOSE THE DV WINDOW WITH ONE HAND							Service ATA:56
	MOS	21-Sep-26	12					
	HRS	7370.6	1200					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REF, AMM GENERICPROC. REF: GENERIC NO REF, AMM GENERIC								
56-20/201 S	EXAMINE COCKPIT AND CABIN WINDOWS							Service ATA:56
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-56-00-00-00A-313A-APROC. REF: AMM 12-A-56-00-00-00A-313A-A								
560015	SIDE,LH WINDOW							Component ATA:56
PN:959.81.10.111	MOS/MSC	27-May-22	O/C	TSN 198				
SN:04297H9216	HRS	6688.5		TSN 6688.5				
WC#: 56.090	AFL	4720		TSN 4720				
PROC. REF: AMM 12-A-56-11-02-00A-920A-APROC. REF: AMM 12-A-56-11-02-00A-920A-A								
560020	SIDE,RH WINDOW							Component ATA:56
PN:959.81.10.112	MOS/MSC	18-Feb-16	O/C	TSN 0				
SN:15303H0841	HRS	5373.7		TSN 0				
WC#: 56.090	AFL	4084		TSN 0				
PROC. REF: AMM 12-A-56-11-02-00A-920A-APROC. REF: AMM 12-A-56-11-02-00A-920A-A								
560025	RH NO 1 CABIN WINDOW							Component ATA:56
PN:556.20.12.029	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:5008	HRS	0		TSN 0				
WC#: 56.060	AFL	0		TSN 0				
PROC. REF: AMM 12-A-56-20-01-00A-920A-APROC. REF: AMM 12-A-56-20-01-00A-920A-A								
560030	RH NO 2 CABIN WINDOW							Component ATA:56
PN:556.20.12.029	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:5009	HRS	0		TSN 0				
WC#: 56.060	AFL	0		TSN 0				
PROC. REF: AMM 12-A-56-20-01-00A-920A-APROC. REF: AMM 12-A-56-20-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
560035	RH NO 3 CABIN WINDOW							Component ATA:56
PN:556.20.12.029	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:5010	HRS	0		TSN 0				
WC#: 56.070	AFL	0		TSN 0				
PROC. REF: AMM 12-A-56-20-01-00A-920A-APROC. REF: AMM 12-A-56-20-01-00A-920A-A								
560040	RH NO 4 CABIN WINDOW							Component ATA:56
PN:556.20.12.029	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:5169	HRS	0		TSN 0				
WC#: 56.070	AFL	0		TSN 0				
PROC. REF: AMM 12-A-56-20-01-00A-920A-APROC. REF: AMM 12-A-56-20-01-00A-920A-A								
560045	RH NO 5 CABIN WINDOW							Component ATA:56
PN:556.20.12.029	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:5014	HRS	0		TSN 0				
WC#: 56.080	AFL	0		TSN 0				
PROC. REF: AMM 12-A-56-20-01-00A-920A-APROC. REF: AMM 12-A-56-20-01-00A-920A-A								
560050	LH NO 1 CABIN WINDOW							Component ATA:56
PN:556.20.12.029	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:4934	HRS	0		TSN 0				
WC#: 56.040	AFL	0		TSN 0				
PROC. REF: AMM 12-A-56-20-01-00A-920A-APROC. REF: AMM 12-A-56-20-01-00A-920A-A								
560055	LH NO 2 CABIN WINDOW							Component ATA:56
PN:556.20.12.029	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:4937	HRS	0		TSN 0				
WC#: 56.040	AFL	0		TSN 0				
PROC. REF: AMM 12-A-56-20-01-00A-920A-APROC. REF: AMM 12-A-56-20-01-00A-920A-A								
560060	LH NO 3 CABIN WINDOW							Component ATA:56
PN:556.20.12.029	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:5006	HRS	0		TSN 0				
WC#: 56.050	AFL	0		TSN 0				
PROC. REF: AMM 12-A-56-20-01-00A-920A-APROC. REF: AMM 12-A-56-20-01-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
560065	LH NO 4 CABIN WINDOW							Component ATA:56
PN:556.20.12.029	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:5007	HRS	0		TSN 0				
WC#: 56.050	AFL	0		TSN 0				
PROC. REF: AMM 12-A-56-20-01-00A-920A-APROC. REF: AMM 12-A-56-20-01-00A-920A-A								
560070	DV-WINDOW ASSY							Component ATA:56
PN:556.14.12.091	MOS/MSC	27-May-22	O/C	TSN 198				
SN:5192H5234	HRS	6688.5		TSN 6688.5				
WC#: 56.030	AFL	4720		TSN 4720				
PROC. REF: AMM 12-A-56-14-01-00A-920A-A, AMM 12-A-56-14-01-00A-920B-APROC. REF: AMM 12-A-56-14-01-00A-920A-A, AMM 12-A-56-14-01-00A-920B-A								
561010	LEFT HAND WINDSHIELD ASSEMBLY							Component ATA:56
PN:959.81.18.109	MOS/MSC	27-May-22	O/C	TSN 0				AIRWORTHINESS
SN:22041H7374	HRS	6688.5		TSN 0				
WC#: 56.010	AFL	4720		TSN 0				
PROC. REF: AMM 12-A-56-11-01-00A-920A-APROC. REF: AMM 12-A-56-11-01-00A-920A-A								
561011	RIGHT HAND WINDSHIELD ASSEMBLY							Component ATA:56
PN:959.81.10.108	MOS/MSC	24-Nov-05	O/C	TSN 0				AIRWORTHINESS
SN:05011H6469	HRS	0		TSN 0				
WC#: 56.010	AFL	0		TSN 0				
PROC. REF: AMM 12-A-56-11-01-00A-920A-APROC. REF: AMM 12-A-56-11-01-00A-920A-A								
ATA 57 - WINGS								
57-00/11	STRUCTURAL LIMITATION LEFT WING STRUCTURE							Service ATA:57
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	20000		20000		12629.4	
WC#: 57.010	AFL	0	27000		27000		21956	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-00/11	STRUCTURAL LIMITATION RIGHT WING STRUCTURE							Service ATA:57
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	20000		20000		12629.4	
WC#: 57.010	AFL	0	27000		27000		21956	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00/202 S	EXAMINE WING EXTERNAL SURFACES							Service ATA:57
	MOS	21-Sep-26	12					
	HRS	7370.6	100					
	AFL	5044						
								PKG:17
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-00/282 S	EXAMINE WING TIP STATIC DISCHARGERS							Service ATA:57
	MOS	18-Sep-25	24 (+10%/-10%)					
	HRS	7302	2400 (+10%/-10%)					
	AFL	5011						
								PKG:21
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-00/283 S	EXAMINE WING INTERNAL SURFACES AND FLAP COMPARTMENT AS FAR AS POSSIBLE WITH ACCESS PANELS REMOVED							Service ATA:57
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-00/284 S	EXAMINE WING TO FUSELAGE ATTACHMENTS AS FAR AS POSSIBLE							Service ATA:57
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-00/326	STRUCTURAL LIMITATION LEFT WING STRUCTURE (POST SB 04-009)							Service ATA:57
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	25000		25000		17629.4	
	AFL	0	30000		30000		24956	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00/326 S	STRUCTURAL LIMITATION RIGHT WING STRUCTURE (POST SB 04-009)							Service ATA:57
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	25000					
	AFL	0	30000					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-00/379	EXAMINE ALL STRUCTURAL ELEMENTS RIB 1 TO RIB 20 - LEFT WING							Service ATA:57
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:30000		30000		22629.4	
	AFL	0	T:39000		39000		33956	
PROC. REF: AMM 12-A-57-00-00-00A-310A-APROC. REF: AMM 12-A-57-00-00-00A-310A-A								
57-00/379	EXAMINE ALL STRUCTURAL ELEMENTS RIB 1 TO RIB 20 - RIGHT WING							Service ATA:57
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:30000		30000		22629.4	
	AFL	0	T:39000		39000		33956	
PROC. REF: AMM 12-A-57-00-00-00A-310A-APROC. REF: AMM 12-A-57-00-00-00A-310A-A								
57-00/380	EDDY CURRENT INSPECTION - WING MAIN AND REAR SPAR TO FUSELAGE ATTACHMENT							Service ATA:57
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:30000		30000		22629.4	
	AFL	0	T:39000		39000		33956	
PROC. REF: AMM 12-A-57-00-03-00A-353A-A, AMM 12-A-57-00-03-01A-353A-APROC. REF: AMM 12-A-57-00-03-00A-353A-A, AMM 12-A-57-00-03-01A-353A-A								
57-00/382	EDDY CURRENT INSPECTION - LEFT WING REAR SPAR AT RIB 8 FLAP ARM ATTACHMENT							Service ATA:57
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:25000		25000		17629.4	
	AFL	0	T:30000		30000		24956	
PROC. REF: AMM 12-A-57-20-10-00A-353C-APROC. REF: AMM 12-A-57-20-10-00A-353C-A								
57-00/382	EDDY CURRENT INSPECTION - RIGHT WING REAR SPAR AT RIB 8 FLAP ARM ATTACHMENT							Service ATA:57
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:25000		25000		17629.4	
	AFL	0	T:30000		30000		24956	
PROC. REF: AMM 12-A-57-20-10-00A-353C-APROC. REF: AMM 12-A-57-20-10-00A-353C-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00/383	EDDY CURRENT INSPECTION - LEFT WING MAIN SPAR FASTENER HOLES RIB 1 THRU RIB 6							Service ATA:57
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:25000		25000		17629.4	
	AFL	0	T:30000		30000		24956	
PROC. REF: AMM 12-A-57-20-10-00A-353A-APROC. REF: AMM 12-A-57-20-10-00A-353A-A								
57-00/383	EDDY CURRENT INSPECTION - RIGHT WING MAIN SPAR FASTENER HOLES RIB 1 THRU RIB 6							Service ATA:57
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:25000		25000		17629.4	
	AFL	0	T:30000		30000		24956	
PROC. REF: AMM 12-A-57-20-10-00A-353A-APROC. REF: AMM 12-A-57-20-10-00A-353A-A								
57-00/384	EDDY CURRENT INSPECTION - LEFT WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service ATA:57
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:25000		25000		17629.4	
	AFL	0	T:30000		30000		24956	
PROC. REF: AMM 12-A-57-20-05-00A-353A-APROC. REF: AMM 12-A-57-20-05-00A-353A-A								
57-00/384	EDDY CURRENT INSPECTION - RIGHT WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service ATA:57
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:25000		25000		17629.4	
	AFL	0	T:30000		30000		24956	
PROC. REF: AMM 12-A-57-20-05-00A-353A-APROC. REF: AMM 12-A-57-20-05-00A-353A-A								
57-00/385	EDDY CURRENT INSPECTION - LEFT WING REAR SPAR FASTENER HOLES RIB 2 THRU RIB 3							Service ATA:57
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:25000		25000		17629.4	
	AFL	0	T:30000		30000		24956	
PROC. REF: AMM 12-A-57-20-10-00A-353B-APROC. REF: AMM 12-A-57-20-10-00A-353B-A								
57-00/385	EDDY CURRENT INSPECTION - RIGHT WING REAR SPAR FASTENER HOLES RIB 2 THRU RIB 3							Service ATA:57
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:25000		25000		17629.4	
	AFL	0	T:30000		30000		24956	
PROC. REF: AMM 12-A-57-20-10-00A-353B-APROC. REF: AMM 12-A-57-20-10-00A-353B-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00/412	EXAMINE WING TIPS							Service ATA:57
	MOS	24-Nov-05						
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-57-33-00-00A-310A-APROC. REF: AMM 12-A-57-33-00-00A-310A-A								
57-00/413	EDDY CURRENT INSPECTION - LEFT WING SKIN AROUND DRAIN HOLES							Service ATA:57
	MOS	24-Nov-05						
	HRS	0	T:25000		25000		17629.4	
	AFL	0	T:30000		30000		24956	
PROC. REF: AMM 12-A-57-20-01-00A-353A-APROC. REF: AMM 12-A-57-20-01-00A-353A-A								
57-00/413	EDDY CURRENT INSPECTION - RIGHT WING SKIN AROUND DRAIN HOLES							Service ATA:57
	MOS	24-Nov-05						
	HRS	0	T:25000		25000		17629.4	
	AFL	0	T:30000		30000		24956	
PROC. REF: AMM 12-A-57-20-01-00A-353A-APROC. REF: AMM 12-A-57-20-01-00A-353A-A								
57-00/427	EDDY CURRENT INSPECTION - LEFT WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service ATA:57
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	16000		16000		8629.4	
	AFL	0	22500		22500		17456	
PROC. REF: AMM 12-A-57-20-10-00A-353D-APROC. REF: AMM 12-A-57-20-10-00A-353D-A								
57-00/427	EDDY CURRENT INSPECTION - RIGHT WING MAIN SPAR FASTENER HOLES STRAP RIB 6							Service ATA:57
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	16000		16000		8629.4	
	AFL	0	22500		22500		17456	
PROC. REF: AMM 12-A-57-20-10-00A-353D-APROC. REF: AMM 12-A-57-20-10-00A-353D-A								
57-00/97	EXAMINE WING INTERNAL SURFACES AND FLAP COMPARTMENT (AS FAR AS POSSIBLE WITH ALL WING PANELS REMOVED)							Service ATA:57
	MOS	26-Jul-24	72 (+6m/-6m)		31-Jul-30	26-Jan-31	1370 d (+179)	
	HRS	7207	6000 (+500/-500)		13207	13707	5836.4 (+500)	
WC#: 57.020	AFL	4952						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-00/98	EXAMINE LANDING GEAR COMPARTMENTS (ESPECIALLY MAIN AND REAR SPAR PARTS)							Service ATA:57
	MOS	26-Jul-24	72 (+6m/-6m)		31-Jul-30	26-Jan-31	1370 d (+179)	
	HRS	7207	6000 (+500/-500)		13207	13707	5836.4 (+500)	
WC#: 57.030	AFL	4952						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
57-00/99	EXAMINE WING TO FUSELAGE ATTACHMENT FITTINGS WITH WINGS REMOVED							Service ATA:57
	MOS	02-Mar-16	180 (+6m/-6m)		31-Mar-31	02-Sep-31	1613 d (+155)	
	HRS	5373.7						
WC#: 57.040	AFL	4084						
PROC. REF: AMM 12-A-57-00-00-00A-313A-APROC. REF: AMM 12-A-57-00-00-00A-313A-A								
57-60/393	EXAMINE LEFT WING AILERON							Service ATA:57
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-57-60-00-00A-310A-APROC. REF: AMM 12-A-57-60-00-00A-310A-A								
57-60/411	EXAMINE AILERON TRIM TAB							Service ATA:57
	MOS	24-Nov-05						
	HRS	0	T:32500		32500		25129.4	
	AFL	0	T:42000		42000		36956	
PROC. REF: AMM 12-A-57-60-04-00A-310A-APROC. REF: AMM 12-A-57-60-04-00A-310A-A								
570010	AILERON RH 10A SERIE ASSY							Component ATA:57
PN:557.05.12.014	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:581	HRS	0		TSN 0				
WC#: 57.050	AFL	0		TSN 0				
PROC. REF: AMM 12-A-57-60-01-00A-920A-A, AMM 12-A-57-60-01-00A-920B-APROC. REF: AMM 12-A-57-60-01-00A-920A-A, AMM 12-A-57-60-01-00A-920B-A								
570015	WING RE 10A SERIE STRUCTURE							Component ATA:57
PN:557.05.12.128	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:582	HRS	0		TSN 0				
WC#: 57.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
570025	AILERON LH 10A SERIE ASSY							Component ATA:57
PN:557.05.12.013	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:581	HRS	0		TSN 0				
WC#: 57.050	AFL	0		TSN 0				
PROC. REF: AMM 12-A-57-60-01-00A-920A-A, AMM 12-A-57-60-01-00A-920B-APROC. REF: AMM 12-A-57-60-01-00A-920A-A, AMM 12-A-57-60-01-00A-920B-A								
570035	WING LE 10A SERIE STRUCTURE							Component ATA:57
PN:557.05.12.127	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:582	HRS	0		TSN 0				
WC#: 57.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 61 - PROPELLERS/PROPULSORS								
61-10/37	NO. 1 PROPELLER - OVERHAUL							Service ATA:61
	MOS	18-Sep-25	72		18-Sep-31		1784 d	OVERHAUL
	HRS	2707.5	4500		(7207.5) 11802		4431.4	
PROC. REF: AMM 12-A-61-10-01-00A-920A-APROC. REF: AMM 12-A-61-10-01-00A-920A-A								
61-10/37 S	PROPELLER							Component ATA:61
PN:MTV-27-1-N-C-F-R(P)	MOS	05-Sep-18	120	TSO 0				OVERHAUL
SN:100251	HRS	5925.7	2000	TSO 0				
WC#: 61.010	AFL			TSO 0				
PROC. REF: AMM 12-A-61-10-01-00A-920A-APROC. REF: AMM 12-A-61-10-01-00A-920A-A								
61-20/286 S	EXAMINE PROPELLER GOVERNOR, OVERSPEED GOVERNOR AND BETA CONTROLS							Service ATA:61
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
610100	NO. 1 PROPELLER - ACCOMPLISH INSPECTION							Service ATA:61
	MOS	21-Sep-26	12		21-Sep-27		326 d	
	HRS	2776.1	300		(3076.1) 7670.6		300	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
PROC. REF: OIM 61-00-83PROC. REF: OIM 61-00-83								
610400	NO. 1 PROPELLER - PERFORM PROPELLER BALANCE							Service ATA:61
	MOS/MSC	16-Jan-26	A/R					
	HRS							
PROC. REF: OIM 61-00-83PROC. REF: OIM 61-00-83								
611501	NO. 1 PROPELLER - NO. 1 BLADE							Component ATA:61
PN:CFR260-65A	MOS/MSC	07-Sep-18	O/C	TSO 0				
SN:ACB-41970	HRS	1313.7		TSO 0				
	AFL			TSO 0				
PROC. REF: OIM 61-00-83, OIM 61-00-83PROC. REF: OIM 61-00-83, OIM 61-00-83								
611502	NO. 1 PROPELLER - NO. 2 BLADE							Component ATA:61
PN:CFR260-65A	MOS/MSC	07-Sep-18	O/C	TSO 0				
SN:AHD-60892	HRS	1313.7		TSO 0				
	AFL			TSO 0				
PROC. REF: OIM 61-00-83, OIM 61-00-83PROC. REF: OIM 61-00-83, OIM 61-00-83								
611503	NO. 1 PROPELLER - NO. 3 BLADE							Component ATA:61
PN:CFR260-65A	MOS/MSC	07-Sep-18	O/C	TSO 0				
SN:ACB-41971	HRS	1313.7		TSO 0				
	AFL			TSO 0				
PROC. REF: OIM 61-00-83, OIM 61-00-83PROC. REF: OIM 61-00-83, OIM 61-00-83								
611504	NO. 1 PROPELLER - NO. 4 BLADE							Component ATA:61
PN:CFR260-65A	MOS/MSC	07-Sep-18	O/C	TSO 0				
SN:ACB-41972	HRS	1313.7		TSO 0				
	AFL			TSO 0				
PROC. REF: OIM 61-00-83, OIM 61-00-83PROC. REF: OIM 61-00-83, OIM 61-00-83								
611505	NO. 1 PROPELLER - NO. 5 BLADE							Component ATA:61
PN:CFR260-65A	MOS/MSC	07-Sep-18	O/C	TSO 0				
SN:AHD-60895	HRS	1313.7		TSO 0				
	AFL			TSO 0				
PROC. REF: OIM 61-00-83, OIM 61-00-83PROC. REF: OIM 61-00-83, OIM 61-00-83								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 61 - PROPELLERS/PROPULSORS								
612010	NO. 1 ENGINE - PROPELLER GOVERNOR							Component ATA:61
PN:8210-137	MOS	22-Feb-16		TSN 123, TSO 0				OVERHAUL
SN:14433346	HRS	5373.7	3500 (+500)	TSN 5373.7, TSO 0	(8873.7) 8873.7	9373.7	1503.1 (+500)	
	ENC	4084		TSN 4084, TSO 0				
PROC. REF: EMM 61-20-00PROC. REF: EMM 61-20-00								
612020	NO. 1 ENGINE - OVERSPEED GOVERNOR							Component ATA:61
PN:210949	MOS	22-Feb-16		TSN 123, TSO 0				OVERHAUL
SN:14395830	HRS	5373.7	3500 (+500)	TSN 5373.7, TSO 0	(8873.7) 8873.7	9373.7	1503.1 (+500)	
	ENC	4084		TSN 4084, TSO 0				
PROC. REF: EMM 61-20-00PROC. REF: EMM 61-20-00								
61PR1	NO. 1 PROPELLER							Component ATA:61
PN:MTV-27-1-N-C-F-R(P) /CFR260-65A	MOS/MSC	07-Sep-18	PP/C					
SN:100251	HRS	5925.7		TSN 1313.7				
WC#: 61.PR1	AFL	4393						
PROC. REF: AMM 12-A-61-10-01-00A-920A-APROC. REF: AMM 12-A-61-10-01-00A-920A-A								
ATA 71 - POWER PLANT								
71-00/101	OPERATIONAL TEST POWER PLANT TORQUE LIMITER							Service ATA:71
	MOS	21-Sep-26	12 (+10%/-10%)		30-Sep-27	27-Oct-27	335 d (+27)	
	HRS	7370.6	600 (+10%/-10%)		7970.6	8030.6	600 (+60)	
WC#: 71.010	AFL	5044						
								PKG:19
PROC. REF: AMM 12-A-71-00-00-00A-903H-APROC. REF: AMM 12-A-71-00-00-00A-903H-A								
71-00/102 S	OPERATIONAL TEST POWER PLANT PERFORMANCE							Service ATA:71
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						
								PKG:19
PROC. REF: AMM 12-A-71-00-00-00A-903I-APROC. REF: AMM 12-A-71-00-00-00A-903I-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00/107	CLEAN ENGINE TORQUE AND STICK PUSHER TORQUE TRANSDUCERS ELECTRICAL CONNECTORS							Service ATA:71
	MOS	21-Sep-26	12 (+10%/-10%)		30-Sep-27	27-Oct-27	335 d (+27)	
	HRS	7370.6	600 (+10%/-10%)		7970.6	8030.6	600 (+60)	
WC#: 71.030	AFL	5044						
								PKG:19
PROC. REF: AMM 12-A-71-00-03-00A-250A-APROC. REF: AMM 12-A-71-00-03-00A-250A-A								
71-00/16	ENGINE (PRE SB 04-009) MOUNTING FRAME							Component ATA:71
PN:571.20.12.036	MOS	24-Nov-05		TSN 0				AIRWORTHINESS
SN:590	HRS	0	20000	TSN 0	20000		12629.4	
WC#: 71.050	AFL	0	27000	TSN 0	27000		21956	
PROC. REF: AMM 12-A-71-00-05-00A-920A-APROC. REF: AMM 12-A-71-00-05-00A-920A-A								
71-00/17	REPLACE ENGINE MOUNTING FRAME BOLTS, NUTS AND WASHERS							Service ATA:71
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	11000		11000		3629.4	
WC#: 71.050	AFL	0						
PROC. REF: AMM 12-A-71-00-04-00A-920A-APROC. REF: AMM 12-A-71-00-04-00A-920A-A								
71-00/204 S	DO A POST INSPECTION GROUND RUN TEST AS NECESSARY TO CLOSE UP INSPECTION							Service ATA:71
	MOS/MSC	21-Sep-26	A/R					
	HRS	7370.6						
	AFL	5044						
								PKG:15 ,16,17,18,19,20,21
PROC. REF: AMM 12-A-71-00-00-00A-903A-APROC. REF: AMM 12-A-71-00-00-00A-903A-A								
71-00/205 S	EXAMINE ENGINE TUBULAR MOUNTING FRAME AND SHOCKMOUNTS REPLACE SHOCKMOUNT IF CRACKS IN ELASTOMER ARE MORE THAN 1 IN (25,4 MM) LONG AND/OR 0.06 IN (1,5 MM) DEEP							Service ATA:71
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00/206		EXAMINE POWER PLANT AND ACCESSORIES REFER TO P&WC EMM 72-00-00 PERIODIC INSPECTION						Service ATA:71
	MOS/MSC	19-Sep-18	A/R					
	HRS	5925.7						
	AFL	4393						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/209 S		EXAMINE ENGINE DRAIN MAST AND TANK FOR FUEL LEAKS (NO LEAKS PERMITTED) AND DRAIN THE COLLECTOR TANK						Service ATA:71
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
71-00/287 S		DO AN INSPECTION POWER PLANT GROUND RUN AS NECESSARY - NOTE DEFECTS. NOTE: A PRE INSPECTION GROUND RUN IS NOT A PRE-REQUISITE BUT MAY BE USEFUL TO DETERMINE ANY REPAIR WORK NEEDED TO MAINTAIN THE AIRWORTHINESS OF THE AIRCRAFT						Service ATA:71
	MOS/MSC	21-Sep-26	A/R					
	HRS	7370.6						
	AFL	5044						
								PKG:15 ,16,17,18,19,20,21
PROC. REF: AMM 12-A-71-00-00-00A-903A-APROC. REF: AMM 12-A-71-00-00-00A-903A-A								
71-00/301 S		EXAMINE ENGINE TUBULAR MOUNTING FRAME FIREWALL ATTACHMENT FITTINGS WITH FIREWALL INSULATION BLANKET REMOVED AS NECESSARY. IF CRACKED, BLISTERED OR FLAKING PAINT IS FOUND ON THE MOUNTING FRAME						Service ATA:71
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM GENERICPROC. REF: AMM GENERIC								
71-00/327 S		ENGINE (POST SB 04-009) MOUNTING FRAME						Component ATA:71
PN:PN	MOS	24-Nov-05		TSN 0				AIRWORTHINESS
SN:UNKNOWN	HRS	0	25000	TSN 0				
	AFL	0	30000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00/38	LOWER LEFT ENGINE SHOCK MOUNT ASSEMBLY							Component ATA:71
PN:944.81.21.409	MOS/MSC	10-Feb-15	E/C	TSN 0				
SN:7782	HRS	5022.9	5000 (+10%/-10%)	TSN 22.9	10000	10500	2629.4 (+500)	
WC#: 71.063	AFL	3867		TSN 0				
PROC. REF: AMM 12-A-71-00-01-00A-920A-APROC. REF: AMM 12-A-71-00-01-00A-920A-A								
71-00/38	LOWER RIGHT ENGINE SHOCK MOUNT ASSEMBLY							Component ATA:71
PN:944.81.21.409	MOS/MSC	10-Feb-15	E/C	TSN 0				
SN:7784	HRS	5022.9	5000 (+10%/-10%)	TSN 22.9	10000	10500	2629.4 (+500)	
WC#: 71.064	AFL	3867		TSN 0				
PROC. REF: AMM 12-A-71-00-01-00A-920A-APROC. REF: AMM 12-A-71-00-01-00A-920A-A								
71-00/38	UPPER CENTER ENGINE SHOCK MOUNT ASSEMBLY							Component ATA:71
PN:944.81.21.409	MOS/MSC	10-Feb-15	E/C	TSN 0				
SN:7800	HRS	5022.9	5000 (+10%/-10%)	TSN 22.9	10000	10500	2629.4 (+500)	
WC#: 71.061	AFL	3867		TSN 0				
PROC. REF: AMM 12-A-71-00-01-00A-920A-APROC. REF: AMM 12-A-71-00-01-00A-920A-A								
71-00/38	UPPER LEFT ENGINE SHOCK MOUNT ASSEMBLY							Component ATA:71
PN:944.81.21.409	MOS/MSC	10-Feb-15	E/C	TSN 0				
SN:7801	HRS	5022.9	5000 (+10%/-10%)	TSN 22.9	10000	10500	2629.4 (+500)	
WC#: 71.060	AFL	3867		TSN 0				
PROC. REF: AMM 12-A-71-00-01-00A-920A-APROC. REF: AMM 12-A-71-00-01-00A-920A-A								
71-00/38	UPPER RIGHT ENGINE SHOCK MOUNT ASSEMBLY							Component ATA:71
PN:944.81.21.409	MOS/MSC	10-Feb-15	E/C	TSN 0				
SN:7796	HRS	5022.9	5000 (+10%/-10%)	TSN 22.9	10000	10500	2629.4 (+500)	
WC#: 71.062	AFL	3867		TSN 0				
PROC. REF: AMM 12-A-71-00-01-00A-920A-APROC. REF: AMM 12-A-71-00-01-00A-920A-A								
71-00/401	MAGNETIC PARTICLE INSPECT - ENGINE MOUNT							Service ATA:71
	MOS	24-Nov-05						AIRWORTHINESS
	HRS	0	T:26600		26600		19229.4	
	AFL	0	T:35000		35000		29956	
PROC. REF: AMM 12-A-71-00-05-00A-352A-APROC. REF: AMM 12-A-71-00-05-00A-352A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-00/476 S	REVIEWED AND COMPLIED WITH AS NECESSARY, P&WC AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS							Service ATA:71
	MOS/MSC	21-Sep-26	A/R					
	HRS	7370.6						
	AFL	5044						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:15 ,16,17,18,19,20,21
71-10/207 S	OPEN AND EXAMINE ENGINE COWLINGS ENG 43AL AND ENG 43AR AND SPECIFICALLY THE CONDITION OF RUBBING STRIPS AND FASTENERS. LUBRICATE THE HINGES WITH A MINIMUM OF MATERIAL P10-001							Service ATA:71
	MOS/MSC	21-Sep-26	A/R					
	HRS	7370.6						
	AFL	5044						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:15 ,16,17,18,19,20,21
71-10/208 S	CLOSE ENGINE COWLINGS ENG 43AL AND ENG 43AR AS NECESSARY TO CLOSE UP INSPECTION							Service ATA:71
	MOS/MSC	21-Sep-26	A/R					
	HRS	7370.6						
	AFL	5044						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:15 ,16,17,18,19,20,21
71-10/476 U	REVIEWED AND COMPLIED WITH AS NECESSARY, P&WC AIRWORTHINESS DIRECTIVES AND SERVICE BULLETINS							Service ATA:71
	MOS/MSC	24-Nov-05	A/R					
	HRS	0						
	AFL	0						
710005	UPPER LH ENGINE VIBRATION ISOLATOR							Component ATA:71
PN:571.20.12.106	MOS/MSC	10-Feb-15	O/C	TSN 0				
SN:7801	HRS	5022.9		TSN 0				
WC#: 71.070	AFL	3867		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
710011	NO. 1 ENGINE - OVERHAUL							Service ATA:71
	MOS	01-Mar-16						OVERHAUL
	HRS	5373.7	3500 (+200)		(8873.7) 8873.7	9073.7	1503.1 (+200)	
	ENC	4084						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
710015	UPPER CENTER ENGINE VIBRATION ISOLATOR							Component ATA:71
PN:571.20.12.106	MOS/MSC	10-Feb-15	O/C	TSN 0				
SN:7800	HRS	5022.9		TSN 0				
WC#: 71.080	AFL	3867		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
710019 S	NO. 1 ENGINE - DO A VISUAL INSPECTION OF THE FIRST-STAGE COMPESSOR ROTOR WITH A MIRROR OR A BORESCOPE							Service ATA:71
	MOS	21-Sep-26						
	HRS	7370.6	300 (+10%/-10%)					
	ENC	5044						
								PKG:0
PROC. REF: EMM 72-30-05PROC. REF: EMM 72-30-05								
710021	NO. 1 ENGINE - HOT SECTION INSPECTION							Service ATA:71
	MOS	22-Feb-16						
	HRS	5373.7	1750 (+250)		(7123.7) 7123.7	7373.7	TOL (+3.1)	
	ENC	4084						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
710025	UPPER RH ENGINE VIBRATION ISOLATOR							Component ATA:71
PN:571.20.12.106	MOS/MSC	10-Feb-15	O/C	TSN 0				
SN:7796	HRS	5022.9		TSN 0				
WC#: 71.090	AFL	3867		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
710031	NO. 1 ENGINE - BORESCOPE HOT SECTION							Service ATA:71
	MOS	18-Sep-25						
	HRS	7302	400 (+10%/-10%)		(7702) 7702	7742	331.4 (+40)	
	ENC	5011						
PROC. REF: EMM 72-00-00	PROC. REF: EMM 72-00-00							
710035	LOWER LH ENGINE VIBRATION ISOLATOR							Component ATA:71
PN:571.20.12.106	MOS/MSC	10-Feb-15	O/C	TSN 0				
SN:7782	HRS	5022.9		TSN 0				
WC#: 71.100	AFL	3867		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
710041	NO. 1 ENGINE - INSPECT POWER TURBINE BLADES							Service ATA:71
	MOS	22-Feb-16						
	HRS	5373.7	T:4000 (+100/-100)		(9373.7) 9373.7	9473.7	2003.1 (+100)	
	ENC	4084						
PROC. REF: EMM 72-00-00	PROC. REF: EMM 72-00-00							
710045	LOWER RH ENGINE VIBRATION ISOLATOR							Component ATA:71
PN:571.20.12.106	MOS/MSC	09-Mar-15	O/C	TSN 0				
SN:7784	HRS	5045.5		TSN 0				
WC#: 71.110	AFL	3879		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
710050	NO. 1 ENGINE - COMPRESSOR DESALINATION WASH							Service ATA:71
	MOS/MSC	18-Sep-25	A/R					
	HRS	7302						
	ENC	5011						
PROC. REF: EMM 71-00-00	PROC. REF: EMM 71-00-00							
710051	NO. 1 ENGINE - COMPRESSOR TURBINE DESALINATION WASH							Service ATA:71
	MOS/MSC	18-Sep-25	A/R					
	HRS	7302						
	ENC	5011						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
710052	NO. 1 ENGINE - COMPRESSOR PERFORMANCE RECOVERY WASH							Service ATA:71
	MOS/MSC	21-Sep-26	A/R					
	HRS	7370.6						
	ENC	5044						
PROC. REF: EMM 71-00-00PROC. REF: EMM 71-00-00								
710061	NO. 1 ENGINE - PERFORM ENGINE CONDITION TREND MONITORING (ECTM)							Service ATA:71
	MOS/MSC	01-May-19	A/R					
	HRS	5944.7						
	ENC	4412						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
710100	NO. 1 ENGINE - PERFORM CORROSION INHIBITION PROCEDURE							Service ATA:71
	MOS/MSC	24-Nov-05	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
71EN1	NO. 1 ENGINE							Component ATA:71
PN:968.20.13.001	MOS/MSC		E/C					
SN:PCE-PR0554	HRS							
WC#: 71.EN1	AFL							
	ACH							
PROC. REF: AMM 12-A-71-00-01-00A-920A-APROC. REF: AMM 12-A-71-00-01-00A-920A-A								
ATA 72 - ENGINE								
720010	NO. 1 ENGINE - GAS GENERATOR MODULE							Component ATA:72
PN:3042300	MOS	01-Mar-16		TSO 0				OVERHAUL
SN:PCE-PRO554	HRS	5373.7	3500 (+200)	TSO 0	(8873.7) 8873.7	9073.7	1503.1 (+200)	
	ENC	4084		TSO 0				
PROC. REF: EMM 72-30-04PROC. REF: EMM 72-30-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720022	NO. 1 ENGINE - OIL SYSTEM - CHECK OIL LEVEL							Service ATA:72
	MOS/MSC	24-Nov-05	BF/F					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
720023	NO. 1 ENGINE - CHECK CONDITION AND LOCKING OF OIL FILLER CAP							Service ATA:72
	MOS/MSC	24-Nov-05	BF/F					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-60-00PROC. REF: EMM 72-60-00								
720030 S	NO. 1 ENGINE - CHECK ALL ACCESSIBLE CONNECTIONS, CLAMPS AND BRACKETS FOR ATTACHMENT							Service ATA:72
	MOS	21-Sep-26						
	HRS	7370.6	300 (+10%/-10%)					
	ENC	5044						
								PKG:0
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720040 S	NO. 1 ENGINE - CHECK CLAMPS, BRACKETS, TUBES/LINES, LINKAGES FOR CHAFING, CRACKS AND CORROSION							Service ATA:72
	MOS	21-Sep-26						
	HRS	7370.6	300 (+10%/-10%)					
	ENC	5044						
								PKG:0
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
720050 S	NO. 1 ENGINE - CHECK ACCESSORIES ATTACHMENT AND LINKAGES, AIR, OIL AND FUEL LINES							Service ATA:72
	MOS	21-Sep-26						
	HRS	7370.6	300 (+10%/-10%)					
	ENC	5044						
								PKG:0
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
720070 S	NO. 1 ENGINE - INSPECT FOR OIL AND FUEL LEAKS AS APPLICABLE							Service ATA:72
	MOS	21-Sep-26						
	HRS	7370.6	300 (+10%/-10%)					
	ENC	5044						
								PKG:0
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
721100	NO. 1 ENGINE - PROPELLER SHAFT SEAL - CHECK FOR OIL LEAKS							Service ATA:72
	MOS/MSC	24-Nov-05	BF/F					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-11-00PROC. REF: EMM 72-11-00								
722010 S	NO. 1 ENGINE - INSPECT THE AIR INLET SCREEN FOR CLEANLINESS							Service ATA:72
	MOS	21-Sep-26						
	HRS	7370.6	300 (+10%/-10%)					
	ENC	5044						
								PKG:0
PROC. REF: EMM 72-20-00, EMM 72-20-00PROC. REF: EMM 72-20-00, EMM 72-20-00								
722020 S	NO. 1 ENGINE - WITH INLET SCREEN REMOVED OR ALTERNATIVELY WITHBORESCOPE, INSPECT COMPRESSOR INLET CASE OVERALL SURFACEAREAS AND STRUTS FOR CORROSION							Service ATA:72
	MOS	21-Sep-26						
	HRS	7370.6	300 (+10%/-10%)					
	ENC	5044						
								PKG:0
PROC. REF: EMM 72-20-00PROC. REF: EMM 72-20-00								
723010	NO. 1 ENGINE - 1ST-STAGE COMPRESSOR ROTOR							Component ATA:72
PN:3039001	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:TXA1A7540	HRS	0		TSN 0				
	ENC	0		TSN 0	(24000) 24000 (M)		18956	
	ACCCYC	0	24000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723020	NO. 1 ENGINE - COMPRESSOR ROTOR SHAFT							Component ATA:72
PN:3043063	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:PKAA028A875	HRS	0		TSN 0				
	ENC	0		TSN 0	(24000) 24000 (M)		18956	
	ACCCYC	0	24000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723026 S	NO. 1 ENGINE - INSPECTION/CHECK GAS GENERATOR CASE EXTERNAL SURFACES, AND FIRESEAL MOUNT RING BRACKETS FOR CRACKS, DISTORTION, AND CORROSION							Service ATA:72
	MOS	21-Sep-26						
	HRS	7370.6	300 (+10%/-10%)					
	ENC	5044						
								PKG:0
PROC. REF: EMM 72-30-04PROC. REF: EMM 72-30-04								
723030	NO. 1 ENGINE - 2ND-STAGE COMPRESSOR ROTOR							Component ATA:72
PN:3040952	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:TXA1A7323	HRS	0		TSN 0				
	ENC	0		TSN 0	(24000) 24000 (M)		18956	
	ACCCYC	0	24000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723036 S	NO. 1 ENGINE - INSPECTION/CHECK FIRESEAL MOUNT RINGS FOR CRACKS AND ATTACHMENT OF BRACKETS AND SEALS							Service ATA:72
	MOS	21-Sep-26						
	HRS	7370.6	300 (+10%/-10%)					
	ENC	5044						
								PKG:0
PROC. REF: EMM 72-30-04, EMM 72-30-01, EMM 72-30-02PROC. REF: EMM 72-30-04, EMM 72-30-01, EMM 72-30-02								
723040	NO. 1 ENGINE - 3RD-STAGE COMPRESSOR ROTOR							Component ATA:72
PN:3040933	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:EAAA000K987	HRS	0		TSN 0				
	ENC	0		TSN 0	(24000) 24000 (M)		18956	
	ACCCYC	0	24000	TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723050	NO. 1 ENGINE - 4TH-STAGE COMPRESSOR ROTOR							Component ATA:72
PN:3040944	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:TXA1A7433	HRS	0		TSN 0				
	ENC	0		TSN 0	(24000) 24000 (M)		18956	
	ACCCYC	0	24000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723060	NO. 1 ENGINE - CENTRIFUGAL IMPELLER							Component ATA:72
PN:3036898	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:EAAA000L592	HRS	0		TSN 0				
	ENC	0		TSN 0	(24000) 24000 (M)		18956	
	ACCCYC	0	24000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
723070	NO. 1 ENGINE - PERFORMANCE DETERIORATION							Service ATA:72
	MOS/MSC	24-Nov-05	A/R					UNSCHEDULED MAINTENANCE CHECK
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
724060	NO. 1 ENGINE - HIGH TORQUE INDICATION AT LOW POWER							Service ATA:72
	DAYS/MSC	24-Nov-05	A/R					
	HRS	0						
	ENC	0						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								
725010	NO. 1 ENGINE - COMPRESSOR TURBINE DISK							Component ATA:72
PN:3053740-01	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:A001T0T8	HRS	0		TSN 0				
	ENC	0		TSN 0	(8000) 8000 (M)		2956	
	ACCCYC	0	8000	TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725020	NO. 1 ENGINE - REPLACE 2ND STAGE POWER TURBINE (3RD STAGE TURBINE) BLADES							Service ATA:72
	MOS	22-Feb-16						LIFE LIMIT
	HRS	5373.7	5000		(10373.7) 10373.7		3003.1	
	ENC	4084						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725026 S	NO. 1 ENGINE - INSPECTION/CHECK EXHAUST DUCT FOR CRACKS AND DISTORTION							Service ATA:72
	MOS	21-Sep-26						
	HRS	7370.6	300 (+10%/-10%)					
	ENC	5044						
								PKG:0
PROC. REF: EMM 72-50-05PROC. REF: EMM 72-50-05								
725030	NO. 1 ENGINE - 1ST-STAGE POWER TURBINE DISK							Component ATA:72
PN:3037312	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:A001T5W6	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 15000 (M)		9956	
	ACCCYC	0	15000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725040	NO. 1 ENGINE - 2ND-STAGE POWER TURBINE DISK							Component ATA:72
PN:3037313	MOS	24-Nov-05		TSN 0				LIFE LIMIT
SN:A001TBFM	HRS	0		TSN 0				
	ENC	0		TSN 0	(15000) 15000 (M)		9956	
	ACCCYC	0	15000	TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
725050	NO. 1 ENGINE - NO. 1 COMPRESSOR TURBINE BLADE							Component ATA:72
PN:3118591-01	MOS/MSC	22-Feb-16	O/C	TSN 0				
SN:UNKNOWN	HRS	5373.7		TSN 0				
	ENC	4084		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
726020	NO. 1 ENGINE - POWER SECTION MODULE							Component ATA:72
PN:3042500	MOS	01-Mar-16		TSO 0				OVERHAUL
SN:PS-PR0554	HRS	5373.7	3500 (+200)	TSN 5373.7, TSO 0	(8873.7) 8873.7	9073.7	1503.1 (+200)	
	ENC	4084		TSN 4084, TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
ATA 73 - ENGINE FUEL AND CONTROL								
731010	NO. 1 ENGINE - FUEL PUMP							Component ATA:73
PN:825601-5	MOS	22-Feb-16		TSO 0				OVERHAUL
SN:007416	HRS	5373.7	3500 (+500)	TSO 0	(8873.7) 8873.7	9373.7	1503.1 (+500)	
	ENC	4084		TSO 0				
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02								
731025	NO. 1 ENGINE - LEAK/FUNCTIONAL TEST FUEL MANIFOLD ADAPTER AND NOZZLE ASSEMBLIES (ENGINE NOT ON FUEL NOZZLE IN-SITU CLEANING PROGRAM)							Service ATA:73
	MOS	18-Sep-25						
	HRS	7302	400 (+10%/-10%)		(7702) 7702	7742	331.4 (+40)	
	ENC	5011						
PROC. REF: EMM 73-11-05PROC. REF: EMM 73-11-05								
731030	NO. 1 ENGINE - OVERTORQUE LIMITER							Component ATA:73
PN:3244882-2	MOS	22-Feb-16		TSN 123, TSO 0				OVERHAUL
SN:C50606	HRS	5373.7	3500 (+500)	TSN 5373.7, TSO 0	(8873.7) 8873.7	9373.7	1503.1 (+500)	
	ENC	4084		TSN 4084, TSO 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731031 S	NO. 1 ENGINE - DO A CHECK OF THE FUEL PUMP (IN-SITU INSPECTION ONLY) FOR INSTALLATION AND LEAKAGE							Service ATA:73
	MOS	21-Sep-26						
	HRS	7370.6	300 (+10%/-10%)					
	ENC	5044						
								PKG:0
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731035	NO. 1 ENGINE - VISUAL INSPECTION FUEL PUMP TO AGB COVER INTERFACE FOR OIL LEAKAGE AND /OR GASKET MIGRATION							Service ATA:73
	MOS/MSC	24-Nov-05	N/A					
	HRS	0						
	ENC	0						
PROC. REF: EMM 73-10-02	PROC. REF: EMM 73-10-02							
731040	NO. 1 ENGINE - CHECK FUEL PUMP FUEL INLET SCREEN FOR FOREIGN MATTER OR DISTORTION, CLEAN AND REINSTALL, OR INSTALL NEW SCREEN							Service ATA:73
PN:825601-5	MOS	26-Jul-24						
SN:007416	HRS	7207	600 (+10%/-10%)		(7807) 7807	7867	436.4 (+60)	
	ENC	4952						
PROC. REF: EMM 73-10-02	PROC. REF: EMM 73-10-02							
731045 S	NO. 1 ENGINE - DO A CHECK OF THE OIL-TO-FUEL HEATER (IN-SITU INSPECTION ONLY) FOR INSTALLATION							Service ATA:73
	MOS	21-Sep-26						
	HRS	7370.6	300 (+10%/-10%)					
	ENC	5044						
								PKG:0
PROC. REF: EMM 73-10-01	PROC. REF: EMM 73-10-01							
731052	NO. 1 ENGINE - REMOVE THE FUEL PUMP. INSPECT THE DRIVE COUPLING AND COVER ON THE AGB SIDE FOR SIGNS OF REDDISH-BROWN (IRON OXIDE) STAINS. IF YOU SEE STAINS, DISCARD THE FUEL PUMP							Service ATA:73
	MOS/MSC	24-Nov-05	N/A					
	HRS	0						
	ENC	0						
PROC. REF: EMM 73-10-02	PROC. REF: EMM 73-10-02							
731055	NO. 1 ENGINE - REPLACE NO. 1 FUEL PUMP OUTLET FILTER							Service ATA:73
PN:PN	MOS	18-Sep-25						REPLACE
SN:UNKNOWN	HRS	7302	600 (+10%/-10%)		(7902) 7902	7962	531.4 (+60)	
	ENC	5011						
PROC. REF: EMM 73-10-02	PROC. REF: EMM 73-10-02							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731056 S	NO. 1 ENGINE - INSPECT PNEUMATIC TUBES AND LINES FOR CRACKS AND DAMAGES ESPECIALLY AT THE END FITTINGS AND JOINTS							Service ATA:73
	MOS	21-Sep-26						
	HRS	7370.6	300 (+10%/-10%)					
	ENC	5044						
								PKG:0
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731060	NO. 1 ENGINE - OIL TO FUEL HEATER							Component ATA:73
PN:10585K	MOS	22-Feb-16		TSN 123, TSO 0				OVERHAUL
SN:WA22702	HRS	5373.7	3500 (+500)	TSN 5373.7, TSO 0	(8873.7) 8873.7	9373.7	1503.1 (+500)	
	ENC	4084		TSN 4084, TSO 0				
PROC. REF: EMM 73-10-01PROC. REF: EMM 73-10-01								
731065	NO. 1 ENGINE - EXAMINE P3 FILTER BOWL							Service ATA:73
	MOS	18-Sep-25						
	HRS	7302	300 (+10%)		(7602) 7602	7632	231.4 (+30)	
	ENC	5011						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
731070	NO. 1 ENGINE - FLOW DIVIDER/PURGE VALVE							Component ATA:73
PN:26130-2	MOS	22-Feb-16		TSN 123, TSO 0				OVERHAUL
SN:9959524217	HRS	5373.7	3500 (+500)	TSN 5373.7, TSO 0	(8873.7) 8873.7	9373.7	1503.1 (+500)	
	ENC	4084		TSN 4084, TSO 0				
PROC. REF: EMM 73-10-04PROC. REF: EMM 73-10-04								
731085 S	NO. 1 ENGINE - DO A CHECK OF THE DRAIN VALVE (IN-SITU INSPECTION ONLY) OF INSTALLATION AND LEAKAGE							Service ATA:73
	MOS	21-Sep-26						
	HRS	7370.6	300 (+10%/-10%)					
	ENC	5044						
								PKG:0
PROC. REF: EMM 73-10-06PROC. REF: EMM 73-10-06								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731090	NO. 1 ENGINE - FUEL CONTROL UNIT							Component ATA:73
PN:8063-044A	MOS	22-Feb-16		TSO 0				OVERHAUL
SN:14431204	HRS	5373.7	3500 (+500)	TSO 0	(8873.7) 8873.7	9373.7	1503.1 (+500)	
	ENC	4084		TSO 0				
PROC. REF: EMM 73-20-00	PROC. REF: EMM 73-20-00							
731091 S	NO. 1 ENGINE - DO A CHECK OF THE FLOW DIVIDER (IN-SITU INSPECTION ONLY) FOR INSTALLATION AND LEAKAGE							Service ATA:73
	MOS	21-Sep-26						
	HRS	7370.6	300 (+10%/-10%)					
	ENC	5044						
								PKG:0
PROC. REF: EMM 73-10-04	PROC. REF: EMM 73-10-04							
731095	NO. 1 ENGINE - FUEL CONTROL UNIT (FCU) BELLOWS							Component ATA:73
PN:8063-044A	MOS	19-Jul-16		TSN 0				LIFE LIMIT
SN:14431204	HRS	5511.9	4000	TSN 0	(9511.9) 9511.9		2141.3	
	ENC	4149		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
731100	NO. 1 ENGINE - CLEAN P3 FILTER							Service ATA:73
	MOS	26-Jul-24						
	HRS	7207	300 (+10%/-10%)		(7507) 7507	7537	136.4 (+30)	
	ENC	4952						
PROC. REF: EMM 73-10-07	PROC. REF: EMM 73-10-07							
731150 S	NO. 1 ENGINE - CHECK OUTLET FILTER FOR FOREIGN MATTER OR DISTORTION							Service ATA:73
	MOS	21-Sep-26						
	HRS	7370.6	300 (+10%/-10%)					
	ENC	5044						
								PKG:0
PROC. REF: EMM 73-10-02	PROC. REF: EMM 73-10-02							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
731155	NO. 1 ENGINE - FUEL PUMP OUTLET FILTER							Component ATA:73
PN:PN	MOS/MSC	18-Sep-25	H/T					
SN:UNKNOWN	HRS	7302						
	ENC	5011						
PROC. REF: EMM 73-10-02PROC. REF: EMM 73-10-02								
732020 S	NO. 1 ENGINE - CHECK FCU FOR INSTALLATION, LINKAGES AND PNEUMATIC LINES							Service ATA:73
	MOS	21-Sep-26						
	HRS	7370.6	300 (+10%/-10%)					
	ENC	5044						
								PKG:0
PROC. REF: EMM 73-20-00PROC. REF: EMM 73-20-00								
733020	NO. 1 ENGINE - REPLACE P3 FILTER							Service ATA:73
	MOS	27-May-22						
	HRS	6688.5	900 (+10%/-10%)		(7588.5) 7588.5	7678.5	217.9 (+90)	
	ENC	4717						
PROC. REF: EMM 73-10-07PROC. REF: EMM 73-10-07								
733070	NO. 1 ENGINE - CLEAN AND INSPECT P3 FILTER DRAIN VALVE HOUSING ASSEMBLY							Service ATA:73
	MOS	18-Sep-25						
	HRS	7302	300 (+10%/-10%)		(7602) 7602	7632	231.4 (+30)	
	ENC	5011						
PROC. REF: EMM 73-10-07, EMM 73-10-07PROC. REF: EMM 73-10-07, EMM 73-10-07								
ATA 74 - IGNITION								
74-00/288 S	OPERATIONAL TEST IGNITION SYSTEM							Service ATA:74
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-74-00-00-00A-903A-APROC. REF: AMM 12-A-74-00-00-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
740010	NO. 1 ENGINE - IGNITION EXCITER							Component ATA:74
PN:10-381550-4	MOS	07-Sep-18		TSO 0				OVERHAUL
SN:R25451DKTTA	HRS	5925.7	3500 (+500)	TSO 0	(9425.7) 9425.7	9925.7	2055.1 (+500)	
	ENC	4393		TSO 0				
PROC. REF: EMM 74-10-00	PROC. REF: EMM 74-10-00							
740015	NO. 1 ENGINE - CHECK IGNITION EXCITER FOR INSTALLATION AND CONDITION							Service ATA:74
	MOS	26-Jul-24						
	HRS	7207	400 (+10%/-10%)		(7607) 7607	7647	236.4 (+40)	
	ENC	4952						
PROC. REF: EMM 74-10-00	PROC. REF: EMM 74-10-00							
740020	NO. 1 ENGINE - 4 O'CLOCK IGNITER PLUG							Component ATA:74
PN:34055	MOS/MSC	26-Jul-24	O/C	TSN 0				
SN:UNKNOWN	HRS	7207		TSN 0				
	ENC	4952		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							
740025	NO. 1 ENGINE - CHECK SPARK IGNITERS FOR CLEANLINESS AND EROSION. CHECK FUNCTION							Service ATA:74
	MOS	26-Jul-24						
	HRS	7207	400 (+10%/-10%)		(7607) 7607	7647	236.4 (+40)	
	ENC	4952						
PROC. REF: EMM 74-20-00	PROC. REF: EMM 74-20-00							
740040	NO. 1 ENGINE - 9 O'CLOCK IGNITER PLUG							Component ATA:74
PN:34055	MOS/MSC	26-Jul-24	O/C	TSN 0				
SN:UNKNOWN	HRS	7207		TSN 0				
	ENC	4952		TSN 0				
PROC. REF: GENERIC NO REF	PROC. REF: GENERIC NO REF							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 74 - IGNITION								
742010	NO. 1 ENGINE - CHECK IGNITION CABLES FOR CHAFING, WEAR AND INSTALLATION							Service ATA:74
	MOS	26-Jul-24						
	HRS	7207	400 (+10%/-10%)		(7607) 7607	7647	236.4 (+40)	
	ENC	4952						
PROC. REF: EMM 74-20-00PROC. REF: EMM 74-20-00								
ATA 75 - AIR								
750010	NO. 1 ENGINE - COMPRESSOR BLEED VALVE							Component ATA:75
PN:3059835-01	MOS	22-Feb-16		TSO 0				OVERHAUL
SN:AHX004141	HRS	5373.7	3500 (+500)	TSO 0	(8873.7) 8873.7	9373.7	1503.1 (+500)	
	ENC	4084		TSO 0				
PROC. REF: EMM 75-30-00PROC. REF: EMM 75-30-00								
ATA 76 - ENGINE CONTROLS								
76-00/210 S	EXAMINE ENGINE CONTROLS IN ENGINE COMPARTMENT							Service ATA:76
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						
								PKG:19
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
76-00/211 S	MAKE SURE BETA SLIP RING CARBON BLOCK GAP IS NOT MORE THAN 0.01IN (0.25MM)							Service ATA:76
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
76-00/212 S	OPERATIONAL TEST COCKPIT CONTROL QUADRANT-CAUTION-DO NOT MOVE PCL INTO THE REVERSE RANGE- PCL- MOVE BETWEEN IDLE AND MAX AND MAKE SURE MOVEMENT FULL AND FREE. CONDITION LEVER- DO THE OPERATIONAL TEST. MANUAL OVERRIDE LEVER- MOVE BETWEEN OFF AND MAX AND MAKE SURE MOVEMENT IS FULL AND FREE.							Service ATA:76
	MOS	18-Sep-25						
	HRS	7302	300 (+10%/-10%)					
	AFL	5011						
								PKG:16
PROC. REF: AMM 12-A-76-10-00-00A-903A-APROC. REF: AMM 12-A-76-10-00-00A-903A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
76-00/303 S		OPERATIONAL TEST COCKPIT CONTROL QUADRANT POWER CONTROL - OPERATIONAL TEST. MANUAL OVERRIDE						Service ATA:76
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: AMM 12-A-76-10-00-00A-903A-A, AMM 12-A-76-20-00-00A-903A-APROC. REF: AMM 12-A-76-10-00-00A-903A-A, AMM 12-A-76-20-00-00A-903A-A								
76-00/304 S		EXAMINE COCKPIT CONTROL QUADRANT						Service ATA:76
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
76-10/117		FUNCTIONAL TEST PROPELLER FEATHERING MICROSWITCHES						Service ATA:76
	MOS	21-Sep-26	12 (+1m/-1m)		30-Sep-27	21-Oct-27	335 d (+21)	
	HRS	7370.6	3000 (+10%/-10%)		10370.6	10670.6	3000 (+300)	
WC#: 76.010	AFL	5044						
PROC. REF: AMM 12-A-76-10-02-00A-903A-APROC. REF: AMM 12-A-76-10-02-00A-903A-A								
760015		MANUAL OVERRIDE CABLE ASSY.						Component ATA:76
PN:941.94.11.417	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:20050050	HRS	0		TSN 0				
WC#: 76.020	AFL	0		TSN 0				
PROC. REF: AMM 12-A-76-20-04-00A-920A-APROC. REF: AMM 12-A-76-20-04-00A-920A-A								
760020		CONDITION CABLE ASSY.						Component ATA:76
PN:941.94.11.418	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:20050057	HRS	0		TSN 0				
WC#: 76.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
760025	POWER CONTROL CABLE ASSY.							Component ATA:76
PN:941.94.11.419	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:20050051	HRS	0		TSN 0				
WC#: 76.040	AFL	0		TSN 0				
PROC. REF: AMM 12-A-76-10-04-00A-920A-APROC. REF: AMM 12-A-76-10-04-00A-920A-A								
761011	NO. 1 ENGINE - DEPENDING ON OPERATING CONDITIONS AND ENVIRONMENT, EXAMINE LINKAGES AT REGULAR INTERVALS							Service ATA:76
	MOS	18-Sep-25						
	HRS	7302	300 (+10%/-10%)		(7602) 7602	7632	231.4 (+30)	
	ENC	5011						
PROC. REF: EMM 72-00-00PROC. REF: EMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
77-00/213 S	OPERATIONAL TEST ENGINE INSTRUMENT SYSTEM							Service ATA:77
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-77-40-00-00A-903A-A, AMM 12-A-77-40-00-00A-903B-A, AMM 12-A-77-40-00-00A-903C-APROC. REF: AMM 12-A-77-40-00-00A-903A-A, AMM 12-A-77-40-00-00A-903B-A, AMM 12-A-77-40-00-00A-903C-A								
770005	TRQ,IPT-51DFP-1000-70D TRANSDUCER							Component ATA:77
PN:975.21.15.206	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:6955-7-101	HRS	0		TSN 0				
WC#: 77.010	AFL	0		TSN 0				
PROC. REF: AMM 12-A-77-40-03-00A-920A-APROC. REF: AMM 12-A-77-40-03-00A-920A-A								
770010	DIFFERENTIAL PRESSURE,PDCR130/35WL/C TRANSDUCER							Component ATA:77
PN:975.21.15.212	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:2175892	HRS	0		TSN 0				
WC#: 77.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
770020	ACQ/DISPLAY UNIT							Component ATA:77
PN:975.29.02.017	MOS/MSC	15-Sep-14	O/C					
SN:452	HRS	4928.3						
WC#: 77.020	AFL	3823						
PROC. REF: AMM 12-A-77-40-04-00A-920A-A, AMM 12-A-77-40-04-00A-920B-APROC. REF: AMM 12-A-77-40-04-00A-920A-A, AMM 12-A-77-40-04-00A-920B-A								
ATA 78 - EXHAUST								
78-00/214 S	EXAMINE EXHAUST STUBS							Service ATA:78
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-00/215 S	EXAMINE OIL FILLER CAP/DIPSTICK. ENERGIZE AIRCRAFT ELECTRICAL SYSTEM. REMOVE FILLER CAP, EXAMINE AND MAKE SURE THE SEAL IS IN GOOD CONDITION. SET AND HOLD AIR/GROUND SWITCH TO GROUND AND MAKE SURE AFTER 60 SECONDS THE CAWS OIL QTY CAPTION COMES ON. INSTALL FILLER CAP AND MAKE SURE THE LOCKING MECHANISM OPERATES CORRECTLY.							Service ATA:79
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	600 (+10%/-10%)					
	AFL	5044						
								PKG:19
PROC. REF: AMM 12-A-24-00-00-00A-901A-APROC. REF: AMM 12-A-24-00-00-00A-901A-A								
79-20/289 S	EXAMINE ENGINE OIL COOLER MAKE SURE OUTLET DOOR HAS FULL AND FREE MOVEMENT							Service ATA:79
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	1200 (+10%/-10%)					
	AFL	5044						
								PKG:20
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
79-20/290 S	OPERATIONAL TEST OIL SYSTEM CHIP DETECTOR INDICATION SYSTEM							Service ATA:79
	MOS	21-Sep-26	12 (+10%/-10%)					
	HRS	7370.6	300 (+10%/-10%)					
	AFL	5044						
								PKG:17
PROC. REF: AMM 12-A-79-30-01-00A-903A-APROC. REF: AMM 12-A-79-30-01-00A-903A-A								
79-20/43	OIL COOLER							Component ATA:79
PN:8180-2	MOS	02-Mar-16		TSO 0				OVERHAUL
SN:T0393	HRS	5373.7	3500 (+10%/-10%)	TSO 0	8873.7	9223.7	1503.1 (+350)	
WC#: 79.010	AFL	4084		TSO 0				
PROC. REF: AMM 12-A-79-20-02-00A-920A-APROC. REF: AMM 12-A-79-20-02-00A-920A-A								
790005	TEMPERATURE BULB							Component ATA:79
PN:975.11.20.101	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:127740	HRS	0		TSN 0				
WC#: 79.020	AFL	0		TSN 0				
PROC. REF: AMM 12-A-79-30-03-00A-920A-APROC. REF: AMM 12-A-79-30-03-00A-920A-A								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
790020	PRESSURE,GAGE SWITCH							Component ATA:79
PN:973.81.14.305	MOS/MSC	14-Feb-12	O/C					
SN:1123	HRS	3730.3						
WC#: 79.030	AFL	2930						
PROC. REF: AMM 12-A-79-30-04-00A-920A-APROC. REF: AMM 12-A-79-30-04-00A-920A-A								
790021	NO. 1 ENGINE - SERVICING OF OIL SYSTEM							Service ATA:79
	MOS/MSC	24-Nov-05	A/R					DISCARD
	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
790025	THERMAL ACTUATOR							Component ATA:79
PN:978.73.01.002	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:0751	HRS	0		TSN 0				
WC#: 79.040	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
790030	POWER ODM,B049913 MODULE							Component ATA:79
PN:975.21.15.240	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:35745	HRS	0		TSN 0				
WC#: 79.050	AFL	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
790031	NO. 1 ENGINE - CHECK MAGNETIC CHIP DETECTOR							Service ATA:79
	MOS	21-Sep-26	12 (+30d)		30-Sep-27	21-Oct-27	335 d (+21)	
	HRS	7370.6	300 (+10%)		(7670.6) 7670.6	7700.6	300 (+30)	
	ENC	5044						
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02								
790040	NO. 1 ENGINE - BRIDGE CHECK MAGNETIC CHIP DETECTOR							Service ATA:79
	MOS	21-Sep-26	12 (+30d)		30-Sep-27	21-Oct-27	335 d (+21)	
	HRS	7370.6	600 (+10%)		(7970.6) 7970.6	8030.6	600 (+60)	
	ENC	5044						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02								
790050	NO. 1 ENGINE - REPLACE OIL FILTER ELEMENT							Service ATA:79
	MOS	26-Jul-24						
	HRS	7207	900 (+10%/-10%)		(8107) 8107	8197	736.4 (+90)	
	ENC	4952						
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02								
790060	NO. 1 ENGINE - INSPECT CLEAN OIL FILTER ELEMENT AND SECONDARY SCREEN							Service ATA:79
	MOS	18-Sep-25						
	HRS	7302	300		(7602) 7602		231.4	
	ENC	5011						
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02								
790070	NO. 1 ENGINE - CHECK SCAVENGE OIL PUMP INLET SCREEN							Service ATA:79
	MOS	18-Sep-25						
	HRS	7302	1000 (+10%/-10%)		(8302) 8302	8402	931.4 (+100)	
	ENC	5011						
PROC. REF: EMM 72-60-00PROC. REF: EMM 72-60-00								
790080	NO. 1 ENGINE - PERFORM AN OIL SAMPLE							Service ATA:79
	MOS	21-Sep-26						
	HRS	7370.6	150 (+10%/-10%)		(7520.6) 7520.6	7535.6	150 (+15)	
	ENC	5044						
PROC. REF: EMM 79-20-02PROC. REF: EMM 79-20-02								
790091 S	NO. 1 ENGINE - INSPECT FUEL AND OIL LINES FOR LEAKS							Service ATA:79
	MOS	21-Sep-26						
	HRS	7370.6	300 (+10%/-10%)					
	ENC	5044						
								PKG:0
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
790093 S	NO. 1 ENGINE - CHECK SCAVENGE OIL PUMP HOUSING FOR LEAKS							Service ATA:79
	MOS	21-Sep-26						
	HRS	7370.6	300 (+10%/-10%)					
	ENC	5044						
								PKG:0
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
792020	NO. 1 ENGINE - THERMOSTATIC BYPASS CHECK VALVE							Component ATA:79
PN:3038242	MOS/MSC	22-Feb-16	O/C	TSO 0				
SN:WV010516	HRS	5373.7		TSO 0				
	ENC	4084		TSO 0				
PROC. REF: EMM 79-20-03PROC. REF: EMM 79-20-03								
792030	NO. 1 ENGINE - OIL PRESSURE TRANSDUCER							Component ATA:79
PN:975.21.15.214	MOS/MSC	24-Nov-05	O/C	TSN 0				
SN:6806-10-146	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

© CAMP SYSTEMS