PERSONAL FINANCE AND BUDGET PLANNING SYSTEM USING RULE-BASED REASONING

A Project Report

Submitted in partial fulfillment of the requirements for the course

DISCRETE MATHEMATICS

Submitted By:	[Student Name]
Roll No.:	[Roll No.]
Branch:	Computer Science and Engineering
Semester:	3rd / 4th Semester (2nd Year B.Tech)

Submitted To:

Department of Computer Science and Engineering

National Institute of Technology, Jamshedpur

Academic Year: 2026–2027

Certificate

This is to certify that the project entitled **"Personal Finance and Budget Planning System Using Rule-Based Reasoning"** has been successfully completed by **[Student Name]** (Roll No.: **[Roll No.]**) of the Department of Computer Science and Engineering as a part of the academic requirements for the course **Discrete Mathematics**.

The project demonstrates the application of concepts from Discrete Mathematics, including propositional logic, predicate logic, sets, relations, functions, logical implication, inference rules, and rule-based decision making.

The work presented in this report is carried out by the student under my guidance and supervision.

Faculty Signature:	**Date:**
Faculty Name:	
Department of CSE	Department of CSE
NIT Jamshedpur	NIT Jamshedpur

Declaration

I hereby declare that the project entitled **"Personal Finance and Budget Planning System Using Rule-Based Reasoning"** is my original academic work prepared for the course **Discrete Mathematics**.

The project applies mathematical and logical concepts to develop a system capable of analyzing personal financial information and generating budget recommendations using predefined logical rules.

All concepts, examples, calculations, and logical formulations included in this report have been prepared for academic purposes.

Name: [Student Name]
Roll No.: [Roll No.]

Signature:
Date:

Acknowledgement

I would like to express my sincere gratitude to my faculty member for providing me with the opportunity to work on the project **"Personal Finance and Budget Planning System Using Rule-Based Reasoning."**

This project helped me understand how concepts from Discrete Mathematics can be applied to a practical real-world problem. In particular, the project provided an opportunity to study propositional logic, predicate logic, sets, relations, functions, implication, inference rules, and decision-making systems.

I am also thankful to my classmates, friends, and family for their support and encouragement during the preparation of this project.

Finally, I would like to thank the Department of Computer Science and Engineering, National Institute of Technology, Jamshedpur, for providing the academic environment and resources required to complete this work.

[Student Name]
Roll No.: [Roll No.]
Branch: Computer Science and Engineering
National Institute of Technology, Jamshedpur

Abstract

Managing personal finances is an important task that requires proper planning of income, expenses, savings, investments, and financial goals. Many individuals find it difficult to determine whether their spending patterns are healthy and what changes should be made to improve their financial condition.

This project presents a **Personal Finance and Budget Planning System** based on **Rule-Based Reasoning**. The system accepts financial information such as monthly income, essential expenses, non-essential expenses, savings, debt payments, and financial goals. Based on this information, the system evaluates a collection of predefined financial rules and generates suitable recommendations.

The main objective of the project is to demonstrate the practical application of Discrete Mathematics in financial decision-making. Propositional logic is used to represent financial conditions, predicate logic is used to describe properties of users and expenses, sets are used to classify expenses, relations are used to represent connections between users, expenses, categories, and recommendations, and functions are used to map financial categories to budget allocations.

Keywords: Discrete Mathematics, Personal Finance, Budget Planning, Rule-Based Reasoning, Propositional Logic, Predicate Logic, Sets, Relations, Functions.

Contents

Certificate ii

Declaration iii

Acknowledgement iv

Abstract v

1 Introduction 1

2 Problem Statement 1

3 Objectives 1

4 Scope of the System 2

5 Existing System and Limitations 3

6 Proposed System 3

7 System Architecture 4

8 Financial Data Representation 4

9 Discrete Mathematics Concepts Used 5

10 Propositional Logic 5

11 Predicate Logic 6

12 Logical Operators and Truth Tables 6

13 Financial Rules and Implication 7

14 Rule-Based Reasoning Engine 7

15 Inference Mechanism 8

16 Sets in Personal Finance 9

17 Relations in Personal Finance 9

18 Functions in Budget Planning 9

19 Decision-Making Rules 10

20 Sample Budget Calculation 10

21 Worked Example of Rule-Based Reasoning 11

22 Algorithm and Flowchart **12**

23 Expected Results and System Output **13**

24 Advantages, Limitations and Future Scope **13**
24.1 Advantages 13
24.2 Limitations 14
24.3 Future Scope 14

25 Conclusion **14**

References **14**

1 Introduction

Personal finance refers to the management of an individual's income, expenditure, savings, debt, investments, and financial goals. Effective financial planning helps individuals maintain financial stability and prepare for future requirements. However, people often make financial decisions without a systematic method for evaluating their spending behavior.

The proposed system addresses this issue by combining personal finance with rule-based reasoning. Instead of simply recording transactions, the system evaluates financial conditions and produces explainable recommendations.

The project is particularly relevant to Discrete Mathematics because financial conditions can be represented using logical propositions and predicates. These propositions can be combined using AND, OR, NOT, implication, and other logical operators. A collection of such logical rules can then be evaluated to derive conclusions.

For example, if monthly expenses exceed 70% of monthly income, the system may conclude that the user is overspending. If savings are below 20% of income, the system may recommend increasing savings. Such decisions can be represented mathematically and processed systematically.

2 Problem Statement

Many personal finance applications focus primarily on recording income and expenses. Although transaction tracking is useful, users may still have difficulty understanding what their financial data means.

The problem addressed in this project is to design a system that takes financial information as input and applies a set of logical financial rules to generate personalized budget recommendations.

The system should determine whether a user is overspending, saving sufficiently, carrying excessive debt, spending too much in a particular category, or maintaining a healthy financial balance.

The system should also provide explainable conclusions. For example, instead of simply displaying *"Poor Financial Health"*, it should identify the rule responsible for the conclusion, such as *"Savings are below 20% of monthly income."*

Thus, the project workflow can be expressed as:

$$\textbf{Financial Data} \longrightarrow \textbf{Logical Conditions} \longrightarrow \textbf{Rule Evaluation} \longrightarrow \textbf{Inference} \longrightarrow \textbf{Financial Recommendation}$$

3 Objectives

The major objectives of the proposed system are:

1. To represent personal financial information in a structured form.
2. To classify expenses into meaningful categories.

3. To apply propositional and predicate logic to financial conditions.
4. To develop a collection of financial decision rules.
5. To implement a rule-based reasoning mechanism.
6. To generate personalized budget recommendations.
7. To identify overspending and insufficient savings.
8. To identify excessive debt burden.
9. To demonstrate the use of sets, relations, and functions in a real-world application.
10. To provide explainable financial decisions based on predefined rules.

The academic objective is to demonstrate that concepts from Discrete Mathematics are not restricted to theoretical problems. They can also be used in practical systems that perform classification, reasoning, and decision-making.

4 Scope of the System

The system can be used by students, working professionals, families, and other individuals who want to monitor their monthly financial condition.

The system considers income, expenses, savings, debt, and financial goals. Expenses can be divided into essential and non-essential categories. The system can calculate expense ratios and savings ratios and compare them with predefined thresholds.

The system can provide recommendations such as:

- Reduce discretionary spending.
- Increase monthly savings.
- Control entertainment expenses.
- Reduce unnecessary shopping.
- Build an emergency fund.
- Review debt repayment.
- Maintain the current budget.

The current project focuses on rule-based reasoning rather than automatic investment advice. The recommendations are educational and based on predefined logical rules.

5 Existing System and Limitations

Traditional budgeting methods generally use notebooks, spreadsheets, calculators, or simple expense-tracking applications. These methods can store financial information, but they may not provide systematic reasoning.

Major limitations include:

1. Manual calculations may cause errors.
2. Users may not know appropriate spending limits.
3. Basic trackers do not explain why a recommendation is generated.
4. Financial categories may not be analyzed logically.
5. Users may fail to recognize patterns in spending.
6. Decisions are often made without explicit rules.

The proposed system improves upon these limitations by introducing a rule base and inference mechanism. Every recommendation can be connected to one or more logical conditions, making the system transparent and explainable.

6 Proposed System

The proposed Personal Finance and Budget Planning System consists of five major components:

1. **Input Module:** Collects income, expenses, savings, debt payments, and financial goals.
2. **Financial Data Processor:** Calculates quantities such as total expenses, savings percentage, debt-to-income ratio, and category percentages.
3. **Rule Base:** Contains predefined financial rules.
4. **Inference Engine:** Checks which rules are satisfied.
5. **Recommendation Module:** Converts the conclusions into understandable financial advice.

The complete pipeline execution is:

$$\textbf{User Input} \longrightarrow \textbf{Data Processing} \longrightarrow \textbf{Logical Evaluation} \longrightarrow \textbf{Rule Matching} \longrightarrow \textbf{Inference} \longrightarrow \textbf{Recommendation}$$




Figure 1: System Architecture Flowchart.

7 System Architecture

The architecture of the proposed system is organized as follows:

The input layer collects raw financial information. The calculation layer derives useful quantities. The rule base stores financial conditions and their conclusions. The inference engine evaluates these conditions. Finally, the recommendation generator communicates the results to the user.

This architecture separates data processing from reasoning, making the system easier to modify and extend.

8 Financial Data Representation

Let a user's financial profile be represented by the tuple:

$$U = \{I, E, S, D, G\} \tag{1}$$

where:

- $I =$ Monthly net income
- $E =$ Total monthly expenses
- $S =$ Monthly savings
- $D =$ Monthly debt payment
- $G =$ Financial goals

Let total expenses be partitioned as:

$$E = E_{\text{essential}} + E_{\text{non-essential}} \tag{2}$$

Savings can be calculated as:

$$S = I - E \tag{3}$$

Derived mathematical ratios used by the reasoning system:

$$\text{Savings\%} = \left(\frac{S}{I}\right) \times 100 \tag{4}$$

$$\text{Expense\%} = \left(\frac{E}{I}\right) \times 100 \tag{5}$$

$$\text{Debt-to-Income (DTI)\%} = \left(\frac{D}{I}\right) \times 100 \tag{6}$$

These derived values become inputs to the rule-based reasoning system.

9 Discrete Mathematics Concepts Used

The project directly implements several important concepts from Discrete Mathematics:

1. **Propositional Logic:** Represents statements such as *"expenses exceed 70% of income."*
2. **Predicate Logic:** Represents properties of users, expenses, and financial states.
3. **Logical Operators:** AND ($\wedge$), OR ($\vee$), NOT ($\neg$), and Implication ($\implies$) combine conditions.
4. **Sets:** Classify financial categories into disjoint partitions.
5. **Relations:** Represent connections between users, categories, expenses, and recommendations.
6. **Functions:** Map categories to budgets and financial states to recommendations.
7. **Inference Rules:** Derive conclusions from known conditions via forward-chaining.
8. **Truth Tables:** Verify combinations of logical conditions.

These concepts form the rigorous mathematical foundation of the entire system.

10 Propositional Logic

A proposition is a declarative statement that is either true or false. Consider the following propositions:

- P: Monthly expenses are greater than 70% of income ($E > 0.70 \times I$).
- Q: Monthly savings are less than 20% of income ($S < 0.20 \times I$).
- R: Debt payment is greater than 30% of income ($D > 0.30 \times I$).

Each proposition evaluates to a specific truth value (T or F).

Evaluation Example: If Income $= 50,000$ and Expenses $= 40,000$:

$$\text{Expense\%} = \left(\frac{40,000}{50,000}\right) \times 100 = 80\% \tag{7}$$

Since $80\% > 70\%$, proposition P is **TRUE**.

If Savings $= 6,000$:

$$\text{Savings\%} = \left(\frac{6,000}{50,000}\right) \times 100 = 12\% \tag{8}$$

Since $12\% < 20\%$, proposition Q is **TRUE**.

The system can then fire implication rules such as:

$$P \implies \text{Overspending} \tag{9}$$

$$Q \implies \text{Increase Savings} \tag{10}$$

11 Predicate Logic

Predicate logic extends propositional logic by introducing variables and quantifiers, allowing rules to generalize over all users in the system.

Let x represent a user. We define the following predicates:

$$\begin{aligned}
\text{HighExpense}(x) &\equiv \text{Expense}(x) > 0.70 \times \text{Income}(x) \\
\text{LowSaving}(x) &\equiv \text{Saving}(x) < 0.20 \times \text{Income}(x) \\
\text{HighDebt}(x) &\equiv \text{Debt}(x) > 0.30 \times \text{Income}(x) \\
\text{Stable}(x) &\equiv (\text{Saving}(x) \geq 0.20 \times \text{Income}(x)) \wedge (\text{Expense}(x) \leq 0.70 \times \text{Income}(x))
\end{aligned}$$

Using universal quantification:

$$\forall x \, [\text{HighExpense}(x) \implies \text{Overspending}(x)] \tag{11}$$

This denotes that for every user x, if the user's expenses exceed 70% of income, the system classifies the user as overspending. Predicate logic makes the rules general rather than restricting them to one particular individual.

12 Logical Operators and Truth Tables

The major logical operators used in the reasoning engine are:

- **AND ($\wedge$):** Both conditions must be true.
- **OR ($\vee$):** At least one condition must be true.
- **NOT ($\neg$):** Reverses the truth value.
- **IMPLICATION ($\implies$):** If the premise holds, the consequent must follow.

For example, let:

- $P \equiv$ Savings $\geq 20\%$ of income
- $Q \equiv$ Expenses $\leq 70\%$ of income
- Financially Stable $\equiv P \wedge Q$

P	Q	$P \wedge Q$ (**Financially Stable**)
T	T	**T**
T	F	F
F	T	F
F	F	F

Table 1: Truth Table for Financial Stability ($P \wedge Q$).

Thus, financial stability is concluded if and only if both conditions are satisfied simultaneously.

13 Financial Rules and Implication

The system stores a collection of IF-THEN rules represented as logical implications (Condition $\implies$ Conclusion):

- **R1:** IF expenses $> 70\%$ of income $\implies$ Classify as Overspending.
- **R2:** IF savings $< 20\%$ of income $\implies$ Recommend increasing savings.
- **R3:** IF entertainment $> 10\%$ of income $\implies$ Recommend reducing entertainment expenditure.
- **R4:** IF debt payment $> 30\%$ of income $\implies$ Classify debt burden as high.
- **R5:** IF savings $\geq 20\%$ AND expenses $\leq 70\%$ $\implies$ Classify as Financially Stable.
- **R6:** IF emergency fund < 3 months of expenses $\implies$ Recommend building an emergency fund
- **R7:** IF food expense $> 20\%$ of income $\implies$ Recommend reviewing food expenditure.
- **R8:** IF shopping expense $> 10\%$ of income $\implies$ Recommend reducing shopping expenditure.

14 Rule-Based Reasoning Engine

A rule-based reasoning system consists of a set of active facts and a collection of IF-THEN rules. Facts are obtained directly from user inputs.

Example Evaluation: Let the working facts be:

- Income $= 50,000$
- Expenses $= 40,000$
- Savings $= 10,000$
- Debt $= 8,000$

The engine derives:

$$\begin{aligned} \text{Expense\%} &= (40,000/50,000) \times 100 = 80\% \\ \text{Savings\%} &= (10,000/50,000) \times 100 = 20\% \\ \text{Debt\%} &= (8,000/50,000) \times 100 = 16\% \end{aligned}$$

Rule evaluation proceeds as follows:

- **R1 condition:** $80\% > 70\% \implies$ **TRUE**. R1 fires $\implies$ *Overspending*.
- **R2 condition:** $20\% < 20\% \implies$ **FALSE**. R2 does not fire.
- **R5 condition:** Savings $\geq 20\% \wedge$ Expenses $\leq 70\% \implies$ TRUE $\wedge$ FALSE $\implies$ **FALSE**.

Thus, the system accurately detects an overspending risk even though the nominal savings percentage is 20%.

15 Inference Mechanism

The system primarily uses **Forward Chaining**. Forward chaining begins with known facts and applies rules whose conditions are satisfied, inferring new facts that trigger further rules.

Forward Chaining Trace:

- **Fact 1:** Expense% $= 80\%$
- **Fact 2:** Saving% $= 15\%$
- **Rule Evaluation:** IF Expense% $> 70\% \implies$ Overspending.
- Since $80\% > 70\%$, the rule fires $\implies$ **Derived Fact 3:** Overspending $=$ TRUE.
- **Subsequent Rule:** IF Overspending $=$ TRUE $\implies$ Reduce discretionary spending.

Therefore, the inference sequence is:

$$\text{Expense\%} > 70\% \implies \text{Overspending} \implies \text{Reduce discretionary spending} \tag{12}$$

This demonstrates how multiple logical conclusions are generated sequentially from initial numerical facts.

16 Sets in Personal Finance

Sets are used to classify categories rigorously. Let the universe of monthly expenses be:

$$E = \{\text{Food}, \text{Rent}, \text{Transport}, \text{Healthcare}, \text{Utilities}, \text{Entertainment}, \text{Shopping}, \text{Travel}\} \tag{13}$$

We define the subset of essential expenses A and non-essential expenses B:

$$A = \{\text{Food}, \text{Rent}, \text{Transport}, \text{Healthcare}, \text{Utilities}\} \tag{14}$$

$$B = \{\text{Entertainment}, \text{Shopping}, \text{Travel}\} \tag{15}$$

These subsets form a formal partition of E:

$$A \cap B = \emptyset \quad \text{and} \quad A \cup B = E \tag{16}$$

If a user incurs expenses across a specific subset $U = \{\text{Food}, \text{Rent}, \text{Shopping}, \text{Travel}\}$, set operations isolate essential and non-essential expenditures:

$$U \cap A = \{\text{Food}, \text{Rent}\} \quad (\text{Essential Sub-budget}) \tag{17}$$

$$U \cap B = \{\text{Shopping}, \text{Travel}\} \quad (\text{Discretionary Sub-budget}) \tag{18}$$

17 Relations in Personal Finance

A mathematical relation represents an association between elements of two sets. Let:

- $C =$ Set of expense categories
- $R =$ Set of recommendations

A category-recommendation relation $Rel \subseteq C \times R$ is defined as:

$$Rel = \{(\text{Food}, \text{Reduce Food Expense}), (\text{Entertainment}, \text{Reduce Entertainment}), (\text{Shopping}, \text{Reduce Sh} \tag{19}$$

Similarly, a condition-state relation maps diagnostic thresholds to financial states:

$$\begin{aligned} \text{HighExpense} &\longrightarrow \text{Overspending} \\ \text{LowSaving} &\longrightarrow \text{Savings Concern} \\ \text{HighDebt} &\longrightarrow \text{High Debt Burden} \end{aligned}$$

Relations provide a formal method of associating financial behaviors with decisions.

18 Functions in Budget Planning

A function maps every element in a domain set to exactly one element in a codomain set.

Let $C = \{\text{Food}, \text{Rent}, \text{Transport}, \text{Entertainment}\}$ and let M represent the set of monetary values in INR. We define the allocation function:

$$\text{Budget} : C \longrightarrow M \tag{20}$$

where:

$$\begin{aligned} \text{Budget}(\text{Food}) &= 8,000 \\ \text{Budget}(\text{Rent}) &= 15,000 \\ \text{Budget}(\text{Transport}) &= 5,000 \\ \text{Budget}(\text{Entertainment}) &= 3,000 \end{aligned}$$

Similarly, we define a recommendation mapping function $\text{Rec} : \text{State} \longrightarrow \text{Advice}$:

$$\begin{aligned} \text{Rec}(\text{Overspending}) &= \text{"Reduce discretionary expenses"} \\ \text{Rec}(\text{LowSaving}) &= \text{"Increase monthly savings"} \\ \text{Rec}(\text{Stable}) &= \text{"Maintain current budget"} \end{aligned}$$

19 Decision-Making Rules

The formal rule set deployed in the system knowledge base is specified as follows:

- **R1:** Expense% $> 70\%$ $\implies$ Overspending
- **R2:** Saving% $< 20\%$ $\implies$ Low Savings
- **R3:** Entertainment% $> 10\%$ $\implies$ High Entertainment Spending
- **R4:** Shopping% $> 10\%$ $\implies$ High Shopping Spending
- **R5:** Debt% $> 30\%$ $\implies$ High Debt Burden
- **R6:** Emergency Fund $< 3 \times$ Monthly Expenses $\implies$ Emergency Fund Required
- **R7:** Saving% $\geq 20\% \wedge$ Expense% $\leq 70\%$ $\implies$ Financially Stable
- **R8:** Expense% $\leq 50\%$ $\implies$ Excellent Expense Control
- **R9:** Saving% $\geq 30\%$ $\implies$ Strong Savings
- **R10:** Debt% $\leq 10\%$ $\implies$ Low Debt Burden

Separating rules from code allows threshold modifications without rewriting the inference engine.

20 Sample Budget Calculation

Consider a user with the following monthly financial inputs:

- Income $= 50,000$
- Rent $= 15,000$, Food $= 8,000$, Transport $= 5,000$
- Entertainment $= 7,000$, Shopping $= 3,000$, Other $= 2,000$

Computations:

$$E = 15,000 + 8,000 + 5,000 + 7,000 + 3,000 + 2,000 = 40,000 \tag{21}$$

$$S = 50,000 - 40,000 = 10,000 \tag{22}$$

$$\text{Expense\%} = \left(\frac{40,000}{50,000}\right) \times 100 = 80\% \tag{23}$$

$$\text{Savings\%} = \left(\frac{10,000}{50,000}\right) \times 100 = 20\% \tag{24}$$

Rule Evaluation:

- **R1:** $80\% > 70\% \implies$ **TRUE** $\implies$ **Overspending**.
- **R2:** $20\% < 20\% \implies$ **FALSE**.

The primary generated recommendation is to reduce non-essential expenses.

21 Worked Example of Rule-Based Reasoning

Consider a comprehensive user profile:

- Income $= 60,000$
- Expenses $= 36,000$
- Savings $= 24,000$
- Entertainment $= 8,000$
- Debt $= 12,000$

Financial Ratios:

$$\begin{aligned}
\text{Expense\%} &= (36,000/60,000) \times 100 = 60\% \\
\text{Savings\%} &= (24,000/60,000) \times 100 = 40\% \\
\text{Entertainment\%} &= (8,000/60,000) \times 100 = 13.33\% \\
\text{Debt\%} &= (12,000/60,000) \times 100 = 20\%
\end{aligned}$$

Rule Set Evaluation:

- **R1 (**$60\% > 70\%$**):** FALSE.
- **R2 (**$40\% < 20\%$**):** FALSE.
- **R3 (**$13.33\% > 10\%$**): TRUE** $\implies$ *High Entertainment Spending*.
- **R5 (**$20\% > 30\%$**):** FALSE.
- **R7 (**$40\% \geq 20\% \wedge 60\% \leq 70\%$**): TRUE** $\implies$ *Financially Stable*.
- **R9 (**$40\% \geq 30\%$**): TRUE** $\implies$ *Strong Savings*.

Conclusions Generated:

- User is **Financially Stable**.
- User has **Strong Savings** performance.
- **Action Required:** Review and moderate entertainment spending.

This worked example demonstrates that multiple rules can fire concurrently to yield nuanced advice.

22 Algorithm and Flowchart

Algorithm: Rule-Based Budget Analysis

- **Step 1:** Start.
- **Step 2:** Read monthly income (I).
- **Step 3:** Read expenses for each category ($c \in C$).
- **Step 4:** Calculate total expenses ($E = \sum c$).
- **Step 5:** Calculate savings ($S = I - E$).
- **Step 6:** Calculate expense percentage ($(E/I) \times 100$).
- **Step 7:** Calculate savings percentage ($(S/I) \times 100$).
- **Step 8:** Calculate debt percentage ($(D/I) \times 100$).
- **Step 9:** Evaluate each financial rule ($R_1, R_2, \ldots, R_n$).
- **Step 10:** Store all rules whose antecedents are satisfied in the conflict set.
- **Step 11:** Generate corresponding conclusions.
- **Step 12:** Generate tailored recommendations.
- **Step 13:** Display financial summary and budget plan.
- **Step 14:** Stop.




Figure 2: System Execution Flow.

23 Expected Results and System Output

The system provides users with an explainable diagnostic summary:

Metric	Calculated Value
Monthly Income	Rs. 50,000
Total Expenses	Rs. 40,000
Monthly Savings	Rs. 10,000
Expense Ratio	80%
Savings Ratio	20%
Financial Status	**OVERSPENDING**
Triggered Rule	**R1 (Expenses exceed 70% of income)**

Table 2: System Output Summary.

Generated Recommendations:

1. Reduce discretionary spending immediately.
2. Review entertainment and recreational expenses.
3. Review shopping and apparel expenses.
4. Attempt to bring total monthly expenses below the 70% threshold.

Every recommendation traces back to an activated rule, ensuring transparency.

24 Advantages, Limitations and Future Scope

24.1 Advantages

1. **Simple Decision Mechanism:** Logic rules are direct and easily auditable.
2. **Explainable Output:** Every output points to its underlying rule antecedent.
3. **Mathematical Rigor:** Employs formal discrete structures rather than heuristic guesses.
4. **Modularity:** Rules can be modified without altering the inference engine.
5. **Simultaneous Issue Detection:** Capable of catching debt, overspending, and savings shortfalls concurrently.

6. **Category-Wise Granularity:** Evaluates individual expense categories against thresholds.

24.2 Limitations

1. Depends strictly on predefined rules and fixed thresholds.
2. Does not predict future macroeconomic or stock market conditions.
3. Rigid thresholds may not suit every regional cost-of-living index.
4. Does not replace certified personal wealth management advice.
5. Erroneous user inputs directly propagate to erroneous outputs.

24.3 Future Scope

Future enhancements could integrate:

- **Machine Learning & Adaptive Rules:** Dynamically tuning thresholds based on historical habits.
- **Automated Bank SMS Parsing:** Automatically categorizing expenses into set partitions.
- **Graphical Dashboards:** Interactive visual representations of expense sets and state transitions.
- **Fuzzy Logic Systems:** Handling boundary conditions (e.g., 69.8% vs 70.1%) smoothly.

25 Conclusion

The Personal Finance and Budget Planning System demonstrates how Discrete Mathematics can be applied to solve a practical financial decision-making problem. The system uses propositions, predicates, sets, relations, functions, implication, and inference rules to represent and analyze personal financial information.

The rule-based reasoning approach provides a simple and explainable mechanism for generating recommendations. Instead of treating financial management as only a numerical problem, the project models it as a logical decision-making problem.

The project demonstrates that concepts from Discrete Mathematics are directly applicable to real-world software systems. In particular, logical inference allows the system to transform financial facts into meaningful conclusions and recommendations.

References

[1] Kenneth H. Rosen, *Discrete Mathematics and Its Applications*, McGraw-Hill.

[2] Susanna S. Epp, *Discrete Mathematics with Applications*, Cengage Learning.

[3] Standard Personal Finance and Budgeting Literature, Principles of Financial Planning.

[4] Classroom Lecture Notes and Curriculum Material for Discrete Mathematics, Department of CSE, NIT Jamshedpur.

[5] Academic Literature and Documentation on Rule-Based Expert Systems and Knowledge Engineering.