DAY 06 • STUDENT ACTIVITIES

Alert Triage and Ticketing

Assessing alerts against pre-identified criteria and issuing a ticket upon confirmation of detection

Qualification	Cyber Threat Monitoring Level I
Unit of Competency	CS-ICT251101 Monitor and Report Cyber Threats
Coverage	Element 1 Check for alerts: Performance Criteria 1.4–1.5; Range of Variables: Pre-identified criteria (Threat, Detection, Routine); Required Knowledge 1.6 Log and detection management, 1.8 Security solution management application, 1.9 Security solution severity classifications, 1.11 Knowledge of attack framework
Duration	8 hours (1 training day)

Trainee Name	Batch / Section	Date

Activities Overview

No.	Activity	Type	Time	Assets Needed
6.1	Assess Alerts Against Pre-identified Criteria	Individual (hands-on)	75 min	soc_triage_sop.txt, alert_details.csv, asset_inventory.csv (lab: ~/day6); alert_queue.csv (~/day5)
6.2	True Positive, False Positive or Routine?	Individual (hands-on)	60 min	borderline_alerts.csv, change_calendar.txt, asset_inventory.csv (lab: ~/day6)
6.3	Issue the Ticket	Individual (hands-on)	45 min	ticket_template.txt (~/day6); alert_queue.csv, incident_reports.txt (~/day5)
6.4	Triage Your Own Alerts	Individual (hands-on)	45 min	CTM Virtual Lab: your WKS-LAB workstation (day6\my_alerts.csv)

CAUTION — Lab Rules

- Work only on the lab machines, virtual machines and files provided by your trainer.
- Never scan, probe or test any system outside the authorized training network.
- Treat all sample logs and data as confidential, as if they belonged to a real client.
- Tickets are records: write facts, never passwords or unnecessary personal data.

Activity 6.1 — Assess Alerts Against Pre-identified Criteria

Type	Individual (hands-on)
Time Allotment	75 min
Objective	Assess every alert of the Day 5 queue with SOC-SOP-02: routine, detection, threat, asset tier, priority and ticket.
Assets / Materials	assets/soc_triage_sop.txt; assets/alert_details.csv; assets/asset_inventory.csv (CTM Virtual Lab: ~/day6/); Day 5 alert_queue.csv

Instructions

1. Read SOC-SOP-02 STEPS 1–5 (grep -A22 "^STEP 1" ~/day6/soc_triage_sop.txt).
2. Read what really happened in each alert: Import-Csv day6\alert_details.csv | Format-Table alert_id, affected_asset, result
3. Check the routine list first. Then decide the detection (Confirmed, Blocked, False positive) and the threat level.
4. Look up the tier of the AFFECTED asset in asset_inventory.csv and read the priority from the matrix.
5. Mark which alerts need a ticket, and count the tickets: one per incident (rule T2).

Work Space

Alert	Detection	Threat / Tier	Priority	Ticket?
Q-5001				
Q-5002				
Q-5003				
Q-5004				
Q-5005				
Q-5006				
Q-5007				
Q-5008				
Q-5009				
Q-5010				
Q-5011				
Q-5012				
Q-5013				

Number of tickets	

Alerts linked to the FIN-PC-03 ticket	
Why Q-5012 is routine	

Deliverable

Completed assessment table (worksheet in your CTM Virtual Lab notebook).

Performance Criteria (Trainer Use)

Criteria	Yes	No
Applied the routine list before judging the alert	☐	☐
Assessed detection and threat from the evidence, including red flags	☐	☐
Used the affected asset's tier and the matrix for the priority	☐	☐
Opened one ticket per incident (four in total)	☐	☐

Activity 6.2 — True Positive, False Positive or Routine?

Type	Individual (hands-on)
Time Allotment	60 min
Objective	Use evidence (change calendar, asset inventory, routine list) to decide whether a borderline alert is real.
Assets / Materials	assets/borderline_alerts.csv; assets/change_calendar.txt; assets/asset_inventory.csv (CTM Virtual Lab: ~/day6/)

Instructions

1. Read the eight alerts in full: Import-Csv day6\borderline_alerts.csv | Format-List alert_id, rule_name, host, user, details
2. Read the change calendar. Only APPROVED changes count, and only for the same host, person and time window (RT5).
3. Look up every IP address in the asset inventory (grep <IP> ~/day6/asset_inventory.csv).
4. Decide: Confirmed (true positive), False positive or Routine, and write the evidence or RT code.
5. Mark the tickets, and find the incident from Activity 6.1 that B-04 belongs to.

Work Space

Alert	Verdict	Evidence / RT Code	Ticket?	Notes
B-01				
B-02				
B-03				
B-04				
B-05				
B-06				
B-07				
B-08				

B-04 belongs to (alert / why)	
Why CHG-2209 does not make B-04 routine	
B-06 priority	

Deliverable

Completed verdict table (worksheet in your CTM Virtual Lab notebook).

Performance Criteria (Trainer Use)

Criteria	Yes	No
Identified the three routine and three false positive alerts with evidence	☐	☐
Confirmed B-04 and B-06 and opened tickets only for them	☐	☐
Rejected the pending change as a routine explanation	☐	☐

Activity 6.3 — Issue the Ticket

Type	Individual (hands-on)
Time Allotment	45 min
Objective	Issue a complete incident ticket upon confirmation of detection, linking every related alert and report (PC 1.5).
Assets / Materials	assets/ticket_template.txt (CTM Virtual Lab: ~/day6/); Day 5 alert_queue.csv and incident_reports.txt (~/day5/)

Instructions

1. Read the ticket template: cat ~/day6/ticket_template.txt
2. Collect every alert about FIN-PC-03: grep FIN-PC-03 ~/day5/alert_queue.csv, then grep FIN-PC-03 ~/day6/alert_details.csv
3. Find the report from the user: grep -A9 "REPORT IR-01" ~/day5/incident_reports.txt
4. Look up the asset: Import-Csv day6\asset_inventory.csv | Where-Object host -eq FIN-PC-03 | Format-List
5. Fill in every field of ticket INC-20261105-101 with facts, not guesses.

Work Space

Ticket ID	INC-20261105-101
Title	
Linked alerts and reports	
Affected asset (host, role, tier)	
Category / Priority	
Evidence	
Actions taken	
Assigned to / Status	

Deliverable

Completed incident ticket (worksheet in your CTM Virtual Lab notebook).

Performance Criteria (Trainer Use)

Criteria	Yes	No
Linked all alerts and the report about the incident	☐	☐
Correct category, priority (P1) and assignment (Shift Lead)	☐	☐
Evidence and actions are specific facts; no passwords or unnecessary personal data	☐	☐

Activity 6.4 — Triage Your Own Alerts

Type	Individual (hands-on)
Time Allotment	45 min
Objective	Assess the five alerts raised on your own lab workstation and decide which need a ticket.
Assets / Materials	CTM Virtual Lab: your WKS-LAB workstation (C:\Users\<you>\day6\my_alerts.csv); asset_inventory.csv

Instructions

1. List your alerts: Import-Csv day6\my_alerts.csv | Format-Table alert_id, source, rule_name
2. Read every detail: Import-Csv day6\my_alerts.csv | Format-List alert_id, time, rule_name, details
3. Your workstation is Tier 2 (Import-Csv day6\asset_inventory.csv | Where-Object host -like "WKS-LAB*").
4. Assess each alert with SOC-SOP-02, then count the tickets (all five alerts are on the same workstation: rule T2).
5. Every seat has different alerts, so your answers will not match your classmates'.

Work Space

Alert	Detection	Priority	Ticket?	Reason / RT Code
Alert 1				
Alert 2				
Alert 3				
Alert 4				
Alert 5				

Number of tickets	
Alert to handle first	

Deliverable

Completed triage of your own alerts (worksheet in your CTM Virtual Lab notebook).

Performance Criteria (Trainer Use)

Criteria	Yes	No
Correct detection for all five alerts	☐	☐
Correct priorities from the Tier 2 column	☐	☐
One ticket for the confirmed incident	☐	☐

Self-Check

A. Multiple Choice

Encircle the letter of the best answer.

1. The three pre-identified criteria in the Competency Standards are:
    a) Threat, detection and routine
    b) Speed, cost and quality
    c) Source, port and protocol
    d) Low, medium and high
2. A trojan was quarantined on download and never ran. Its detection is:
    a) Confirmed
    b) Blocked
    c) False positive
    d) Routine
3. A confirmed High threat on a Tier 1 server has priority:
    a) P1
    b) P2
    c) P3
    d) P4
4. A ticket is issued when:
    a) Any alert arrives
    b) The detection is confirmed
    c) The vendor severity is Critical
    d) The Shift Lead is busy
5. Three alerts and one phone report are all about the same infected PC. You open:
    a) Four tickets
    b) Three tickets
    c) One ticket with all four linked
    d) No ticket

B. True or False

Write TRUE if the statement is correct, FALSE if it is not.

No.	Statement	Answer
1	The routine list is checked before anything else.	
2	A pending (not yet approved) change makes an alert routine.	
3	For a firewall alert about an internal PC, the tier of the PC is used.	
4	A Level I analyst closes the incident ticket after opening it.	

C. Short Answer

1. Give one example of a false positive and the evidence that proves it is false.

2. Why does a red flag count as Confirmed even when one of its steps was blocked?

Reflection

What was the most important thing you learned today, and how will you apply it in a Security Operations Center?

Trainer Sign-off

Overall Result	Trainer Remarks	Trainer Signature / Date
☐ Competent		
☐ Not Yet Competent		