

OVERLAY MATCHTIMER
STATS PERFORM

05 JUL 2026

1.0.0

TABLE OF CONTENTS

1 GENERAL INFORMATION 3
1.1 REVISION HISTORY 3
1.2 GLOSSARY OF TERMS & ABBREVIATIONS 3
2 STARTING THE DASHBOARD APPLICATION 4
2.1 LOCATING AND OPENING THE FILE 4
3 LOADING LOCAL VIDEO FILES (TIER 12) 6
3.1 MANAGING SETUP PANEL VISIBILITY 6
3.2 USING THE "CHOOSE FILE" INPUT 7
4 MATCH CLOCK SYNCHRONIZATION 9
4.1 FINDING THE KICK-OFF FRAME 9
4.2 SELECTING THE MATCH HALF 9
4.3 CALIBRATING THE CLOCK ("SET KICK-OFF TIME") 10
4.4 WIPING SESSION CACHE AND RESETTING (THE RED "X" BUTTON) 11
5 ADVANCED MATCH NAVIGATION & CONTROLS 12
5.1 THE DRAGGABLE & AUTO-HIDING CONTROL PANEL 12
5.2 DYNAMIC MATCH PERIOD BOOKMARKING & QUICK-JUMPING 13
5.3 KEYBOARD SHORTCUTS QUICK-REFERENCE (HOTKEYS) 14
5.4 HUD INTERACTIVE TIMELINE JUMPING 14
5.5 SHUTTLEXPRESS HARDWARE INTEGRATION (COLLABORATIVE REVIEW CONTROL) 15
6 WORKING WITH ONLINE STREAMS 18
6.1 EXTRACTING AND LOADING URLS FROM XEATRE 18
6.2 EXTRACTING AND LOADING URLS FROM EXAMINO 20
6.3 INSTALLING AND ACTIVATING THE EXTENSION FOR INPLAY 22
7 TROUBLESHOOTING 25
8 APPENDIX 26
8.1 TABLE OF TABLES 26
8.2 TABLE OF FIGURES 26

DISCLAIMER

This document and any attachments hereto may contain proprietary and confidential information (“Confidential Information”) of Stats Perform. Such Confidential Information is valuable, confidential and proprietary information of Stats Perform, constitutes trade secrets of Stats Perform and notwithstanding disclosure herein, such Confidential Information remains the exclusive property of Stats Perform and should not be used or disclosed for any reason.

1 GENERAL INFORMATION

1.1 REVISION HISTORY

REVISION	INFORMATION	AUTHOR	REFERENCE DATE
1.0.0	Guideline creation	Vasco Oliveira	05/JUL/2026

TABLE 1 - REVISION HISTORY

1.2 GLOSSARY OF TERMS & ABBREVIATIONS

TERM/ABBREVIATION	DESCRIPTION
Overlay MatchTimer	Local video analysis and timer synchronization tool
Shuttle Xpress	USB controller used for video playback control and navigation
HUD	Heads-Up Display showing the synchronized timer overlay

TABLE 2 - TERMS AND ABBREVIATIONS

2 STARTING THE DASHBOARD APPLICATION

Overlay MatchTimer runs locally on your computer to provide stable video playback and accurate clock synchronization. Before loading any match stream, you must launch the local file.

2.1 LOCATING AND OPENING THE FILE

Open your local file explorer and navigate to the directory where the tool repository was deployed.

1) Locate the core application file named “OverlayMatchTimer”.




FIGURE 1 - APPLICATION FILE IN LOCAL DIRECTORY

2) Double-click the “OverlayMatchTimer” file. It will automatically launch as a new tab inside your browser.




FIGURE 2 - LAUNCHED DASHBOARD APP INTERFACE

Note: Overlay MatchTimer works with multiple web browsers. However, Google Chrome is the browser used during development and testing, and is therefore the recommended browser.

3 LOADING LOCAL VIDEO FILES (TIER 12)

For Tier 12 matches and games without an on-screen transmission timer, analysts can load offline video files directly using the built-in file picker. This method runs locally and does not require copying file paths or changing browser permissions.

3.1 MANAGING SETUP PANEL VISIBILITY

All input configurations and clock synchronization tools are managed inside the Setup Panel (located on the left side of the window).




FIGURE 3 - SETUP PANEL OVERVIEW

Default State: When you open the HTML dashboard app, the Setup Panel is automatically open and visible.

Opening the Panel: If the Setup Panel has been closed, click the Settings Gear Icon (⚙) on the left side of the bottom floating Control Panel to display it again.




FIGURE 4 - CONTROL PANEL SETTINGS BUTTON

Closing the Panel: Once your video is loaded and your match timer parameters are configured, click the Close (X) Button in the top-right corner of the setup panel.

3.2 USING THE "CHOOSE FILE" INPUT

To load your match media into the ecosystem:

Ensure the Setup Panel is open and locate section 1A. LOAD LOCAL VIDEO.

1) Click the Choose File button.




FIGURE 5 - NATIVE LOCAL VIDEO FILE PICKER

Your operating system's file explorer window will open automatically.

Navigate to your match video file. You can select a file from:

Local PC Drive (Highly Recommended): Moving the file directly to your computer's drive provides optimal performance with zero buffer lag.

NAS Network Storage: You can select the file directly from the office shared network NAS folder.

2) Select the video and click Open or double-click the video. The file will load into the dashboard player canvas.




FIGURE 6 - OPENING VIDEO FILE

4 MATCH CLOCK SYNCHRONIZATION

Once the video file is successfully loaded onto the dashboard canvas, you must calibrate the running match clock. This process establishes an absolute time anchor, ensuring your tactical analysis is synced to the match timeline.

4.1 FINDING THE KICK-OFF FRAME

1) Use the timeline slider, the control panel buttons, or the shortcuts to navigate through the video.

2) Locate the exact kick-off frame.

Note: This follows the exact same operational workflow as anchoring a kick-off inside the SoccerClient PMT tool.

3) Pause the video precisely on that kick-off frame.

4.2 SELECTING THE MATCH HALF

Before saving the synchronization anchor, you must specify which period of the match you are calibrating.

4) In the Setup Panel, navigate to section 2. MATCH HALF.

Click the dropdown menu to select the active period:




FIGURE 7 - MATCH HALF PERIOD DROPDOWN

1st Half: Select this for the start of the match. The timer will begin running exactly at 00:00.

2nd Half: Select this for the second half. The timer will begin running exactly at 45:00.

Custom 1: Starts at 90:00 by default. Use this for Extra-Time periods or edit the input manually to 40:00 for specific youth/academy matches where halves are shorter.

Custom 2: Starts at 105:00 by default. Designed for the second period of Extra-Time.

Note: Both Custom 1 and Custom 2 options are fully editable, allowing you to type in any starting minute required by the competition guidelines.

4.3 CALIBRATING THE CLOCK ("SET KICK-OFF TIME")

Section 3. WHISTLE TIME (HR : MIN : SEC) offers three distinct calibration workflows depending on your live environment:




FIGURE 8 - WHISTLE TIME CALIBRATION SECTION

Method A: Standard Automated Calibration (Zero Offset)
Pause the video on the exact kick-off frame, leave the Whistle Time input boxes completely empty (at 0), and click the bright green SET KICK-OFF TIME button. The HUD overlay will instantly capture this frame as your 00:00 baseline reference point.

Method B: Manual Calibration & Micro-Adjustments (Offset Fine-Tuning)
If you notice that your running overlay clock is slightly misaligned (e.g., running 2 seconds late compared to SoccerClient), you do not need to clear everything and start over. You can manually edit the offset values into the HR : MIN : SEC boxes and click the SET KICK-OFF TIME button after changing the values.

Example: If an anchor at 1 minute and 6 seconds into the video needs adjustment, you can manually edit the input to 0 - 1 - 8. This forces the timer to sync its starting minute parameter precisely to the 8-second mark of the video instead.




FIGURE 9 - MANUAL CLOCK OFFSET ADJUSTMENT

Method C: Remote Collaborative Synchronization
When coordinating workflows where the home team analyst has already completed the official timeline setup, they can share their exact anchor parameters with the away team analyst. The away analyst simply types those shared parameters directly into the HR : MIN : SEC field inputs and clicks SET KICK-OFF TIME. This ensures both analysts operate on perfectly mirrored timelines down to the exact same second.

4.4 WIPING SESSION CACHE AND RESETTING (THE RED "X" BUTTON)

The small Red "X" Button located to the right of the SET KICK-OFF TIME bar serves two vital purposes:



FIGURE 10 - RESET SYNCHRONIZATION BUTTON

Accidental Click Correction: If you calibrate the clock on an incorrect video frame or choose the wrong half, click the red X to clear the active anchor data and re-calibrate.

Data Persistence & New Game Clears (F5 Protection): To protect your work against unexpected disruptions, the tool automatically caches your active match parameters inside the browser session. If you refresh the page (F5), your synchronized clock remains completely safe. However, when you start working on a completely new match, the browser will still hold the cached timer data from the previous game. Clicking the Red "X" Button is mandatory at the start of a new session to flush the entire browser storage clean and reset all internal master clocks back to zero.

5 ADVANCED MATCH NAVIGATION & CONTROLS

The navigation controls are designed to match the workflows used in VLC Media Player and Xeatre, reducing the learning curve for existing analysts.

5.1 THE DRAGGABLE & AUTO-HIDING CONTROL PANEL

The floating Control Panel at the bottom of the video canvas provides access to the main playback controls. It includes two features designed to improve usability during live and post-match workflows.

Fully Draggable Interface: The entire panel is floating. You can click, hold, and drag the Control Panel to move it to any area of the screen.

2.5-Second Auto-Hide Feature: To guarantee a completely unobstructed view of the pitch during playback, the Control Panel automatically fades away after 2.5 seconds of mouse inactivity. It reappears the moment you move your cursor.



FIGURE 11 - CONTROL PANEL

As shown in FIGURE 11, the interface features a balanced, symmetrical button matrix layout:

1) System Settings & Speed (Top-Left): Houses the Settings Gear (⚙) to call up the setup panel when needed, alongside the Playback Speed Dropdown (e.g., 1.00x).
2) Audio & Screen Controls (Top-Right): Features an immediate mute toggle button, a fluid volume slider track, and the Fullscreen window expander icon.

Symmetrical Scrubbing Matrix (Bottom Row):

3) *2m / 10s / 2s (Left Controls): Macro-rewind actions to jump backward by 2 minutes, 10 seconds, or 2 seconds.*
4) *|< (Frame Step Left): Steps the video frame-by-frame backward for point-of-contact or offside checks.*
5) *▶ Play / ⏸ Pause: Core engine playback toggle button.*
6) *>| (Frame Step Right): Steps the video frame-by-frame forward.*

7) *2s / 10s / 2m (Right Controls): Macro-forward actions to jump ahead by 2 seconds, 10 seconds, or 2 minutes.*

5.2 DYNAMIC MATCH PERIOD BOOKMARKING & QUICK-JUMPING

The timeline track features an automated, color-coded bookmarking engine. Instead of crowding the interface, buttons and reference lines appear dynamically only after an analyst completes the calibration for that specific period.

The Anchoring Workflow: When you first load a match, the timeline track is entirely clean. Once you pause on the 1st half kick-off and click SET KICK-OFF TIME, the green ⚽ 1st badge and a matching green vertical line instantly appear on the timeline.




FIGURE 12 - CONTROL PANEL WITH FULLY SYNCHRONIZED MATCH PERIODS

Subsequent Periods: When the first half ends, you simply change the dropdown in the Setup Panel to 2nd Half or the Custom periods and hit SET KICK-OFF TIME again on the new kick-off frame.

Color-Coded Visual Matrix: Each period maps to its own distinct visual identity across both the badge and the timeline track tick:

1st Half: Green (⚽ 1st)

2nd Half: Red (⚽ 2nd)

Custom 1 (C1): Orange (⚽ C1)

Custom 2 (C2): Purple (⚽ C2)

Instant Timeline Quick-Jumping: These dynamic badges double as interactive hot-buttons. If you are deep into analyzing the second half or a custom period and need to immediately review or verify a baseline event, simply click directly on any active badge (e.g., ⚽ 2nd). The video player will instantly jump to the exact kick-off frame anchored for that specific period.

5.3 KEYBOARD SHORTCUTS QUICK-REFERENCE (HOTKEYS)

To achieve maximum operational speed eliminating mouse dependency during long tracking sessions, the hotkey layout replicates standard professional analysis standards:

COMMAND	KEYBOARD SHORTCUT	OPERATIONAL FUNCTION
Play / Pause	Space	Toggles video playback state instantly.
Skip ±2s	← / → (Left / Right Arrows)	Short tactical review jumps.
Skip ±10s	Shift + → / Shift + ←	Medium-range skips over standard out-of-play phases.
Skip ±2m	Ctrl + → / Ctrl + ←	Long-range macro skips directly across dead-time periods.
Frame by Frame	↑ / ↓ (Up / Down Arrows)	Surgical frame-by-frame scrubbing (accurate to 0.04 seconds).
Speed ±	Z / C	Steps playback speed down (Slower) or up (Faster) dynamically.
Speed 1.0x	X	Instant override to reset back to standard 1.0x playback speed.
Hide/Show Controls	H	Manually toggles the visibility of the Control Panel to clear your field of view.

TABLE 3 - KEYBOARD SHORTCUTS

5.4 HUD INTERACTIVE TIMELINE JUMPING

Instead of dragging the standard video seek bar back and forth, the Overlay MatchTimer features an interactive HUD layer that allows you to target any exact minute.

1) Move your cursor to the top-left corner of the video stream and click directly on the digital Match Timer overlay.

2) Type the exact match minute you wish to review.



FIGURE 13 - CHANGING MINUTE THROUGH HUD TIMER

3) Press Enter on your keyboard OR click anywhere inside the video canvas area. The video player will instantly jump to that requested match minute.



FIGURE 14 - OVERLAY AFTER CHANGING MINUTE THROUGH HUD TIMER

5.5 SHUTTLEXPRESS HARDWARE INTEGRATION (COLLABORATIVE REVIEW CONTROL)

In a standard live match environment, workstations are split between at least two analysts (Home and Away team). While the lower-middle screen displays the live match feed, the upper-middle monitor is dedicated to replaying and dissecting controversial events.
For Tier 12 or non-GVN games, video control on this upper monitor was traditionally locked to the Home analyst's PC, meaning the Away analyst could not control the upper-middle video like in GVN.
Built with native support for the Contour ShuttleXpress USB device via the WebHID API, a single physical controller can be connected to the Home PC, placed centrally on the desk, and used by both analysts to execute hands-on, tactile control of video playback without ever touching a keyboard or mouse.



FIGURE 15 - SHUTTLEXPRESS HARDWARE

Activation & Pairing Workflow To bridge the physical controller with your browser dashboard session, execute the following configuration steps:

1) Physically connect the ShuttleXpress controller via USB into the Home analyst's computer. Place the physical device in the center zone of the desk layout so it is comfortably within reach of both analysts.

2) Open the dashboard Setup Panel by clicking the Settings Gear ( ).

Locate the Enable ShuttleXpress toggle switch positioned right above the internal Shortcuts menu box.



FIGURE 16 - SHUTTLEXPRESS TOGGLE SWITCH

3) Click the toggle switch to slide it to the ON position.

A native browser permission pop-up dialog window will drop down from the top-left address bar area.




FIGURE 17 - SHUTTLEXPRESS POPUP

4) Select the detected ShuttleXpress device listing from the pop-up menu. Click the Connect (or Pair) button.




FIGURE 18 - SHUTTLEXPRESS CONNECT

Once active, the controller's layout provides immediate tactile mappings corresponding to standard physical scrubbing workflows:

HARDWARE CONTROL	ASSIGNED ACTION	OPERATIONAL BEHAVIOR
Inner Jog Wheel	Frame-by-Frame Navigation	Moves backward or forward by exactly ±0.04s per click. Automatically pauses the video upon engagement.
Outer Shuttle Ring	Variable-Speed Scrubbing	Continuous visual scrubbing. Supports 7 dynamic speed steps in either direction: 0.2x, 0.5x, 1.0x, 2.0x, 4.0x, 8.0x, and 16.0x.
Button 1 (Far Left)	Long Macro Rewind	Jumps backward by exactly -2 minutes.
Button 2 (Left)	Medium Macro Rewind	Jumps backward by exactly -10 seconds.
Button 3 (Center)	Master Playback Toggle	Instantly toggles Play / Pause states.
Button 4 (Right)	Medium Macro Forward	Jumps forward by exactly +10 seconds.
Button 5 (Far Right)	Long Macro Forward	Jumps forward by exactly +2 minutes.

TABLE 4 - SHUTTLEXPRESS CONTROLS

6 WORKING WITH ONLINE STREAMS

This section details how to extract streaming video URLs from external platforms and load them directly into Section 1B of the Overlay MatchTimer. This integration is explicitly designed for matches that lack an on-screen transmission timer, or for games where analysts prefer to leverage the advanced review ecosystem of the Overlay MatchTimer such as dynamic period bookmarking and central ShuttleXpress hardware control.

6.1 EXTRACTING AND LOADING URLS FROM XEATRE

1) Authentication & Selection

Open Xeatre in your browser, log in to your analyst account, and locate the video of the match assigned.

2) Launching the DVR Player

Click the DVR button corresponding to the match, exactly as you would during a normal game. This will launch the platform's dedicated DVR stream in a separate pop-up window.



FIGURE 19 - OPEN XEATRE DVR POPUP

3) Capturing the Stream URL

Click directly on the address bar of the newly opened DVR pop-up window to highlight the complete URL string. Copy it to your clipboard (Ctrl + C).




FIGURE 20 - SELECT AND COPY XEATRE URL

4) Importing into Overlay MatchTimer

Switch back to your active Overlay MatchTimer dashboard tab. Locate Section 1B (External Video Source) on the left setup bar, paste the copied link into the text input field, and click the Load button.




FIGURE 21 - LOADING THE COPIED XEATRE URL

Once loaded, the stream can be used with all Overlay MatchTimer synchronization and navigation features.

6.2 EXTRACTING AND LOADING URLS FROM EXAMINO

Much like Xeatre, integrating a match from Examino allows analysts to process non-timer games or utilize the physical ShuttleXpress workflow within the Overlay MatchTimer dashboard. The extraction process follows a similar logic, requiring just a few additional menu navigation steps to capture the stream link:

1) Authentication & Match Selection

Open Examino in your browser, log in to your analyst account, and locate the video of the assigned match. Click on the match to launch the live stream pop-up window.

2) Opening the Player Menu

Inside the active live stream pop-up window, click on the three horizontal bars located on the top-left of the player interface.




FIGURE 22 - OPEN EXAMINO DVR POPUP

3) Copying the DVR URL

Switch over to the newly opened DVR pop-up window and click on the three horizontal bars menu icon inside this specific player overlay and click “Copy DVR url”.




FIGURE 23 - CLICK COPY DVR URL

4) Importing into Overlay MatchTimer

Return to your active Overlay MatchTimer dashboard tab. Go to Section 1B on the configuration panel, paste the copied link into the input text field, and click Load.




FIGURE 24 - PASTE THE URL INTO OVERLAY MATCHTIMER

6.3 INSTALLING AND ACTIVATING THE EXTENSION FOR INPLAY

Unlike Xeatre and Examino platforms, the Inplay integration requires a manual local installation of the browser extension in Developer Mode. This is highly beneficial for matches where Inplay is the only source, as it bypasses the platform's small, difficult-to-use native mouse controls. It fully unlocks the exact same keyboard shortcuts used in the local HTML app, alongside all other Overlay MatchTimer features. Once loaded from the local network storage (NAS), the extension will automatically inject the overlay directly into any active Inplay video review player.

1) Open Extension Management

Click on the three dots icon (More Actions) in the top-right corner of your browser toolbar. Navigate to Extensions and select Manage Extensions (alternatively, type chrome://extensions directly into your browser's address bar and press Enter).




FIGURE 25 - OPEN CHROME EXTENSIONS

2) Enable Developer Mode

Once on the Extensions management page, locate the Developer mode toggle switch in the top-right corner and switch it ON.




FIGURE 26 - ACTIVATE DEVELOPER MODE

3) Initiate Unpacked Loading

Click the Load unpacked button that appears in the top-left corner of the page. This action will launch your operating system's file explorer window.




FIGURE 27 - LOAD UNPACKED

4) Locate the Extracted Folder on your Computer

In your file explorer, navigate to the directory where you saved or extracted the project files (e.g., Downloads, Desktop, or a local folder). Locate and open the main folder named "OverlayMatchTimer-main". Inside it, select the folder named "Overlay-chrome-extension" and click Select Folder.




FIGURE 28 - SELECT THE EXTENSION FOLDER

5) Open the Inplay platform and navigate through your workflow normally.

The moment you open any video review session within Inplay, the browser extension will automatically inject the software. The Overlay MatchTimer will automatically appear and scale over the interface, matching the visual layout of your local HTML deployment.




FIGURE 29 - OPEN INPLAY

7 TROUBLESHOOTING

The following table lists the most common issues that may occur while using the Overlay MatchTimer, along with their most likely causes and recommended solutions.

PROBLEM	CAUSE	RECOMMENDED SOLUTION
Local video does not load	Unsupported, corrupted, or inaccessible video file	Verify that the video opens correctly in VLC Media Player. If necessary, copy the file to your local drive and load it again.
External stream fails to load	The DVR URL has expired or is no longer available	Return to Xeatre or Examino, obtain a new DVR URL, and paste it into the External Video Source field before clicking Load
Match timer is not synchronized	The incorrect kick-off frame was selected, or the wrong match half was configured	Click the red X button to clear the current synchronization, select the correct match half, and calibrate the timer again.
ShuttleXpress device is not detected	Browser permission was not granted, or the device has not been paired	Ensure the device is connected via USB, enable the ShuttleXpress toggle, and reconnect the device when the browser prompts for permission.
HUD timer jumps to the wrong match time	The current synchronization anchor is incorrect	Recalibrate the active match period using the correct kick-off frame before using the HUD jump feature.
Previous match synchronization is restored	Cached session data from the previous match is still stored	Click the red X button before starting a new match to clear all cached synchronization data.
No audio is heard during playback	The player is muted or the volume is set to zero	Verify that the mute button is disabled and adjust the volume slider as required.

TABLE 5 - TROUBLESHOOTING

Note: If an issue persists after following the recommended solution, close the application, reopen Overlay MatchTimer, and repeat the synchronization process. If the problem cannot be resolved, contact the development team.

8 APPENDIX

TABLE 1 - REVISION HISTORY 3
TABLE 2 - TERMS AND ABBREVIATIONS 3
TABLE 3 - KEYBOARD SHORTCUTS 14
TABLE 4 - SHUTTLEXPRESS CONTROLS 17
TABLE 5 - TROUBLESHOOTING 25

8.1 TABLE OF FIGURES

FIGURE 1 - APPLICATION FILE IN LOCAL DIRECTORY 4
FIGURE 2 - LAUNCHED DASHBOARD APP INTERFACE 5
FIGURE 3 - SETUP PANEL OVERVIEW 6
FIGURE 4 - CONTROL PANEL SETTINGS BUTTON 7
FIGURE 5 - NATIVE LOCAL VIDEO FILE PICKER 7
FIGURE 6 - OPENING VIDEO FILE 8
FIGURE 7 - MATCH HALF PERIOD DROPDOWN 9
FIGURE 8 - WHISTLE TIME CALIBRATION SECTION 10
FIGURE 9 - MANUAL CLOCK OFFSET ADJUSTMENT 11
FIGURE 10 - RESET SYNCHRONIZATION BUTTON 11
FIGURE 11 - CONTROL PANEL 12
FIGURE 12 - CONTROL PANEL WITH FULLY SYNCHRONIZED MATCH PERIODS 13
FIGURE 13 - CHANGING MINUTE THROUGH HUD TIMER 14
FIGURE 14 - OVERLAY AFTER CHANGING MINUTE THROUGH HUD TIMER 15
FIGURE 15 - SHUTTLEXPRESS HARDWARE 15
FIGURE 16 - SHUTTLEXPRESS TOGGLE SWITCH 16
FIGURE 17 - SHUTTLEXPRESS POPUP 16
FIGURE 18 - SHUTTLEXPRESS CONNECT 17
FIGURE 19 - OPEN XEATRE DVR POPUP 18
FIGURE 20 - SELECT AND COPY XEATRE URL 19
FIGURE 21 - LOADING THE COPIED XEATRE URL 19
FIGURE 22 - OPEN EXAMINO DVR POPUP 20
FIGURE 23 - CLICK COPY DVR URL 21
FIGURE 24 - PASTE THE URL INTO OVERLAY MATCHTIMER 21
FIGURE 25 - OPEN CHROME EXTENSIONS 22
FIGURE 26 - ACTIVATE DEVELOPER MODE 22
FIGURE 27 - LOAD UNPACKED 23
FIGURE 28 - SELECT THE EXTENSION FOLDER 23
FIGURE 29 - OPEN INPLAY 24