

	 2026 מחירון מקוצר			
Test Code	Test name and profile	Turnaround	Sample	מחיר בש"ח לא כולל מע"מ
			Cytology	
CYTO1	Fine Needle Aspirate Cytology	1 — 4 days	Air dried smears (clearly labelled with site)	₪ 551.00
CYTO2	Fine Needle Aspirate Cytology	1 — 4 days	Air dried smears (clearly labelled with site)	₪ 652.50
CYTO3	Fine Needle Aspirate Cytology	1 — 4 days	Air dried smears (clearly labelled with site)	₪ 794.60
CYTO4	Fine Needle Aspirate Cytology	1 — 4 days	Air dried smears (clearly labelled with site)	₪ 936.70
BCFLD	Body Cavity Fluid Cytology (Ascitic/Pericardial/Pleural) - 1 Fluid/Site Fluid analysis, culture & sensitivity, cytology (up to four slides/site). Please label each sample clearly with site/origin.	1 — 4 days	EDTA fluid + plain fluid + air dried smears	₪ 771.40
BCFLD2	Body Cavity Fluid Cytology (Ascitic/Pericardial/Pleural) - 2 Fluid/Site Fluid analysis, culture & sensitivity, cytology (up to four slides/site). Please label each sample clearly with site/origin.	1 — 4 days	EDTA fluid + plain fluid + air dried smears	₪ 872.90
BCFLD3	Body Cavity Fluid Cytology (Ascitic/Pericardial/Pleural) - 3 Fluid/Site Fluid analysis, culture & sensitivity, cytology (up to four slides/site). Please label each sample clearly with site/origin.	1 — 4 days	EDTA fluid + plain fluid + air dried smears	₪ 974.40
BCFLD4	Body Cavity Fluid Cytology (Ascitic/Pericardial/Pleural) - 4 Fluid/Site Fluid analysis, culture & sensitivity, cytology (up to four slides/site). Please label each sample clearly with site/origin.	1 — 4 days	EDTA fluid + plain fluid + air dried smears	₪ 1,075.90
BMEX	Bone Marrow Cytology Cytology on bone marrow smear. (submission of peripheral blood is essential for complete interpretation of the bone marrow and is included in this price)	2 — 3 days	1 mL EDTA peripheral blood + air dried smear + Bone Marrow smears + EDTA whole blood bone marrow fluid	₪ 797.50
BMEXH	Bone Marrow Cytology & Histology Cytology on bone marrow smear. (submission of peripheral blood is essential for complete interpretation of the bone marrow and is included in this price)	2 — 5 days	1 mL EDTA peripheral blood + air dried smear + Bone Marrow smears + EDTA whole blood bone marrow fluid + fixed bone marrow core biopsy tissue	₪ 1,339.80
CSF	Cerebro-spinal Fluid Cytology - 1 Fluid/Site Fluid analysis, culture & sensitivity, cytology	1 — 2 days	EDTA fluid + plain fluid + EDTA fixed fluid	₪ 754.00

CSF2	Cerebro-spinal Fluid Cytology - 2 Fluid/Site Fluid analysis, culture & sensitivity, cytology	1 — 2 days	EDTA fluid + plain fluid + EDTA fixed fluid	₺ 855.50
FCB	Flow cytometry (Blood)	2 — 3 days	3 mL EDTA	₺ 1,516.70
FCLNC	Flow cytometry (Lymph node Canine) Only sent Monday to Thursday. Samples should be taken before any Chemotherapy treatment is provided.	2 — 3 days	3 mL Lymph node aspirate in autologous serum	₺ 1,415.20
FCLNF	Flow cytometry (Lymph node Canine) Only sent Monday to Thursday. Samples should be taken before any Chemotherapy treatment is provided.	2 — 3 days	3 mL Lymph node aspirate in autologous serum	₺ 1,415.20
WASH	Flush/Wash/Cystic Fluid Cytology - 1 Fluid/Site Fluid analysis, culture & cytology (up to four slides/site) Note: Use for cytologic evaluation of aspirates of cystic fluids or of flushes or washes, such as bronchoalveolar lavage (BAL), transtracheal or endotracheal washes, prostatic washes, or nasal flushes. Please label each sample clearly with site/origin.	1 — 4 days	EDTA fluid + plain fluid + EDTA fixed fluid + Air dried smears	₺ 704.70
WASH2	Flush/Wash/Cystic Fluid Cytology - 2 Fluid/Site Fluid analysis, culture & cytology (up to four slides/site) Note: Use for cytologic evaluation of aspirates of cystic fluids or of flushes or washes, such as bronchoalveolar lavage (BAL), transtracheal or endotracheal washes, prostatic washes, or nasal flushes. Please label each sample clearly with site/origin.	1 — 4 days	EDTA fluid + plain fluid + EDTA fixed fluid + Air dried smears	₺ 806.20
WASH3	Flush/Wash/Cystic Fluid Cytology - 3 Fluid/Site Fluid analysis, culture & cytology (up to four slides/site) Note: Use for cytologic evaluation of aspirates of cystic fluids or of flushes or washes, such as bronchoalveolar lavage (BAL), transtracheal or endotracheal washes, prostatic washes, or nasal flushes. Please label each sample clearly with site/origin.	1 — 4 days	EDTA fluid + plain fluid + EDTA fixed fluid + Air dried smears	₺ 907.70
ICCU2	Immunocytochemistry - 2 markers Immunocytochemistry after prior cytologic evaluation. ICC is ordered based on the number of markers required. Please note that ICC for lymphoma requires two markers.	4 — 8 days	At least 2 air dried smears.	₺ 907.70
LNAS	Lymph Node Aspirate Cytology on lymph node aspirates. No limit to the number of lymph nodes	1 — 4 days	Air dried smears (clearly labelled with site)	₺ 693.10

LNCY1	Lymph Node Aspirates and Fine Needle Aspirates - 1 site Cytology on lymph node aspirates (unlimited slides) + cytology on aspirates from one additional site (up to four slides/site)	1 — 4 days	Air dried smears (clearly labelled with site)	₺ 835.20
LNCY2	Lymph Node Aspirates and Fine Needle Aspirates - 2 site Cytology on lymph node aspirates (unlimited slides) + cytology on aspirates from two additional site (up to four slides/site)	1 — 4 days	Air dried smears (clearly labelled with site)	₺ 936.70
LNCY3	Lymph Node Aspirates and Fine Needle Aspirates - 3 site Cytology on lymph node aspirates (unlimited slides) + cytology on aspirates from 3 additional site (up to four slides/site)	1 — 4 days	Air dried smears (clearly labelled with site)	₺ 1,038.20
SYNO	Synovial Fluid Cytology - 1 Joint Fluid analysis, culture & sensitivity, cytology (up to 4 slides/site)	1 — 4 days	Air dried smears + EDTA fluid + plain fluid	₺ 652.50
SYNO2	Synovial Fluid Cytology - 2 Joint Joint Fluid analysis, culture & sensitivity, cytology (up to 4 slides/site)	1 — 4 days	Air dried smears + EDTA fluid + plain fluid	₺ 754.00
SYNO3	Synovial Fluid Cytology - 3 Joint Joint Fluid analysis, culture & sensitivity, cytology (up to 4 slides/site)	1 — 4 days	Air dried smears + EDTA fluid + plain fluid	₺ 855.50
SYNO4	Synovial Fluid Cytology -4 Joint Joint Fluid analysis, culture & sensitivity, cytology (up to 4 slides/site)	1 — 4 days	Air dried smears + EDTA fluid + plain fluid	₺ 957.00
SYN2	Synovial Fluid Cytology with Extended Culture Includes fluid culture & sensitivity, extended culture through enrichment (blood culture media), fluid analysis, cytology (up to four slides)	1 — 4 days Extended culture takes up to 9 days	Air dried smears + EDTA fluid + plain fluid + fluid in blood culture media.	₺ 1,041.10
UCYT	Synovial Fluid Cytology with Extended Culture Includes fluid culture & sensitivity, extended culture through enrichment	1 — 4 days	EDTA fluid + EDTA Fixed fluid + Air dried smears	₺ 675.70
			Histology	
HIST1P	NEW Priority Histology - 1 Site/Lesion	36 hours from receipt of sample at laboratory	Fixed tissue	₺ 974.40
HIST2P	NEW Priority Histology -2 Site/Lesion	36 hours from receipt of sample at laboratory	Fixed tissue	₺ 1,052.70
HIST3P	NEW Priority Histology - 3 Site/Lesion	36 hours from receipt of sample at laboratory	Fixed tissue	₺ 1,197.70
HIST4P	NEW Priority Histology - 4 Site/Lesion	36 hours from receipt of sample at laboratory	Fixed tissue	₺ 1,342.70

HIST1	Histology - 1 Site/Lesion Excludes diffuse gastrointestinal or dermatological lesions, eyeballs, skeletal parts.	2 — 5 days	Fixed tissue	₪ 649.60
HIST2	Histology - 2 Site/Lesion Excludes diffuse gastrointestinal or dermatological lesions, eyeballs, skeletal parts.	2 — 5 days	Fixed tissue	₪ 727.90
HIST3	Histology - 3 Site/Lesion Excludes diffuse gastrointestinal or dermatological lesions, eyeballs, skeletal parts.	2 — 5 days	Fixed tissue	₪ 872.90
HIST4	Histology - 4 Site/Lesion Excludes diffuse gastrointestinal or dermatological lesions, eyeballs, skeletal parts.	2 — 5 days	Fixed tissue	₪ 1,017.90
HISTLARGE	Histology - Complex/Large/Whole/Bone SpecimensEvaluation of organs, including spleen (whole, partial, or multiple incisional specimens), gastrointestinal tract resection and anastomosis specimen;mammary chain (including 3 mammae or masses); amputated digits, limbs,or jaw.	5 — 14 days	Fixed tissue	₪ 974.40
HISTGI	Histology - GI tract Profile Endoscopic biopsy evaluation	2 — 5 days	Fixed tissue (Special tissue - GI tract endoscopic samples)	₪ 974.40
HISTLIV	Histology - Liver Profile Liver Evaluation and Special Stains	2 — 5 days	Fixed tissue (Specialtissue - liver samples)	₪ 974.40
HISTPM	Histology - Post Mortem Case Up to 3 tissues	2 — 5 days	Fixed tissue	₪ 803.30
HISTOCL	Histology Eye Examination (Large Animal)	5 — 10 days	Fixed tissue (special tissue- eyes)	₪ 1,299.20
HISTOC	Histology Eye Examination (Small Animal)	2 — 5 days	Fixed tissue (special tissue- eyes)	₪ 1,136.80
HISTSK	Histology – Skin Profile Skin evaluation, levels, special stains and read by pathologist with specia lskin interest.	2 — 5 days	Fixed tissue	₪ 812.00
			Immunohistochemistry	
C-KITPCR	C-Kit PCR K9 Combo For Mast Cell Tumours This test can only be ordered after initial histology is performed	15 — 20 days	Fixed tissue	₪ 849.70
CBRAF	Canine BRAF Mutation Detection Assay	5 — 15 days	40 mL of urine (< 48 hrs old), cytology smears,histology slides, fixed tissue	₪ 577.10
IHCR1	Immunohistochemistry - 1 Panel This test can only be ordered after initial histology is performed.	7 — 14 days	Fixed tissue	₪ 524.90
IHCR2	Immunohistochemistry - 2 Panel This test can only be ordered after initial histology is performed.	7 — 14 days	Fixed tissue	₪ 788.80

IHCR3	Immunohistochemistry - 3 Panel This test can only be ordered after initial histology is performed.	7 — 14 days	Fixed tissue	₺ 1,052.70
IHCR4	Immunohistochemistry - 4 Panel This test can only be ordered after initial histology is performed.	7 — 14 days	Fixed tissue	₺ 1,316.60
IHCR5	Immunohistochemistry - 5 Panel This test can only be ordered after initial histology is performed.	7 — 14 days	Fixed tissue	₺ 1,580.50
KI67	KI67 For Mast Cell Tumour This test can only be ordered after initial histology is performed	7 — 14 days	Fixed tissue	₺ 655.40
KI672	KI67 For 2 Mast Cell Tumour This test can only be ordered after initial histology is performed	7 — 14 days	Fixed tissue	₺ 1,247.00
MEL	Melanoma Panel - Prognostic This test can only be ordered after initial histology is performed	7 — 14 days	Fixed tissue	₺ 510.40
PARR	PARR Molecular Clonality Assay for Lymphoma This test can only be ordered after initial cytology/histology is performed	15 — 20 days	Fixed tissue, Air dried smears	₺ 751.10
PARRFX	PARR Molecular Clonality Assay for Lymphoma (Fast Track) This test can only be ordered after initial cytology/histology is performed	5 — 7 days	Fixed tissue, Air dried smears	₺ 957.00
			Ear Screens	
EARSW	Ear Culture (One Ear) Aerobic culture, Yeast culture	2 — 3 days	e-swab	₺ 353.80
EARLR	Ear Culture (Two Ears)	2 — 3 days	e-swab x2	₺ 530.70
EARM	Ear Culture + Gram Stain (One Ear) Aerobic culture, Yeast culture, Gram stain	2 — 3 days	Air dried smear + e-swab	₺ 452.40
EARM2	Ear Culture + Gram Stain (Two Ears)	2 — 3 days	Air dried smears + e-swab X2	₺ 672.80
EARC	Ear Culture + Cytology (One Ear) Aerobic culture, Yeast culture, Cytology	2 — 4 days	Air dried smears + e-swab	₺ 687.30
EARC2	Ear Culture + Cytology (Two Ears)	2 — 4 days	Air dried smears + e-swab X2	₺ 907.70
			Allergy – Screens and Panels	
G_ALSC	Allergy Screen (Canine/Feline) Screen for Mites/Moulds, Grass and Weeds, Trees	3 — 7 days	1.5 mL separated serum	₺ 310.30
G_ALSCF	Allergy Screen and Flea IgE (Canine/Feline) Screen for Mites/Moulds, Grass and Weeds, Trees, Flea	3 — 7 days	1.5 mL separated serum	₺ 359.60

G_EPIC	Epidermal Allergy Panel (Canine) Cat epithelia, Rabbit epithelia, Guinea pig epithelia, Parakeet feather, Goose/duck feathers	3 — 14 days	1.5 mL separated serum	₺ 426.30
G_EPIF	Epidermal Allergy Panel (Feline) Dog epithelia, Rabbit epithelia, Guinea pig epithelia, Parakeet feather, Goose/duck feathers	3 — 14 days	1.5 mL separated serum	₺ 426.30
G_ALE	Trees Allergy Panel (Canine/Feline) Birch (Betula populifolia), Alder (Alnus sp.), Oak (Quercus sp.), Cypress Bald (Cupressus sp.), Hazel (Corylus avellana), Elm Mix(Ulmus sp.), Beech European (Fagus sylvatica), Poplar (Populus sp.), Maple (Acer pseudoplatanus), Willow (Salix caprea), Olive	3 — 7 days	1.5 mL separated serum	₺ 675.70
G_ALGUK	Grasses & Weeds Allergy Panel (Canine/Feline) Timothy (Phleum pratense), Orchard Grass (Dactylis glomerata), Meadow grass (Poa pratensis), Perennial Rye grass (Lolium perenne), Sheep sorrel (Rumex acetosella), English plantain (Plantago lanceolata), Nettle (Urtica dioica), Lambs quarter (Chenopodium album, Mugwort(Artemisia vulgaris), Ragweed Short (Ambrosia artemisifolia), Wall pellitory (Parietaria officinalis), Clover (Trifolium)	3 — 7 days	1.5 mL separated serum	₺ 675.70
G_ALI	Indoor Allergy Panel (Mites & Moulds) (Canine/Feline) House Dust Mite (D. farinae), House Dust Mite (D. pteronyssinus), Storage mite (Tyrophagus putrescentiae), Grain mite (Lepidoglyphus sp.), Storage Mite (Acarus siro), Cockroach (Blattaria germanica), Alternaria (alternata), Cladosporium herbarum, Aspergillus, Penicillium, Flea	3 — 7 days	1.5 mL separated serum	₺ 675.70
SENSIC	Food-specific IgG/IgE Panel (Canine/Feline) Egg, Duck, White Fish, Barley, Oat, Chicken, Rabbit, Potato, Salmon, Lamb, Corn, Cow's Milk, Rice, Beef, Pork, Soybean, Turkey, Tuna, Wheat, Beet Pulp, Venison, Millet, Ostrich	3 — 7 days	2 mL separated serum	₺ 887.40
G_INDC	Indoor & Epidermal Allergy Panel (Canine)	3 — 14 days	2.5 mL separated serum	₺ 986.00
G_INDF	Indoor & Epidermal Allergy Panel (Feline)	3 — 14 days	2.5 mL separated serum	₺ 986.00
G_OUT	Grass, Weeds & Trees Allergy Panel (Canine/Feline)	3 — 7 days	2.5 mL separated serum	₺ 1,215.10
G_COMP	Comprehensive Allergy Panel (Canine/Feline) Indoor, Grass & Weeds, Trees Panel	3 — 7 days	3 mL separated serum	₺ 1,725.50

G_COMPC	Comprehensive Allergy Panel + Malassezia (Canine) Indoor, Grass & Weeds, Trees and Malassezia Panel	3 — 7 days	3 mL separated serum	₺ 1,937.20
G_COMPIC	Comprehensive Allergy Panel Plus (Canine) Indoor, Grass & Weeds, Trees, Malassezia and Epidermal Panel	3 — 14 days	3 mL separated serum	₺ 2,108.30
G_COMPIF	Comprehensive Allergy Panel Plus (Feline) Indoor, Grass & Weeds, Trees, Epidermal Panel	3 — 14 days	3 mL separated serum	₺ 2,108.30
			General	
RABB	Rabies Serology Please ensure the rabies form, is fully completed, signed and stamped for this test. Requests on any other form cannot be processed. Repeat rabies certificates incur an additional charge. This test is approved for international export.	7 — 10 days	1 mL separated serum. No haemolysis can be present.	₺ 872.90
TOPC	Toxoplasma gondii (DNA) RealPCR™	3 — 7 days	Fever: 1 mL EDTA. CNS symptoms: 0.5 mL CSF. Respiratory symptoms: BAL. Ocular symptoms: aqueous humour	₺ 394.40
END1	Canine Endemic Tick-Borne Disease Profile Babesia, Anaplasma, and Ehrlichia PCR, Lyme, Anaplasma, and Ehrlichia antibody	3 — 7 days	1 mL EDTA + 1 mL separated serum	₺ 814.90
END1F	Feline Endemic Tick-Borne Disease Profile Babesia, Anaplasma, and Ehrlichia PCR, Lyme, Anaplasma, and Ehrlichia antibody	3 — 7 days	1 mL EDTA + 1 mL separated serum	₺ 806.20
TRA	Canine Travel Disease Profile - Recent travel Ehrlichia, Babesia spp., Anaplasma, and Hepatozoon PCR, Lyme serology and microscopic assessment for blood parasites	3 — 7 days	1 mL separated serum + 2 mL EDTA + air dried smear	₺ 1,032.40
CTRA	Canine travel disease profile - For chronic disease or frequent travelers Ehrlichia, Lyme, Anaplasma and Leishmania antibody, Babesia spp. And Hepatozoon PCR, Heartworm antigen (Dirofilaria immitis)	3 — 7 days	2 mL separated serum + 1 mL EDTA	₺ 1,038.20
UCUL	Urine Culture & Sensitivity Includes antibacterial activity	2 — 3 days	5 mL boric urine (If less than 5 mL urine for boric tube available - remove powder from pot)	₺ 350.90
SW	Swab (Culture and Sensitivity) Additional swab - same animal 50% list price each	2 — 3 days	e-swab	₺ 353.80
			Biochemistry	

SPE	Protein Electrophoresis (Serum)	1 — 2 days	0.5 ml separated serum	₪ 226.20
FPE	Fluid Protein Electrophoresis Electrophoresis	1 — 2 days	0.5 ml fluid	₪ 226.20
UPE	Protein Electrophoresis (Urine) Boric Urine is not suitable	5 — 7 days	8 mL plain urine	₪ 330.60
VON	Von Willebrand's Factor	7 — 14 days	2 mL frozen citrate plasma.	₪ 617.70
ARA	Acetylcholine Receptor Antibodies	7 — 14 days	1 mL separated serum	₪ 1,821.20
ANF	Antinuclear Antibodies (Canine)	3 — 7 days	0.5 mL separated serum	₪ 382.80
RATKO	Antinuclear Antibodies (Feline)	7 — 14 days	0.5 mL separated serum	₪ 649.60
MMM	Masticatory Muscle Myositis Antibody	7 — 14 days	1 mL separated serum	₪ 1,232.50
			Adrenal / Pituitary	
CORT	Cortisol (Basal)	Day of receipt	0.5 mL separated serum	₪ 252.30
CORTPP	Cortisol (Pre Trilostane Pill)	Day of receipt	0.5 mL separated serum	₪ 252.30
UCCR	Urine Cortisol/Creatinine Ratio (Canine, Feline) Boric Urine is not suitable. Take the sample at least 3 days after a stressful event.	Day of receipt	5 mL plain urine	₪ 429.20
EACTH	Endogenous ACTH	1 — 3 days	1 mL separated EDTA plasma MUST BE FROZEN	₪ 379.90
ACTH	ACTH Stimulation Test Sample: Pre and 1 hour post ACTH	Day of receipt	0.5 mL separated serum x 2 Please ensure tubes are labelled with collection times	₪ 403.10
ACTV	ACTH Stimulation Test (Trilostane)	Day of receipt	0.5 mL separated serum x 2 Please ensure tubes are labelled with collection times	₪ 403.10
FACT	ACTH Stimulation Test (Feline) Sample: Pre, 60 & 90 minutes post ACTH	Day of receipt	0.5 mL separated serum x 3 Please ensure tubes are labelled with collection times	₪ 539.40
			Thyroid	
TSHS	Canine TSH	Day of receipt	0.5 mL separated serum	₪ 229.10
FTSH	Feline TSH	Day of receipt	0.5 mL separated serum	₪ 229.10
TGAA	Thyroglobulin Autoantibodies (Canine)	2 — 7 days	0.5 mL separated serum	₪ 290.00
CTSH	Canine TSH and Total T4	Day of receipt	1 mL separated serum	₪ 345.10
CTPV	Canine Thyroid Panel Total T4, Free T4 by immunoassay, Canine TSH, Thyroglobulin autoantibodies	3 — 7 days	2 mL separated serum 2 mL separated serum (sample must be less than 5 days old)	₪ 623.50
CTPR	Canine Premium Thyroid Panel Total T4, Free T4 by Equilibrium Dialysis, Canine TSH, Thyroglobulin autoantibodies	3 — 7 days	2 mL separated serum 2 mL separated serum (sample must be less than 5 days old)	₪ 742.40
FTPV	Feline Thyroid Panel Total T4, Free T4 by immunoassay	Day of receipt	1 mL separated serum 2 mL separated serum (sample must be less than 5 days old)	₪ 406.00

FTPR	Feline Premium Thyroid Panel Total T4, Free T4 by Equilibrium Dialysis	3 — 7 days	1.5 mL separated serum 2 mL separated serum (sample must be less than 5 days old)	₺ 562.60
			Reproduction	
AMH	Anti-Mullerian Hormone For Ovarian remnant detection and Determination of spayed/castrated vs. intact/cryptorchid	1 — 3 days	0.5 mL separated serum	₺ 632.20
PGT	Progesterone Equine: for early pregnancy detection 18 – 31 days post covering. Canine:intact/cryptorchid	Day of receipt	1 mL separated serum	₺ 307.40
PGT+AMH	Progesterone and Anti-Mullerian Hormone (Canine/Feline/Equine) For Ovarian remnant detection and determination of neuter status in a female	1 — 3 days	1 mL separated serum	₺ 855.50
OEST	Oestradiol	7 — 14 days	1 mL separated serum	₺ 759.80
TEST	Testosterone	Day of receipt	0.5 mL separated serum (EDTA unsuitable)	₺ 353.80
			Other Hormones	
IN	Insulin (Canine) Haemolysed sample not suitable	3 — 7 days	1 mL separated serum.	₺ 348.00
INEQ	Insulin (Equine) Haemolysed sample not suitable	2 — 7 days	1 mL separated serum	₺ 394.40
FIN	Feline Insulin	7 — 14 days	1 ml separated serum	₺ 655.40
IGF1	Insulin-like Growth factor (IGF1)	7 — 14 days	1 mL separated serum	₺ 1,157.10
			Infectious Disease	
CDPP	Canine Diarrhoea Panel PCR for Giardia spp., Cryptosporidium spp., Salmonella spp., Clostridium perfringens alpha toxin gene, Clostridium perfringens enterotoxin gene, Canine Enteric Coronavirus, Canine Parvovirus 2, Canine Distemper Virus	3 — 7 days	5g Faeces. Faecal swab is unsuitable for analysis	₺ 977.30
FDPP	Diarrhoea PCR Panel (Feline) PCR for Tritrichomonas foetus, Giardia spp., Cryptosporidium spp., Toxoplasma gondii, Salmonella spp., Clostridium perfringens alpha enterotoxin A gene, Clostridium perfringens enterotoxin gene, Feline Coronavirus (FeCoV), Feline Enteritis	3 — 7 days	5g Faeces. Faecal swab is unsuitable for analysis	₺ 1,035.30
FFFT	Infectious Disease Screen (Feline) FeLV, FIV, Feline Coronavirus, Toxoplasma IgG/IgM	2 — 5 days	2 mL separated serum	₺ 829.40
FIPVP	Coronavirus (FIP) (RNA) RealPCR™ (Feline)	3 — 7 days	1 mL EDTA, abdominal,pleural, CSF fluid, tissue aspirate or biopsy	₺ 394.40
FHVS	Herpesvirus Antibodies (Feline)	7 — 14 days	1 mL separated serum	₺ 817.80

FHV1Q	Herpesvirus FHV-1 (DNA) RealPCR (Feline)	3 — 7 days	Rhinotracheitis: deep pharyngeal e-swab, nasale-swab Keratoconjunctivitis: conjunctival e-swab Genital infection: vaginal e-swab Abortion: abortion material	₪ 394.40
FELV	FeLV Antigen	Day of receipt	0.5 mL separated serum	₪ 237.80
FLVP	FeLV Quantitative (DNA) PCR	3 — 7 days	2 mL EDTA	₪ 394.40
FELP	FeLV Antigen and PCR panel FeLV antigen, FeLV PCR (progenome)	2 — 7 days	2 mL EDTA + 0.5 mL separated serum	₪ 565.50
FIV	FIV Antibody	Day of receipt	0.5 mL separated serum	₪ 237.80
MPCC	Mycoplasma felis (DNA) RealPCR™	3 — 7 days	Conjunctival e-swab, 1 mL tracheal wash	₪ 394.40
TOXO	Toxoplasma IgG / IgM	2 — 4 days	1 mL separated serum	₪ 507.50
ARVP	Arenavirus RNA PCR Inclusion Body Disease (IBD) of snakes	5 — 7 days	1 mL EDTA, e-swabs + tissue from dead animal (liver or brain)	₪ 835.20
TTF	Tritrichomonas foetus (DNA) RealPCR™	3 — 7 days	5g Faeces	₪ 394.40
			Genetic Disease PCR	
VONP	Von Willebrand Disease PCR (Canine) Type 1: Barbet (French Water Dog), Bernese Mountain Dog, Cockapoo(English), Cockapoo (American), Coton de Tulear, Doberman, Drentsche Patrijshond, English Toy Terrier, German Pinscher, Goldendoodle, Irish Red and White Setter, Irish Setter, Kerry Blue Terrier, Kromfohrlander,Labradoodle, Manchester Terrier, Miniature Poodle, Papillon (Continental Toy Spaniel), Pembroke Welsh Corgi, Poodle, Stabyhound (Stabijhoun),Standard Poodle, Toy Poodle. Type 2: German Shorthair Pointer, German Wirehaired Pointer. Type 3: Dutch Kooiker (Kooikerhondje), Scottish Terrier, Shetland Sheepdog (Sheltie).	28 — 56 days	1 mL EDTA	₪ 397.30
GDHA	Haemophilia A (Canine) Boxer, German Shepherd, Havanese - Bichon Havanese, Old English Sheepdog (Bobtail), Rhodesian Ridgeback	21 — 42 days	1 mL EDTA, Buccal Swab	₪ 687.30
GDHB	Haemophilia B (Canine) American Akita , Hovawart , Lhasa Apso , Rhodesian Ridgeback	7 — 14 days	1 mL EDTA, Buccal Swab	₪ 687.30
GD16	Hypertrophic Cardiomyopathy (HCM) PCR (Feline) Mutation A31P Maine Coon, Mutation R820W Ragdoll, Mutation HDM4 Sphynx and their cross breeds	21 — 42 days	1 mL EDTA, Buccal Swab	₪ 397.30

GD26	Polycystic Kidney Disease (PKD) PCR (Feline) Persian, Himalayan, Siamese, Ragdolls, European Shorthair, Chartreux, American Shorthair, British Shorthair, Exotic Shorthair, Selkirk Rex and Scottish Folds	21 — 42 days	1 mL EDTA	₺ 835.20
GD58	Progressive Retinal Atrophy (PRA) (rdAc-PRA) PCR (Feline) Abyssinian, Somali, Ocicat, Siamese, Bengal, Balinese, Javanese, Oriental shorthair, Tonkinese and Peterbald	21 — 28 days	1 mL EDTA, Buccal Swab	₺ 359.60